

## Fenceline Air Monitoring Summary

<b>Client:</b>	<b>Sunoco LP</b>
<b>Location:</b>	<b>Sunoco Oil Terminal, 175 Front Street, Portland, Maine</b>
<b>Reporting Period:</b>	<b>2025 Quarter 2 (3/20/25 – 6/26/25)</b>

On behalf of Sunoco LP (Sunoco), AECOM Technical Services, Inc. (AECOM) has prepared this data summary for the bi-weekly fenceline air sampling conducted during the indicated sampling period at the Sunoco Oil Terminal facility located at 175 Front Street in Portland, Maine. The fenceline air monitoring was conducted in accordance with the Fenceline Air Monitoring Plan and amendment developed by AECOM (March 2024) and Amendment 01 (November 2024) and based on the requirements of *Chapter 171: Control of Petroleum Storage Facilities, promulgated by the Maine Department of Environmental Protection (Maine DEP)*.

Fenceline air monitoring commenced on July 25, 2024, under control of Gulf Oil LP (Gulf Oil). Gulf transferred ownership of the 175 Front Street facility to Sunoco on August 29, 2024. This Quarterly Fenceline Air Monitoring Summary focuses on the data collected during the report period and includes project-to-date average concentrations since the project commenced.

### Scope of Work

Fenceline air monitoring was conducted during the reporting period to evaluate ambient air conditions at the Sunoco facility property line (fenceline). The fenceline air monitoring procedure includes the following:

- Diffusive passive samplers are deployed at 12 locations for a sampling period of 14 days. Sampling is conducted in accordance with the Project Operating Procedure (POP): *Diffusive Passive Sampler Handling: Field Deployment and Shipment*, provided as part of the Fenceline Air Monitoring Plan.
- The collected samples are analyzed for benzene, toluene, ethylbenzene, and xylenes (BTEX) using thermal desorption/gas chromatograph (GC)/mass spectrometry (MS) techniques, in accordance with EPA Test Method 325B: *Volatile Organic Compounds from Fugitive and Area Sources: Sampler Preparation and Analysis*.
- Wind speed, wind direction, temperature, and barometric pressure (BP) data is sourced from a nearby weather station at Portland International Jetport (PWM) for the sampling period to: provide data to the analytical laboratory to enable calculation of concentrations under field conditions; create wind roses for each sampling period; and determine the prevailing wind speed and wind direction during periods of elevated concentrations.

### Fenceline Monitoring Summary

The fenceline air monitoring samples were collected approximately every 14 days between March 20, 2025, and June 26, 2025, and were shipped to Eurofins analytical laboratory for BTEX analysis. The following tables, figure, and attachments include the summaries and results from the reporting period:

- **Table 1:** Fenceline Air Monitoring Sampling Period Summary
- **Table 2:** Passive Sampler Location Coordinates
- **Figure 1:** Site Map Identifying Sampling Locations
- **Attachment 1:** Quarterly Results Summary
- **Attachment 2:** Sample Event Wind Roses and Field Observations
- **Attachment 3:** Analytical Reports

**Table 1: Fenceline Air Monitoring Sampling Period Summary**

Sample Period	Sample Duration (Days)	Wind Conditions	Average Temperature and Barometric Pressure	Comments
3/20/2025 – 4/3/2025	14	Calm 11.2% or predominately from the W-NNW and 2-20+ mph	36.6°F & 29.94 “Hg	NA
4/3/2025 – 4/17/2025	14	Calm 11.8% or predominately from the W-N and 2-20+ mph	40.2°F & 29.90 “Hg	NA
4/17/2025 – 5/1/2025	14	Calm 15.7% or predominately from the S and 2-20+ mph	51.5°F & 30.00 “Hg	NA
5/1/2025 – 5/15/2025	14	Calm 20.1% or predominately from the E and 2-20 mph	51.8°F & 30.06 “Hg	NA
5/15/2025 – 5/29/2025	14	Calm 9.0% or predominately from the E and 2-20+ mph	54.3°F & 29.87 “Hg	NA
5/29/2025 – 6/12/2025	14	Calm 16.3% or predominately from the E/S-W and 2-20+ mph	61.0°F & 29.89 “Hg	NA
6/12/2025 – 6/26/2025	14	Calm 17.9% or predominately from the S and 2-20+ mph	66.4°F & 30.01 “Hg	NA

**Definitions:**

- Calm – wind speeds less than 2.0 mph
- °F – degrees Fahrenheit
- “Hg – inches mercury
- mph – miles per hour
- NA – not applicable, no notable comments

**Notes:**

NA

Figure 1: Site Map Identifying Sampling Locations



Table 2: Passive Sampler Location Coordinates

Passive Sampler Identification	Latitude	Longitude
PS-1	43.6529556	-70.2370750
PS-2	43.6523972	-70.2364639
PS-3	43.6517472	-70.2364056
PS-4	43.6512556	-70.2370750
PS-5	43.6507889	-70.2376167
PS-6	43.6503278	-70.2381444
PS-7	43.6503222	-70.2389833
PS-8	43.6509167	-70.2395694
PS-9	43.6516690	-70.2402920
PS-10	43.6525639	-70.2397333
PS-11	43.6523833	-70.2385750
PS-12	43.6526889	-70.2380639

**Definitions:**

PS – Passive Sampler

## **Attachment 1: Quarterly Results Summary**

Sample Code	Benzene ug/m3		Ethylbenzene ug/m3		m&p-Xylene ug/m3		o-Xylene ug/m3		Toluene ug/m3	
	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
PS-01-SA-20250403	1.1		0.32	J	1.2	PC	0.42	J,PC	2.0	
PS-02-SA-20250403	1.0		0.49	J	1.9	PC	0.65	PC	2.3	
PS-03-SA-20250403	0.98		0.44	J	1.7	PC	0.59	PC	2.2	
PS-04-SA-20250403	0.94		0.40	J	1.3	PC	0.48	J,PC	2.1	
PS-04-DU-20250403	0.95		0.29	J	0.73	PC	< 0.28	ND,PC	2.0	
PS-05-SA-20250403	0.86		0.32	J	1.0	PC	0.38	J,PC	1.9	
PS-06-SA-20250403	0.89		0.34	J	1.1	PC	0.40	J,PC	2.3	
PS-07-SA-20250403	0.89		0.34	J	1.2	PC	0.43	J,PC	1.9	
PS-08-SA-20250403	1.4		0.49	J	1.7	PC	0.64	PC	3.2	
PS-09-SA-20250403	0.65		< 0.28	ND	0.43	J,PC	< 0.28	ND,PC	0.93	
PS-10-SA-20250403	0.77		< 0.28	ND	0.49	J,PC	< 0.28	ND,PC	1.1	
PS-11-SA-20250403	0.92		0.31	J	1.0	PC	0.37	J,PC	1.9	
PS-12-SA-20250403	1.7		0.41	J	1.4	PC	0.50	J,PC	3.3	
PS-12-FB-20250403	< 0.19	ND	< 0.28	ND	< 0.28	ND,PC	< 0.28	ND,PC	< 0.25	ND
PS-1-SA-20250417	0.85		0.29	J	0.99		0.36	J	1.6	
PS-1-FB-20250417	< 0.19	ND	< 0.28	ND	< 0.28	ND	< 0.28	ND	< 0.25	ND
PS-2-SA-20250417	0.90		0.50	J	1.8		0.63		2.2	
PS-3-SA-20250417	0.76		0.36	J	1.3		0.45	J	1.6	
PS-4-SA-20250417	0.86		0.43	J	1.6		0.54	J	2.0	
PS-5-SA-20250417	0.75		0.32	J	1.0		0.39	J	1.7	
PS-5-DU-20250417	0.74		0.32	J	1.0		0.39	J	1.7	
PS-06-SA-20250417	0.85		0.41	J	1.4		0.54	J	2.3	
PS-07-SA-20250417	0.84		0.33	J	1.1		0.39	J	2.0	
PS-08-SA-20250417	1.2		0.55	J	1.8		0.68		3.5	
PS-09-SA-20250417	0.56		< 0.28	ND	0.52	J	< 0.28	ND	1.0	
PS-10-SA-20250417	0.65		< 0.28	ND	0.44	J	< 0.28	ND	0.94	
PS-11-SA-20250417	0.74		< 0.28	ND	0.84		0.29	J	1.5	
PS-12-SA-20250417	1.0		0.33	J	1.1		0.40	J	2.0	
PS-01-SA-20250501	1.5		0.83		2.8		1.0		3.8	
PS-02-SA-20250501	1.1		0.75		2.7		0.94		3.0	
PS-02-FB-SA-20250501	< 0.19	ND	< 0.28	ND	< 0.28	ND	< 0.28	ND	< 0.24	ND
PS-03-SA-20250501	1.0		0.67		2.3		0.80		2.8	
PS-04-SA-20250501	0.98		0.57		1.9		0.69		2.5	
PS-05-SA-20250501	0.73		0.43	J	1.4		0.52	J	2.0	
PS-06-SA-20250501	0.69		0.42	J	1.4		0.54	J	2.0	
PS-06-DU-20250501	0.68		0.44	J	1.5		0.56		2.1	
PS-07-SA-20250501	0.64		0.37	J	1.2		0.44	J	1.7	
PS-08-SA-20250501	1.7		0.82		2.8		1.0		5.0	
PS-09-SA-20250501	0.67		< 0.28	ND	0.73		< 0.28	ND	1.1	
PS-10-SA-20250501	0.55		< 0.28	ND	0.74		0.29	J	1.1	
PS-11-SA-20250501	1.1		0.54	J	1.8		0.66		2.9	
PS-12-SA-20250501	1.4		0.69		2.3		0.84		3.4	
PS-01-SA-20250515	1.1		0.42	J	1.4		0.51	J	2.5	
PS-02-SA-20250515	0.90		0.31	J	1.1		0.40	J	1.8	
PS-03-SA-20250515	0.68		< 0.28	ND	0.78		0.29	J	1.4	
PS-03-FB-20250515	< 0.19	ND	< 0.28	ND	< 0.28	ND	< 0.28	ND	< 0.24	ND
PS-04-SA-20250515	0.66		< 0.28	ND	0.82		0.31	J	1.4	
PS-05-SA-20250515	0.65		< 0.28	ND	0.74		< 0.28	ND	1.3	
PS-06-SA-20250515	0.66		< 0.28	ND	0.79		0.30	J	1.4	
PS-07-SA-20250515	0.68		0.28	J	1.0		0.36	J	1.6	
PS-07-DU-20250515	0.68		0.30	J	1.1		0.40	J	1.6	
PS-08-SA-20250515	5.2		2.2		7.0		2.7		13	
PS-09-SA-20250515	1.1		0.37	J	1.2		0.46	J	2.4	
PS-10-SA-20250515	1.2		0.32	J	1.0		0.40	J	2.1	
PS-11-SA-20250515	1.8		0.85		2.8		1.0		4.3	
PS-12-SA-20250515	2.2		0.88		2.9		1.0		5.2	
PS-01-SA-20250529	0.78		0.40	J	1.4		0.47	J	3.1	
PS-02-SA-20250529	1.1		0.75		2.6		0.89		3.8	
PS-02-DU-20250529	1.1		0.79		2.7		0.95		3.8	
PS-03-SA-20250529	0.95		0.67		2.3		0.82		3.1	
PS-04-SA-20250529	0.97		0.67		2.3		0.84		3.0	
PS-05-SA-20250529	0.76		0.46	J	1.5		0.55		2.1	
PS-06-SA-20250529	0.62		0.41	J	1.3		0.51	J	2.2	
PS-07-SA-20250529	0.58		0.32	J	1.0		0.40	J	1.7	
PS-08-SA-20250529	2.0		1.4		4.2		1.6		8.6	
PS-09-SA-20250529	0.74		0.34	J	1.0		0.39	J	1.8	
PS-09-FB-20250529	< 0.19	ND	< 0.28	ND	< 0.28	ND	< 0.28	ND	< 0.24	ND
PS-10-SA-20250529	0.68		0.30	J	0.96		0.36	J	1.6	

Sample Code	Benzene ug/m3		Ethylbenzene ug/m3		m&p-Xylene ug/m3		o-Xylene ug/m3		Toluene ug/m3	
	Result	Flag	Result	Flag	Result	Flag	Result	Flag	Result	Flag
PS-11-SA-20250529	1.1		0.62		2.0		0.72		3.2	
PS-12-SA-20250529	1.6		0.77		2.5		0.90		5.0	
PS-01-SA-20250612	1.3		0.72		2.5		0.89		4.9	
PS-02-SA-20250612	1.7		1.3		4.6		1.6		6.3	
PS-03-SA-20250612	1.0		0.55		1.8		0.66		3.0	
PS-03-DU-20250612	1.0		0.58		1.9		0.68		3.0	
PS-04-SA-20250612	1.1		0.62		2.0		0.73		3.4	
PS-05-SA-20250612	0.89		0.44	J	1.5		0.53	J	2.6	
PS-06-SA-20250612	0.86		0.46	J	1.5		0.55		2.4	
PS-07-SA-20250612	0.90		0.44	J	1.5		0.54	J	2.4	
PS-08-SA-20250612	2.5		2.2		7.9		3.0		14	
PS-09-SA-20250612	0.88		0.44	J	1.4		0.56		2.6	
PS-10-SA-20250612	0.93		0.46	J	1.5		0.56		2.8	
PS-10-FB-20250612	< 0.19	ND	< 0.27	ND	< 0.27	ND	< 0.27	ND	< 0.24	ND
PS-11-SA-20250612	1.2		0.71		2.4		0.88		4.6	
PS-12-SA-20250612	1.8		1.0		3.6		1.3		8.1	
PS-01-SA-20250626	1.6		0.95		3.2		1.1		8.2	
PS-02-SA-20250626	1.5		1.1		3.8		1.3		6.8	
PS-03-SA-20250626	0.88		0.54		1.8		0.62		3.5	
PS-04-SA-20250626	1.2		0.71		2.4		0.86		4.7	
PS-04-DU-20250626	1.1		0.75		2.6		0.89		4.8	
PS-05-SA-20250626	0.90		0.48	J	1.6		0.56		3.2	
PS-06-SA-20250626	0.77		0.44	J	1.5		0.54		3.2	
PS-07-SA-20250626	0.81		0.46	J	1.5		0.57		3.4	
PS-08-SA-20250626	1.3		0.93		3.0		1.1		5.9	
PS-08-FB-20250626	< 0.19	ND	< 0.27	ND	< 0.27	ND	< 0.27	ND	< 0.24	ND
PS-09-SA-20250626	0.68		0.33	J	1.0		0.38	J	2.2	
PS-10-SA-20250626	0.79		0.39	J	1.2		0.45	J	2.6	
PS-11-SA-20250626	1.3		0.79		2.6		0.96		5.2	
PS-12-SA-20250626	1.9		1.1		3.9		1.4		9.7	
Summary Statistics	Benzene ug/m3		Ethylbenzene ug/m3		m&p-Xylene ug/m3		o-Xylene ug/m3		Toluene ug/m3	
Quarterly Maximum	5.2		2.2		7.9		3		14	
Quarterly Average	1.1		0.56		1.8		0.68		3.2	
Rolling Annual Maximum	5.2		3		12		3.7		14	
Rolling Annual Average	1.2		0.57		1.9		0.68		3.2	

Quarterly (4/1/25-6/30/25)

Rolling annual (8/8/24-6/30/25)

J: Estimated value. The analyte was detected between the method detection limit and the reporting limit

ND: That analyte was not present above the method detection level

P: Field duplicate(s) exceed 30% RPD

PC: Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit

PS: Passive Sampler

SA: Routine Sample

FB: Field Blank


DU: Duplicate

## **Attachment 2: Sample Event Wind Roses and Field Observations**

**Sample Period: 3/20/2025 – 4/3/2025**




Windrose Plot for [PWM] PORTLAND INTL JET  
 Obs Between: 20 Mar 2025 01:51 PM - 03 Apr 2025 12:51 PM America/New\_York



Calm values are < 2.0 mph  
 Bar Convention: Meteorology  
 Flow arrows relative to plot center.  
 Generated: 10 Jul 2025


Summary  
 Obs Used: 331  
 Obs Without Wind: 0  
 Avg Speed: 8.1 mph



**Sample Period: 4/3/2025 – 4/17/2025**




Windrose Plot for [PWM] PORTLAND INTL JET  
 Obs Between: 03 Apr 2025 01:51 PM - 17 Apr 2025 12:51 PM America/New\_York



Calm values are < 2.0 mph  
 Bar Convention: Meteorology  
 Flow arrows relative to plot center.  
 Generated: 10 Jul 2025

Summary  
 Obs Used: 330  
 Obs Without Wind: 0  
 Avg Speed: 8.0 mph



**Field Observations:**

- During the sample deployment and sample collection, AECOM did not identify any offsite activities that may have impacted the sample results.



**Field Observations:**

- During the sample deployment and sample collection, AECOM did not identify any offsite activities that may have impacted the sample results.

**Sample Period: 4/17/2025 – 5/1/2025**



Windrose Plot for [PWM] PORTLAND INTL JET  
 Obs Between: 17 Apr 2025 01:51 PM - 01 May 2025 12:51 PM America/New\_York





**Field Observations:**

- During the sample deployment and sample collection, AECOM did not identify any offsite activities that may have impacted the sample results.

**Sample Period: 5/1/2025 – 5/15/2025**



Windrose Plot for [PWM] PORTLAND INTL JET  
 Obs Between: 01 May 2025 01:51 PM - 15 May 2025 12:51 PM America/New\_York




**Field Observations:**

- During the sample deployment and sample collection, AECOM did not identify any offsite activities that may have impacted the sample results.

**Sample Period: 5/15/2025 – 5/29/2025**




Windrose Plot for [PWM] PORTLAND INTL JET  
 Obs Between: 15 May 2025 01:51 PM - 29 May 2025 12:51 PM America/New\_York



**Summary**  
 Obs Used: 333  
 Obs Without Wind: 0  
 Avg Speed: 8.5 mph


Calm values are < 2.0 mph  
 Bar Convention: Meteorology  
 Flow arrows relative to plot center.  
 Generated: 10 Jul 2025



**Sample Period: 5/29/2025 – 6/12/2025**




Windrose Plot for [PWM] PORTLAND INTL JET  
 Obs Between: 29 May 2025 01:51 PM - 12 Jun 2025 12:51 PM America/New\_York



**Summary**  
 Obs Used: 332  
 Obs Without Wind: 0  
 Avg Speed: 6.8 mph

Calm values are < 2.0 mph  
 Bar Convention: Meteorology  
 Flow arrows relative to plot center.  
 Generated: 10 Jul 2025



**Field Observations:**

- During the sample deployment and sample collection, AECOM did not identify any offsite activities that may have impacted the sample results.


**Field Observations:**

- During the sample deployment and sample collection, AECOM did not identify any offsite activities that may have impacted the sample results.  
 - Slight odor was observed at PS-3.

**Sample Period: 6/12/2025 – 6/26/2025**



Windrose Plot for [PWM] PORTLAND INTL JET  
Obs Between: 12 Jun 2025 01:51 PM - 26 Jun 2025 12:51 PM America/New\_York



**Field Observations:**

- During the sample deployment and sample collection, AECOM did not identify any offsite activities that may have impacted the sample results.

## **Attachment 3: Analytical Reports**

**Analytical Report**

4/14/2025

Ms. Melissa McLaughlin  
AECOM Environment  
250 Apollo Drive

Chelmsford MA 01824

Project Name: Sunoco Fenceline  
Project #: 60737155  
Workorder #: 2504110

Dear Ms. Melissa McLaughlin

The following report includes the data for the above referenced project for sample(s) received on 4/7/2025 at Eurofins Air Toxics LLC.

The data and associated QC analyzed by EPA Method 325B are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Eurofins Air Toxics LLC. for your air analysis needs. Eurofins Air Toxics Inc. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Shannon Eubank at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Shannon Eubank  
Project Manager

**WORK ORDER #: 2504110**

Work Order Summary

<b>CLIENT:</b>	Ms. Melissa McLaughlin AECOM Environment 250 Apollo Drive Chelmsford, MA 01824	<b>BILL TO:</b>	Accounts Payable Austin (non-Federal) AECOM PO Box 203970 Austin, TX 78720
<b>PHONE:</b>	978.905.2100	<b>P.O. #</b>	1680852 06.42
<b>FAX:</b>	978.905.2101	<b>PROJECT #</b>	60737155 Sunoco Fenceline
<b>DATE RECEIVED:</b>	04/07/2025	<b>CONTACT:</b>	Shannon Eubank
<b>DATE COMPLETED:</b>	04/14/2025		

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>
01A	PS-07-SA-20250403	EPA Method 325B
02A	PS-08-SA-20250403	EPA Method 325B
03A	PS-09-SA-20250403	EPA Method 325B
04A	PS-10-SA-20250403	EPA Method 325B
05A	PS-11-SA-20250403	EPA Method 325B
06A	PS-12-SA-20250403	EPA Method 325B
07A	PS-12-FB-20250403	EPA Method 325B
08A	PS-01-SA-20250403	EPA Method 325B
09A	PS-02-SA-20250403	EPA Method 325B
10A	PS-03-SA-20250403	EPA Method 325B
11A	PS-04-SA-20250403	EPA Method 325B
12A	PS-04-DU-20250403	EPA Method 325B
13A	PS-05-SA-20250403	EPA Method 325B
14A	PS-06-SA-20250403	EPA Method 325B
15A	Lab Blank	EPA Method 325B
15B	Lab Blank	EPA Method 325B
16A	CCV	EPA Method 325B
16B	CCV	EPA Method 325B
16C	CCV	EPA Method 325B

CERTIFIED BY:   
 \_\_\_\_\_  
 Technical Director

DATE: 04/14/25

Cert. No.: AZ Licensure-AZ0775, FL NELAP-E87680, LA NELAP-02089, MN NELAP-2836569, NH NELAP-209224-A, NJ NELAP-CA016, NY NELAP-11291, TX NELAP-T104704434, UT NELAP-CA009332023-16, VA NELAP-13180, WA NELAP-C935  
 Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program) CA300005-21  
 Eurofins Environment Testing Northern California, LLC certifies that the test results contained in this report meet all requirements of the 2016 TNI Standard.

*This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, LLC.*  
 180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630  
 (916) 985-1000

**LABORATORY NARRATIVE  
ATM EPA 325B  
AECOM Environment  
Workorder# 2504110**

Fourteen Carbopack X AC-PA samples were received on April 07, 2025. The laboratory performed the analysis via EPA Method 325B using GC/MS in the full scan mode.

The mass of each target compound adsorbed by the sampler was converted to units of concentration using the sample deployment time and the uptake rate for each VOC. Uptake rates are adjusted for local conditions and concentrations are reported based on normal ambient temperature and pressure conditions (25 deg C and 760 mm Hg) following the required calculations in EPA Method 325B. These adjustments are reflected in the dilution factor.

**Receiving Notes**

There were no receiving discrepancies.

**Analytical Notes**

The field duplicate pair PS-04-SA-20250403 and PS-04-DU-20250403 exceeded the method required 30%RPD criterion with a precision of 59 %RPD for m,p-Xylene. As required by the method, associated sample results from the monitoring period are qualified to indicate method precision was not met. The data qualifier "Pc" was applied to indicate that the sample concentrations of the sample and/or its duplicate were less than 2 times the reporting limit which likely influenced the measured precision.

The field duplicate pair PS-04-SA-20250403 and PS-04-DU-20250403 exceeded the method required 30%RPD criterion with a precision of 52 %RPD for o-Xylene. In order to evaluate field precision against method criterion of  $\leq 30\%$ RPD, the %RPD was calculated using the MDL value for sample PS-04-DU-20250403. As required by the method, associated sample results from the monitoring period are qualified to indicate method precision was not met. The data qualifier "Pc" was applied to indicate that the sample concentrations of the sample and its duplicate were less than 2 times the reporting limit which likely influenced the measured precision.

**Definition of Data Qualifying Flags**

The following qualifiers may have been used on the data analysis sheets and indicate as follows:

- B - Compound present in field blank(s) greater than 1/3 the compliance limit or measured target analyte (background subtraction not performed).
- J - Estimated value - analyte detected between the Method Detection Limit and Reporting Limit.
- E - Exceeds instrument calibration range.
- S - Saturated peak.
- Q - Exceeds quality control limits.
- U - Compound analyzed for but not detected above the MDL value.
- I - Internal Standard recovery outside acceptance limits
- P - Field Duplicate(s) exceed 30%RPD
- Pc- Field Duplicate(s) exceed 30%RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.
- Pl - Field Duplicate(s) exceed 30%RPD, lab anomaly noted.
- L - Recovery of bracketing CCV(s) exceeded acceptance limits.

H - Sample analyzed outside of method hold time.

D - Sample duration outside 14+/-1 days

Fe - Field Error or discrepancy

Te - Tube Error or discrepancy

CN - See case narrative explanation.

File extensions may have been used on the data analysis sheets and indicates as follows:

a-File was requantified

b-File was quantified by a second column and detector

r1-File was requantified for the purpose of reissue



Air Toxics

### Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: PS-07-SA-20250403

Lab ID#: 2504110-01A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.89
Toluene	0.50	1.9
Ethyl Benzene	0.56	0.34 J
m,p-Xylene	0.56	1.2 PC
o-Xylene	0.56	0.43 JPC

Client Sample ID: PS-08-SA-20250403

Lab ID#: 2504110-02A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.4
Toluene	0.50	3.2
Ethyl Benzene	0.56	0.49 J
m,p-Xylene	0.56	1.7 PC
o-Xylene	0.56	0.64 PC

Client Sample ID: PS-09-SA-20250403

Lab ID#: 2504110-03A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.65
Toluene	0.50	0.93
Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.43 JPC
o-Xylene	0.56	0.28 UPC

Client Sample ID: PS-10-SA-20250403

Lab ID#: 2504110-04A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.77
Toluene	0.50	1.1

### Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

**Client Sample ID: PS-10-SA-20250403**

**Lab ID#: 2504110-04A**

Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.49 JPC
o-Xylene	0.56	0.28 UPC

**Client Sample ID: PS-11-SA-20250403**

**Lab ID#: 2504110-05A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.92
Toluene	0.50	1.9
Ethyl Benzene	0.56	0.31 J
m,p-Xylene	0.56	1.0 PC
o-Xylene	0.56	0.37 JPC

**Client Sample ID: PS-12-SA-20250403**

**Lab ID#: 2504110-06A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.7
Toluene	0.50	3.3
Ethyl Benzene	0.56	0.41 J
m,p-Xylene	0.56	1.4 PC
o-Xylene	0.56	0.50 JPC

**Client Sample ID: PS-12-FB-20250403**

**Lab ID#: 2504110-07A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.19 U
Toluene	0.50	0.25 U
Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.28 UPC
o-Xylene	0.56	0.28 UPC



Air Toxics

### Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: PS-01-SA-20250403

Lab ID#: 2504110-08A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.1
Toluene	0.50	2.0
Ethyl Benzene	0.56	0.32 J
m,p-Xylene	0.56	1.2 PC
o-Xylene	0.56	0.42 JPC

Client Sample ID: PS-02-SA-20250403

Lab ID#: 2504110-09A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.0
Toluene	0.50	2.3
Ethyl Benzene	0.56	0.49 J
m,p-Xylene	0.56	1.9 PC
o-Xylene	0.56	0.65 PC

Client Sample ID: PS-03-SA-20250403

Lab ID#: 2504110-10A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.98
Toluene	0.50	2.2
Ethyl Benzene	0.56	0.44 J
m,p-Xylene	0.56	1.7 PC
o-Xylene	0.56	0.59 PC

Client Sample ID: PS-04-SA-20250403

Lab ID#: 2504110-11A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.94
Toluene	0.50	2.1



### Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: PS-04-SA-20250403

Lab ID#: 2504110-11A

Ethyl Benzene	0.56	0.40 J
m,p-Xylene	0.56	1.3 PC
o-Xylene	0.56	0.48 JPC

Client Sample ID: PS-04-DU-20250403

Lab ID#: 2504110-12A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.95
Toluene	0.50	2.0
Ethyl Benzene	0.56	0.29 J
m,p-Xylene	0.56	0.73 PC
o-Xylene	0.56	0.28 UPC

Client Sample ID: PS-05-SA-20250403

Lab ID#: 2504110-13A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.86
Toluene	0.50	1.9
Ethyl Benzene	0.56	0.32 J
m,p-Xylene	0.56	1.0 PC
o-Xylene	0.56	0.38 JPC

Client Sample ID: PS-06-SA-20250403

Lab ID#: 2504110-14A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.89
Toluene	0.50	2.3
Ethyl Benzene	0.56	0.34 J
m,p-Xylene	0.56	1.1 PC
o-Xylene	0.56	0.40 JPC



Air Toxics

Client Sample ID: PS-07-SA-20250403

Lab ID#: 2504110-01A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80040930	Date of Collection:	4/3/25 11:13:00 AM
Dil. Factor:	1.04	Date of Analysis:	4/9/25 11:47 PM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.89
Toluene	0.50	1.9
Ethyl Benzene	0.56	0.34 J
m,p-Xylene	0.56	1.2 PC
o-Xylene	0.56	0.43 JPC

J = Estimated value.

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-08-SA-20250403

Lab ID#: 2504110-02A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80040931	Date of Collection: 4/3/25 11:17:00 AM
Dil. Factor:	1.04	Date of Analysis: 4/10/25 12:16 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.4
Toluene	0.50	3.2
Ethyl Benzene	0.56	0.49 J
m,p-Xylene	0.56	1.7 PC
o-Xylene	0.56	0.64 PC

J = Estimated value.

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-09-SA-20250403

Lab ID#: 2504110-03A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80040932	Date of Collection: 4/3/25 11:21:00 AM
Dil. Factor:	1.04	Date of Analysis: 4/10/25 12:46 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.65
Toluene	0.50	0.93
Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.43 JPC
o-Xylene	0.56	0.28 UPC

U = The analyte was not present above the Method Detection Limit.

J = Estimated value.

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-10-SA-20250403

Lab ID#: 2504110-04A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80040933	Date of Collection:	4/3/25 11:26:00 AM
Dil. Factor:	1.04	Date of Analysis:	4/10/25 01:15 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.77
Toluene	0.50	1.1
Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.49 JPC
o-Xylene	0.56	0.28 UPC

U = The analyte was not present above the Method Detection Limit.

J = Estimated value.

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-11-SA-20250403

Lab ID#: 2504110-05A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80040934	Date of Collection:	4/3/25 11:31:00 AM
Dil. Factor:	1.04	Date of Analysis:	4/10/25 01:45 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.92
Toluene	0.50	1.9
Ethyl Benzene	0.56	0.31 J
m,p-Xylene	0.56	1.0 PC
o-Xylene	0.56	0.37 JPC

J = Estimated value.

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-12-SA-20250403

Lab ID#: 2504110-06A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80040935	Date of Collection: 4/3/25 11:35:00 AM
Dil. Factor:	1.04	Date of Analysis: 4/10/25 02:15 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.7
Toluene	0.50	3.3
Ethyl Benzene	0.56	0.41 J
m,p-Xylene	0.56	1.4 PC
o-Xylene	0.56	0.50 JPC

J = Estimated value.

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-12-FB-20250403

Lab ID#: 2504110-07A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80040929	Date of Collection:	4/3/25 11:35:00 AM
Dil. Factor:	1.04	Date of Analysis:	4/9/25 11:17 PM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.19 U
Toluene	0.50	0.25 U
Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.28 UPC
o-Xylene	0.56	0.28 UPC

U = The analyte was not present above the Method Detection Limit.

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-01-SA-20250403

Lab ID#: 2504110-08A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80040936	Date of Collection: 4/3/25 11:39:00 AM
Dil. Factor:	1.04	Date of Analysis: 4/10/25 02:45 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.1
Toluene	0.50	2.0
Ethyl Benzene	0.56	0.32 J
m,p-Xylene	0.56	1.2 PC
o-Xylene	0.56	0.42 JPC

J = Estimated value.

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-02-SA-20250403

Lab ID#: 2504110-09A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80040937	Date of Collection:	4/3/25 11:46:00 AM
Dil. Factor:	1.04	Date of Analysis:	4/10/25 03:14 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.0
Toluene	0.50	2.3
Ethyl Benzene	0.56	0.49 J
m,p-Xylene	0.56	1.9 PC
o-Xylene	0.56	0.65 PC

J = Estimated value.

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-03-SA-20250403

Lab ID#: 2504110-10A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80040939	Date of Collection: 4/3/25 11:51:00 AM
Dil. Factor:	1.04	Date of Analysis: 4/10/25 04:08 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.98
Toluene	0.50	2.2
Ethyl Benzene	0.56	0.44 J
m,p-Xylene	0.56	1.7 PC
o-Xylene	0.56	0.59 PC

J = Estimated value.

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-04-SA-20250403

Lab ID#: 2504110-11A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80040940	Date of Collection: 4/3/25 11:56:00 AM
Dil. Factor:	1.04	Date of Analysis: 4/10/25 04:38 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.94
Toluene	0.50	2.1
Ethyl Benzene	0.56	0.40 J
m,p-Xylene	0.56	1.3 PC
o-Xylene	0.56	0.48 JPC

J = Estimated value.

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-04-DU-20250403

Lab ID#: 2504110-12A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80040941	Date of Collection:	4/3/25 11:56:00 AM
Dil. Factor:	1.04	Date of Analysis:	4/10/25 05:07 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.95
Toluene	0.50	2.0
Ethyl Benzene	0.56	0.29 J
m,p-Xylene	0.56	0.73 PC
o-Xylene	0.56	0.28 UPC

J = Estimated value.

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-05-SA-20250403

Lab ID#: 2504110-13A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80040942	Date of Collection: 4/3/25 12:03:00 PM
Dil. Factor:	1.04	Date of Analysis: 4/10/25 05:37 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.86
Toluene	0.50	1.9
Ethyl Benzene	0.56	0.32 J
m,p-Xylene	0.56	1.0 PC
o-Xylene	0.56	0.38 JPC

J = Estimated value.

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-06-SA-20250403

Lab ID#: 2504110-14A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80040943	Date of Collection:	4/3/25 12:07:00 PM
Dil. Factor:	1.04	Date of Analysis:	4/10/25 06:06 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.89
Toluene	0.50	2.3
Ethyl Benzene	0.56	0.34 J
m,p-Xylene	0.56	1.1 PC
o-Xylene	0.56	0.40 JPC

J = Estimated value.

Pc = Field duplicate(s) exceed 30% RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 2504110-15A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80040904	Date of Collection:	NA
Dil. Factor:	1.00	Date of Analysis:	4/9/25 10:47 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.18 U
Toluene	0.48	0.24 U
Ethyl Benzene	0.54	0.27 U
m,p-Xylene	0.54	0.27 U
o-Xylene	0.54	0.27 U

U = The analyte was not present above the Method Detection Limit.

Container Type: NA - Not Applicable

Client Sample ID: Lab Blank

Lab ID#: 2504110-15B

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80040927	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 4/9/25 10:18 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.18 U
Toluene	0.48	0.24 U
Ethyl Benzene	0.54	0.27 U
m,p-Xylene	0.54	0.27 U
o-Xylene	0.54	0.27 U

U = The analyte was not present above the Method Detection Limit.

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2504110-16A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80040926	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 4/9/25 09:54 PM
		Date of Extraction: NA

Compound	%Recovery
Benzene	97
Toluene	97
Ethyl Benzene	99
m,p-Xylene	100
o-Xylene	102

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2504110-16B

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80040938	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 4/10/25 03:39 AM
		Date of Extraction: NA

Compound	%Recovery
Benzene	95
Toluene	96
Ethyl Benzene	100
m,p-Xylene	104
o-Xylene	105

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2504110-16C

EPA METHOD 325B GC/MS FULL SCAN

File Name:	80040948	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 4/10/25 08:12 AM
		Date of Extraction: NA

Compound	%Recovery
Benzene	98
Toluene	101
Ethyl Benzene	105
m,p-Xylene	106
o-Xylene	107

Container Type: NA - Not Applicable

**Method : EPA Method 325B-BTEX (ug/m3) 14-day**

<b>CAS Number</b>	<b>Compound</b>	<b>Rpt. Limit (ug/m3)</b>
71-43-2	Benzene	0.37
108-88-3	Toluene	0.48
100-41-4	Ethyl Benzene	0.54
108-38-3	m,p-Xylene	0.54
95-47-6	o-Xylene	0.54

**Analytical Report**

4/28/2025

Ms. Melissa McLaughlin  
AECOM Environment  
250 Apollo Drive

Chelmsford MA 01824

Project Name: Sunoco Fenceline  
Project #: 60737155  
Workorder #: 2504528

Dear Ms. Melissa McLaughlin

The following report includes the data for the above referenced project for sample(s) received on 4/21/2025 at Eurofins Air Toxics LLC.

The data and associated QC analyzed by EPA Method 325B are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Eurofins Air Toxics LLC. for your air analysis needs. Eurofins Air Toxics Inc. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Shannon Eubank at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Shannon Eubank  
Project Manager

**WORK ORDER #: 2504528**

Work Order Summary

<b>CLIENT:</b>	Ms. Melissa McLaughlin AECOM Environment 250 Apollo Drive Chelmsford, MA 01824	<b>BILL TO:</b>	Accounts Payable Austin (non-Federal) AECOM PO Box 203970 Austin, TX 78720
<b>PHONE:</b>	978.905.2100	<b>P.O. #</b>	1680852 06.42
<b>FAX:</b>	978.905.2101	<b>PROJECT #</b>	60737155 Sunoco Fenceline
<b>DATE RECEIVED:</b>	04/21/2025	<b>CONTACT:</b>	Shannon Eubank
<b>DATE COMPLETED:</b>	04/24/2025		

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>
01A	PS-07-SA-20250417	EPA Method 325B
02A	PS-08-SA-20250417	EPA Method 325B
03A	PS-09-SA-20250417	EPA Method 325B
04A	PS-10-SA-20250417	EPA Method 325B
05A	PS-11-SA-20250417	EPA Method 325B
06A	PS-12-SA-20250417	EPA Method 325B
07A	PS-1-SA-20250417	EPA Method 325B
08A	PS-1-FB-20250417	EPA Method 325B
09A	PS-2-SA-20250417	EPA Method 325B
10A	PS-3-SA-20250417	EPA Method 325B
11A	PS-4-SA-20250417	EPA Method 325B
12A	PS-5-SA-20250417	EPA Method 325B
13A	PS-5-DU-20250417	EPA Method 325B
14A	PS-06-SA-20250417	EPA Method 325B
15A	Lab Blank	EPA Method 325B
15B	Lab Blank	EPA Method 325B
16A	CCV	EPA Method 325B
16B	CCV	EPA Method 325B
16C	CCV	EPA Method 325B

CERTIFIED BY:   
 \_\_\_\_\_  
 Technical Director

DATE: 04/28/25

Cert. No.: AZ Licensure-AZ0775, FL NELAP-E87680, LA NELAP-02089, MN NELAP-2836569, NH NELAP-209224-A, NJ NELAP-CA016, NY NELAP-11291, TX NELAP-T104704434, UT NELAP-CA009332023-16, VA NELAP-13180, WA NELAP-C935  
 Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program) CA300005-21  
 Eurofins Environment Testing Northern California, LLC certifies that the test results contained in this report meet all requirements of the 2016 TNI Standard.

*This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, LLC.*  
 180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630  
 (916) 985-1000

**LABORATORY NARRATIVE  
ATM EPA 325B  
AECOM Environment  
Workorder# 2504528**

Fourteen Carbopack X AC-PA samples were received on April 21, 2025. The laboratory performed the analysis via EPA Method 325B using GC/MS in the full scan mode.

The mass of each target compound adsorbed by the sampler was converted to units of concentration using the sample deployment time and the uptake rate for each VOC. Uptake rates are adjusted for local conditions and concentrations are reported based on normal ambient temperature and pressure conditions (25 deg C and 760 mm Hg) following the required calculations in EPA Method 325B. These adjustments are reflected in the dilution factor.

**Receiving Notes**

There were no receiving discrepancies.

**Analytical Notes**

There were no analytical discrepancies.

**Definition of Data Qualifying Flags**

The following qualifiers may have been used on the data analysis sheets and indicate as follows:

- B - Compound present in field blank(s) greater than 1/3 the compliance limit or measured target analyte (background subtraction not performed).
- J - Estimated value - analyte detected between the Method Detection Limit and Reporting Limit.
- E - Exceeds instrument calibration range.
- S - Saturated peak.
- Q - Exceeds quality control limits.
- U - Compound analyzed for but not detected above the MDL value.
- I - Internal Standard recovery outside acceptance limits
- P - Field Duplicate(s) exceed 30%RPD
- Pc- Field Duplicate(s) exceed 30%RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.
- Pl - Field Duplicate(s) exceed 30%RPD, lab anomaly noted.
- L - Recovery of bracketing CCV(s) exceeded acceptance limits.
- H - Sample analyzed outside of method hold time.
- D - Sample duration outside 14+/-1 days
- Fe - Field Error or discrepancy
- Te - Tube Error or discrepancy
- CN - See case narrative explanation.

File extensions may have been used on the data analysis sheets and indicates as follows:

- a-File was requantified
- b-File was quantified by a second column and detector
- r1-File was requantified for the purpose of reissue



### Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: PS-07-SA-20250417

Lab ID#: 2504528-01A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.84
Toluene	0.50	2.0
Ethyl Benzene	0.56	0.33 J
m,p-Xylene	0.56	1.1
o-Xylene	0.56	0.39 J

Client Sample ID: PS-08-SA-20250417

Lab ID#: 2504528-02A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.2
Toluene	0.50	3.5
Ethyl Benzene	0.56	0.55 J
m,p-Xylene	0.56	1.8
o-Xylene	0.56	0.68

Client Sample ID: PS-09-SA-20250417

Lab ID#: 2504528-03A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.56
Toluene	0.50	1.0
Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.52 J
o-Xylene	0.56	0.28 U

Client Sample ID: PS-10-SA-20250417

Lab ID#: 2504528-04A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.65
Toluene	0.50	0.94

## Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

**Client Sample ID: PS-10-SA-20250417**

**Lab ID#: 2504528-04A**

Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.44 J
o-Xylene	0.56	0.28 U

**Client Sample ID: PS-11-SA-20250417**

**Lab ID#: 2504528-05A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.74
Toluene	0.50	1.5
Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.84
o-Xylene	0.56	0.29 J

**Client Sample ID: PS-12-SA-20250417**

**Lab ID#: 2504528-06A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.0
Toluene	0.50	2.0
Ethyl Benzene	0.56	0.33 J
m,p-Xylene	0.56	1.1
o-Xylene	0.56	0.40 J

**Client Sample ID: PS-1-SA-20250417**

**Lab ID#: 2504528-07A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.85
Toluene	0.50	1.6
Ethyl Benzene	0.56	0.29 J
m,p-Xylene	0.56	0.99
o-Xylene	0.56	0.36 J



Air Toxics

### Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: PS-1-FB-20250417

Lab ID#: 2504528-08A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.19 U
Toluene	0.50	0.25 U
Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.28 U
o-Xylene	0.56	0.28 U

Client Sample ID: PS-2-SA-20250417

Lab ID#: 2504528-09A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.90
Toluene	0.50	2.2
Ethyl Benzene	0.56	0.50 J
m,p-Xylene	0.56	1.8
o-Xylene	0.56	0.63

Client Sample ID: PS-3-SA-20250417

Lab ID#: 2504528-10A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.76
Toluene	0.50	1.6
Ethyl Benzene	0.56	0.36 J
m,p-Xylene	0.56	1.3
o-Xylene	0.56	0.45 J

Client Sample ID: PS-4-SA-20250417

Lab ID#: 2504528-11A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.86
Toluene	0.50	2.0

### Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

**Client Sample ID: PS-4-SA-20250417**

**Lab ID#: 2504528-11A**

Ethyl Benzene	0.56	0.43 J
m,p-Xylene	0.56	1.6
o-Xylene	0.56	0.54 J

**Client Sample ID: PS-5-SA-20250417**

**Lab ID#: 2504528-12A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.75
Toluene	0.50	1.7
Ethyl Benzene	0.56	0.32 J
m,p-Xylene	0.56	1.0
o-Xylene	0.56	0.39 J

**Client Sample ID: PS-5-DU-20250417**

**Lab ID#: 2504528-13A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.74
Toluene	0.50	1.7
Ethyl Benzene	0.56	0.32 J
m,p-Xylene	0.56	1.0
o-Xylene	0.56	0.39 J

**Client Sample ID: PS-06-SA-20250417**

**Lab ID#: 2504528-14A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.85
Toluene	0.50	2.3
Ethyl Benzene	0.56	0.41 J
m,p-Xylene	0.56	1.4
o-Xylene	0.56	0.54 J



Air Toxics

Client Sample ID: PS-07-SA-20250417

Lab ID#: 2504528-01A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10042329	Date of Collection: 4/17/25 12:27:00 PM
Dil. Factor:	1.04	Date of Analysis: 4/23/25 10:50 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.84
Toluene	0.50	2.0
Ethyl Benzene	0.56	0.33 J
m,p-Xylene	0.56	1.1
o-Xylene	0.56	0.39 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-08-SA-20250417

Lab ID#: 2504528-02A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10042330	Date of Collection: 4/17/25 12:31:00 PM
Dil. Factor:	1.04	Date of Analysis: 4/23/25 11:19 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.2
Toluene	0.50	3.5
Ethyl Benzene	0.56	0.55 J
m,p-Xylene	0.56	1.8
o-Xylene	0.56	0.68

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-09-SA-20250417

Lab ID#: 2504528-03A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10042331	Date of Collection:	4/17/25 12:35:00 PM
Dil. Factor:	1.04	Date of Analysis:	4/23/25 11:48 PM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.56
Toluene	0.50	1.0
Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.52 J
o-Xylene	0.56	0.28 U

U = The analyte was not present above the Method Detection Limit.

J = Estimated value.

Container Type: Carboxpack X AC-PA



Air Toxics

Client Sample ID: PS-10-SA-20250417

Lab ID#: 2504528-04A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10042332	Date of Collection: 4/17/25 12:39:00 PM
Dil. Factor:	1.04	Date of Analysis: 4/24/25 12:17 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.65
Toluene	0.50	0.94
Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.44 J
o-Xylene	0.56	0.28 U

U = The analyte was not present above the Method Detection Limit.

J = Estimated value.

Container Type: Carboxpack X AC-PA



Air Toxics

Client Sample ID: PS-11-SA-20250417

Lab ID#: 2504528-05A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10042333	Date of Collection: 4/17/25 12:43:00 PM
Dil. Factor:	1.04	Date of Analysis: 4/24/25 12:46 AM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.74
Toluene	0.50	1.5
Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.84
o-Xylene	0.56	0.29 J

U = The analyte was not present above the Method Detection Limit.

J = Estimated value.

Container Type: Carboxpack X AC-PA



Air Toxics

Client Sample ID: PS-12-SA-20250417

Lab ID#: 2504528-06A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10042334	Date of Collection:	4/17/25 12:47:00 PM
Dil. Factor:	1.04	Date of Analysis:	4/24/25 01:15 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.0
Toluene	0.50	2.0
Ethyl Benzene	0.56	0.33 J
m,p-Xylene	0.56	1.1
o-Xylene	0.56	0.40 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-1-SA-20250417

Lab ID#: 2504528-07A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10042335	Date of Collection:	4/17/25 12:51:00 PM
Dil. Factor:	1.04	Date of Analysis:	4/24/25 01:44 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.85
Toluene	0.50	1.6
Ethyl Benzene	0.56	0.29 J
m,p-Xylene	0.56	0.99
o-Xylene	0.56	0.36 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-1-FB-20250417

Lab ID#: 2504528-08A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10042328	Date of Collection: 4/17/25 12:51:00 PM
Dil. Factor:	1.04	Date of Analysis: 4/23/25 10:21 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.19 U
Toluene	0.50	0.25 U
Ethyl Benzene	0.56	0.28 U
m,p-Xylene	0.56	0.28 U
o-Xylene	0.56	0.28 U

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-2-SA-20250417

Lab ID#: 2504528-09A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10042336	Date of Collection:	4/17/25 12:55:00 PM
Dil. Factor:	1.04	Date of Analysis:	4/24/25 02:13 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.90
Toluene	0.50	2.2
Ethyl Benzene	0.56	0.50 J
m,p-Xylene	0.56	1.8
o-Xylene	0.56	0.63

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-3-SA-20250417

Lab ID#: 2504528-10A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10042337	Date of Collection:	4/17/25 1:01:00 PM
Dil. Factor:	1.04	Date of Analysis:	4/24/25 02:42 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.76
Toluene	0.50	1.6
Ethyl Benzene	0.56	0.36 J
m,p-Xylene	0.56	1.3
o-Xylene	0.56	0.45 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-4-SA-20250417

Lab ID#: 2504528-11A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10042339	Date of Collection:	4/17/25 1:05:00 PM
Dil. Factor:	1.04	Date of Analysis:	4/24/25 03:37 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.86
Toluene	0.50	2.0
Ethyl Benzene	0.56	0.43 J
m,p-Xylene	0.56	1.6
o-Xylene	0.56	0.54 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-5-SA-20250417

Lab ID#: 2504528-12A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10042340	Date of Collection:	4/17/25 1:11:00 PM
Dil. Factor:	1.04	Date of Analysis:	4/24/25 04:06 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.75
Toluene	0.50	1.7
Ethyl Benzene	0.56	0.32 J
m,p-Xylene	0.56	1.0
o-Xylene	0.56	0.39 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-5-DU-20250417

Lab ID#: 2504528-13A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10042341	Date of Collection:	4/17/25 1:11:00 PM
Dil. Factor:	1.04	Date of Analysis:	4/24/25 04:35 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.74
Toluene	0.50	1.7
Ethyl Benzene	0.56	0.32 J
m,p-Xylene	0.56	1.0
o-Xylene	0.56	0.39 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-06-SA-20250417

Lab ID#: 2504528-14A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10042342	Date of Collection:	4/17/25 1:15:00 PM
Dil. Factor:	1.04	Date of Analysis:	4/24/25 05:04 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.85
Toluene	0.50	2.3
Ethyl Benzene	0.56	0.41 J
m,p-Xylene	0.56	1.4
o-Xylene	0.56	0.54 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 2504528-15A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10042304	Date of Collection:	NA
Dil. Factor:	1.00	Date of Analysis:	4/23/25 10:32 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.18 U
Toluene	0.48	0.24 U
Ethyl Benzene	0.54	0.27 U
m,p-Xylene	0.54	0.27 U
o-Xylene	0.54	0.27 U

U = The analyte was not present above the Method Detection Limit.

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 2504528-15B

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10042327	Date of Collection:	NA
Dil. Factor:	1.00	Date of Analysis:	4/23/25 09:53 PM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.18 U
Toluene	0.48	0.24 U
Ethyl Benzene	0.54	0.27 U
m,p-Xylene	0.54	0.27 U
o-Xylene	0.54	0.27 U

U = The analyte was not present above the Method Detection Limit.

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2504528-16A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10042326	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 4/23/25 09:26 PM
		Date of Extraction: NA

Compound	%Recovery
Benzene	93
Toluene	95
Ethyl Benzene	92
m,p-Xylene	93
o-Xylene	93

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2504528-16B

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10042338	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 4/24/25 03:09 AM
		Date of Extraction: NA

Compound	%Recovery
Benzene	90
Toluene	95
Ethyl Benzene	87
m,p-Xylene	89
o-Xylene	90

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2504528-16C

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10042344	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 4/24/25 05:59 AM
		Date of Extraction: NA

Compound	%Recovery
Benzene	91
Toluene	94
Ethyl Benzene	90
m,p-Xylene	92
o-Xylene	92

Container Type: NA - Not Applicable

**Method : EPA Method 325B-BTEX (ug/m3) 14-day**

<b>CAS Number</b>	<b>Compound</b>	<b>Rpt. Limit (ug/m3)</b>
71-43-2	Benzene	0.37
108-88-3	Toluene	0.48
100-41-4	Ethyl Benzene	0.54
108-38-3	m,p-Xylene	0.54
95-47-6	o-Xylene	0.54

**Analytical Report**

5/12/2025

Ms. Melissa McLaughlin  
AECOM Environment  
250 Apollo Drive

Chelmsford MA 01824

Project Name: Sunoco Fenceline  
Project #: 60737155  
Workorder #: 2505104

Dear Ms. Melissa McLaughlin

The following report includes the data for the above referenced project for sample(s) received on 5/5/2025 at Eurofins Air Toxics LLC.

The data and associated QC analyzed by EPA Method 325B are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Eurofins Air Toxics LLC. for your air analysis needs. Eurofins Air Toxics Inc. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Shannon Eubank at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Shannon Eubank  
Project Manager

**WORK ORDER #: 2505104**

Work Order Summary

<b>CLIENT:</b>	Ms. Melissa McLaughlin AECOM Environment 250 Apollo Drive Chelmsford, MA 01824	<b>BILL TO:</b>	Accounts Payable Austin (non-Federal) AECOM PO Box 203970 Austin, TX 78720
<b>PHONE:</b>	978.905.2100	<b>P.O. #</b>	1680852 06.42
<b>FAX:</b>	978.905.2101	<b>PROJECT #</b>	60737155 Sunoco Fenceline
<b>DATE RECEIVED:</b>	05/05/2025	<b>CONTACT:</b>	Shannon Eubank
<b>DATE COMPLETED:</b>	05/12/2025		

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>
01A	PS-07-SA-20250501	EPA Method 325B
02A	PS-08-SA-20250501	EPA Method 325B
03A	PS-09-SA-20250501	EPA Method 325B
04A	PS-10-SA-20250501	EPA Method 325B
05A	PS-11-SA-20250501	EPA Method 325B
06A	PS-12-SA-20250501	EPA Method 325B
07A	PS-01-SA-20250501	EPA Method 325B
08A	PS-02-SA-20250501	EPA Method 325B
09A	PS-02-FB-SA-20250501	EPA Method 325B
10A	PS-03-SA-20250501	EPA Method 325B
11A	PS-04-SA-20250501	EPA Method 325B
12A	PS-05-SA-20250501	EPA Method 325B
13A	PS-06-SA-20250501	EPA Method 325B
14A	PS-06-DU-20250501	EPA Method 325B
15A	Lab Blank	EPA Method 325B
15B	Lab Blank	EPA Method 325B
16A	CCV	EPA Method 325B
16B	CCV	EPA Method 325B
16C	CCV	EPA Method 325B

CERTIFIED BY:   
 \_\_\_\_\_  
 Technical Director

DATE: 05/12/25

Cert. No.: AZ Licensure-AZ0775, FL NELAP-E87680, LA NELAP-02089, MN NELAP-2836569, NH NELAP-209224-A, NJ NELAP-CA016, NY NELAP-11291, TX NELAP-T104704434, UT NELAP-CA009332023-16, VA NELAP-13180, WA NELAP-C935  
 Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program) CA300005-21  
 Eurofins Environment Testing Northern California, LLC certifies that the test results contained in this report meet all requirements of the 2016 TNI Standard.

*This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, LLC.*  
 180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630  
 (916) 985-1000

**LABORATORY NARRATIVE**  
**ATM EPA 325B**  
**AECOM Environment**  
**Workorder# 2505104**

Fourteen Carbopack X AC-PA samples were received on May 05, 2025. The laboratory performed the analysis via EPA Method 325B using GC/MS in the full scan mode.

The mass of each target compound adsorbed by the sampler was converted to units of concentration using the sample deployment time and the uptake rate for each VOC. Uptake rates are adjusted for local conditions and concentrations are reported based on normal ambient temperature and pressure conditions (25 deg C and 760 mm Hg) following the required calculations in EPA Method 325B. These adjustments are reflected in the dilution factor.

**Receiving Notes**

There were no receiving discrepancies.

**Analytical Notes**

There were no analytical discrepancies.

**Definition of Data Qualifying Flags**

The following qualifiers may have been used on the data analysis sheets and indicate as follows:

B - Compound present in field blank(s) greater than 1/3 the compliance limit or measured target analyte (background subtraction not performed).

J - Estimated value - analyte detected between the Method Detection Limit and Reporting Limit.

E - Exceeds instrument calibration range.

S - Saturated peak.

Q - Exceeds quality control limits.

U - Compound analyzed for but not detected above the MDL value.

I - Internal Standard recovery outside acceptance limits

P - Field Duplicate(s) exceed 30%RPD

Pc- Field Duplicate(s) exceed 30%RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Pl - Field Duplicate(s) exceed 30%RPD, lab anomaly noted.

L - Recovery of bracketing CCV(s) exceeded acceptance limits.

H - Sample analyzed outside of method hold time.

D - Sample duration outside 14+/-1 days

Fe - Field Error or discrepancy

Te - Tube Error or discrepancy

CN - See case narrative explanation.

File extensions may have been used on the data analysis sheets and indicates as follows:

a-File was requantified

b-File was quantified by a second column and detector

r1-File was requantified for the purpose of reissue



Air Toxics

### Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: PS-07-SA-20250501

Lab ID#: 2505104-01A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.64
Toluene	0.49	1.7
Ethyl Benzene	0.55	0.37 J
m,p-Xylene	0.55	1.2
o-Xylene	0.55	0.44 J

Client Sample ID: PS-08-SA-20250501

Lab ID#: 2505104-02A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.7
Toluene	0.49	5.0
Ethyl Benzene	0.55	0.82
m,p-Xylene	0.55	2.8
o-Xylene	0.55	1.0

Client Sample ID: PS-09-SA-20250501

Lab ID#: 2505104-03A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.67
Toluene	0.49	1.1
Ethyl Benzene	0.55	0.28 U
m,p-Xylene	0.55	0.73
o-Xylene	0.55	0.28 U

Client Sample ID: PS-10-SA-20250501

Lab ID#: 2505104-04A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.55
Toluene	0.49	1.1

### Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

**Client Sample ID: PS-10-SA-20250501**

**Lab ID#: 2505104-04A**

Ethyl Benzene	0.55	0.28 U
m,p-Xylene	0.55	0.74
o-Xylene	0.55	0.29 J

**Client Sample ID: PS-11-SA-20250501**

**Lab ID#: 2505104-05A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.1
Toluene	0.49	2.9
Ethyl Benzene	0.55	0.54 J
m,p-Xylene	0.55	1.8
o-Xylene	0.55	0.66

**Client Sample ID: PS-12-SA-20250501**

**Lab ID#: 2505104-06A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.4
Toluene	0.49	3.4
Ethyl Benzene	0.55	0.69
m,p-Xylene	0.55	2.3
o-Xylene	0.55	0.84

**Client Sample ID: PS-01-SA-20250501**

**Lab ID#: 2505104-07A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.5
Toluene	0.49	3.8
Ethyl Benzene	0.55	0.83
m,p-Xylene	0.55	2.8
o-Xylene	0.55	1.0



Air Toxics

### Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: PS-02-SA-20250501

Lab ID#: 2505104-08A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.1
Toluene	0.49	3.0
Ethyl Benzene	0.55	0.75
m,p-Xylene	0.55	2.7
o-Xylene	0.55	0.94

Client Sample ID: PS-02-FB-SA-20250501

Lab ID#: 2505104-09A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.19 U
Toluene	0.49	0.24 U
Ethyl Benzene	0.55	0.28 U
m,p-Xylene	0.55	0.28 U
o-Xylene	0.55	0.28 U

Client Sample ID: PS-03-SA-20250501

Lab ID#: 2505104-10A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.0
Toluene	0.49	2.8
Ethyl Benzene	0.55	0.67
m,p-Xylene	0.55	2.3
o-Xylene	0.55	0.80

Client Sample ID: PS-04-SA-20250501

Lab ID#: 2505104-11A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.98
Toluene	0.49	2.5

## Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

**Client Sample ID: PS-04-SA-20250501**

**Lab ID#: 2505104-11A**

Ethyl Benzene	0.55	0.57
m,p-Xylene	0.55	1.9
o-Xylene	0.55	0.69

**Client Sample ID: PS-05-SA-20250501**

**Lab ID#: 2505104-12A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.73
Toluene	0.49	2.0
Ethyl Benzene	0.55	0.43 J
m,p-Xylene	0.55	1.4
o-Xylene	0.55	0.52 J
-----		

**Client Sample ID: PS-06-SA-20250501**

**Lab ID#: 2505104-13A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.69
Toluene	0.49	2.0
Ethyl Benzene	0.55	0.42 J
m,p-Xylene	0.55	1.4
o-Xylene	0.55	0.54 J
-----		

**Client Sample ID: PS-06-DU-20250501**

**Lab ID#: 2505104-14A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.68
Toluene	0.49	2.1
Ethyl Benzene	0.55	0.44 J
m,p-Xylene	0.55	1.5
o-Xylene	0.55	0.56
-----		



Air Toxics

Client Sample ID: PS-07-SA-20250501

Lab ID#: 2505104-01A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f050829	Date of Collection:	5/1/25 11:53:00 AM
Dil. Factor:	1.02	Date of Analysis:	5/8/25 11:54 PM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.64
Toluene	0.49	1.7
Ethyl Benzene	0.55	0.37 J
m,p-Xylene	0.55	1.2
o-Xylene	0.55	0.44 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-08-SA-20250501

Lab ID#: 2505104-02A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f050830	Date of Collection:	5/1/25 11:58:00 AM
Dil. Factor:	1.02	Date of Analysis:	5/9/25 12:25 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.7
Toluene	0.49	5.0
Ethyl Benzene	0.55	0.82
m,p-Xylene	0.55	2.8
o-Xylene	0.55	1.0

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-09-SA-20250501

Lab ID#: 2505104-03A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f050831	Date of Collection:	5/1/25 12:02:00 PM
Dil. Factor:	1.02	Date of Analysis:	5/9/25 12:56 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.67
Toluene	0.49	1.1
Ethyl Benzene	0.55	0.28 U
m,p-Xylene	0.55	0.73
o-Xylene	0.55	0.28 U

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-10-SA-20250501

Lab ID#: 2505104-04A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f050832	Date of Collection:	5/1/25 12:06:00 PM
Dil. Factor:	1.02	Date of Analysis:	5/9/25 01:27 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.55
Toluene	0.49	1.1
Ethyl Benzene	0.55	0.28 U
m,p-Xylene	0.55	0.74
o-Xylene	0.55	0.29 J

U = The analyte was not present above the Method Detection Limit.  
J = Estimated value.

Container Type: Carboxpack X AC-PA



Air Toxics

Client Sample ID: PS-11-SA-20250501

Lab ID#: 2505104-05A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f050833	Date of Collection:	5/1/25 12:10:00 PM
Dil. Factor:	1.02	Date of Analysis:	5/9/25 01:57 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.1
Toluene	0.49	2.9
Ethyl Benzene	0.55	0.54 J
m,p-Xylene	0.55	1.8
o-Xylene	0.55	0.66

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-12-SA-20250501

Lab ID#: 2505104-06A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f050834	Date of Collection:	5/1/25 12:12:00 PM
Dil. Factor:	1.02	Date of Analysis:	5/9/25 02:28 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.4
Toluene	0.49	3.4
Ethyl Benzene	0.55	0.69
m,p-Xylene	0.55	2.3
o-Xylene	0.55	0.84

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-01-SA-20250501

Lab ID#: 2505104-07A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f050835	Date of Collection:	5/1/25 12:17:00 PM
Dil. Factor:	1.02	Date of Analysis:	5/9/25 03:00 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.5
Toluene	0.49	3.8
Ethyl Benzene	0.55	0.83
m,p-Xylene	0.55	2.8
o-Xylene	0.55	1.0

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-02-SA-20250501

Lab ID#: 2505104-08A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f050836	Date of Collection:	5/1/25 12:19:00 PM
Dil. Factor:	1.02	Date of Analysis:	5/9/25 03:31 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.1
Toluene	0.49	3.0
Ethyl Benzene	0.55	0.75
m,p-Xylene	0.55	2.7
o-Xylene	0.55	0.94

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-02-FB-SA-20250501

Lab ID#: 2505104-09A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f050828	Date of Collection:	5/1/25 12:19:00 PM
Dil. Factor:	1.02	Date of Analysis:	5/8/25 11:23 PM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.19 U
Toluene	0.49	0.24 U
Ethyl Benzene	0.55	0.28 U
m,p-Xylene	0.55	0.28 U
o-Xylene	0.55	0.28 U

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-03-SA-20250501

Lab ID#: 2505104-10A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f050837	Date of Collection:	5/1/25 12:25:00 PM
Dil. Factor:	1.02	Date of Analysis:	5/9/25 04:02 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.0
Toluene	0.49	2.8
Ethyl Benzene	0.55	0.67
m,p-Xylene	0.55	2.3
o-Xylene	0.55	0.80

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-04-SA-20250501

Lab ID#: 2505104-11A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f050839	Date of Collection:	5/1/25 12:29:00 PM
Dil. Factor:	1.02	Date of Analysis:	5/9/25 05:01 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.98
Toluene	0.49	2.5
Ethyl Benzene	0.55	0.57
m,p-Xylene	0.55	1.9
o-Xylene	0.55	0.69

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-05-SA-20250501

Lab ID#: 2505104-12A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f050840	Date of Collection:	5/1/25 12:34:00 PM
Dil. Factor:	1.02	Date of Analysis:	5/9/25 05:31 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.73
Toluene	0.49	2.0
Ethyl Benzene	0.55	0.43 J
m,p-Xylene	0.55	1.4
o-Xylene	0.55	0.52 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-06-SA-20250501

Lab ID#: 2505104-13A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f050841	Date of Collection:	5/1/25 12:38:00 PM
Dil. Factor:	1.02	Date of Analysis:	5/9/25 06:02 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.69
Toluene	0.49	2.0
Ethyl Benzene	0.55	0.42 J
m,p-Xylene	0.55	1.4
o-Xylene	0.55	0.54 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-06-DU-20250501

Lab ID#: 2505104-14A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f050842	Date of Collection:	5/1/25 12:38:00 PM
Dil. Factor:	1.02	Date of Analysis:	5/9/25 06:33 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.68
Toluene	0.49	2.1
Ethyl Benzene	0.55	0.44 J
m,p-Xylene	0.55	1.5
o-Xylene	0.55	0.56

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 2505104-15A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f050804	Date of Collection:	NA
Dil. Factor:	1.00	Date of Analysis:	5/8/25 10:54 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.18 U
Toluene	0.48	0.24 U
Ethyl Benzene	0.54	0.27 U
m,p-Xylene	0.54	0.27 U
o-Xylene	0.54	0.27 U

U = The analyte was not present above the Method Detection Limit.

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 2505104-15B

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f050827	Date of Collection:	NA
Dil. Factor:	1.00	Date of Analysis:	5/8/25 10:53 PM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.18 U
Toluene	0.48	0.24 U
Ethyl Benzene	0.54	0.27 U
m,p-Xylene	0.54	0.27 U
o-Xylene	0.54	0.27 U

U = The analyte was not present above the Method Detection Limit.

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2505104-16A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f050826	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 5/8/25 10:25 PM
		Date of Extraction: NA

Compound	%Recovery
Benzene	100
Toluene	106
Ethyl Benzene	114
m,p-Xylene	119
o-Xylene	118

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2505104-16B

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f050838	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 5/9/25 04:30 AM
		Date of Extraction: NA

Compound	%Recovery
Benzene	98
Toluene	102
Ethyl Benzene	109
m,p-Xylene	112
o-Xylene	111

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2505104-16C

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f050843	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 5/9/25 07:01 AM
		Date of Extraction: NA

Compound	%Recovery
Benzene	99
Toluene	103
Ethyl Benzene	109
m,p-Xylene	110
o-Xylene	109

Container Type: NA - Not Applicable

**Method : EPA Method 325B-BTEX (ug/m3) 14-day**

<b>CAS Number</b>	<b>Compound</b>	<b>Rpt. Limit (ug/m3)</b>
71-43-2	Benzene	0.37
108-88-3	Toluene	0.48
100-41-4	Ethyl Benzene	0.54
108-38-3	m,p-Xylene	0.54
95-47-6	o-Xylene	0.54

**Analytical Report**

6/11/2025

Ms. Melissa McLaughlin

AECOM Environment

250 Apollo Drive

Chelmsford MA 01824

Project Name: Sunco Fenceline

Project #:

Workorder #: 2505466R1

Dear Ms. Melissa McLaughlin

The following report includes the data for the above referenced project for sample(s) received on 5/19/2025 at Eurofins Air Toxics LLC.

The data and associated QC analyzed by EPA Method 325B are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Eurofins Air Toxics LLC. for your air analysis needs. Eurofins Air Toxics Inc. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Shannon Eubank at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Shannon Eubank

Project Manager

**WORK ORDER #: 2505466R1**

Work Order Summary

<b>CLIENT:</b>	Ms. Melissa McLaughlin AECOM Environment 250 Apollo Drive Chelmsford, MA 01824	<b>BILL TO:</b>	Accounts Payable Austin (non-Federal) AECOM PO Box 203970 Austin, TX 78720
<b>PHONE:</b>	978.905.2100	<b>P.O. #</b>	1680852 06.42
<b>FAX:</b>	978.905.2101	<b>PROJECT #</b>	Sunco Fenceline
<b>DATE RECEIVED:</b>	05/19/2025	<b>CONTACT:</b>	Shannon Eubank
<b>DATE COMPLETED:</b>	05/23/2025		
<b>DATE REISSUED:</b>	06/09/2025		

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>
01A	PS-07-SA-20250515	EPA Method 325B
02A	PS-07-DU-20250515	EPA Method 325B
03A	PS-08-SA-20250515	EPA Method 325B
04A	PS-09-SA-20250515	EPA Method 325B
05A	PS-10-SA-20250515	EPA Method 325B
06A	PS-11-SA-20250515	EPA Method 325B
07A	PS-12-SA-20250515	EPA Method 325B
08A	PS-01-SA-20250515	EPA Method 325B
09A	PS-02-SA-20250515	EPA Method 325B
10A	PS-03-SA-20250515	EPA Method 325B
11A	PS-03-FB-20250515	EPA Method 325B
12A	PS-04-SA-20250515	EPA Method 325B
13A	PS-05-SA-20250515	EPA Method 325B
14A	PS-06-SA-20250515	EPA Method 325B
15A	Lab Blank	EPA Method 325B
15B	Lab Blank	EPA Method 325B
16A	CCV	EPA Method 325B
16B	CCV	EPA Method 325B
16C	CCV	EPA Method 325B

CERTIFIED BY:   
 \_\_\_\_\_  
 Technical Director

DATE: 06/11/25

Cert. No.: AZ Licensure-AZ0775, FL NELAP-E87680, LA NELAP-02089, MN NELAP-2836569, NH NELAP-209224-A, NJ NELAP-CA016, NY NELAP-11291, TX NELAP-T104704434, UT NELAP-CA009332023-16, VA NELAP-13180, WA NELAP-C935  
 Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program) CA300005-21  
 Eurofins Environment Testing Northern California, LLC certifies that the test results contained in this report meet all requirements of the 2016 TNI Standard.

*This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, LLC.*  
 180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630  
 (916) 985-1000

**LABORATORY NARRATIVE  
ATM EPA 325B  
AECOM Environment  
Workorder# 2505466R1**

Fourteen Carbopack X AC-PA samples were received on May 19, 2025. The laboratory performed the analysis via EPA Method 325B using GC/MS in the full scan mode.

The mass of each target compound adsorbed by the sampler was converted to units of concentration using the sample deployment time and the uptake rate for each VOC. Uptake rates are adjusted for local conditions and concentrations are reported based on normal ambient temperature and pressure conditions (25 deg C and 760 mm Hg) following the required calculations in EPA Method 325B. These adjustments are reflected in the dilution factor.

**Receiving Notes**

The Chain of Custody (COC) was not relinquished properly. A time was not provided by the field sampler.

The work order was reissued on 6/9/25 to correct identification of the following samples PS-07-SA-20250515, PS-07-DU-20250515, PS-08-SA-20250515, PS-09-SA-20250515, PS-10-SA-20250515, PS-11-SA-20250515, PS-12-SA-20250515, PS-01-SA-20250515, PS-02-SA-20250515, PS-03-SA-20250515, PS-03-FB-20250515, PS-04-SA-20250515, PS-05-SA-20250515 and PS-06-SA-20250515 due to laboratory transcription error.

**Analytical Notes**

There were no analytical discrepancies.

**Definition of Data Qualifying Flags**

The following qualifiers may have been used on the data analysis sheets and indicate as follows:

B - Compound present in field blank(s) greater than 1/3 the compliance limit or measured target analyte (background subtraction not performed).

J - Estimated value - analyte detected between the Method Detection Limit and Reporting Limit.

E - Exceeds instrument calibration range.

S - Saturated peak.

Q - Exceeds quality control limits.

U - Compound analyzed for but not detected above the MDL value.

I - Internal Standard recovery outside acceptance limits

P - Field Duplicate(s) exceed 30%RPD

Pc- Field Duplicate(s) exceed 30%RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.

Pl - Field Duplicate(s) exceed 30%RPD, lab anomaly noted.

L - Recovery of bracketing CCV(s) exceeded acceptance limits.

H - Sample analyzed outside of method hold time.

D - Sample duration outside 14+/-1 days

Fe - Field Error or discrepancy

Te - Tube Error or discrepancy

CN - See case narrative explanation.

File extensions may have been used on the data analysis sheets and indicates as follows:

a-File was requantified

b-File was quantified by a second column and detector

r1-File was requantified for the purpose of reissue



Air Toxics

### Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: PS-07-SA-20250515

Lab ID#: 2505466R1-01A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.68
Toluene	0.49	1.6
Ethyl Benzene	0.55	0.28 J
m,p-Xylene	0.55	1.0
o-Xylene	0.55	0.36 J

Client Sample ID: PS-07-DU-20250515

Lab ID#: 2505466R1-02A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.68
Toluene	0.49	1.6
Ethyl Benzene	0.55	0.30 J
m,p-Xylene	0.55	1.1
o-Xylene	0.55	0.40 J

Client Sample ID: PS-08-SA-20250515

Lab ID#: 2505466R1-03A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	5.2
Toluene	0.49	13
Ethyl Benzene	0.55	2.2
m,p-Xylene	0.55	7.0
o-Xylene	0.55	2.7

Client Sample ID: PS-09-SA-20250515

Lab ID#: 2505466R1-04A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.1
Toluene	0.49	2.4

## Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

**Client Sample ID: PS-09-SA-20250515**

**Lab ID#: 2505466R1-04A**

Ethyl Benzene	0.55	0.37 J
m,p-Xylene	0.55	1.2
o-Xylene	0.55	0.46 J

**Client Sample ID: PS-10-SA-20250515**

**Lab ID#: 2505466R1-05A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.2
Toluene	0.49	2.1
Ethyl Benzene	0.55	0.32 J
m,p-Xylene	0.55	1.0
o-Xylene	0.55	0.40 J

**Client Sample ID: PS-11-SA-20250515**

**Lab ID#: 2505466R1-06A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.8
Toluene	0.49	4.3
Ethyl Benzene	0.55	0.85
m,p-Xylene	0.55	2.8
o-Xylene	0.55	1.0

**Client Sample ID: PS-12-SA-20250515**

**Lab ID#: 2505466R1-07A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	2.2
Toluene	0.49	5.2
Ethyl Benzene	0.55	0.88
m,p-Xylene	0.55	2.9
o-Xylene	0.55	1.0



### Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: PS-01-SA-20250515

Lab ID#: 2505466R1-08A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.1
Toluene	0.49	2.5
Ethyl Benzene	0.55	0.42 J
m,p-Xylene	0.55	1.4
o-Xylene	0.55	0.51 J

Client Sample ID: PS-02-SA-20250515

Lab ID#: 2505466R1-09A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.90
Toluene	0.49	1.8
Ethyl Benzene	0.55	0.31 J
m,p-Xylene	0.55	1.1
o-Xylene	0.55	0.40 J

Client Sample ID: PS-03-SA-20250515

Lab ID#: 2505466R1-10A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.68
Toluene	0.49	1.4
Ethyl Benzene	0.55	0.28 U
m,p-Xylene	0.55	0.78
o-Xylene	0.55	0.29 J

Client Sample ID: PS-03-FB-20250515

Lab ID#: 2505466R1-11A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.19 U
Toluene	0.49	0.24 U

### Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

**Client Sample ID: PS-03-FB-20250515**

**Lab ID#: 2505466R1-11A**

Ethyl Benzene	0.55	0.28 U
m,p-Xylene	0.55	0.28 U
o-Xylene	0.55	0.28 U

**Client Sample ID: PS-04-SA-20250515**

**Lab ID#: 2505466R1-12A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.66
Toluene	0.49	1.4
Ethyl Benzene	0.55	0.28 U
m,p-Xylene	0.55	0.82
o-Xylene	0.55	0.31 J

**Client Sample ID: PS-05-SA-20250515**

**Lab ID#: 2505466R1-13A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.65
Toluene	0.49	1.3
Ethyl Benzene	0.55	0.28 U
m,p-Xylene	0.55	0.74
o-Xylene	0.55	0.28 U

**Client Sample ID: PS-06-SA-20250515**

**Lab ID#: 2505466R1-14A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.66
Toluene	0.49	1.4
Ethyl Benzene	0.55	0.28 U
m,p-Xylene	0.55	0.79
o-Xylene	0.55	0.30 J



Air Toxics

Client Sample ID: PS-07-SA-20250515

Lab ID#: 2505466R1-01A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f052129	Date of Collection:	5/15/25 10:59:00 AM
Dil. Factor:	1.02	Date of Analysis:	5/22/25 12:22 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.68
Toluene	0.49	1.6
Ethyl Benzene	0.55	0.28 J
m,p-Xylene	0.55	1.0
o-Xylene	0.55	0.36 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-07-DU-20250515

Lab ID#: 2505466R1-02A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f052130	Date of Collection:	5/15/25 10:59:00 AM
Dil. Factor:	1.02	Date of Analysis:	5/22/25 12:53 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.68
Toluene	0.49	1.6
Ethyl Benzene	0.55	0.30 J
m,p-Xylene	0.55	1.1
o-Xylene	0.55	0.40 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-08-SA-20250515

Lab ID#: 2505466R1-03A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f052131	Date of Collection:	5/15/25 11:05:00 AM
Dil. Factor:	1.02	Date of Analysis:	5/22/25 01:24 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	5.2
Toluene	0.49	13
Ethyl Benzene	0.55	2.2
m,p-Xylene	0.55	7.0
o-Xylene	0.55	2.7

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-09-SA-20250515

Lab ID#: 2505466R1-04A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f052132	Date of Collection:	5/15/25 11:09:00 AM
Dil. Factor:	1.02	Date of Analysis:	5/22/25 01:55 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.1
Toluene	0.49	2.4
Ethyl Benzene	0.55	0.37 J
m,p-Xylene	0.55	1.2
o-Xylene	0.55	0.46 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-10-SA-20250515

Lab ID#: 2505466R1-05A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f052133	Date of Collection:	5/15/25 11:14:00 AM
Dil. Factor:	1.02	Date of Analysis:	5/22/25 02:26 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.2
Toluene	0.49	2.1
Ethyl Benzene	0.55	0.32 J
m,p-Xylene	0.55	1.0
o-Xylene	0.55	0.40 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-11-SA-20250515

Lab ID#: 2505466R1-06A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f052134	Date of Collection:	5/15/25 11:18:00 AM
Dil. Factor:	1.02	Date of Analysis:	5/22/25 02:57 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.8
Toluene	0.49	4.3
Ethyl Benzene	0.55	0.85
m,p-Xylene	0.55	2.8
o-Xylene	0.55	1.0

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-12-SA-20250515

Lab ID#: 2505466R1-07A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f052135	Date of Collection:	5/15/25 11:22:00 AM
Dil. Factor:	1.02	Date of Analysis:	5/22/25 03:29 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	2.2
Toluene	0.49	5.2
Ethyl Benzene	0.55	0.88
m,p-Xylene	0.55	2.9
o-Xylene	0.55	1.0

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-01-SA-20250515

Lab ID#: 2505466R1-08A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f052136	Date of Collection:	5/15/25 11:26:00 AM
Dil. Factor:	1.02	Date of Analysis:	5/22/25 04:00 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.1
Toluene	0.49	2.5
Ethyl Benzene	0.55	0.42 J
m,p-Xylene	0.55	1.4
o-Xylene	0.55	0.51 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-02-SA-20250515

Lab ID#: 2505466R1-09A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f052137	Date of Collection:	5/15/25 11:29:00 AM
Dil. Factor:	1.02	Date of Analysis:	5/22/25 04:30 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.90
Toluene	0.49	1.8
Ethyl Benzene	0.55	0.31 J
m,p-Xylene	0.55	1.1
o-Xylene	0.55	0.40 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-03-SA-20250515

Lab ID#: 2505466R1-10A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f052139	Date of Collection:	5/15/25 11:36:00 AM
Dil. Factor:	1.02	Date of Analysis:	5/22/25 05:29 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.68
Toluene	0.49	1.4
Ethyl Benzene	0.55	0.28 U
m,p-Xylene	0.55	0.78
o-Xylene	0.55	0.29 J

U = The analyte was not present above the Method Detection Limit.

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-03-FB-20250515

Lab ID#: 2505466R1-11A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f052128	Date of Collection:	5/15/25 11:36:00 AM
Dil. Factor:	1.02	Date of Analysis:	5/21/25 11:52 PM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.19 U
Toluene	0.49	0.24 U
Ethyl Benzene	0.55	0.28 U
m,p-Xylene	0.55	0.28 U
o-Xylene	0.55	0.28 U

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-04-SA-20250515

Lab ID#: 2505466R1-12A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f052140	Date of Collection:	5/15/25 11:40:00 AM
Dil. Factor:	1.02	Date of Analysis:	5/22/25 06:00 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.66
Toluene	0.49	1.4
Ethyl Benzene	0.55	0.28 U
m,p-Xylene	0.55	0.82
o-Xylene	0.55	0.31 J

U = The analyte was not present above the Method Detection Limit.

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-05-SA-20250515

Lab ID#: 2505466R1-13A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f052141	Date of Collection:	5/15/25 11:45:00 AM
Dil. Factor:	1.02	Date of Analysis:	5/22/25 06:31 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.65
Toluene	0.49	1.3
Ethyl Benzene	0.55	0.28 U
m,p-Xylene	0.55	0.74
o-Xylene	0.55	0.28 U

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-06-SA-20250515

Lab ID#: 2505466R1-14A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f052142	Date of Collection:	5/15/25 11:49:00 AM
Dil. Factor:	1.02	Date of Analysis:	5/22/25 07:02 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.66
Toluene	0.49	1.4
Ethyl Benzene	0.55	0.28 U
m,p-Xylene	0.55	0.79
o-Xylene	0.55	0.30 J

U = The analyte was not present above the Method Detection Limit.

J = Estimated value.

Container Type: Carboxpack X AC-PA



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 2505466R1-15A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f052104	Date of Collection:	NA
Dil. Factor:	1.00	Date of Analysis:	5/21/25 11:20 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.18 U
Toluene	0.48	0.24 U
Ethyl Benzene	0.54	0.27 U
m,p-Xylene	0.54	0.27 U
o-Xylene	0.54	0.27 U

U = The analyte was not present above the Method Detection Limit.

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 2505466R1-15B

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f052127	Date of Collection:	NA
Dil. Factor:	1.00	Date of Analysis:	5/21/25 11:21 PM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.18 U
Toluene	0.48	0.24 U
Ethyl Benzene	0.54	0.27 U
m,p-Xylene	0.54	0.27 U
o-Xylene	0.54	0.27 U

U = The analyte was not present above the Method Detection Limit.

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2505466R1-16A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f052126	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 5/21/25 10:53 PM
		Date of Extraction: NA

Compound	%Recovery
Benzene	96
Toluene	100
Ethyl Benzene	104
m,p-Xylene	107
o-Xylene	107

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2505466R1-16B

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f052138	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 5/22/25 04:59 AM
		Date of Extraction: NA

Compound	%Recovery
Benzene	98
Toluene	100
Ethyl Benzene	103
m,p-Xylene	106
o-Xylene	104

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2505466R1-16C

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f052144	Date of Collection:	NA
Dil. Factor:	1.00	Date of Analysis:	5/22/25 07:58 AM
		Date of Extraction:	NA

Compound	%Recovery
Benzene	96
Toluene	99
Ethyl Benzene	102
m,p-Xylene	102
o-Xylene	103

Container Type: NA - Not Applicable

**Method : EPA Method 325B-BTEX (ug/m3) 14-day**

<b>CAS Number</b>	<b>Compound</b>	<b>Rpt. Limit (ug/m3)</b>
71-43-2	Benzene	0.37
108-88-3	Toluene	0.48
100-41-4	Ethyl Benzene	0.54
108-38-3	m,p-Xylene	0.54
95-47-6	o-Xylene	0.54

**Analytical Report**

6/9/2025

Ms. Melissa McLaughlin  
AECOM Environment  
250 Apollo Drive

Chelmsford MA 01824

Project Name: Sunoco LP Fenceline

Project #:

Workorder #: 2506040

Dear Ms. Melissa McLaughlin

The following report includes the data for the above referenced project for sample(s) received on 6/2/2025 at Eurofins Air Toxics LLC.

The data and associated QC analyzed by EPA Method 325B are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Eurofins Air Toxics LLC. for your air analysis needs. Eurofins Air Toxics Inc. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Shannon Eubank at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Shannon Eubank

Project Manager

**WORK ORDER #: 2506040**

Work Order Summary

<b>CLIENT:</b>	Ms. Melissa McLaughlin AECOM Environment 250 Apollo Drive Chelmsford, MA 01824	<b>BILL TO:</b>	Accounts Payable Austin (non-Federal) AECOM PO Box 203970 Austin, TX 78720
<b>PHONE:</b>	978.905.2100	<b>P.O. #</b>	1680852
<b>FAX:</b>	978.905.2101	<b>PROJECT #</b>	Sunoco LP Fenceline
<b>DATE RECEIVED:</b>	06/02/2025	<b>CONTACT:</b>	Shannon Eubank
<b>DATE COMPLETED:</b>	06/09/2025		

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>
01A	PS-07-SA-20250529	EPA Method 325B
02A	PS-08-SA-20250529	EPA Method 325B
03A	PS-09-SA-20250529	EPA Method 325B
04A	PS-09-FB-20250529	EPA Method 325B
05A	PS-10-SA-20250529	EPA Method 325B
06A	PS-11-SA-20250529	EPA Method 325B
07A	PS-12-SA-20250529	EPA Method 325B
08A	PS-01-SA-20250529	EPA Method 325B
09A	PS-02-SA-20250529	EPA Method 325B
10A	PS-02-DU-20250529	EPA Method 325B
11A	PS-03-SA-20250529	EPA Method 325B
12A	PS-04-SA-20250529	EPA Method 325B
13A	PS-05-SA-20250529	EPA Method 325B
14A	PS-06-SA-20250529	EPA Method 325B
15A	Lab Blank	EPA Method 325B
16A	CCV	EPA Method 325B
16B	CCV	EPA Method 325B

CERTIFIED BY:   
 \_\_\_\_\_  
 Technical Director

DATE: 06/09/25

Cert. No.: AZ Licensure-AZ0775, FL NELAP-E87680, LA NELAP-02089, MN NELAP-2836569, NH NELAP-209224-A, NJ NELAP-CA016, NY NELAP-11291, TX NELAP-T104704434, UT NELAP-CA009332023-16, VA NELAP-13180, WA NELAP-C935  
 Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program) CA300005-21  
 Eurofins Environment Testing Northern California, LLC certifies that the test results contained in this report meet all requirements of the 2016 TNI Standard.

*This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, LLC.*  
 180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630  
 (916) 985-1000

**LABORATORY NARRATIVE  
ATM EPA 325B  
AECOM Environment  
Workorder# 2506040**

Fourteen Carbopack X AC-PA samples were received on June 02, 2025. The laboratory performed the analysis via EPA Method 325B using GC/MS in the full scan mode.

The mass of each target compound adsorbed by the sampler was converted to units of concentration using the sample deployment time and the uptake rate for each VOC. Uptake rates are adjusted for local conditions and concentrations are reported based on normal ambient temperature and pressure conditions (25 deg C and 760 mm Hg) following the required calculations in EPA Method 325B. These adjustments are reflected in the dilution factor.

**Receiving Notes**

There were no receiving discrepancies.

**Analytical Notes**

There were no analytical discrepancies.

**Definition of Data Qualifying Flags**

The following qualifiers may have been used on the data analysis sheets and indicate as follows:

- B - Compound present in field blank(s) greater than 1/3 the compliance limit or measured target analyte (background subtraction not performed).
- J - Estimated value - analyte detected between the Method Detection Limit and Reporting Limit.
- E - Exceeds instrument calibration range.
- S - Saturated peak.
- Q - Exceeds quality control limits.
- U - Compound analyzed for but not detected above the MDL value.
- I - Internal Standard recovery outside acceptance limits
- P - Field Duplicate(s) exceed 30%RPD
- Pc- Field Duplicate(s) exceed 30%RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.
- Pl - Field Duplicate(s) exceed 30%RPD, lab anomaly noted.
- L - Recovery of bracketing CCV(s) exceeded acceptance limits.
- H - Sample analyzed outside of method hold time.
- D - Sample duration outside 14+/-1 days
- Fe - Field Error or discrepancy
- Te - Tube Error or discrepancy
- CN - See case narrative explanation.

File extensions may have been used on the data analysis sheets and indicates as follows:

- a-File was requantified
- b-File was quantified by a second column and detector
- r1-File was requantified for the purpose of reissue



Air Toxics

### Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: PS-07-SA-20250529

Lab ID#: 2506040-01A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.58
Toluene	0.49	1.7
Ethyl Benzene	0.55	0.32 J
m,p-Xylene	0.55	1.0
o-Xylene	0.55	0.40 J

Client Sample ID: PS-08-SA-20250529

Lab ID#: 2506040-02A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	2.0
Toluene	0.49	8.6
Ethyl Benzene	0.55	1.4
m,p-Xylene	0.55	4.2
o-Xylene	0.55	1.6

Client Sample ID: PS-09-SA-20250529

Lab ID#: 2506040-03A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.74
Toluene	0.49	1.8
Ethyl Benzene	0.55	0.34 J
m,p-Xylene	0.55	1.0
o-Xylene	0.55	0.39 J

Client Sample ID: PS-09-FB-20250529

Lab ID#: 2506040-04A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.19 U
Toluene	0.49	0.24 U



### Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: PS-09-FB-20250529

Lab ID#: 2506040-04A

Ethyl Benzene	0.55	0.28 U
m,p-Xylene	0.55	0.28 U
o-Xylene	0.55	0.28 U

Client Sample ID: PS-10-SA-20250529

Lab ID#: 2506040-05A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.68
Toluene	0.49	1.6
Ethyl Benzene	0.55	0.30 J
m,p-Xylene	0.55	0.96
o-Xylene	0.55	0.36 J

Client Sample ID: PS-11-SA-20250529

Lab ID#: 2506040-06A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.1
Toluene	0.49	3.2
Ethyl Benzene	0.55	0.62
m,p-Xylene	0.55	2.0
o-Xylene	0.55	0.72

Client Sample ID: PS-12-SA-20250529

Lab ID#: 2506040-07A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.6
Toluene	0.49	5.0
Ethyl Benzene	0.55	0.77
m,p-Xylene	0.55	2.5
o-Xylene	0.55	0.90



### Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: PS-01-SA-20250529

Lab ID#: 2506040-08A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.78
Toluene	0.49	3.1
Ethyl Benzene	0.55	0.40 J
m,p-Xylene	0.55	1.4
o-Xylene	0.55	0.47 J

Client Sample ID: PS-02-SA-20250529

Lab ID#: 2506040-09A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.1
Toluene	0.49	3.8
Ethyl Benzene	0.55	0.75
m,p-Xylene	0.55	2.6
o-Xylene	0.55	0.89

Client Sample ID: PS-02-DU-20250529

Lab ID#: 2506040-10A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.1
Toluene	0.49	3.8
Ethyl Benzene	0.55	0.79
m,p-Xylene	0.55	2.7
o-Xylene	0.55	0.95

Client Sample ID: PS-03-SA-20250529

Lab ID#: 2506040-11A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.95
Toluene	0.49	3.1

## Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

**Client Sample ID: PS-03-SA-20250529**

**Lab ID#: 2506040-11A**

Ethyl Benzene	0.55	0.67
m,p-Xylene	0.55	2.3
o-Xylene	0.55	0.82

**Client Sample ID: PS-04-SA-20250529**

**Lab ID#: 2506040-12A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.97
Toluene	0.49	3.0
Ethyl Benzene	0.55	0.67
m,p-Xylene	0.55	2.3
o-Xylene	0.55	0.84

**Client Sample ID: PS-05-SA-20250529**

**Lab ID#: 2506040-13A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.76
Toluene	0.49	2.1
Ethyl Benzene	0.55	0.46 J
m,p-Xylene	0.55	1.5
o-Xylene	0.55	0.55

**Client Sample ID: PS-06-SA-20250529**

**Lab ID#: 2506040-14A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.62
Toluene	0.49	2.2
Ethyl Benzene	0.55	0.41 J
m,p-Xylene	0.55	1.3
o-Xylene	0.55	0.51 J



Air Toxics

Client Sample ID: PS-07-SA-20250529

Lab ID#: 2506040-01A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f060506	Date of Collection: 5/29/25 11:05:00 AM
Dil. Factor:	1.02	Date of Analysis: 6/5/25 12:20 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.58
Toluene	0.49	1.7
Ethyl Benzene	0.55	0.32 J
m,p-Xylene	0.55	1.0
o-Xylene	0.55	0.40 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-08-SA-20250529

Lab ID#: 2506040-02A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f060507	Date of Collection: 5/29/25 11:10:00 AM
Dil. Factor:	1.02	Date of Analysis: 6/5/25 12:51 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	2.0
Toluene	0.49	8.6
Ethyl Benzene	0.55	1.4
m,p-Xylene	0.55	4.2
o-Xylene	0.55	1.6

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-09-SA-20250529

Lab ID#: 2506040-03A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f060508	Date of Collection:	5/29/25 11:16:00 AM
Dil. Factor:	1.02	Date of Analysis:	6/5/25 01:21 PM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.74
Toluene	0.49	1.8
Ethyl Benzene	0.55	0.34 J
m,p-Xylene	0.55	1.0
o-Xylene	0.55	0.39 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-09-FB-20250529

Lab ID#: 2506040-04A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f060505	Date of Collection:	5/29/25 11:16:00 AM
Dil. Factor:	1.02	Date of Analysis:	6/5/25 11:49 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.19 U
Toluene	0.49	0.24 U
Ethyl Benzene	0.55	0.28 U
m,p-Xylene	0.55	0.28 U
o-Xylene	0.55	0.28 U

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-10-SA-20250529

Lab ID#: 2506040-05A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f060509	Date of Collection: 5/29/25 11:22:00 AM
Dil. Factor:	1.02	Date of Analysis: 6/5/25 01:52 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.68
Toluene	0.49	1.6
Ethyl Benzene	0.55	0.30 J
m,p-Xylene	0.55	0.96
o-Xylene	0.55	0.36 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-11-SA-20250529

Lab ID#: 2506040-06A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f060510	Date of Collection: 5/29/25 11:28:00 AM
Dil. Factor:	1.02	Date of Analysis: 6/5/25 02:23 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.1
Toluene	0.49	3.2
Ethyl Benzene	0.55	0.62
m,p-Xylene	0.55	2.0
o-Xylene	0.55	0.72

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-12-SA-20250529

Lab ID#: 2506040-07A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f060511	Date of Collection: 5/29/25 11:33:00 AM
Dil. Factor:	1.02	Date of Analysis: 6/5/25 02:54 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.6
Toluene	0.49	5.0
Ethyl Benzene	0.55	0.77
m,p-Xylene	0.55	2.5
o-Xylene	0.55	0.90

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-01-SA-20250529

Lab ID#: 2506040-08A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f060512	Date of Collection:	5/29/25 11:39:00 AM
Dil. Factor:	1.02	Date of Analysis:	6/5/25 03:25 PM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.78
Toluene	0.49	3.1
Ethyl Benzene	0.55	0.40 J
m,p-Xylene	0.55	1.4
o-Xylene	0.55	0.47 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-02-SA-20250529

Lab ID#: 2506040-09A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f060513	Date of Collection: 5/29/25 11:43:00 AM
Dil. Factor:	1.02	Date of Analysis: 6/5/25 03:56 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.1
Toluene	0.49	3.8
Ethyl Benzene	0.55	0.75
m,p-Xylene	0.55	2.6
o-Xylene	0.55	0.89

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-02-DU-20250529

Lab ID#: 2506040-10A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f060514	Date of Collection: 5/29/25 11:43:00 AM
Dil. Factor:	1.02	Date of Analysis: 6/5/25 04:27 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.1
Toluene	0.49	3.8
Ethyl Benzene	0.55	0.79
m,p-Xylene	0.55	2.7
o-Xylene	0.55	0.95

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-03-SA-20250529

Lab ID#: 2506040-11A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f060516	Date of Collection:	5/29/25 11:54:00 AM
Dil. Factor:	1.02	Date of Analysis:	6/5/25 05:27 PM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.95
Toluene	0.49	3.1
Ethyl Benzene	0.55	0.67
m,p-Xylene	0.55	2.3
o-Xylene	0.55	0.82

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-04-SA-20250529

Lab ID#: 2506040-12A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f060517	Date of Collection:	5/29/25 12:02:00 PM
Dil. Factor:	1.02	Date of Analysis:	6/5/25 05:58 PM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.97
Toluene	0.49	3.0
Ethyl Benzene	0.55	0.67
m,p-Xylene	0.55	2.3
o-Xylene	0.55	0.84

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-05-SA-20250529

Lab ID#: 2506040-13A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f060518	Date of Collection:	5/29/25 12:08:00 PM
Dil. Factor:	1.02	Date of Analysis:	6/5/25 06:28 PM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.76
Toluene	0.49	2.1
Ethyl Benzene	0.55	0.46 J
m,p-Xylene	0.55	1.5
o-Xylene	0.55	0.55

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-06-SA-20250529

Lab ID#: 2506040-14A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f060519	Date of Collection: 5/29/25 12:14:00 PM
Dil. Factor:	1.02	Date of Analysis: 6/5/25 06:59 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.62
Toluene	0.49	2.2
Ethyl Benzene	0.55	0.41 J
m,p-Xylene	0.55	1.3
o-Xylene	0.55	0.51 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 2506040-15A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f060504	Date of Collection:	NA
Dil. Factor:	1.00	Date of Analysis:	6/5/25 11:01 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.18 U
Toluene	0.48	0.24 U
Ethyl Benzene	0.54	0.27 U
m,p-Xylene	0.54	0.27 U
o-Xylene	0.54	0.27 U

U = The analyte was not present above the Method Detection Limit.

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2506040-16A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f060515	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 6/5/25 04:56 PM
		Date of Extraction: NA

Compound	%Recovery
Benzene	98
Toluene	100
Ethyl Benzene	96
m,p-Xylene	99
o-Xylene	97

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2506040-16B

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f060526	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 6/5/25 10:17 PM
		Date of Extraction: NA

Compound	%Recovery
Benzene	98
Toluene	102
Ethyl Benzene	102
m,p-Xylene	104
o-Xylene	103

Container Type: NA - Not Applicable

**Method : EPA Method 325B-BTEX (ug/m3) 14-day**

<b>CAS Number</b>	<b>Compound</b>	<b>Rpt. Limit (ug/m3)</b>
71-43-2	Benzene	0.37
108-88-3	Toluene	0.48
100-41-4	Ethyl Benzene	0.54
108-38-3	m,p-Xylene	0.54
95-47-6	o-Xylene	0.54

**Analytical Report**

6/23/2025

Ms. Melissa McLaughlin  
AECOM Environment  
250 Apollo Drive

Chelmsford MA 01824

Project Name: Sunoco LP Fenceline  
Project #: 60737155  
Workorder #: 2506413

Dear Ms. Melissa McLaughlin

The following report includes the data for the above referenced project for sample(s) received on 6/16/2025 at Eurofins Air Toxics LLC.

The data and associated QC analyzed by EPA Method 325B are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Eurofins Air Toxics LLC. for your air analysis needs. Eurofins Air Toxics Inc. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Shannon Eubank at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Shannon Eubank  
Project Manager

**WORK ORDER #: 2506413**

Work Order Summary

<b>CLIENT:</b>	Ms. Melissa McLaughlin AECOM Environment 250 Apollo Drive Chelmsford, MA 01824	<b>BILL TO:</b>	Accounts Payable Austin (non-Federal) AECOM PO Box 203970 Austin, TX 78720
<b>PHONE:</b>	978.905.2100	<b>P.O. #</b>	1680852 06.42
<b>FAX:</b>	978.905.2101	<b>PROJECT #</b>	60737155 Sunoco LP Fenceline
<b>DATE RECEIVED:</b>	06/16/2025	<b>CONTACT:</b>	Shannon Eubank
<b>DATE COMPLETED:</b>	06/23/2025		

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>
01A	PS-07-SA-20250612	EPA Method 325B
02A	PS-08-SA-20250612	EPA Method 325B
03A	PS-09-SA-20250612	EPA Method 325B
04A	PS-10-SA-20250612	EPA Method 325B
05A	PS-10-FB-20250612	EPA Method 325B
06A	PS-11-SA-20250612	EPA Method 325B
07A	PS-12-SA-20250612	EPA Method 325B
08A	PS-01-SA-20250612	EPA Method 325B
09A	PS-02-SA-20250612	EPA Method 325B
10A	PS-03-SA-20250612	EPA Method 325B
11A	PS-03-DU-20250612	EPA Method 325B
12A	PS-04-SA-20250612	EPA Method 325B
13A	PS-05-SA-20250612	EPA Method 325B
14A	PS-06-SA-20250612	EPA Method 325B
15A	Lab Blank	EPA Method 325B
16A	CCV	EPA Method 325B
16B	CCV	EPA Method 325B

CERTIFIED BY:   
 \_\_\_\_\_  
 Technical Director

DATE: 06/23/25

Cert. No.: AZ Licensure-AZ0775, FL NELAP-E87680, LA NELAP-02089, MN NELAP-2836569, NH NELAP-209224-A, NJ NELAP-CA016, NY NELAP-11291, TX NELAP-T104704434, UT NELAP-CA009332023-16, VA NELAP-13180, WA NELAP-C935  
 Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program) CA300005-21  
 Eurofins Environment Testing Northern California, LLC certifies that the test results contained in this report meet all requirements of the 2016 TNI Standard.

*This report shall not be reproduced, except in full, without the written approval of Eurofins Air Toxics, LLC.*  
 180 BLUE RAVINE ROAD, SUITE B FOLSOM, CA - 95630  
 (916) 985-1000

**LABORATORY NARRATIVE  
ATM EPA 325B  
AECOM Environment  
Workorder# 2506413**

Fourteen Carbopack X AC-PA samples were received on June 16, 2025. The laboratory performed the analysis via EPA Method 325B using GC/MS in the full scan mode.

The mass of each target compound adsorbed by the sampler was converted to units of concentration using the sample deployment time and the uptake rate for each VOC. Uptake rates are adjusted for local conditions and concentrations are reported based on normal ambient temperature and pressure conditions (25 deg C and 760 mm Hg) following the required calculations in EPA Method 325B. These adjustments are reflected in the dilution factor.

**Receiving Notes**

There were no receiving discrepancies.

**Analytical Notes**

There were no analytical discrepancies.

**Definition of Data Qualifying Flags**

The following qualifiers may have been used on the data analysis sheets and indicate as follows:

- B - Compound present in field blank(s) greater than 1/3 the compliance limit or measured target analyte (background subtraction not performed).
- J - Estimated value - analyte detected between the Method Detection Limit and Reporting Limit.
- E - Exceeds instrument calibration range.
- S - Saturated peak.
- Q - Exceeds quality control limits.
- U - Compound analyzed for but not detected above the MDL value.
- I - Internal Standard recovery outside acceptance limits
- P - Field Duplicate(s) exceed 30%RPD
- Pc- Field Duplicate(s) exceed 30%RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.
- Pl - Field Duplicate(s) exceed 30%RPD, lab anomaly noted.
- L - Recovery of bracketing CCV(s) exceeded acceptance limits.
- H - Sample analyzed outside of method hold time.
- D - Sample duration outside 14+/-1 days
- Fe - Field Error or discrepancy
- Te - Tube Error or discrepancy
- CN - See case narrative explanation.

File extensions may have been used on the data analysis sheets and indicates as follows:

- a-File was requantified
- b-File was quantified by a second column and detector
- r1-File was requantified for the purpose of reissue

### Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

**Client Sample ID: PS-07-SA-20250612**

**Lab ID#: 2506413-01A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.90
Toluene	0.49	2.4
Ethyl Benzene	0.55	0.44 J
m,p-Xylene	0.55	1.5
o-Xylene	0.55	0.54 J

**Client Sample ID: PS-08-SA-20250612**

**Lab ID#: 2506413-02A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	2.5
Toluene	0.49	14
Ethyl Benzene	0.55	2.2
m,p-Xylene	0.55	7.9
o-Xylene	0.55	3.0

**Client Sample ID: PS-09-SA-20250612**

**Lab ID#: 2506413-03A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.88
Toluene	0.49	2.6
Ethyl Benzene	0.55	0.44 J
m,p-Xylene	0.55	1.4
o-Xylene	0.55	0.56

**Client Sample ID: PS-10-SA-20250612**

**Lab ID#: 2506413-04A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.93
Toluene	0.49	2.8

## Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

**Client Sample ID: PS-10-SA-20250612**

**Lab ID#: 2506413-04A**

Ethyl Benzene	0.55	0.46 J
m,p-Xylene	0.55	1.5
o-Xylene	0.55	0.56

**Client Sample ID: PS-10-FB-20250612**

**Lab ID#: 2506413-05A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.19 U
Toluene	0.49	0.24 U
Ethyl Benzene	0.55	0.27 U
m,p-Xylene	0.55	0.27 U
o-Xylene	0.55	0.27 U

**Client Sample ID: PS-11-SA-20250612**

**Lab ID#: 2506413-06A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.2
Toluene	0.49	4.6
Ethyl Benzene	0.55	0.71
m,p-Xylene	0.55	2.4
o-Xylene	0.55	0.88

**Client Sample ID: PS-12-SA-20250612**

**Lab ID#: 2506413-07A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.8
Toluene	0.49	8.1
Ethyl Benzene	0.55	1.0
m,p-Xylene	0.55	3.6
o-Xylene	0.55	1.3



### Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: PS-01-SA-20250612

Lab ID#: 2506413-08A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.3
Toluene	0.49	4.9
Ethyl Benzene	0.55	0.72
m,p-Xylene	0.55	2.5
o-Xylene	0.55	0.89

Client Sample ID: PS-02-SA-20250612

Lab ID#: 2506413-09A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.7
Toluene	0.49	6.3
Ethyl Benzene	0.55	1.3
m,p-Xylene	0.55	4.6
o-Xylene	0.55	1.6

Client Sample ID: PS-03-SA-20250612

Lab ID#: 2506413-10A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.0
Toluene	0.49	3.0
Ethyl Benzene	0.55	0.55
m,p-Xylene	0.55	1.8
o-Xylene	0.55	0.66

Client Sample ID: PS-03-DU-20250612

Lab ID#: 2506413-11A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.0
Toluene	0.49	3.0

### Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

**Client Sample ID: PS-03-DU-20250612**

**Lab ID#: 2506413-11A**

Ethyl Benzene	0.55	0.58
m,p-Xylene	0.55	1.9
o-Xylene	0.55	0.68

**Client Sample ID: PS-04-SA-20250612**

**Lab ID#: 2506413-12A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.1
Toluene	0.49	3.4
Ethyl Benzene	0.55	0.62
m,p-Xylene	0.55	2.0
o-Xylene	0.55	0.73

**Client Sample ID: PS-05-SA-20250612**

**Lab ID#: 2506413-13A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.89
Toluene	0.49	2.6
Ethyl Benzene	0.55	0.44 J
m,p-Xylene	0.55	1.5
o-Xylene	0.55	0.53 J

**Client Sample ID: PS-06-SA-20250612**

**Lab ID#: 2506413-14A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.86
Toluene	0.49	2.4
Ethyl Benzene	0.55	0.46 J
m,p-Xylene	0.55	1.5
o-Xylene	0.55	0.55



Air Toxics

Client Sample ID: PS-07-SA-20250612

Lab ID#: 2506413-01A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10061906	Date of Collection:	6/12/25 11:52:00 AM
Dil. Factor:	1.02	Date of Analysis:	6/19/25 11:45 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.90
Toluene	0.49	2.4
Ethyl Benzene	0.55	0.44 J
m,p-Xylene	0.55	1.5
o-Xylene	0.55	0.54 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-08-SA-20250612

Lab ID#: 2506413-02A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10061907	Date of Collection:	6/12/25 11:59:00 AM
Dil. Factor:	1.02	Date of Analysis:	6/19/25 12:14 PM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	2.5
Toluene	0.49	14
Ethyl Benzene	0.55	2.2
m,p-Xylene	0.55	7.9
o-Xylene	0.55	3.0

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-09-SA-20250612

Lab ID#: 2506413-03A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10061908	Date of Collection: 6/12/25 12:07:00 PM
Dil. Factor:	1.02	Date of Analysis: 6/19/25 12:43 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.88
Toluene	0.49	2.6
Ethyl Benzene	0.55	0.44 J
m,p-Xylene	0.55	1.4
o-Xylene	0.55	0.56

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-10-SA-20250612

Lab ID#: 2506413-04A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10061909	Date of Collection:	6/12/25 12:15:00 PM
Dil. Factor:	1.02	Date of Analysis:	6/19/25 01:11 PM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.93
Toluene	0.49	2.8
Ethyl Benzene	0.55	0.46 J
m,p-Xylene	0.55	1.5
o-Xylene	0.55	0.56

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-10-FB-20250612

Lab ID#: 2506413-05A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10061905	Date of Collection:	6/12/25 12:15:00 PM
Dil. Factor:	1.02	Date of Analysis:	6/19/25 11:16 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.19 U
Toluene	0.49	0.24 U
Ethyl Benzene	0.55	0.27 U
m,p-Xylene	0.55	0.27 U
o-Xylene	0.55	0.27 U

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-11-SA-20250612

Lab ID#: 2506413-06A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10061910	Date of Collection: 6/12/25 12:23:00 PM
Dil. Factor:	1.02	Date of Analysis: 6/19/25 01:40 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.2
Toluene	0.49	4.6
Ethyl Benzene	0.55	0.71
m,p-Xylene	0.55	2.4
o-Xylene	0.55	0.88

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-12-SA-20250612

Lab ID#: 2506413-07A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10061911	Date of Collection:	6/12/25 12:29:00 PM
Dil. Factor:	1.02	Date of Analysis:	6/19/25 02:09 PM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.8
Toluene	0.49	8.1
Ethyl Benzene	0.55	1.0
m,p-Xylene	0.55	3.6
o-Xylene	0.55	1.3

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-01-SA-20250612

Lab ID#: 2506413-08A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10061912	Date of Collection:	6/12/25 12:35:00 PM
Dil. Factor:	1.02	Date of Analysis:	6/19/25 02:38 PM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.3
Toluene	0.49	4.9
Ethyl Benzene	0.55	0.72
m,p-Xylene	0.55	2.5
o-Xylene	0.55	0.89

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-02-SA-20250612

Lab ID#: 2506413-09A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10061913	Date of Collection: 6/12/25 12:43:00 PM
Dil. Factor:	1.02	Date of Analysis: 6/19/25 03:06 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.7
Toluene	0.49	6.3
Ethyl Benzene	0.55	1.3
m,p-Xylene	0.55	4.6
o-Xylene	0.55	1.6

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-03-SA-20250612

Lab ID#: 2506413-10A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10061914	Date of Collection:	6/12/25 12:52:00 PM
Dil. Factor:	1.02	Date of Analysis:	6/19/25 03:35 PM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.0
Toluene	0.49	3.0
Ethyl Benzene	0.55	0.55
m,p-Xylene	0.55	1.8
o-Xylene	0.55	0.66

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-03-DU-20250612

Lab ID#: 2506413-11A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10061916	Date of Collection:	6/12/25 12:52:00 PM
Dil. Factor:	1.02	Date of Analysis:	6/19/25 04:31 PM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.0
Toluene	0.49	3.0
Ethyl Benzene	0.55	0.58
m,p-Xylene	0.55	1.9
o-Xylene	0.55	0.68

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-04-SA-20250612

Lab ID#: 2506413-12A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10061917	Date of Collection:	6/12/25 1:05:00 PM
Dil. Factor:	1.02	Date of Analysis:	6/19/25 05:00 PM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	1.1
Toluene	0.49	3.4
Ethyl Benzene	0.55	0.62
m,p-Xylene	0.55	2.0
o-Xylene	0.55	0.73

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-05-SA-20250612

Lab ID#: 2506413-13A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10061918	Date of Collection:	6/12/25 1:13:00 PM
Dil. Factor:	1.02	Date of Analysis:	6/19/25 05:29 PM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.89
Toluene	0.49	2.6
Ethyl Benzene	0.55	0.44 J
m,p-Xylene	0.55	1.5
o-Xylene	0.55	0.53 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-06-SA-20250612

Lab ID#: 2506413-14A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10061919	Date of Collection:	6/12/25 1:20:00 PM
Dil. Factor:	1.02	Date of Analysis:	6/19/25 05:57 PM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.38	0.86
Toluene	0.49	2.4
Ethyl Benzene	0.55	0.46 J
m,p-Xylene	0.55	1.5
o-Xylene	0.55	0.55

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 2506413-15A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10061904	Date of Collection:	NA
Dil. Factor:	1.00	Date of Analysis:	6/19/25 10:24 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.18 U
Toluene	0.48	0.24 U
Ethyl Benzene	0.54	0.27 U
m,p-Xylene	0.54	0.27 U
o-Xylene	0.54	0.27 U

U = The analyte was not present above the Method Detection Limit.

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2506413-16A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10061915	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 6/19/25 04:03 PM
		Date of Extraction: NA

Compound	%Recovery
Benzene	94
Toluene	96
Ethyl Benzene	94
m,p-Xylene	97
o-Xylene	96

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2506413-16B

EPA METHOD 325B GC/MS FULL SCAN

File Name:	10061926	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 6/19/25 09:18 PM
		Date of Extraction: NA

Compound	%Recovery
Benzene	97
Toluene	99
Ethyl Benzene	95
m,p-Xylene	98
o-Xylene	96

Container Type: NA - Not Applicable

**Method : EPA Method 325B-BTEX (ug/m3) 14-day**

<b>CAS Number</b>	<b>Compound</b>	<b>Rpt. Limit (ug/m3)</b>
71-43-2	Benzene	0.37
108-88-3	Toluene	0.48
100-41-4	Ethyl Benzene	0.54
108-38-3	m,p-Xylene	0.54
95-47-6	o-Xylene	0.54

**Analytical Report**

7/6/2025

Ms. Melissa McLaughlin  
AECOM Environment  
250 Apollo Drive

Chelmsford MA 01824

Project Name: Sunoco LP Fenceline  
Project #: 60737155  
Workorder #: 2506742

Dear Ms. Melissa McLaughlin

The following report includes the data for the above referenced project for sample(s) received on 6/27/2025 at Eurofins Air Toxics LLC.

The data and associated QC analyzed by EPA Method 325B are compliant with the project requirements or laboratory criteria with the exception of the deviations noted in the attached case narrative.

Thank you for choosing Eurofins Air Toxics LLC. for your air analysis needs. Eurofins Air Toxics Inc. is committed to providing accurate data of the highest quality. Please feel free to contact the Project Manager: Shannon Eubank at 916-985-1000 if you have any questions regarding the data in this report.

Regards,



Shannon Eubank  
Project Manager

**WORK ORDER #: 2506742**

Work Order Summary

<b>CLIENT:</b>	Ms. Melissa McLaughlin AECOM Environment 250 Apollo Drive Chelmsford, MA 01824	<b>BILL TO:</b>	Accounts Payable Austin (non-Federal) AECOM PO Box 203970 Austin, TX 78720
<b>PHONE:</b>	978.905.2100	<b>P.O. #</b>	1680852 06.42
<b>FAX:</b>	978.905.2101	<b>PROJECT #</b>	60737155 Sunoco LP Fenceline
<b>DATE RECEIVED:</b>	06/27/2025	<b>CONTACT:</b>	Shannon Eubank
<b>DATE COMPLETED:</b>	07/06/2025		

<u>FRACTION #</u>	<u>NAME</u>	<u>TEST</u>
01A	PS-07-SA-20250626	EPA Method 325B
02A	PS-08-SA-20250626	EPA Method 325B
03A	PS-08-FB-20250626	EPA Method 325B
04A	PS-09-SA-20250626	EPA Method 325B
05A	PS-10-SA-20250626	EPA Method 325B
06A	PS-11-SA-20250626	EPA Method 325B
07A	PS-12-SA-20250626	EPA Method 325B
08A	PS-01-SA-20250626	EPA Method 325B
09A	PS-02-SA-20250626	EPA Method 325B
10A	PS-03-SA-20250626	EPA Method 325B
11A	PS-04-SA-20250626	EPA Method 325B
12A	PS-04-DU-20250626	EPA Method 325B
13A	PS-05-SA-20250626	EPA Method 325B
14A	PS-06-SA-20250626	EPA Method 325B
15A	Lab Blank	EPA Method 325B
16A	CCV	EPA Method 325B
16B	CCV	EPA Method 325B

CERTIFIED BY:   
 \_\_\_\_\_  
 Technical Director

DATE: 07/06/25

Cert. No.: AZ Licensure-AZ0775, FL NELAP-E87680, LA NELAP-02089, MN NELAP-2836569, NH NELAP-209224-A, NJ NELAP-CA016, NY NELAP-11291, TX NELAP-T104704434, UT NELAP-CA009332023-16, VA NELAP-13180, WA NELAP-C935  
 Name of Accreditation Body: NELAP/ORELAP (Oregon Environmental Laboratory Accreditation Program) CA300005-21  
 Eurofins Environment Testing Northern California, LLC certifies that the test results contained in this report meet all requirements of the 2016 TNI Standard.

**LABORATORY NARRATIVE  
ATM EPA 325B  
AECOM Environment  
Workorder# 2506742**

Fourteen Carbopack X AC-PA samples were received on June 27, 2025. The laboratory performed the analysis via EPA Method 325B using GC/MS in the full scan mode.

The mass of each target compound adsorbed by the sampler was converted to units of concentration using the sample deployment time and the uptake rate for each VOC. Uptake rates are adjusted for local conditions and concentrations are reported based on normal ambient temperature and pressure conditions (25 deg C and 760 mm Hg) following the required calculations in EPA Method 325B. These adjustments are reflected in the dilution factor.

**Receiving Notes**

There were no receiving discrepancies.

**Analytical Notes**

There were no analytical discrepancies.

**Definition of Data Qualifying Flags**

The following qualifiers may have been used on the data analysis sheets and indicate as follows:

- B - Compound present in field blank(s) greater than 1/3 the compliance limit or measured target analyte (background subtraction not performed).
- J - Estimated value - analyte detected between the Method Detection Limit and Reporting Limit.
- E - Exceeds instrument calibration range.
- S - Saturated peak.
- Q - Exceeds quality control limits.
- U - Compound analyzed for but not detected above the MDL value.
- I - Internal Standard recovery outside acceptance limits
- P - Field Duplicate(s) exceed 30%RPD
- Pc- Field Duplicate(s) exceed 30%RPD, concentrations of sample and/or its duplicate less than 2 times reporting limit.
- Pl - Field Duplicate(s) exceed 30%RPD, lab anomaly noted.
- L - Recovery of bracketing CCV(s) exceeded acceptance limits.
- H - Sample analyzed outside of method hold time.
- D - Sample duration outside 14+/-1 days
- Fe - Field Error or discrepancy
- Te - Tube Error or discrepancy
- CN - See case narrative explanation.

File extensions may have been used on the data analysis sheets and indicates as follows:

- a-File was requantified
- b-File was quantified by a second column and detector
- r1-File was requantified for the purpose of reissue



Air Toxics

### Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: PS-07-SA-20250626

Lab ID#: 2506742-01A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.81
Toluene	0.48	3.4
Ethyl Benzene	0.54	0.46 J
m,p-Xylene	0.54	1.5
o-Xylene	0.54	0.57

Client Sample ID: PS-08-SA-20250626

Lab ID#: 2506742-02A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	1.3
Toluene	0.48	5.9
Ethyl Benzene	0.54	0.93
m,p-Xylene	0.54	3.0
o-Xylene	0.54	1.1

Client Sample ID: PS-08-FB-20250626

Lab ID#: 2506742-03A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.19 U
Toluene	0.48	0.24 U
Ethyl Benzene	0.54	0.27 U
m,p-Xylene	0.54	0.27 U
o-Xylene	0.54	0.27 U

Client Sample ID: PS-09-SA-20250626

Lab ID#: 2506742-04A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.68
Toluene	0.48	2.2

## Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

**Client Sample ID: PS-09-SA-20250626**

**Lab ID#: 2506742-04A**

Ethyl Benzene	0.54	0.33 J
m,p-Xylene	0.54	1.0
o-Xylene	0.54	0.38 J

**Client Sample ID: PS-10-SA-20250626**

**Lab ID#: 2506742-05A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.79
Toluene	0.48	2.6
Ethyl Benzene	0.54	0.39 J
m,p-Xylene	0.54	1.2
o-Xylene	0.54	0.45 J

**Client Sample ID: PS-11-SA-20250626**

**Lab ID#: 2506742-06A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	1.3
Toluene	0.48	5.2
Ethyl Benzene	0.54	0.79
m,p-Xylene	0.54	2.6
o-Xylene	0.54	0.96

**Client Sample ID: PS-12-SA-20250626**

**Lab ID#: 2506742-07A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	1.9
Toluene	0.48	9.7
Ethyl Benzene	0.54	1.1
m,p-Xylene	0.54	3.9
o-Xylene	0.54	1.4



### Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

Client Sample ID: PS-01-SA-20250626

Lab ID#: 2506742-08A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	1.6
Toluene	0.48	8.2
Ethyl Benzene	0.54	0.95
m,p-Xylene	0.54	3.2
o-Xylene	0.54	1.1

Client Sample ID: PS-02-SA-20250626

Lab ID#: 2506742-09A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	1.5
Toluene	0.48	6.8
Ethyl Benzene	0.54	1.1
m,p-Xylene	0.54	3.8
o-Xylene	0.54	1.3

Client Sample ID: PS-03-SA-20250626

Lab ID#: 2506742-10A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.88
Toluene	0.48	3.5
Ethyl Benzene	0.54	0.54
m,p-Xylene	0.54	1.8
o-Xylene	0.54	0.62

Client Sample ID: PS-04-SA-20250626

Lab ID#: 2506742-11A

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	1.2
Toluene	0.48	4.7

## Summary of Detected Compounds EPA METHOD 325B GC/MS FULL SCAN

**Client Sample ID: PS-04-SA-20250626**

**Lab ID#: 2506742-11A**

Ethyl Benzene	0.54	0.71
m,p-Xylene	0.54	2.4
o-Xylene	0.54	0.86

**Client Sample ID: PS-04-DU-20250626**

**Lab ID#: 2506742-12A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	1.1
Toluene	0.48	4.8
Ethyl Benzene	0.54	0.75
m,p-Xylene	0.54	2.6
o-Xylene	0.54	0.89

**Client Sample ID: PS-05-SA-20250626**

**Lab ID#: 2506742-13A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.90
Toluene	0.48	3.2
Ethyl Benzene	0.54	0.48 J
m,p-Xylene	0.54	1.6
o-Xylene	0.54	0.56

**Client Sample ID: PS-06-SA-20250626**

**Lab ID#: 2506742-14A**

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.77
Toluene	0.48	3.2
Ethyl Benzene	0.54	0.44 J
m,p-Xylene	0.54	1.5
o-Xylene	0.54	0.54



Air Toxics

Client Sample ID: PS-07-SA-20250626

Lab ID#: 2506742-01A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f070206	Date of Collection:	6/26/25 11:37:00 AM
Dil. Factor:	1.01	Date of Analysis:	7/2/25 12:03 PM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.81
Toluene	0.48	3.4
Ethyl Benzene	0.54	0.46 J
m,p-Xylene	0.54	1.5
o-Xylene	0.54	0.57

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-08-SA-20250626

Lab ID#: 2506742-02A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f070207	Date of Collection:	6/26/25 11:43:00 AM
Dil. Factor:	1.01	Date of Analysis:	7/2/25 12:34 PM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	1.3
Toluene	0.48	5.9
Ethyl Benzene	0.54	0.93
m,p-Xylene	0.54	3.0
o-Xylene	0.54	1.1

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-08-FB-20250626

Lab ID#: 2506742-03A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f070205	Date of Collection:	6/26/25 11:43:00 AM
Dil. Factor:	1.01	Date of Analysis:	7/2/25 11:32 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.19 U
Toluene	0.48	0.24 U
Ethyl Benzene	0.54	0.27 U
m,p-Xylene	0.54	0.27 U
o-Xylene	0.54	0.27 U

U = The analyte was not present above the Method Detection Limit.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-09-SA-20250626

Lab ID#: 2506742-04A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f070208	Date of Collection:	6/26/25 11:51:00 AM
Dil. Factor:	1.01	Date of Analysis:	7/2/25 01:05 PM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.68
Toluene	0.48	2.2
Ethyl Benzene	0.54	0.33 J
m,p-Xylene	0.54	1.0
o-Xylene	0.54	0.38 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-10-SA-20250626

Lab ID#: 2506742-05A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f070209	Date of Collection:	6/26/25 12:57:00 PM
Dil. Factor:	1.01	Date of Analysis:	7/2/25 01:36 PM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.79
Toluene	0.48	2.6
Ethyl Benzene	0.54	0.39 J
m,p-Xylene	0.54	1.2
o-Xylene	0.54	0.45 J

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-11-SA-20250626

Lab ID#: 2506742-06A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f070210	Date of Collection: 6/26/25 12:03:00 PM
Dil. Factor:	1.01	Date of Analysis: 7/2/25 02:07 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	1.3
Toluene	0.48	5.2
Ethyl Benzene	0.54	0.79
m,p-Xylene	0.54	2.6
o-Xylene	0.54	0.96

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-12-SA-20250626

Lab ID#: 2506742-07A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f070211	Date of Collection:	6/26/25 12:08:00 PM
Dil. Factor:	1.01	Date of Analysis:	7/2/25 02:37 PM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	1.9
Toluene	0.48	9.7
Ethyl Benzene	0.54	1.1
m,p-Xylene	0.54	3.9
o-Xylene	0.54	1.4

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-01-SA-20250626

Lab ID#: 2506742-08A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f070212	Date of Collection: 6/26/25 12:12:00 PM
Dil. Factor:	1.01	Date of Analysis: 7/2/25 03:08 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	1.6
Toluene	0.48	8.2
Ethyl Benzene	0.54	0.95
m,p-Xylene	0.54	3.2
o-Xylene	0.54	1.1

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-02-SA-20250626

Lab ID#: 2506742-09A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f070213	Date of Collection:	6/26/25 12:16:00 PM
Dil. Factor:	1.01	Date of Analysis:	7/2/25 03:39 PM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	1.5
Toluene	0.48	6.8
Ethyl Benzene	0.54	1.1
m,p-Xylene	0.54	3.8
o-Xylene	0.54	1.3

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-03-SA-20250626

Lab ID#: 2506742-10A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f070214	Date of Collection: 6/26/25 12:22:00 PM
Dil. Factor:	1.01	Date of Analysis: 7/2/25 04:10 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.88
Toluene	0.48	3.5
Ethyl Benzene	0.54	0.54
m,p-Xylene	0.54	1.8
o-Xylene	0.54	0.62

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-04-SA-20250626

Lab ID#: 2506742-11A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f070216	Date of Collection:	6/26/25 12:29:00 PM
Dil. Factor:	1.01	Date of Analysis:	7/2/25 05:10 PM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	1.2
Toluene	0.48	4.7
Ethyl Benzene	0.54	0.71
m,p-Xylene	0.54	2.4
o-Xylene	0.54	0.86

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-04-DU-20250626

Lab ID#: 2506742-12A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f070217	Date of Collection:	6/26/25 12:29:00 PM
Dil. Factor:	1.01	Date of Analysis:	7/2/25 05:41 PM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	1.1
Toluene	0.48	4.8
Ethyl Benzene	0.54	0.75
m,p-Xylene	0.54	2.6
o-Xylene	0.54	0.89

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-05-SA-20250626

Lab ID#: 2506742-13A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f070218	Date of Collection: 6/26/25 12:36:00 PM
Dil. Factor:	1.01	Date of Analysis: 7/2/25 06:12 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.90
Toluene	0.48	3.2
Ethyl Benzene	0.54	0.48 J
m,p-Xylene	0.54	1.6
o-Xylene	0.54	0.56

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: PS-06-SA-20250626

Lab ID#: 2506742-14A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f070219	Date of Collection: 6/26/25 12:42:00 PM
Dil. Factor:	1.01	Date of Analysis: 7/2/25 06:43 PM
		Date of Extraction: NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.77
Toluene	0.48	3.2
Ethyl Benzene	0.54	0.44 J
m,p-Xylene	0.54	1.5
o-Xylene	0.54	0.54

J = Estimated value.

Container Type: Carbopack X AC-PA



Air Toxics

Client Sample ID: Lab Blank

Lab ID#: 2506742-15A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f070204a	Date of Collection:	NA
Dil. Factor:	1.00	Date of Analysis:	7/2/25 10:45 AM
		Date of Extraction:	NA

Compound	Rpt. Limit (ug/m3)	Amount (ug/m3)
Benzene	0.37	0.18 U
Toluene	0.48	0.24 U
Ethyl Benzene	0.54	0.27 U
m,p-Xylene	0.54	0.27 U
o-Xylene	0.54	0.27 U

U = The analyte was not present above the Method Detection Limit.

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2506742-16A

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f070215	Date of Collection: NA
Dil. Factor:	1.00	Date of Analysis: 7/2/25 04:39 PM
		Date of Extraction: NA

Compound	%Recovery
Benzene	91
Toluene	92
Ethyl Benzene	84
m,p-Xylene	83
o-Xylene	83

Container Type: NA - Not Applicable



Air Toxics

Client Sample ID: CCV

Lab ID#: 2506742-16B

EPA METHOD 325B GC/MS FULL SCAN

File Name:	f070226	Date of Collection:	NA
Dil. Factor:	1.00	Date of Analysis:	7/2/25 10:17 PM
		Date of Extraction:	NA

Compound	%Recovery
Benzene	96
Toluene	96
Ethyl Benzene	93
m,p-Xylene	95
o-Xylene	91

Container Type: NA - Not Applicable

**Method : EPA Method 325B-BTEX (ug/m3) 14-day**

<b>CAS Number</b>	<b>Compound</b>	<b>Rpt. Limit (ug/m3)</b>
71-43-2	Benzene	0.37
108-88-3	Toluene	0.48
100-41-4	Ethyl Benzene	0.54
108-38-3	m,p-Xylene	0.54
95-47-6	o-Xylene	0.54