



October 15, 2025

Ms. Tanya Hovell
Maine Department of Environmental Protection
Bureau of Air Quality
106 Hogan Road
Bangor, ME 04401
Tanya.Hovell@maine.gov

Re: Cold Brook Energy | Fenceline Monitoring Q3-2025 | 809 Main Road North, Hampden, Maine

Dear Ms. Hovell:

Attached is the Third Quarter, 2025 Fenceline Monitoring Report. A total of six monitoring periods are included in the third quarter (Q3) report. Each monitoring period consisted of 14 days. During each monitoring period at the Cold Brook Energy Facility, twelve Fenceline Monitoring samples were deployed and collected. In accordance with EPA Method 325A, one field blank and one duplicate sample were collected for every ten ambient air samples.

Following the completion of the Field Replicate Precision analysis, duplicate samples with a variance greater than 30% were flagged. We have reported the results based on the sample ID number documented on the Chain of Custody, field data sheets, and lab reports. No deployment or retrieval issues were encountered during the third quarter.

If you have any questions, please do not hesitate to contact me at 207-989-4824 or ksullivan@haleyward.com, or contact Kevin Fish directly at 207-945-9465.

Sincerely,
Haley Ward, Inc.

Kyle Sullivan, Project Manager
Environmental Division
Attachments
KSS/cgd/kjf



ATTACHMENT 1

Cold Brook Energy

809 Main Rd North, Hampden, Maine
Fenceline Monitoring 2025 Q3 Statistical Summary

6/25/2025 to 7/9/2025

Location	Benzene		Toluene		Ethylbenzene		m,p-Xylene		o-Xylene	
	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3
FLM 1 - Sample		0.60		2.30		0.26		0.58		0.22
FLM 2 - Sample		0.66		2.30		0.27		0.70		0.28
FLM 3 - Sample		0.73		2.40		0.33		0.88		0.35
FLM 4 - Sample		0.56		1.80		0.28		0.76		0.29
FLM 5 - Sample		0.44		1.40		0.25		0.83		0.34
FLM 6 - Sample		0.42		1.30	<	0.22		0.58		0.24
FLM 7 - Sample		0.40		1.20	<	0.22		0.51	<	0.22
FLM 8 - Sample		0.51		1.70		0.27		0.82		0.34
FLM 9 - Sample		0.83		2.80		0.44		1.50		0.60
FLM 10 - Sample		1.60		5.60		0.59		1.30		0.49
FLM 11 - Sample		0.98		3.90		0.53		1.40		0.56
FLM 12 - Sample		0.92		3.60		0.53		1.30		0.49
FLM 13 - Dup (5)		0.44		1.20	<	0.22		0.46	<	0.22
FLM 14 - Dup (10)		1.60		5.60		0.70		1.90		0.77
FLM 15 - Blank (6)	<	0.15	<	0.19	<	0.22	<	0.43	<	0.22
FLM 16 - Blank (9)	<	0.15	<	0.19	<	0.22	<	0.43	<	0.22
MDL ug/m ³	NA	<0.15	NA	<0.19	NA	<0.22	NA	<0.43	NA	<0.22



Cold Brook Energy										
809 Main Rd North, Hampden, Maine										
Fenceline Monitoring Duplicate Precision										
6/25/2025 to 7/9/2025										
	Benzene		Toluene		Ethylbenzene		m,p-Xylene		o-Xylene	
Location	ug/m ³	Qualifier	ug/m ³	Qualifier	ug/m ³	Qualifier	ug/m ³	Qualifier	ug/m ³	Qualifier
FLM 1 - Sample	0.60		2.30		0.26		0.58		0.22	
FLM 2 - Sample	0.66		2.30		0.27		0.70		0.28	
FLM 3 - Sample	0.73		2.40		0.33		0.88		0.35	
FLM 4 - Sample	0.56		1.80		0.28		0.76		0.29	
FLM 5 - Sample	0.44		1.40		0.25		0.83		0.34	
FLM 6 - Sample	0.42		1.30		0.22	<	0.58		0.24	
FLM 7 - Sample	0.40		1.20		0.22	<	0.51		0.22	<
FLM 8 - Sample	0.51		1.70		0.27		0.82		0.34	
FLM 9 - Sample	0.83		2.80		0.44		1.50		0.60	
FLM 10 - Sample	1.60		5.60		0.59		1.30		0.49	
FLM 11 - Sample	0.98		3.90		0.53		1.40		0.56	
FLM 12 - Sample	0.92		3.60		0.53		1.30		0.49	
FLM 13 - Dup (5)	0.44		1.20		0.22	<	0.46		0.22	<
Field Duplicate Precision	0		15		13		57		43	
FLM 14 - Dup (10)	1.60		5.60		0.70		1.90		0.77	
Field Duplicate Precision	0		0		17		38		44	
FLM 15 - Blank (6)	0.15	<	0.19	<	0.22	<	0.43	<	0.22	<
FLM 16 - Blank (9)	0.15	<	0.19	<	0.22	<	0.43	<	0.22	<
MDL ng	<0.15		<0.19		<0.22		<0.43		<0.22	
Field Duplicate Precision exceeding 30% are indicated by:										
"<" data qualification flag = Compounds that were "non-detect" are reported at the Method Detection Limit (MDL)										



**Method 325 A/B
Field Data Sheet**

Site Name: Cold Brook Energy Site Address: 809 Main Rd North
 City: Hampden State: Maine
 Zip Code: 04444 Total Avg. Barometric Pressure (in. Hg): 29.75
 Total Avg. Ambient Temperature (°F): 68.8 Total Avg. Wind Speed and Direction: 5.8 mph/ North


Location Coordinates	Sample ID	Deployment Date	Start Time	Retrieval Date	End Time
N44° 46' 44.12" W68° 47' 00.09"	FLM 1 - Sample	6/25/2025	1256	7/9/2025	1304
N44° 46' 43.51" W68° 46' 59.55"	FLM 2 - Sample	6/25/2025	1300	7/9/2025	1309
N44° 46' 42.41" W68° 47' 00.80"	FLM 3 - Sample	6/25/2025	1306	7/9/2025	1315
N44° 46' 41.62" W68° 47' 01.76"	FLM 4 - Sample	6/25/2025	1312	7/9/2025	1318
N44° 46' 40.41" W68° 47' 03.25"	FLM 5 - Sample	6/25/2025	1316	7/9/2025	1322
N44° 46' 40.54" W68° 47' 04.34"	FLM 6 - Sample	6/25/2025	1318	7/9/2025	1327
N44° 46' 41.25" W68° 47' 05.46"	FLM 7 - Sample	6/25/2025	1327	7/9/2025	1333
N44° 46' 42.19" W68° 47' 04.63"	FLM 8 - Sample	6/25/2025	1234	7/9/2025	1241
N44° 46' 43.01" W68° 47' 04.90"	FLM 9 - Sample	6/25/2025	1239	7/9/2025	1246
N44° 46' 44.11" W68° 47' 03.88"	FLM 10 - Sample	6/25/2025	1243	7/9/2025	1251
N44° 46' 44.80" W68° 47' 03.01"	FLM 11 - Sample	6/25/2025	1247	7/9/2025	1256 - loose cap by Deployment
N44° 46' 44.82" W68° 47' 01.49"	FLM 12 - Sample	6/25/2025	1252	7/9/2025	1300
N44° 46' 44.12" W68° 47' 00.09"	FLM 13- Dup (5)	6/25/2025	1316	7/9/2025	1322
N44° 46' 40.54" W68° 47' 04.34"	FLM 14- DUP (10)	6/25/2025	1243	7/9/2025	1251
N44° 46' 43.51" W68° 46' 59.55"	FLM 15- Blank (6)	6/25/2025	1318	7/9/2025	1327
N44° 46' 41.62" W68° 47' 01.76"	FLM 16- Blank (09)	6/25/2025	1239	7/9/2025	1246

Sampler Name: Jason Patterson
 Sampler Signature: _____

BANGOR INTERNATIONAL AIRPORT (ME) Wind Rose



6/25/2025 - 7/9/2025
Sub-Interval: Jun 25 - Jul 9, 00:00 - 23:59



Wind Speed (mph)

- 1.3 - 4
- 4 - 8
- 8 - 13
- 13 - 19
- 19 - 25
- 25 - 32
- 32 - 39
- 39 - 47
- > 47

Cold Brook Energy

809 Main Rd North, Hampden, Maine
Fenceline Monitoring 2025 Q3 Statistical Summary

7/9/2025 to 7/23/2025

Location	Benzene		Toluene		Ethylbenzene		m,p-Xylene		o-Xylene	
	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3
FLM 1 - Sample		0.66		2.00		0.30		0.69		0.28
FLM 2 - Sample		0.62		1.90		0.22		0.49	<	0.22
FLM 3 - Sample		0.62		1.70		0.22		0.53	<	0.22
FLM 4 - Sample		0.46		1.10	<	0.22		0.46	<	0.22
FLM 5 - Sample		0.33		0.74	<	0.22	<	0.43	<	0.22
FLM 6 - Sample		0.28		0.56	<	0.22	<	0.43	<	0.22
FLM 7 - Sample		0.29		0.60	<	0.22	<	0.43	<	0.22
FLM 8 - Sample		0.37		1.00		0.22		0.72		0.29
FLM 9 - Sample		0.52		1.50		0.25		0.69		0.29
FLM 10 - Sample		2.50		8.80		1.00		2.40		0.89
FLM 11 - Sample		1.40		5.60		0.74		2.00		0.72
FLM 12 - Sample		1.10		4.00		0.59		1.50		0.55
FLM 13 - Dup (6)		0.28		0.55	<	0.22	<	0.43	<	0.22
FLM 14 - Dup (11)		1.40		5.70		0.77		1.90		0.74
FLM 15 - Blank (7)	<	0.15	<	0.19	<	0.22	<	0.43	<	0.22
FLM 16 - Blank (10)	<	0.15	<	0.19	<	0.22	<	0.43	<	0.22
MDL ug/m ³	NA	<0.15	NA	<0.19	NA	<0.22	NA	<0.43	NA	<0.22



Cold Brook Energy										
809 Main Rd North, Hampden, Maine										
Fenceline Monitoring Duplicate Precision										
7/9/2025 to 7/23/2025										
	Benzene		Toluene		Ethylbenzene		m,p-Xylene		o-Xylene	
Location	ug/m ³	Qualifier	ug/m ³	Qualifier	ug/m ³	Qualifier	ug/m ³	Qualifier	ug/m ³	Qualifier
FLM 1 - Sample	0.66		2.00		0.30		0.69		0.28	
FLM 2 - Sample	0.62		1.90		0.22		0.49		0.22	<
FLM 3 - Sample	0.62		1.70		0.22		0.53		0.22	<
FLM 4 - Sample	0.46		1.10		0.22	<	0.46		0.22	<
FLM 5 - Sample	0.33		0.74		0.22	<	0.43	<	0.22	<
FLM 6 - Sample	0.28		0.56		0.22	<	0.43	<	0.22	<
FLM 7 - Sample	0.29		0.60		0.22	<	0.43	<	0.22	<
FLM 8 - Sample	0.37		1.00		0.22		0.72		0.29	
FLM 9 - Sample	0.52		1.50		0.25		0.69		0.29	
FLM 10 - Sample	2.50		8.80		1.00		2.40		0.89	
FLM 11 - Sample	1.40		5.60		0.74		2.00		0.72	
FLM 12 - Sample	1.10		4.00		0.59		1.50		0.55	
FLM 13 - Dup (6)	0.28		0.55		0.22	<	0.43	<	0.22	<
Field Duplicate Precision	0		2		0		0		0	
FLM 14 - Dup (11)	1.40		5.70		0.77		1.90		0.74	
Field Duplicate Precision	0		2		4		5		3	
FLM 15 - Blank (7)	0.15	<	0.19	<	0.22	<	0.43	<	0.22	<
FLM 16 - Blank (10)	0.15	<	0.19	<	0.22	<	0.43	<	0.22	<
MDL ng	<0.15		<0.19		<0.22		<0.43		<0.22	
Field Duplicate Precision exceeding 30% are indicated by:										
"<" data qualification flag = Compounds that were "non-detect" are reported at the Method Detection Limit (MDL)										



Method 325 A/B
Field Data Sheet

Site Name: Cold Brook Energy Site Address: 809 Main Rd North
City: Hampden State: Maine
Zip Code: 04444 Total Avg. Barometric Pressure (in. Hg): 29.78
Total Avg. Ambient Temperature (°F): 68.4 Total Avg. Wind Speed and Direction: 6.6/South

Location Coordinates	Sample ID	Deployment Date	Start Time	Retrieval Date	End Time
N44° 46' 44.12" W68° 47' 00.09"	FLM 1 - Sample	7/9/2025	1306	7/23/2025	1200
N44° 46' 43.51" W68° 46' 59.55"	FLM 2 - Sample	7/9/2025	1311	7/23/2025	1204
N44° 46' 42.41" W68° 47' 00.80"	FLM 3 - Sample	7/9/2025	1317	7/23/2025	1205
N44° 46' 41.62" W68° 47' 01.76"	FLM 4 - Sample	7/9/2025	1320	7/23/2025	1210
N44° 46' 40.41" W68° 47' 03.25"	FLM 5 - Sample	7/9/2025	1324	7/23/2025	1215
N44° 46' 40.54" W68° 47' 04.34"	FLM 6 - Sample	7/9/2025	1329	7/23/2025	1220
N44° 46' 41.25" W68° 47' 05.46"	FLM 7 - Sample	7/9/2025	1335	7/23/2025	1224
N44° 46' 42.19" W68° 47' 04.63"	FLM 8 - Sample	7/9/2025	1243	7/23/2025	1139
N44° 46' 43.01" W68° 47' 04.90"	FLM 9 - Sample	7/9/2025	1248	7/23/2025	1144
N44° 46' 44.11" W68° 47' 03.88"	FLM 10 - Sample	7/9/2025	1253	7/23/2025	1150
N44° 46' 44.80" W68° 47' 03.01"	FLM 11 - Sample	7/9/2025	1258	7/23/2025	1154
N44° 46' 44.82" W68° 47' 01.49"	FLM 12 - Sample	7/9/2025	1302	7/23/2025	1158
N44° 46' 44.12" W68° 47' 00.09"	FLM 13- Dup (5)	7/9/2025	1324	7/23/2025	1215
N44° 46' 40.54" W68° 47' 04.34"	FLM 14- DUP (10)	7/9/2025	1253	7/23/2025	1150
N44° 46' 43.51" W68° 46' 59.55"	FLM 15- Blank (6)	7/9/2025	1329	7/23/2025	1220
N44° 46' 41.62" W68° 47' 01.76"	FLM 16- Blank (09)	7/9/2025	1248	7/23/2025	1144


Sampler Name: Jason Patterson

Sampler Signature: 

BANGOR INTERNATIONAL AIRPORT (ME) Wind Rose



7/9/2025 - 7/23/2025
Sub-Interval: Jul 9 - Jul 23, 00:00 - 23:59



Wind Speed (mph)

- 1.3 - 4
- 4 - 8
- 8 - 13
- 13 - 19
- 19 - 25
- 25 - 32
- 32 - 39
- 39 - 47
- > 47

Cold Brook Energy

809 Main Rd North, Hampden, Maine
Fenceline Monitoring 2025 Q3 Statistical Summary

7/23/2025 to 8/06/2025

Location	Benzene		Toluene		Ethylbenzene		m,p-Xylene		o-Xylene	
	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3
FLM 1 - Sample		0.89		2.10		0.33		0.98		0.39
FLM 2 - Sample		0.99		2.60		0.36		1.00		0.39
FLM 3 - Sample		1.10		2.70		0.40		1.20		0.47
FLM 4 - Sample		0.91		1.90		0.30		0.90		0.36
FLM 5 - Sample		0.82		1.60	<	0.21		0.46	<	0.21
FLM 6 - Sample		0.84		1.60	<	0.21		0.43	<	0.21
FLM 7 - Sample		0.74		1.40	<	0.21		0.66		0.27
FLM 8 - Sample		0.75		1.70		0.26		0.73		0.29
FLM 9 - Sample		1.10		3.40		0.99		3.60		1.60
FLM 10 - Sample		2.60		7.50		0.71		1.50		0.53
FLM 11 - Sample		1.40		4.00		0.46		0.99		0.37
FLM 12 - Sample		1.30		3.70		0.57		1.80		0.69
FLM 13 - Dup (7)		0.76		1.30	<	0.22	<	0.43	<	0.22
FLM 14 - Dup (12)		1.30		3.60		0.42		0.88		0.32
FLM 15 - Blank (8)	<	0.15	<	0.19	<	0.22	<	0.43	<	0.22
FLM 16 - Blank (11)	<	0.15	<	0.19	<	0.21	<	0.43	<	0.21
MDL ug/m ³	NA	<0.15	NA	<0.19	NA	<0.22	NA	<0.43	NA	<0.22



Cold Brook Energy										
809 Main Rd North, Hampden, Maine										
Fenceline Monitoring Duplicate Precision										
7/23/2025 to 8/06/2025										
	Benzene		Toluene		Ethylbenzene		m,p-Xylene		o-Xylene	
Location	ug/m ³	Qualifier	ug/m ³	Qualifier	ug/m ³	Qualifier	ug/m ³	Qualifier	ug/m ³	Qualifier
FLM 1 - Sample	0.89		2.10		0.33		0.98		0.39	
FLM 2 - Sample	0.99		2.60		0.36		1.00		0.39	
FLM 3 - Sample	1.10		2.70		0.40		1.20		0.47	
FLM 4 - Sample	0.91		1.90		0.30		0.90		0.36	
FLM 5 - Sample	0.82		1.60		0.21	<	0.46		0.21	<
FLM 6 - Sample	0.84		1.60		0.21	<	0.43		0.21	<
FLM 7 - Sample	0.74		1.40		0.21	<	0.66		0.27	
FLM 8 - Sample	0.75		1.70		0.26		0.73		0.29	
FLM 9 - Sample	1.10		3.40		0.99		3.60		1.60	
FLM 10 - Sample	2.60		7.50		0.71		1.50		0.53	
FLM 11 - Sample	1.40		4.00		0.46		0.99		0.37	
FLM 12 - Sample	1.30		3.70		0.57		1.80		0.69	
FLM 13 - Dup (7)	0.76		1.30		0.22	<	0.43	<	0.22	<
Field Duplicate Precision	3		7		5		42		20	
FLM 14 - Dup (12)	1.30		3.60		0.42		0.88		0.32	
Field Duplicate Precision	0		3		30		69		73	
FLM 15 - Blank (8)	0.15	<	0.19	<	0.22	<	0.43	<	0.22	<
FLM 16 - Blank (11)	0.15	<	0.19	<	0.21	<	0.43	<	0.21	<
MDL ng	<0.15		<0.19		<0.22		<0.43		<0.22	
Field Duplicate Precision exceeding 30% are indicated by:										
"<" data qualification flag = Compounds that were "non-detect" are reported at the Method Detection Limit (MDL)										



Method 325 A/B
Field Data Sheet

Site Name: Cold Brook Energy Site Address: 809 Main Rd North
City: Hampden State: Maine
Zip Code: 04444 Total Avg. Barometric Pressure (in. Hg): 29.87
Total Avg. Ambient Temperature (°F): 70.1 Total Avg. Wind Speed and Direction: 6.2/North


Location Coordinates	Sample ID	Deployment Date	Start Time	Retrieval Date	End Time
N44° 46' 44.12" W68° 47' 00.09"	FLM 1 - Sample	7/23/2025	1202	8/6/2025	1348
N44° 46' 43.51" W68° 46' 59.55"	FLM 2 - Sample	7/23/2025	1206	8/6/2025	1354
N44° 46' 42.41" W68° 47' 00.80"	FLM 3 - Sample	7/23/2025	1207	8/6/2025	1359
N44° 46' 41.62" W68° 47' 01.76"	FLM 4 - Sample	7/23/2025	1212	8/6/2025	1402
N44° 46' 40.41" W68° 47' 03.25"	FLM 5 - Sample	7/23/2025	1217	8/6/2025	1406
N44° 46' 40.54" W68° 47' 04.34"	FLM 6 - Sample	7/23/2025	1222	8/6/2025	1410
N44° 46' 41.25" W68° 47' 05.46"	FLM 7 - Sample	7/23/2025	1226	8/6/2025	1414
N44° 46' 42.19" W68° 47' 04.63"	FLM 8 - Sample	7/23/2025	1141	8/6/2025	1322
N44° 46' 43.01" W68° 47' 04.90"	FLM 9 - Sample	7/23/2025	1146	8/6/2025	1330
N44° 46' 44.11" W68° 47' 03.88"	FLM 10 - Sample	7/23/2025	1152	8/6/2025	1334
N44° 46' 44.80" W68° 47' 03.01"	FLM 11 - Sample	7/23/2025	1156	8/6/2025	1337
N44° 46' 44.82" W68° 47' 01.49"	FLM 12 - Sample	7/23/2025	1200	8/6/2025	1344
N44° 46' 44.12" W68° 47' 00.09"	FLM 13- Dup (7)	7/23/2025	1222	8/6/2025	1314
N44° 46' 40.54" W68° 47' 04.34"	FLM 14- DUP (12)	7/23/2025	1156	8/6/2025	1344
N44° 46' 43.51" W68° 46' 59.55"	FLM 15- Blank (8)	7/23/2025	1226	8/6/2025	1322
N44° 46' 41.62" W68° 47' 01.76"	FLM 16- Blank (11)	7/23/2025	1152	8/6/2025	1337

Sampler Name: Chloe Desmond
Sampler Signature: Chloe Desmond

BANGOR INTERNATIONAL AIRPORT (ME) Wind Rose



7/23/2025 - 8/6/2025
Sub-Interval: Jul 23 - Aug 6, 00:00 - 23:59



Wind Speed (mph)

- 1.3 - 4
- 4 - 8
- 8 - 13
- 13 - 19
- 19 - 25
- 25 - 32
- 32 - 39
- 39 - 47
- > 47

Cold Brook Energy

809 Main Rd North, Hampden, Maine
Fenceline Monitoring 2025 Q3 Statistical Summary

8/06/2025 - 8/20/2025

Location	Benzene		Toluene		Ethylbenzene		m,p-Xylene		o-Xylene	
	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3
FLM 1 - Sample		0.87		2.20		0.28		0.84		0.35
FLM 2 - Sample		0.96		2.60		0.30		0.95		0.37
FLM 3 - Sample		1.00		2.70		0.39		1.20		0.50
FLM 4 - Sample		0.65		1.50	<	0.22		0.67		0.27
FLM 5 - Sample		0.51		1.20	<	0.22		0.55		0.22
FLM 6 - Sample		0.43		0.96	<	0.22		0.45	<	0.22
FLM 7 - Sample		0.51		1.20	<	0.22		0.66		0.29
FLM 8 - Sample		0.65		1.80		0.29		0.99		0.40
FLM 9 - Sample		0.82		2.50		0.45		1.70		0.58
FLM 10 - Sample		2.60		7.60		0.90		3.00		1.20
FLM 11 - Sample		1.60		4.70		0.58		1.50		0.55
FLM 12 - Sample		1.10		3.30		0.40		0.89		0.31
FLM 13 - Dup (8)		0.51		1.40	<	0.22	<	0.44	<	0.22
FLM 14 - Dup (1)		0.96		2.70		0.35		1.10		0.42
FLM 15 - Blank (9)	<	0.15	<	0.19	<	0.22	<	0.44	<	0.22
FLM 16 - Blank (12)	<	0.15	<	0.19	<	0.22	<	0.44	<	0.22
MDL ug/m ³	NA	<0.15	NA	<0.19	NA	<0.22	NA	<0.43	NA	<0.22



Cold Brook Energy										
809 Main Rd North, Hampden, Maine										
Fenceline Monitoring Duplicate Precision										
8/06/2025 to 8/20/2025										
	Benzene		Toluene		Ethylbenzene		m,p-Xylene		o-Xylene	
Location	ug/m ³	Qualifier	ug/m ³	Qualifier	ug/m ³	Qualifier	ug/m ³	Qualifier	ug/m ³	Qualifier
FLM 1 - Sample	0.87		2.20		0.28		0.84		0.35	
FLM 2 - Sample	0.96		2.60		0.30		0.95		0.37	
FLM 3 - Sample	1.00		2.70		0.39		1.20		0.50	
FLM 4 - Sample	0.65		1.50		0.22	<	0.67		0.27	
FLM 5 - Sample	0.51		1.20		0.22	<	0.55		0.22	
FLM 6 - Sample	0.43		0.96		0.22	<	0.45		0.22	<
FLM 7 - Sample	0.51		1.20		0.22	<	0.66		0.29	
FLM 8 - Sample	0.65		1.80		0.29		0.99		0.40	
FLM 9 - Sample	0.82		2.50		0.45		1.70		0.58	
FLM 10 - Sample	2.60		7.60		0.90		3.00		1.20	
FLM 11 - Sample	1.60		4.70		0.58		1.50		0.55	
FLM 12 - Sample	1.10		3.30		0.40		0.89		0.31	
FLM 13 - Dup (8)	0.51		1.40		0.22	<	0.44	<	0.22	<
Field Duplicate Precision	24		25		27		77		58	
FLM 14 - Dup (1)	0.96		2.70		0.35		1.10		0.42	
Field Duplicate Precision	10		20		22		27		18	
FLM 15 - Blank (9)	0.15	<	0.19	<	0.22	<	0.44	<	0.22	<
FLM 16 - Blank (12)	0.15	<	0.19	<	0.22	<	0.44	<	0.22	<
MDL ng	<0.15		<0.19		<0.22		<0.43		<0.22	
Field Duplicate Precision exceeding 30% are indicated by:										
"<" data qualification flag = Compounds that were "non-detect" are reported at the Method Detection Limit (MDL)										



Method 325 A/B
Field Data Sheet

Site Name: Cold Brook Energy Site Address: 809 Main Rd North
City: Hampden State: Maine
Zip Code: 04444 Total Avg. Barometric Pressure (in. Hg): 29.92
Total Avg. Ambient Temperature (°F): 69.1 Total Avg. Wind Speed and Direction: 5.8/South

Location Coordinates	Sample ID	Deployment Date	Start Time	Retrieval Date	End Time
N44° 46' 44.12" W68° 47' 00.09"	FLM 1 - Sample	8/6/2025	1348	8/20/2025	0922
N44° 46' 43.51" W68° 46' 59.55"	FLM 2 - Sample	8/6/2025	1354	8/20/2025	0926
N44° 46' 42.41" W68° 47' 00.80"	FLM 3 - Sample	8/6/2025	1359	8/20/2025	0931
N44° 46' 41.62" W68° 47' 01.76"	FLM 4 - Sample	8/6/2025	1402	8/20/2025	0935
N44° 46' 40.41" W68° 47' 03.25"	FLM 5 - Sample	8/6/2025	1406	8/20/2025	0939
N44° 46' 40.54" W68° 47' 04.34"	FLM 6 - Sample	8/6/2025	1410	8/20/2025	0942
N44° 46' 41.25" W68° 47' 05.46"	FLM 7 - Sample	8/6/2025	1414	8/20/2025	0947
N44° 46' 42.19" W68° 47' 04.63"	FLM 8 - Sample	8/6/2025	1322	8/20/2025	0858
N44° 46' 43.01" W68° 47' 04.90"	FLM 9 - Sample	8/6/2025	1330	8/20/2025	0903
N44° 46' 44.11" W68° 47' 03.88"	FLM 10 - Sample	8/6/2025	1334	8/20/2025	0908
N44° 46' 44.80" W68° 47' 03.01"	FLM 11 - Sample	8/6/2025	1337	8/20/2025	0912
N44° 46' 44.82" W68° 47' 01.49"	FLM 12 - Sample	8/6/2025	1344	8/20/2025	0916
N44° 46' 44.12" W68° 47' 00.09"	FLM 13- Dup (8)	8/6/2025	1314	8/20/2025	0858
N44° 46' 40.54" W68° 47' 04.34"	FLM 14- Dup (1)	8/6/2025	1344	8/20/2025	0922
N44° 46' 43.51" W68° 46' 59.55"	FLM 15- Blank (9)	8/6/2025	1322	8/20/2025	0903
N44° 46' 41.62" W68° 47' 01.76"	FLM 16- Blank (12)	8/6/2025	1337	8/20/2025	0916

Sampler Name: Chloe Desmond
Sampler Signature: Chloe Desmond


BANGOR INTERNATIONAL AIRPORT (ME) Wind Rose



8/6/2025 - 8/20/2025
Sub-Interval: Aug 6 - Aug 20, 00:00 - 23:59

Wind Speed (mph)

- 1.3 - 4
- 4 - 8
- 8 - 13
- 13 - 19
- 19 - 25
- 25 - 32
- 32 - 39
- 39 - 47
- > 47



Cold Brook Energy

809 Main Rd North, Hampden, Maine
Fenceline Monitoring 2025 Q3 Statistical Summary

8/20/2025 to 9/3/2025

Location	Benzene		Toluene		Ethylbenzene		m,p-Xylene		o-Xylene	
	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3
FLM 1 - Sample		0.80		2.20		0.30		0.75		0.29
FLM 2 - Sample		0.87		2.50		0.32		0.88		0.33
FLM 3 - Sample		0.74		1.80	<	0.22		0.47	<	0.22
FLM 4 - Sample		0.56		1.20	<	0.22	<	0.43	<	0.22
FLM 5 - Sample		0.34		0.71	<	0.22	<	0.43	<	0.22
FLM 6 - Sample		0.31		0.64	<	0.22	<	0.43	<	0.22
FLM 7 - Sample		0.32		0.69	<	0.22	<	0.43	<	0.22
FLM 8 - Sample		0.44		1.10	<	0.22	<	0.43	<	0.22
FLM 9 - Sample		0.82		5.70		1.10		3.30		1.30
FLM 10 - Sample		2.30		6.00		0.61		1.50		0.62
FLM 11 - Sample		1.30		3.80		0.46		1.10		0.43
FLM 12 - Sample		1.10		3.00		0.37		0.94		0.36
FLM 13 - Dup (9)		0.79		5.50		1.10		3.30		1.30
FLM 14 - Dup (2)		0.88		2.20		0.24		0.51	<	0.22
FLM 15 - Blank (10)	<	0.15	<	0.19	<	0.22	<	0.43	<	0.22
FLM 16 - Blank (1)	<	0.15	<	0.19	<	0.22	<	0.43	<	0.22
MDL ug/m ³	NA	<0.15	NA	<0.19	NA	<0.22	NA	<0.43	NA	<0.22



Cold Brook Energy										
809 Main Rd North, Hampden, Maine										
Fenceline Monitoring Duplicate Precision										
8/20/2025 to 9/3/2025										
	Benzene		Toluene		Ethylbenzene		m,p-Xylene		o-Xylene	
Location	ug/m ³	Qualifier	ug/m ³	Qualifier	ug/m ³	Qualifier	ug/m ³	Qualifier	ug/m ³	Qualifier
FLM 1 - Sample	0.80		2.20		0.30		0.75		0.29	
FLM 2 - Sample	0.87		2.50		0.32		0.88		0.33	
FLM 3 - Sample	0.74		1.80		0.22	<	0.47		0.22	<
FLM 4 - Sample	0.56		1.20		0.22	<	0.43	<	0.22	<
FLM 5 - Sample	0.34		0.71		0.22	<	0.43	<	0.22	<
FLM 6 - Sample	0.31		0.64		0.22	<	0.43	<	0.22	<
FLM 7 - Sample	0.32		0.69		0.22	<	0.43	<	0.22	<
FLM 8 - Sample	0.44		1.10		0.22	<	0.43	<	0.22	<
FLM 9 - Sample	0.82		5.70		1.10		3.30		1.30	
FLM 10 - Sample	2.30		6.00		0.61		1.50		0.62	
FLM 11 - Sample	1.30		3.80		0.46		1.10		0.43	
FLM 12 - Sample	1.10		3.00		0.37		0.94		0.36	
FLM 13 - Dup (9)	0.79		5.50		1.10		3.30		1.30	
Field Duplicate Precision	4		4		0		0		0	
FLM 14 - Dup (2)	0.88		2.20		0.24		0.51		0.22	
Field Duplicate Precision	1		13		29		53		40	
FLM 15 - Blank (10)	0.15	<	0.19	<	0.22	<	0.43	<	0.22	<
FLM 16 - Blank (1)	0.15	<	0.19	<	0.22	<	0.43	<	0.22	<
MDL ng	<0.15		<0.19		<0.22		<0.43		<0.22	
Field Duplicate Precision exceeding 30% are indicated by:										
"<" data qualification flag = Compounds that were "non-detect" are reported at the Method Detection Limit (MDL)										



Method 325 A/B
Field Data Sheet

Site Name: Cold Brook Energy Site Address: 809 Main Rd North
City: Hampden State: Maine
Zip Code: 04444 Total Avg. Barometric Pressure (in. Hg): 29.82
Total Avg. Ambient Temperature (°F): 62.4 Total Avg. Wind Speed and Direction: 5.4 South

Location Coordinates	Sample ID	Deployment Date	Start Time	Retrieval Date	End Time
N44° 46' 44.12" W68° 47' 00.09"	FLM 1 - Sample	8/20/2025	0924	9/3/2025	0914
N44° 46' 43.51" W68° 46' 59.55"	FLM 2 - Sample	8/20/2025	0928	9/3/2025	0920
N44° 46' 42.41" W68° 47' 00.80"	FLM 3 - Sample	8/20/2025	0933	9/3/2025	0926
N44° 46' 41.62" W68° 47' 01.76"	FLM 4 - Sample	8/20/2025	0937	9/3/2025	0932
N44° 46' 40.41" W68° 47' 03.25"	FLM 5 - Sample	8/20/2025	0941	9/3/2025	0935
N44° 46' 40.54" W68° 47' 04.34"	FLM 6 - Sample	8/20/2025	0944	9/3/2025	0940
N44° 46' 41.25" W68° 47' 05.46"	FLM 7 - Sample	8/20/2025	0949	9/3/2025	0943
N44° 46' 42.19" W68° 47' 04.63"	FLM 8 - Sample	8/20/2025	0900	9/3/2025	0851
N44° 46' 43.01" W68° 47' 04.90"	FLM 9 - Sample	8/20/2025	0905	9/3/2025	0855
N44° 46' 44.11" W68° 47' 03.88"	FLM 10 - Sample	8/20/2025	0910	9/3/2025	0900
N44° 46' 44.80" W68° 47' 03.01"	FLM 11 - Sample	8/20/2025	0914	9/3/2025	0905
N44° 46' 44.82" W68° 47' 01.49"	FLM 12 - Sample	8/20/2025	0918	9/3/2025	0910
N44° 46' 44.12" W68° 47' 00.09"	FLM 13- Dup (9)	8/20/2025	0900	9/3/2025	0855
N44° 46' 40.54" W68° 47' 04.34"	FLM 14- Dup (2)	8/20/2025	0924	9/3/2025	0920
N44° 46' 43.51" W68° 46' 59.55"	FLM 15- Blank (10)	8/20/2025	0905	9/3/2025	0900
N44° 46' 41.62" W68° 47' 01.76"	FLM 16- Blank (1)	8/20/2025	0918	9/3/2025	0912


Sampler Name: Chloe Desmond

Sampler Signature: Chloe g Desmond

BANGOR INTERNATIONAL AIRPORT (ME) Wind Rose



8/20/2025 - 9/3/2025
Sub-Interval: Aug 20 - Sep 3, 00:00 - 23:59



Wind Speed (mph)

- 1.3 - 4
- 4 - 8
- 8 - 13
- 13 - 19
- 19 - 25
- 25 - 32
- 32 - 39
- 39 - 47
- > 47

Cold Brook Energy

809 Main Rd North, Hampden, Maine
Fenceline Monitoring 2025 Q3 Statistical Summary

9/3/2025 to 9/17/2025

Location	Benzene		Toluene		Ethylbenzene		m,p-Xylene		o-Xylene	
	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3
FLM 1 - Sample		0.92		2.00	<	0.22		0.47	<	0.22
FLM 2 - Sample		0.94		2.10	<	0.22	<	0.43	<	0.22
FLM 3 - Sample		1.20		3.00		0.49		1.50		0.58
FLM 4 - Sample		0.82		1.80		0.30		0.95		0.40
FLM 5 - Sample		0.56		1.10	<	0.22		0.61		0.24
FLM 6 - Sample		0.49		0.99	<	0.22		0.58		0.26
FLM 7 - Sample		0.51		0.92	<	0.22		0.51	<	0.22
FLM 8 - Sample		0.62		1.30	<	0.22		0.46	<	0.22
FLM 9 - Sample		0.83		2.00		0.35		1.10		0.45
FLM 10 - Sample		2.40		6.30		0.79		2.70		1.10
FLM 11 - Sample		1.70		4.40		0.49		1.20		0.45
FLM 12 - Sample		1.10		2.90		0.42		1.30		0.54
FLM 13 - Dup (10)		2.50		6.40		0.59		1.30		0.46
FLM 14 - Dup (3)		1.20		2.80		0.34		0.74		0.30
FLM 15 - Blank (11)	<	0.15	<	0.19	<	0.22	<	0.43	<	0.22
FLM 16 - Blank (2)	<	0.15	<	0.19	<	0.22	<	0.43	<	0.22
MDL ug/m ³	NA	<0.15	NA	<0.19	NA	<0.22	NA	<0.43	NA	<0.22



Cold Brook Energy										
809 Main Rd North, Hampden, Maine										
Fenceline Monitoring Duplicate Precision										
9/3/2025 to 9/17/2025										
	Benzene		Toluene		Ethylbenzene		m,p-Xylene		o-Xylene	
Location	ug/m ³	Qualifier	ug/m ³	Qualifier	ug/m ³	Qualifier	ug/m ³	Qualifier	ug/m ³	Qualifier
FLM 1 - Sample	0.92		2.00		0.22	<	0.47		0.22	<
FLM 2 - Sample	0.94		2.10		0.22	<	0.43	<	0.22	<
FLM 3 - Sample	1.20		3.00		0.49		1.50		0.58	
FLM 4 - Sample	0.82		1.80		0.30		0.95		0.40	
FLM 5 - Sample	0.56		1.10		0.22	<	0.61		0.24	
FLM 6 - Sample	0.49		0.99		0.22	<	0.58		0.26	
FLM 7 - Sample	0.51		0.92		0.22	<	0.51		0.22	<
FLM 8 - Sample	0.62		1.30		0.22	<	0.46		0.22	<
FLM 9 - Sample	0.83		2.00		0.35	<	1.10		0.45	
FLM 10 - Sample	2.40		6.30		0.79		2.70		1.10	
FLM 11 - Sample	1.70		4.40		0.49		1.20		0.45	
FLM 12 - Sample	1.10		2.90		0.42		1.30		0.54	
FLM 13 - Dup (10)	2.50		6.40		0.59		1.30		0.46	
Field Duplicate Precision	4		2		29		70		82	
FLM 14 - Dup (3)	1.20		2.80		0.34		0.74		0.30	
Field Duplicate Precision	0		7		36		68		64	
FLM 15 - Blank (11)	0.15	<	0.19	<	0.22	<	0.43	<	0.22	<
FLM 16 - Blank (2)	0.15	<	0.19	<	0.22	<	0.43	<	0.22	<
MDL ng	<0.15		<0.19		<0.22		<0.43		<0.22	
Field Duplicate Precision exceeding 30% are indicated by:										
"<" data qualification flag = Compounds that were "non-detect" are reported at the Method Detection Limit (MDL)										




Method 325 A/B
Field Data Sheet

Site Name: Cold Brook Energy Site Address: 809 Main Rd North
City: Hampden State: Maine
Zip Code: 04444 Total Avg. Barometric Pressure (in. Hg): 29.9
Total Avg. Ambient Temperature (°F): 59.39 Total Avg. Wind Speed and Direction: 4.7/North

Location Coordinates	Sample ID	Deployment Date	Start Time	Retrieval Date	End Time
N44° 46' 44.12" W68° 47' 00.09"	FLM 1 - Sample	9/3/2025	0917	9/17/2025	0859
N44° 46' 43.51" W68° 46' 59.55"	FLM 2 - Sample	9/3/2025	0922	9/17/2025	0902
N44° 46' 42.41" W68° 47' 00.80"	FLM 3 - Sample	9/3/2025	0928	9/17/2025	0906
N44° 46' 41.62" W68° 47' 01.76"	FLM 4 - Sample	9/3/2025	0933	9/17/2025	0912
N44° 46' 40.41" W68° 47' 03.25"	FLM 5 - Sample	9/3/2025	0936	9/17/2025	0916
N44° 46' 40.54" W68° 47' 04.34"	FLM 6 - Sample	9/3/2025	0941	9/17/2025	0920
N44° 46' 41.25" W68° 47' 05.46"	FLM 7 - Sample	9/3/2025	0945	9/17/2025	0923
N44° 46' 42.19" W68° 47' 04.63"	FLM 8 - Sample	9/3/2025	0853	9/17/2025	0835
N44° 46' 43.01" W68° 47' 04.90"	FLM 9 - Sample	9/3/2025	0857	9/17/2025	0840
N44° 46' 44.11" W68° 47' 03.88"	FLM 10 - Sample	9/3/2025	0902	9/17/2025	0844
N44° 46' 44.80" W68° 47' 03.01"	FLM 11 - Sample	9/3/2025	0907	9/17/2025	0848
N44° 46' 44.82" W68° 47' 01.49"	FLM 12 - Sample	9/3/2025	0912	9/17/2025	0853
N44° 46' 44.12" W68° 47' 00.09"	FLM 13- Dup (10)	9/3/2025	0903	9/17/2025	0844
N44° 46' 40.54" W68° 47' 04.34"	FLM 14- Dup (3)	9/3/2025	0928	9/17/2025	0907
N44° 46' 43.51" W68° 46' 59.55"	FLM 15- Blank (11)	9/3/2025	0908	9/17/2025	0848
N44° 46' 41.62" W68° 47' 01.76"	FLM 16- Blank (2)	9/3/2025	0922	9/17/2025	0903


Sampler Name: Chloe Desmond

Sampler Signature: 

BANGOR INTERNATIONAL AIRPORT (ME) Wind Rose



9/3/2025 - 9/17/2025
Sub-Interval: Sep 3 - Sep 17, 00:00 - 23:59



Wind Speed (mph)

- 1.3 - 4
- 4 - 8
- 8 - 13
- 13 - 19
- 19 - 25
- 25 - 32
- 32 - 39
- 39 - 47
- > 47



ATTACHMENT 2

	Coldbrook Energy Fenceline Monitoring Statistics-2025 Qtr 3				
	Benzene	Toluene	Ethylbenzene	m,p-Xylene	o-Xylene
	ug/m3	ug/m3	ug/m3	ug/m3	ug/m3
Quarterly Maximum	2.60	8.80	1.10	3.60	1.60
Quarterly Average	0.90	2.60	0.37	1.01	0.41
Rolling Annual Maximum	3.70	14.00	2.90	10.00	4.40
Rolling Annual Average	0.91	2.48	0.40	1.19	0.48



ATTACHMENT 3



GALSON

Jason Patterson
Haley Ward Inc.
1 Merchants Plaza
Suite 701
Bangor, ME 04401

July 21, 2025

Account# 41031

Login# L666337

Dear Jason Patterson:

Enclosed are the analytical results for the samples received by our laboratory on July 10, 2025. All samples on the chain of custody were received in good condition unless otherwise noted. Any additional observations will be noted on the chain of custody.

Please contact client services at (888) 432-5227 if you would like any additional information regarding this report. Thank you for using SGS Galson.

Sincerely,

SGS Galson

Lisa Swab
Laboratory Director

Enclosure(s)



Terms and Conditions & General Disclaimers

- This document is issued by the Company under its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.
- Any holder of this document is advised that information contained herein reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Analytical Disclaimers

- Unless otherwise noted within the report, all quality control results associated with the samples were within established control limits or did not impact reported results.
- Note: The findings recorded within this report were drawn from analysis of the sample(s) provided to the laboratory by the Client (or a third party acting at the Client’s direction). The laboratory does not have control over the sampling process, including but not limited to the use of field equipment and collection media, as well as the sampling duration, collection volume or any other collection parameter used by the Client. The findings herein constitute no warranty of the sample's representativeness of any sampled environment, and strictly relate to the samples as they were presented to the laboratory. For recommended sampling collection parameters, please refer to the Sampling and Analysis Guide at www.sgsgalson.com.
- Unrounded results are carried through the calculations that yield the final result and the final result is rounded to the number of significant figures appropriate to the accuracy of the analytical method. Please note that results appearing in the columns preceding the final result column may have been rounded and therefore, if carried through the calculations, may not yield an identical final result to the one reported.
- The stated LOQs for each analyte represent the demonstrated LOQ concentrations prior to correction for desorption efficiency (if applicable).
- Unless otherwise noted within the report, results have not been blank corrected for any field blank or method blank data.

Accreditations SGS Galson holds a variety of accreditations and recognitions. Our quality management system conforms with the requirements of ISO/IEC 17025. Where applicable, samples may also be analyzed in accordance with the requirements of ELAP, NELAC, or LELAP under one of the state accrediting bodies listed below. Current Scopes of Accreditation can be viewed at <http://www.sgsgalson.com> in the accreditations section of the "About" page. To determine if the analyte tested falls under our scope of accreditation, please visit our website or call Client Services at (888) 432-5227.

National/International	Accreditation/Recognition	Lab ID#	Program/Sector
AIHA-LAP, LLC - IHLAP, ELLAP, EMLAP	ISO/IEC 17025 and USEPA NLLAP	Lab ID 100324	Industrial Hygiene, Environmental Lead, Environmental Microbiology

State	Accreditation/Recognition	Lab ID#	Program/Sector
New York (NYSDOH)	ELAP and NELAC (TNI)	Lab ID: 11626	Air Analysis, Solid and Hazardous Waste
Louisiana (LDEQ)	LELAP	Lab ID: 04083	Air Analysis, Solid Chemical Materials

Legend

< - Less than	mg - Milligrams	MDL - Method Detection Limit	ppb - Parts per Billion
> - Greater than	ug - Micrograms	NA - Not Applicable	ppm - Parts per Million
l - Liters	m3 - Cubic Meters	NS - Not Specified	ppbv - ppb Volume
LOQ - Limit of Quantitation	kg - Kilograms	ND - Not Detected	ppmv - ppm Volume
ft2 - Square Feet	cm2 - Square Centimeters	in2 - Square Inches	ng - Nanograms



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 25-JUN-25
Date Received : 10-JUL-25

Account No.: 41031
Login No. : L666337
Date Analyzed : 19-JUL-25
Report ID : 1507732

Client ID : FLM 1
Date Sampled : 06/25/25

Lab ID : L666337-1
Date Analyzed : 07/19/25

Time : 20168 minutes

Parameter	MDL ng	LOQ ng	Time minutes	Total ng	Total Qual	Conc ug/m3	ppbv	Dil Fact
Benzene	2	2.0	20168	8.1		0.60	0.19	1
Toluene	2	2.0	20168	24		2.3	0.62	1
Ethylbenzene	2	2.0	20168	2.4		0.26	0.059	1
m,p-Xylene	4	4.0	20168	5.4		0.58	0.13	1
o-Xylene	2	2.0	20168	2.0		0.22	0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 21-JUL-25

Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 25-JUN-25
Date Received : 10-JUL-25

Account No.: 41031
Login No. : L666337
Date Analyzed : 19-JUL-25
Report ID : 1507732

Client ID : FLM 2
Date Sampled : 06/25/25

Lab ID : L666337-2
Date Analyzed : 07/19/25

Time : 20169 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20169	8.9		0.66	0.21	1
Toluene	2	2.0	20169	24		2.3	0.62	1
Ethylbenzene	2	2.0	20169	2.5		0.27	0.062	1
m,p-Xylene	4	4.0	20169	6.5		0.70	0.16	1
o-Xylene	2	2.0	20169	2.6		0.28	0.065	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 21-JUL-25
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 25-JUN-25
Date Received : 10-JUL-25

Account No.: 41031
Login No. : L666337
Date Analyzed : 19-JUL-25
Report ID : 1507732

Client ID : FLM 3 Lab ID : L666337-3 Time : 20169 minutes
Date Sampled : 06/25/25 Date Analyzed : 07/19/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20169	9.8		0.73	0.23	1
Toluene	2	2.0	20169	25		2.4	0.63	1
Ethylbenzene	2	2.0	20169	3.0		0.33	0.075	1
m,p-Xylene	4	4.0	20169	8.2		0.88	0.20	1
o-Xylene	2	2.0	20169	3.3		0.35	0.081	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS Submitted by: EEA Date : 21-JUL-25
Collection Media : Carbopack X Supervisor: TEM Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 25-JUN-25
Date Received : 10-JUL-25

Account No.: 41031
Login No. : L666337
Date Analyzed : 19-JUL-25
Report ID : 1507732

Client ID : FLM 4 Lab ID : L666337-4 Time : 20166 minutes
Date Sampled : 06/25/25 Date Analyzed : 07/19/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20166	7.5		0.56	0.18	1
Toluene	2	2.0	20166	19		1.8	0.48	1
Ethylbenzene	2	2.0	20166	2.6		0.28	0.064	1
m,p-Xylene	4	4.0	20166	7.0		0.76	0.17	1
o-Xylene	2	2.0	20166	2.7		0.29	0.068	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS Submitted by: EEA Date : 21-JUL-25
Collection Media : Carbopack X Supervisor: TEM Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 25-JUN-25
Date Received : 10-JUL-25

Account No.: 41031
Login No. : L666337
Date Analyzed : 19-JUL-25
Report ID : 1507732

Client ID : FLM 5 Lab ID : L666337-5 Time : 20166 minutes
Date Sampled : 06/25/25 Date Analyzed : 07/19/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20166	5.9		0.44	0.14	1
Toluene	2	2.0	20166	15		1.4	0.37	1
Ethylbenzene	2	2.0	20166	2.3		0.25	0.058	1
m,p-Xylene	4	4.0	20166	7.7		0.83	0.19	1
o-Xylene	2	2.0	20166	3.2		0.34	0.079	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS Submitted by: EEA Date : 21-JUL-25
Collection Media : Carbopack X Supervisor: TEM Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 25-JUN-25
Date Received : 10-JUL-25

Account No.: 41031
Login No. : L666337
Date Analyzed : 19-JUL-25
Report ID : 1507732

Client ID : FLM 6 Lab ID : L666337-6 Time : 20169 minutes
Date Sampled : 06/25/25 Date Analyzed : 07/19/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20169	5.6		0.42	0.13	1
Toluene	2	2.0	20169	13		1.3	0.33	1
Ethylbenzene	2	2.0	20169	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20169	5.4		0.58	0.13	1
o-Xylene	2	2.0	20169	2.3		0.24	0.056	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS Submitted by: EEA Date : 21-JUL-25
Collection Media : Carbopack X Supervisor: TEM Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 25-JUN-25
Date Received : 10-JUL-25

Account No.: 41031
Login No. : L666337
Date Analyzed : 19-JUL-25
Report ID : 1507732

Client ID : FLM 7
Date Sampled : 06/25/25

Lab ID : L666337-7
Date Analyzed : 07/19/25

Time : 20166 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20166	5.4		0.40	0.13	1
Toluene	2	2.0	20166	13		1.2	0.32	1
Ethylbenzene	2	2.0	20166	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20166	4.7		0.51	0.12	1
o-Xylene	2	2.0	20166	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 21-JUL-25
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 25-JUN-25
Date Received : 10-JUL-25

Account No.: 41031
Login No. : L666337
Date Analyzed : 19-JUL-25
Report ID : 1507732

Client ID : FLM 8 Lab ID : L666337-8 Time : 20167 minutes
Date Sampled : 06/25/25 Date Analyzed : 07/19/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20167	6.8		0.51	0.16	1
Toluene	2	2.0	20167	18		1.7	0.45	1
Ethylbenzene	2	2.0	20167	2.5		0.27	0.063	1
m,p-Xylene	4	4.0	20167	7.6		0.82	0.19	1
o-Xylene	2	2.0	20167	3.2		0.34	0.079	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS Submitted by: EEA Date : 21-JUL-25
Collection Media : Carbopack X Supervisor: TEM Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 25-JUN-25
Date Received : 10-JUL-25

Account No.: 41031
Login No. : L666337
Date Analyzed : 19-JUL-25
Report ID : 1507732

Client ID : FLM 9 Lab ID : L666337-9 Time : 20167 minutes
Date Sampled : 06/25/25 Date Analyzed : 07/19/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	20167	11		0.83	0.26	1
Toluene	2	2.0	20167	29		2.8	0.75	1
Ethylbenzene	2	2.0	20167	4.1		0.44	0.10	1
m,p-Xylene	4	4.0	20167	14		1.5	0.34	1
o-Xylene	2	2.0	20167	5.5		0.60	0.14	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS Submitted by: EEA Date : 21-JUL-25
Collection Media : Carbopack X Supervisor: TEM Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 25-JUN-25
Date Received : 10-JUL-25

Account No.: 41031
Login No. : L666337
Date Analyzed : 19-JUL-25
Report ID : 1507732

Client ID : FLM 10
Date Sampled : 06/25/25

Lab ID : L666337-10
Date Analyzed : 07/19/25
Time : 20168 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20168	22		1.6	0.50	1
Toluene	2	2.0	20168	59		5.6	1.5	1
Ethylbenzene	2	2.0	20168	5.5		0.59	0.14	1
m,p-Xylene	4	4.0	20168	12		1.3	0.30	1
o-Xylene	2	2.0	20168	4.6		0.49	0.11	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 21-JUL-25
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 25-JUN-25
Date Received : 10-JUL-25

Account No.: 41031
Login No. : L666337
Date Analyzed : 19-JUL-25
Report ID : 1507732

Client ID : FLM 11
Date Sampled : 06/25/25

Lab ID : L666337-11
Date Analyzed : 07/19/25

Time : 20169 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20169	13		0.98	0.31	1
Toluene	2	2.0	20169	41		3.9	1.0	1
Ethylbenzene	2	2.0	20169	5.0		0.53	0.12	1
m,p-Xylene	4	4.0	20169	13		1.4	0.33	1
o-Xylene	2	2.0	20169	5.2		0.56	0.13	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 21-JUL-25

Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 25-JUN-25
Date Received : 10-JUL-25

Account No.: 41031
Login No. : L666337
Date Analyzed : 19-JUL-25
Report ID : 1507732

Client ID : FLM 12
Date Sampled : 06/25/25

Lab ID : L666337-12
Date Analyzed : 07/19/25

Time : 20168 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20168	12		0.92	0.29	1
Toluene	2	2.0	20168	38		3.6	0.95	1
Ethylbenzene	2	2.0	20168	4.9		0.53	0.12	1
m,p-Xylene	4	4.0	20168	12		1.3	0.30	1
o-Xylene	2	2.0	20168	4.6		0.49	0.11	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 21-JUL-25
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 25-JUN-25
Date Received : 10-JUL-25

Account No.: 41031
Login No. : L666337
Date Analyzed : 19-JUL-25
Report ID : 1507732

Client ID : FLM 13-DUP (5)
Date Sampled : 06/25/25

Lab ID : L666337-13
Date Analyzed : 07/19/25
Time : 20166 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20166	5.9		0.44	0.14	1
Toluene	2	2.0	20166	13		1.2	0.33	1
Ethylbenzene	2	2.0	20166	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20166	4.2		0.46	0.11	1
o-Xylene	2	2.0	20166	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbo-pack X
Submitted by: EEA
Supervisor: TEM
Date : 21-JUL-25
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 25-JUN-25
Date Received : 10-JUL-25

Account No.: 41031
Login No. : L666337
Date Analyzed : 19-JUL-25
Report ID : 1507732

Client ID : FLM 14-DUP (10)
Date Sampled : 06/25/25

Lab ID : L666337-14
Date Analyzed : 07/19/25
Time : 20168 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20168	21		1.6	0.50	1
Toluene	2	2.0	20168	59		5.6	1.5	1
Ethylbenzene	2	2.0	20168	6.5		0.70	0.16	1
m,p-Xylene	4	4.0	20168	18		1.9	0.45	1
o-Xylene	2	2.0	20168	7.1		0.77	0.18	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbo-pack X
Submitted by: EEA
Supervisor: TEM
Date : 21-JUL-25
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 25-JUN-25
Date Received : 10-JUL-25

Account No.: 41031
Login No. : L666337
Date Analyzed : 19-JUL-25
Report ID : 1507732

Client ID : FLM 15-BLANK (6)
Date Sampled : 06/25/25

Lab ID : L666337-15
Date Analyzed : 07/19/25
Time : NA

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	NA	ND	U	NA	NA	1
Toluene	2	2.0	NA	ND	U	NA	NA	1
Ethylbenzene	2	2.0	NA	ND	U	NA	NA	1
m,p-Xylene	4	4.0	NA	ND	U	NA	NA	1
o-Xylene	2	2.0	NA	ND	U	NA	NA	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbo-pack X

Submitted by: EEA
Supervisor: TEM

Date : 21-JUL-25
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 25-JUN-25
Date Received : 10-JUL-25

Account No.: 41031
Login No. : L666337
Date Analyzed : 19-JUL-25
Report ID : 1507732

Client ID : FLM 16-LANK (9)
Date Sampled : 06/25/25

Lab ID : L666337-16
Date Analyzed : 07/19/25
Time : NA

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	NA	ND	U	NA	NA	1
Toluene	2	2.0	NA	ND	U	NA	NA	1
Ethylbenzene	2	2.0	NA	ND	U	NA	NA	1
m,p-Xylene	4	4.0	NA	ND	U	NA	NA	1
o-Xylene	2	2.0	NA	ND	U	NA	NA	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbo-pack X

Submitted by: EEA
Supervisor: TEM

Date : 21-JUL-25
Approved by : BHB



GALSON

LABORATORY FOOTNOTE REPORT

6601 Kirkville Road
 East Syracuse, NY 13057
 (315) 432-5227
 FAX: (315) 437-0571
 www.sgsгалson.com

Client Name : Haley Ward Inc.
 Site : COLDBROOK ENERGY
 Project No. : 10142.008

Date Sampled : 25-JUN-25
 Date Received: 10-JUL-25
 Date Analyzed: 19-JUL-25

Account No.: 41031
 Login No. : L666337

L666337 (Report ID: 1507732):

EPA qualifiers are as follows:
 U - Compound was analyzed for, but not detected.
 J - Compound was found greater than the MDL, but less than the LOQ.
 B - Compound is found in the associated method blank as well as in the sample.
 SOPs: MS-SOP-17(14)

L666337-5,13 (Report ID: 1507732):

Sample and Sample Duplicate Relative Percent Difference (RPD) exceeded 30% for m,p-Xylene and o-Xylene at 58% and 61%, respectively

L666337-10,14 (Report ID: 1507732):

Sample and Sample Duplicate Relative Percent Difference (RPD) exceeded 30% for m,p-Xylene and o-Xylene at 40% and 43%, respectively

L666337 (Report ID: 1507732):

Accuracy and mean recovery data presented below is based on a 95% confidence interval (k=2). The estimated accuracy applies to the media, technology, and SOP referenced in this report and does not account for the uncertainty associated with the sampling process. The accuracy is based solely on spike recovery data from internal quality control samples. Where N/A appears below, insufficient data is available to provide statistical accuracy and mean recovery values for the associated analyte.

Parameter	Accuracy	Mean Recovery
Benzene	+/-17.2%	102%
Ethylbenzene	+/-18.5%	104%
m,p-Xylenes	+/-20%	104%
o-Xylene	+/-18.2%	103%
Toluene	+/-17.5%	101%

Parameter	Method
Benzene	mod. EPA 325B; GCMS
Ethylbenzene	mod. EPA 325B; GCMS
Toluene	mod. EPA 325B; GCMS
m,p-Xylene	mod. EPA 325B; GCMS
o-Xylene	mod. EPA 325B; GCMS

SGS GALSON

L 666 337

Client Acct. No. 41031


EPA 325A Fenceline Monitoring

116

Report To: Tanocha Pouta
 Company Name: Haley Ward Inc.
 Address 1: 1 Marchants Plaza
 Address 2: Suite 701
 City, State, Zip: Bangor, ME 04401
 Cell No.: 207-214-0141
 Email Report to: tpouta@haleyward.com
 Prep No.: PSY765850

Invoice To: Accounts Payable-Julie
 Company Name: Haley Ward Inc.
 Address 1: 1 Marchants Plaza
 Address 2: Suite 701
 City, State, Zip: Bangor, ME 04401
 Email Address: joreskovich@haleyward.com
 P.O. No.:
 Payment Info: Will Phone in Credit Card Information
 Credit Card on File



Need Results By*:	(surcharge)
<input checked="" type="checkbox"/> 5 Business Days	0%
<input type="checkbox"/> 4 Business Days	35%

121043178467070666
 Date: 07/10/25
 Shipper: UPS
 Initials: MMM

 Prep: UNKNOWN

Complete shaded portions and return to the lab with the samples.*

Comments:	Average Ambient Temperature:	68.8°F
	Average Barometric Pressure:	29.75 in Hg

Site Name: <u>Cold Brook Energy</u>		Project: <u>10142.008</u>			Sampled By: <u>JNP</u>	
Sample Identification*	Manufacturer ID	Collection Medium	Date/Time Deployed (Military Time)	Date/Time Retrieved (Military Time)	Analysis Requested	Method
FLM 1	C40275	Carbopack X	6/25/25 1256	7/9/25 1304	BTEX	MOD. EPA325B: GCMS
FLM 2	C54296	Carbopack X	1300	1309	BTEX	MOD. EPA325B: GCMS
FLM 3	C41465	Carbopack X	1306	1315	BTEX	MOD. EPA325B: GCMS
FLM 4	C41456	Carbopack X	1312	1318	BTEX	MOD. EPA325B: GCMS
FLM 5	C40212	Carbopack X	1316	1322	BTEX	MOD. EPA325B: GCMS
FLM 6	C41425	Carbopack X	1318	1327	BTEX	MOD. EPA325B: GCMS
FLM 7	C41419	Carbopack X	1327	1333	BTEX	MOD. EPA325B: GCMS
FLM 8	C41402	Carbopack X	1234	1241	BTEX	MOD. EPA325B: GCMS
FLM 9	C38329	Carbopack X	1239	1246	BTEX	MOD. EPA325B: GCMS
FLM 10	C41504	Carbopack X	1243	1251	BTEX	MOD. EPA325B: GCMS
FLM 11	C40255	Carbopack X	1247	1256	BTEX	MOD. EPA325B: GCMS

Chain of Custody	Print Name	Signature	Date/Time
Relinquished by:	<u>Jason PATTERSON</u>		<u>7/9/25 1445</u>
Received by LAB:	<u>Megan M. McGrath</u>		<u>7/10/25 11:26 A</u>

Comments

Complete shaded portions and return to the lab with the samples.*

Sample Identification*	Manufacturer ID	Collection Medium	Date/Time Deployed (Military Time)	Date/Time Retrieved (Military Time)	Analysis Requested	Method
FLM 12	C41401	Carbopack X	6/25/25 1252	7/9/25 1300	BTEX	MOD. EPA325B: GCMS
FLM 13 - Dup (5)	C40214	Carbopack X	↓ 1316	↓ 1322	BTEX	MOD. EPA325B: GCMS
FLM 14 - Dup (10)	C41410	Carbopack X	↓ 1243	↓ 1251	BTEX	MOD. EPA325B: GCMS
FLM 15 - Blank (6)	C41381	Carbopack X	↓ 1318	↓ 1327	BTEX	MOD. EPA325B: GCMS
FLM 16 - Blank (9)	C41422	Carbopack X	↓ 1239	↓ 1246	BTEX	MOD. EPA325B: GCMS

Chain of Custody	Print Name	Signature	Date/Time
Relinquished by :	JASON PATTERSON	<i>[Signature]</i>	7/9/25 1445
Received by LAB :	Megan M. McGrath	<i>[Signature]</i>	7/10/25 11:26 A
*Required fields, failure to complete these fields may result in a delay in your samples being processed.		Page 2 of 2 Samples received after 3pm will be considered as next day's business.	



GALSON

Jason Patterson
Haley Ward Inc.
1 Merchants Plaza
Suite 701
Bangor, ME 04401

August 01, 2025

Account# 41031

Login# L667972

Dear Jason Patterson:

Enclosed are the analytical results for the samples received by our laboratory on July 25, 2025. All samples on the chain of custody were received in good condition unless otherwise noted. Any additional observations will be noted on the chain of custody.

Please contact client services at (888) 432-5227 if you would like any additional information regarding this report. Thank you for using SGS Galson.

Sincerely,

SGS Galson

Lisa Swab
Laboratory Director

Enclosure(s)



Terms and Conditions & General Disclaimers

- This document is issued by the Company under its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.
- Any holder of this document is advised that information contained herein reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Analytical Disclaimers

- Unless otherwise noted within the report, all quality control results associated with the samples were within established control limits or did not impact reported results.
- Note: The findings recorded within this report were drawn from analysis of the sample(s) provided to the laboratory by the Client (or a third party acting at the Client’s direction). The laboratory does not have control over the sampling process, including but not limited to the use of field equipment and collection media, as well as the sampling duration, collection volume or any other collection parameter used by the Client. The findings herein constitute no warranty of the sample's representativeness of any sampled environment, and strictly relate to the samples as they were presented to the laboratory. For recommended sampling collection parameters, please refer to the Sampling and Analysis Guide at www.sgsgalson.com.
- Unrounded results are carried through the calculations that yield the final result and the final result is rounded to the number of significant figures appropriate to the accuracy of the analytical method. Please note that results appearing in the columns preceding the final result column may have been rounded and therefore, if carried through the calculations, may not yield an identical final result to the one reported.
- The stated LOQs for each analyte represent the demonstrated LOQ concentrations prior to correction for desorption efficiency (if applicable).
- Unless otherwise noted within the report, results have not been blank corrected for any field blank or method blank data.

Accreditations SGS Galson holds a variety of accreditations and recognitions. Our quality management system conforms with the requirements of ISO/IEC 17025. Where applicable, samples may also be analyzed in accordance with the requirements of ELAP, NELAC, or LELAP under one of the state accrediting bodies listed below. Current Scopes of Accreditation can be viewed at <http://www.sgsgalson.com> in the accreditations section of the "About" page. To determine if the analyte tested falls under our scope of accreditation, please visit our website or call Client Services at (888) 432-5227.

National/International	Accreditation/Recognition	Lab ID#	Program/Sector
AIHA-LAP, LLC - IHLAP, ELLAP, EMLAP	ISO/IEC 17025 and USEPA NLLAP	Lab ID 100324	Industrial Hygiene, Environmental Lead, Environmental Microbiology

State	Accreditation/Recognition	Lab ID#	Program/Sector
New York (NYSDOH)	ELAP and NELAC (TNI)	Lab ID: 11626	Air Analysis, Solid and Hazardous Waste
Louisiana (LDEQ)	LELAP	Lab ID: 04083	Air Analysis, Solid Chemical Materials

Legend

< - Less than	mg - Milligrams	MDL - Method Detection Limit	ppb - Parts per Billion
> - Greater than	ug - Micrograms	NA - Not Applicable	ppm - Parts per Million
l - Liters	m3 - Cubic Meters	NS - Not Specified	ppbv - ppb Volume
LOQ - Limit of Quantitation	kg - Kilograms	ND - Not Detected	ppmv - ppm Volume
ft2 - Square Feet	cm2 - Square Centimeters	in2 - Square Inches	ng - Nanograms



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 09-JUL-25
Date Received : 25-JUL-25

Account No.: 41031
Login No. : L667972
Date Analyzed : 31-JUL-25
Report ID : 1511034

Client ID : FLM1
Date Sampled : 07/09/25

Lab ID : L667972-1
Date Analyzed : 07/31/25

Time : 20094 minutes

Parameter	MDL ng	LOQ ng	Time minutes	Total ng	Total Qual	Conc ug/m3	ppbv	Dil Fact
Benzene	2	2.0	20094	8.8		0.66	0.21	1
Toluene	2	2.0	20094	21		2.0	0.54	1
Ethylbenzene	2	2.0	20094	2.8		0.30	0.069	1
m,p-Xylene	4	4.0	20094	6.4		0.69	0.16	1
o-Xylene	2	2.0	20094	2.6		0.28	0.065	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X
Submitted by: EEA
Supervisor: TEM
Date : 01-AUG-25
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 09-JUL-25
Date Received : 25-JUL-25

Account No.: 41031
Login No. : L667972
Date Analyzed : 31-JUL-25
Report ID : 1511034

Client ID : FLM2
Date Sampled : 07/09/25

Lab ID : L667972-2
Date Analyzed : 07/31/25

Time : 20093 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	20093	8.3		0.62	0.19	1
Toluene	2	2.0	20093	20		1.9	0.50	1
Ethylbenzene	2	2.0	20093	2.0		0.22	0.051	1
m,p-Xylene	4	4.0	20093	4.5		0.49	0.11	1
o-Xylene	2	2.0	20093	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 01-AUG-25
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 09-JUL-25
Date Received : 25-JUL-25

Account No.: 41031
Login No. : L667972
Date Analyzed : 31-JUL-25
Report ID : 1511034

Client ID : FLM3
Date Sampled : 07/09/25

Lab ID : L667972-3
Date Analyzed : 07/31/25

Time : 20089 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20089	8.3		0.62	0.19	1
Toluene	2	2.0	20089	18		1.7	0.45	1
Ethylbenzene	2	2.0	20089	2.0		0.22	0.051	1
m,p-Xylene	4	4.0	20089	4.9		0.53	0.12	1
o-Xylene	2	2.0	20089	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 01-AUG-25
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 09-JUL-25
Date Received : 25-JUL-25

Account No.: 41031
Login No. : L667972
Date Analyzed : 31-JUL-25
Report ID : 1511034

Client ID : FLM4
Date Sampled : 07/09/25

Lab ID : L667972-4
Date Analyzed : 07/31/25

Time : 20090 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	20090	6.1		0.46	0.14	1
Toluene	2	2.0	20090	11		1.1	0.29	1
Ethylbenzene	2	2.0	20090	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20090	4.2		0.46	0.11	1
o-Xylene	2	2.0	20090	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 01-AUG-25
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 09-JUL-25
Date Received : 25-JUL-25

Account No.: 41031
Login No. : L667972
Date Analyzed : 31-JUL-25
Report ID : 1511034

Client ID : FLM5
Date Sampled : 07/09/25

Lab ID : L667972-5
Date Analyzed : 07/31/25

Time : 20091 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	20091	4.4		0.33	0.10	1
Toluene	2	2.0	20091	7.7		0.74	0.20	1
Ethylbenzene	2	2.0	20091	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20091	ND	U	<0.43	<0.10	1
o-Xylene	2	2.0	20091	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 01-AUG-25
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 09-JUL-25
Date Received : 25-JUL-25

Account No.: 41031
Login No. : L667972
Date Analyzed : 31-JUL-25
Report ID : 1511034

Client ID : FLM6
Date Sampled : 07/09/25

Lab ID : L667972-6
Date Analyzed : 07/31/25

Time : 20091 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	20091	3.8		0.28	0.088	1
Toluene	2	2.0	20091	5.9		0.56	0.15	1
Ethylbenzene	2	2.0	20091	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20091	ND	U	<0.43	<0.10	1
o-Xylene	2	2.0	20091	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM
Approved by : BHB

Date : 01-AUG-25



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 09-JUL-25
Date Received : 25-JUL-25

Account No.: 41031
Login No. : L667972
Date Analyzed : 31-JUL-25
Report ID : 1511034

Client ID : FLM7
Date Sampled : 07/09/25

Lab ID : L667972-7
Date Analyzed : 07/31/25

Time : 20089 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	20089	3.8		0.29	0.091	1
Toluene	2	2.0	20089	6.3		0.60	0.16	1
Ethylbenzene	2	2.0	20089	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20089	ND	U	<0.43	<0.10	1
o-Xylene	2	2.0	20089	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 01-AUG-25

Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 09-JUL-25
Date Received : 25-JUL-25

Account No.: 41031
Login No. : L667972
Date Analyzed : 31-JUL-25
Report ID : 1511034

Client ID : FLM8
Date Sampled : 07/09/25

Lab ID : L667972-8
Date Analyzed : 07/31/25

Time : 20096 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	20096	5.0		0.37	0.12	1
Toluene	2	2.0	20096	11		1.0	0.27	1
Ethylbenzene	2	2.0	20096	2.0		0.22	0.050	1
m,p-Xylene	4	4.0	20096	6.7		0.72	0.17	1
o-Xylene	2	2.0	20096	2.7		0.29	0.066	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 01-AUG-25
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 09-JUL-25
Date Received : 25-JUL-25

Account No.: 41031
Login No. : L667972
Date Analyzed : 31-JUL-25
Report ID : 1511034

Client ID : FLM9
Date Sampled : 07/09/25

Lab ID : L667972-9
Date Analyzed : 07/31/25

Time : 20096 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	20096	6.9		0.52	0.16	1
Toluene	2	2.0	20096	16		1.5	0.41	1
Ethylbenzene	2	2.0	20096	2.3		0.25	0.058	1
m,p-Xylene	4	4.0	20096	6.3		0.69	0.16	1
o-Xylene	2	2.0	20096	2.7		0.29	0.067	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 01-AUG-25

Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 09-JUL-25
Date Received : 25-JUL-25

Account No.: 41031
Login No. : L667972
Date Analyzed : 31-JUL-25
Report ID : 1511034

Client ID : FLM10
Date Sampled : 07/09/25

Lab ID : L667972-10
Date Analyzed : 07/31/25

Time : 20097 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	20097	33		2.5	0.78	1
Toluene	2	2.0	20097	92		8.8	2.3	1
Ethylbenzene	2	2.0	20097	9.4		1.0	0.23	1
m,p-Xylene	4	4.0	20097	22		2.4	0.55	1
o-Xylene	2	2.0	20097	8.3		0.89	0.21	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 01-AUG-25
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 09-JUL-25
Date Received : 25-JUL-25

Account No.: 41031
Login No. : L667972
Date Analyzed : 31-JUL-25
Report ID : 1511034

Client ID : FLM11
Date Sampled : 07/09/25

Lab ID : L667972-11
Date Analyzed : 07/31/25

Time : 20096 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20096	19		1.4	0.44	1
Toluene	2	2.0	20096	58		5.6	1.5	1
Ethylbenzene	2	2.0	20096	6.9		0.74	0.17	1
m,p-Xylene	4	4.0	20096	18		2.0	0.45	1
o-Xylene	2	2.0	20096	6.7		0.72	0.17	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 01-AUG-25

Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 09-JUL-25
Date Received : 25-JUL-25

Account No.: 41031
Login No. : L667972
Date Analyzed : 31-JUL-25
Report ID : 1511034

Client ID : FLM12 Lab ID : L667972-12 Time : 20096 minutes
Date Sampled : 07/09/25 Date Analyzed : 07/31/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20096	14		1.1	0.34	1
Toluene	2	2.0	20096	42		4.0	1.1	1
Ethylbenzene	2	2.0	20096	5.4		0.59	0.14	1
m,p-Xylene	4	4.0	20096	14		1.5	0.34	1
o-Xylene	2	2.0	20096	5.1		0.55	0.13	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS Submitted by: EEA Date : 01-AUG-25
Collection Media : Carbopack X Supervisor: TEM Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 09-JUL-25
Date Received : 25-JUL-25

Account No.: 41031
Login No. : L667972
Date Analyzed : 31-JUL-25
Report ID : 1511034

Client ID : FLM13-DUP 6
Date Sampled : 07/09/25

Lab ID : L667972-13
Date Analyzed : 07/31/25
Time : 20091 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	20091	3.8		0.28	0.088	1
Toluene	2	2.0	20091	5.8		0.55	0.15	1
Ethylbenzene	2	2.0	20091	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20091	ND	U	<0.43	<0.10	1
o-Xylene	2	2.0	20091	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM
Approved by : BHB

Date : 01-AUG-25



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 09-JUL-25
Date Received : 25-JUL-25

Account No.: 41031
Login No. : L667972
Date Analyzed : 31-JUL-25
Report ID : 1511034

Client ID : FLM14-DUP 11
Date Sampled : 07/09/25

Lab ID : L667972-14
Date Analyzed : 07/31/25

Time : 20096 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20096	19		1.4	0.44	1
Toluene	2	2.0	20096	59		5.7	1.5	1
Ethylbenzene	2	2.0	20096	7.1		0.77	0.18	1
m,p-Xylene	4	4.0	20096	18		1.9	0.45	1
o-Xylene	2	2.0	20096	6.8		0.74	0.17	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 01-AUG-25

Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 09-JUL-25
Date Received : 25-JUL-25

Account No.: 41031
Login No. : L667972
Date Analyzed : 31-JUL-25
Report ID : 1511034

Client ID : FLM15-BLANK 7
Date Sampled : 07/09/25

Lab ID : L667972-15
Date Analyzed : 07/31/25

Time : 20089 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	20089	ND	U	<0.15	<0.047	1
Toluene	2	2.0	20089	ND	U	<0.19	<0.051	1
Ethylbenzene	2	2.0	20089	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20089	ND	U	<0.43	<0.10	1
o-Xylene	2	2.0	20089	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbo-pack X

Submitted by: EEA
Supervisor: TEM

Date : 01-AUG-25

Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 09-JUL-25
Date Received : 25-JUL-25

Account No.: 41031
Login No. : L667972
Date Analyzed : 31-JUL-25
Report ID : 1511034

Client ID : FLM16-BLANK 10
Date Sampled : 07/09/25

Lab ID : L667972-16
Date Analyzed : 07/31/25

Time : 20097 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	20097	ND	U	<0.15	<0.046	1
Toluene	2	2.0	20097	ND	U	<0.19	<0.051	1
Ethylbenzene	2	2.0	20097	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20097	ND	U	<0.43	<0.10	1
o-Xylene	2	2.0	20097	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbo-pack X

Submitted by: EEA
Supervisor: TEM

Date : 01-AUG-25
Approved by : BHB



GALSON

LABORATORY FOOTNOTE REPORT

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsгалson.com

Client Name : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008

Date Sampled : 09-JUL-25
Date Received: 25-JUL-25
Date Analyzed: 31-JUL-25

Account No.: 41031
Login No. : L667972

L667972 (Report ID: 1511034):

EPA qualifiers are as follows:
U - Compound was analyzed for, but not detected.
J - Compound was found greater than the MDL, but less than the LOQ.
B - Compound is found in the associated method blank as well as in the sample.
SOPs: MS-SOP-17(14)

L667972 (Report ID: 1511034):

Accuracy and mean recovery data presented below is based on a 95% confidence interval (k=2). The estimated accuracy applies to the media, technology, and SOP referenced in this report and does not account for the uncertainty associated with the sampling process. The accuracy is based solely on spike recovery data from internal quality control samples. Where N/A appears below, insufficient data is available to provide statistical accuracy and mean recovery values for the associated analyte.

Parameter	Accuracy	Mean Recovery
Benzene	+/-17.2%	102%
Ethylbenzene	+/-18.5%	104%
m,p-Xylenes	+/-20%	104%
o-Xylene	+/-18.2%	103%
Toluene	+/-17.5%	101%

Parameter	Method
Benzene	mod. EPA 325B; GCMS
Ethylbenzene	mod. EPA 325B; GCMS
Toluene	mod. EPA 325B; GCMS
m,p-Xylene	mod. EPA 325B; GCMS
o-Xylene	mod. EPA 325B; GCMS

44007972

116

S&S GALSON

Client Acct. No. 41031

EPA 325A Fenceline Monitoring

Report To: Tanesha Pottle
Company Name: Haley Ward Inc.
Address 1: 1 Marchants Plaza
Address 2: Suite 701
City, State, Zip: Bangor, ME 04401
Cell No.: 207-214-0141
Email Report to: tpottle@haleyward.com

Invoice To: Accounts Payable-Julie
Company Name: Haley Ward Inc.
Address 1: 1 Marchants Plaza
Address 2: Suite 701
City, State, Zip: Bangor, ME 04401
Email Address: joreskovich@haleyward.com
P.O. No:
Payment Info: Will Phone in Credit Card Information
Credit Card on File

Table with 2 columns: Need Results By* (surchage) and percentage. Options: 5 Business Days (0%), 4 Business Days (35%), 3 Business Days (50%), 2 Business Days (75%).

Prep No.: PSY765851

121043178466345166
Date: 07/25/25
Shipper: UPS
Initials: MMM



Prep: UNKNOWN

Complete shaded portions and return to the lab with the samples.*

Table with 2 columns: Average Ambient Temperature: 68.4, Average Barometric Pressure: 29.78

Site Name: Cold Brook Energy Project: 10142.008 Sampled By:

Main data table with columns: Sample Identification*, Manufacturer ID, Collection Medium, Date/Time Deployed (Military Time), Date/Time Retrieved (Military Time), Analysis Requested, Method. Rows 1-11.

Chain of Custody table with columns: Chain of Custody, Print Name, Signature, Date/Time. Includes Jason Patterson and Megan M. McGrath.



GALSON

Jason Patterson
Haley Ward Inc.
1 Merchants Plaza
Suite 701
Bangor, ME 04401

August 15, 2025

Account# 41031

Login# L669391

Dear Jason Patterson:

Enclosed are the analytical results for the samples received by our laboratory on August 08, 2025. All samples on the chain of custody were received in good condition unless otherwise noted. Any additional observations will be noted on the chain of custody.

Please contact client services at (888) 432-5227 if you would like any additional information regarding this report. Thank you for using SGS Galson.

Sincerely,

SGS Galson

Lisa Swab
Laboratory Director

Enclosure(s)



Terms and Conditions & General Disclaimers

- This document is issued by the Company under its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.
- Any holder of this document is advised that information contained herein reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Analytical Disclaimers

- Unless otherwise noted within the report, all quality control results associated with the samples were within established control limits or did not impact reported results.
- Note: The findings recorded within this report were drawn from analysis of the sample(s) provided to the laboratory by the Client (or a third party acting at the Client’s direction). The laboratory does not have control over the sampling process, including but not limited to the use of field equipment and collection media, as well as the sampling duration, collection volume or any other collection parameter used by the Client. The findings herein constitute no warranty of the sample's representativeness of any sampled environment, and strictly relate to the samples as they were presented to the laboratory. For recommended sampling collection parameters, please refer to the Sampling and Analysis Guide at www.sgsgalson.com.
- Unrounded results are carried through the calculations that yield the final result and the final result is rounded to the number of significant figures appropriate to the accuracy of the analytical method. Please note that results appearing in the columns preceding the final result column may have been rounded and therefore, if carried through the calculations, may not yield an identical final result to the one reported.
- The stated LOQs for each analyte represent the demonstrated LOQ concentrations prior to correction for desorption efficiency (if applicable).
- Unless otherwise noted within the report, results have not been blank corrected for any field blank or method blank data.

Accreditations SGS Galson holds a variety of accreditations and recognitions. Our quality management system conforms with the requirements of ISO/IEC 17025. Where applicable, samples may also be analyzed in accordance with the requirements of ELAP, NELAC, or LELAP under one of the state accrediting bodies listed below. Current Scopes of Accreditation can be viewed at <http://www.sgsgalson.com> in the accreditations section of the "About" page. To determine if the analyte tested falls under our scope of accreditation, please visit our website or call Client Services at (888) 432-5227.

National/International	Accreditation/Recognition	Lab ID#	Program/Sector
AIHA-LAP, LLC - IHLAP, ELLAP, EMLAP	ISO/IEC 17025 and USEPA NLLAP	Lab ID 100324	Industrial Hygiene, Environmental Lead, Environmental Microbiology

State	Accreditation/Recognition	Lab ID#	Program/Sector
New York (NYSDOH)	ELAP and NELAC (TNI)	Lab ID: 11626	Air Analysis, Solid and Hazardous Waste
Louisiana (LDEQ)	LELAP	Lab ID: 04083	Air Analysis, Solid Chemical Materials

Legend

< - Less than	mg - Milligrams	MDL - Method Detection Limit	ppb - Parts per Billion
> - Greater than	ug - Micrograms	NA - Not Applicable	ppm - Parts per Million
l - Liters	m3 - Cubic Meters	NS - Not Specified	ppbv - ppb Volume
LOQ - Limit of Quantitation	kg - Kilograms	ND - Not Detected	ppmv - ppm Volume
ft2 - Square Feet	cm2 - Square Centimeters	in2 - Square Inches	ng - Nanograms



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY FACILITY
Project No. : 10142.008
Date Sampled : 23-JUL-25
Date Received : 08-AUG-25

Account No.: 41031
Login No. : L669391
Date Analyzed : 13-AUG-25 - 14-AUG-25
Report ID : 1513783

Client ID : FLM1
Date Sampled : 07/23/25

Lab ID : L669391-1 **Time : 20266 minutes**
Date Analyzed : 08/13/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	20266	12		0.89	0.28	1
Toluene	2	2.0	20266	22		2.1	0.56	1
Ethylbenzene	2	2.0	20266	3.1		0.33	0.076	1
m,p-Xylene	4	4.0	20266	9.1		0.98	0.23	1
o-Xylene	2	2.0	20266	3.7		0.39	0.090	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS Submitted by: NKP Date : 15-AUG-25
Collection Media : Carbopack X Supervisor: TEM Approved by : TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY FACILITY
Project No. : 10142.008
Date Sampled : 23-JUL-25
Date Received : 08-AUG-25

Account No.: 41031
Login No. : L669391
Date Analyzed : 13-AUG-25 - 14-AUG-25
Report ID : 1513783

Client ID : FLM2
Date Sampled : 07/23/25

Lab ID : L669391-2
Date Analyzed : 08/13/25

Time : 20268 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20268	13		0.99	0.31	1
Toluene	2	2.0	20268	27		2.6	0.68	1
Ethylbenzene	2	2.0	20268	3.3		0.36	0.082	1
m,p-Xylene	4	4.0	20268	9.6		1.0	0.24	1
o-Xylene	2	2.0	20268	3.6		0.39	0.090	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: NKP
Supervisor: TEM
Approved by : TEM

Date : 15-AUG-25



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client	: Haley Ward Inc.	Account No.:	41031
Site	: COLD BROOK ENERGY FACILITY	Login No.:	L669391
Project No.	: 10142.008	Date Analyzed	: 13-AUG-25 - 14-AUG-25
Date Sampled	: 23-JUL-25	Report ID	: 1513783
Date Received	: 08-AUG-25		

Client ID : FLM3 Lab ID : L669391-3 Time : 20272 minutes
 Date Sampled : 07/23/25 Date Analyzed : 08/13/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20272	15		1.1	0.34	1
Toluene	2	2.0	20272	28		2.7	0.72	1
Ethylbenzene	2	2.0	20272	3.7		0.40	0.092	1
m,p-Xylene	4	4.0	20272	11		1.2	0.27	1
o-Xylene	2	2.0	20272	4.4		0.47	0.11	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS	Submitted by: NKP	Date : 15-AUG-25
Collection Media : Carbopack X	Supervisor: TEM	Approved by : TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY FACILITY
Project No. : 10142.008
Date Sampled : 23-JUL-25
Date Received : 08-AUG-25

Account No.: 41031
Login No. : L669391
Date Analyzed : 13-AUG-25 - 14-AUG-25
Report ID : 1513783

Client ID : FLM4
Date Sampled : 07/23/25

Lab ID : L669391-4
Date Analyzed : 08/13/25
Time : 20270 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20270	12		0.91	0.29	1
Toluene	2	2.0	20270	20		1.9	0.50	1
Ethylbenzene	2	2.0	20270	2.8		0.30	0.069	1
m,p-Xylene	4	4.0	20270	8.4		0.90	0.21	1
o-Xylene	2	2.0	20270	3.3		0.36	0.083	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X
Submitted by: NKP
Supervisor: TEM
Date : 15-AUG-25
Approved by : TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY FACILITY
Project No. : 10142.008
Date Sampled : 23-JUL-25
Date Received : 08-AUG-25

Account No.: 41031
Login No. : L669391
Date Analyzed : 13-AUG-25 - 14-AUG-25
Report ID : 1513783

Client ID : FLM5 Lab ID : L669391-5 Time : 20269 minutes
Date Sampled : 07/23/25 Date Analyzed : 08/13/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20269	11		0.82	0.26	1
Toluene	2	2.0	20269	16		1.6	0.41	1
Ethylbenzene	2	2.0	20269	ND	U	<0.21	<0.049	1
m,p-Xylene	4	4.0	20269	4.3		0.46	0.11	1
o-Xylene	2	2.0	20269	ND	U	<0.21	<0.049	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS Submitted by: NKP Date : 15-AUG-25
Collection Media : Carbopack X Supervisor: TEM Approved by : TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY FACILITY
Project No. : 10142.008
Date Sampled : 23-JUL-25
Date Received : 08-AUG-25

Account No.: 41031
Login No. : L669391
Date Analyzed : 13-AUG-25 - 14-AUG-25
Report ID : 1513783

Client ID : FLM6 Lab ID : L669391-6 Time : 20268 minutes
Date Sampled : 07/23/25 Date Analyzed : 08/13/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20268	11		0.84	0.26	1
Toluene	2	2.0	20268	17		1.6	0.43	1
Ethylbenzene	2	2.0	20268	ND	U	<0.21	<0.049	1
m,p-Xylene	4	4.0	20268	4.0		0.43	0.099	1
o-Xylene	2	2.0	20268	ND	U	<0.21	<0.049	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS Submitted by: NKP Date : 15-AUG-25
Collection Media : Carbopack X Supervisor: TEM Approved by : TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY FACILITY
Project No. : 10142.008
Date Sampled : 23-JUL-25
Date Received : 08-AUG-25

Account No.: 41031
Login No. : L669391
Date Analyzed : 13-AUG-25 - 14-AUG-25
Report ID : 1513783

Client ID : FLM7
Date Sampled : 07/23/25

Lab ID : L669391-7
Date Analyzed : 08/13/25

Time : 20268 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20268	10		0.74	0.23	1
Toluene	2	2.0	20268	15		1.4	0.38	1
Ethylbenzene	2	2.0	20268	ND	U	<0.21	<0.049	1
m,p-Xylene	4	4.0	20268	6.1		0.66	0.15	1
o-Xylene	2	2.0	20268	2.5		0.27	0.061	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: NKP
Supervisor: TEM
Approved by : TEM

Date : 15-AUG-25



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY FACILITY
Project No. : 10142.008
Date Sampled : 23-JUL-25
Date Received : 08-AUG-25

Account No.: 41031
Login No. : L669391
Date Analyzed : 13-AUG-25 - 14-AUG-25
Report ID : 1513783

Client ID : FLM8
Date Sampled : 07/23/25

Lab ID : L669391-8
Date Analyzed : 08/13/25

Time : 20261 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20261	10		0.75	0.24	1
Toluene	2	2.0	20261	17		1.7	0.44	1
Ethylbenzene	2	2.0	20261	2.4		0.26	0.059	1
m,p-Xylene	4	4.0	20261	6.8		0.73	0.17	1
o-Xylene	2	2.0	20261	2.7		0.29	0.067	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: NKP
Supervisor: TEM
Approved by : TEM

Date : 15-AUG-25



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY FACILITY
Project No. : 10142.008
Date Sampled : 23-JUL-25
Date Received : 08-AUG-25

Account No.: 41031
Login No. : L669391
Date Analyzed : 13-AUG-25 - 14-AUG-25
Report ID : 1513783

Client ID : FLM9 Lab ID : L669391-9 Time : 20264 minutes
Date Sampled : 07/23/25 Date Analyzed : 08/13/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20264	14		1.1	0.34	1
Toluene	2	2.0	20264	36		3.4	0.92	1
Ethylbenzene	2	2.0	20264	9.2		0.99	0.23	1
m,p-Xylene	4	4.0	20264	34		3.6	0.83	1
o-Xylene	2	2.0	20264	15		1.6	0.37	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS Submitted by: NKP Date : 15-AUG-25
Collection Media : Carbopack X Supervisor: TEM Approved by : TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY FACILITY
Project No. : 10142.008
Date Sampled : 23-JUL-25
Date Received : 08-AUG-25

Account No.: 41031
Login No. : L669391
Date Analyzed : 13-AUG-25 - 14-AUG-25
Report ID : 1513783

Client ID : FLM10
Date Sampled : 07/23/25

Lab ID : L669391-10
Date Analyzed : 08/13/25

Time : 20262 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20262	35		2.6	0.82	1
Toluene	2	2.0	20262	79		7.5	2.0	1
Ethylbenzene	2	2.0	20262	6.6		0.71	0.16	1
m,p-Xylene	4	4.0	20262	14		1.5	0.34	1
o-Xylene	2	2.0	20262	4.9		0.53	0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: NKP
Supervisor: TEM
Approved by : TEM

Date : 15-AUG-25



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY FACILITY
Project No. : 10142.008
Date Sampled : 23-JUL-25
Date Received : 08-AUG-25

Account No.: 41031
Login No. : L669391
Date Analyzed : 13-AUG-25 - 14-AUG-25
Report ID : 1513783

Client ID : FLM11 Lab ID : L669391-11 Time : 20261 minutes
Date Sampled : 07/23/25 Date Analyzed : 08/13/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20261	19		1.4	0.44	1
Toluene	2	2.0	20261	42		4.0	1.1	1
Ethylbenzene	2	2.0	20261	4.3		0.46	0.11	1
m,p-Xylene	4	4.0	20261	9.3		0.99	0.23	1
o-Xylene	2	2.0	20261	3.4		0.37	0.084	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS Submitted by: NKP Date : 15-AUG-25
Collection Media : Carbopack X Supervisor: TEM Approved by : TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc. Account No.: 41031
Site : COLD BROOK ENERGY FACILITY Login No. : L669391
Project No. : 10142.008
Date Sampled : 23-JUL-25 Date Analyzed : 13-AUG-25 - 14-AUG-25
Date Received : 08-AUG-25 Report ID : 1513783

Client ID : FLM12 Lab ID : L669391-12 Time : 20264 minutes
Date Sampled : 07/23/25 Date Analyzed : 08/13/25

Parameter	MDL ng	LOQ ng	Time minutes	Total ng	Total Qual	Conc ug/m3	Dil ppbv	Dil Fact
Benzene	2	2.0	20264	17		1.3	0.41	1
Toluene	2	2.0	20264	39		3.7	0.99	1
Ethylbenzene	2	2.0	20264	5.3		0.57	0.13	1
m,p-Xylene	4	4.0	20264	17		1.8	0.41	1
o-Xylene	2	2.0	20264	6.4		0.69	0.16	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS Submitted by: NKP Date : 15-AUG-25
Collection Media : Carbopack X Supervisor: TEM Approved by : TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client	: Haley Ward Inc.	Account No.:	41031
Site	: COLD BROOK ENERGY FACILITY	Login No.:	L669391
Project No.	: 10142.008	Date Analyzed	: 13-AUG-25 - 14-AUG-25
Date Sampled	: 23-JUL-25	Report ID	: 1513783
Date Received	: 08-AUG-25		

Client ID : FLM13-DUP 7
Date Sampled : 07/23/25

Lab ID : L669391-13 Time : 20212 minutes
Date Analyzed : 08/13/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20212	10		0.76	0.24	1
Toluene	2	2.0	20212	14		1.3	0.35	1
Ethylbenzene	2	2.0	20212	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20212	ND	U	<0.43	<0.099	1
o-Xylene	2	2.0	20212	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS	Submitted by: NKP	Date : 15-AUG-25
Collection Media : Carbopack X	Supervisor: TEM	Approved by : TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client	: Haley Ward Inc.	Account No.:	41031
Site	: COLD BROOK ENERGY FACILITY	Login No.:	L669391
Project No.	: 10142.008	Date Analyzed	: 13-AUG-25 - 14-AUG-25
Date Sampled	: 23-JUL-25	Report ID	: 1513783
Date Received	: 08-AUG-25		

Client ID : FLM14-DUP 12
Date Sampled : 07/23/25

Lab ID : L669391-14 Time : 20268 minutes
Date Analyzed : 08/14/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20268	17		1.3	0.41	1
Toluene	2	2.0	20268	38		3.6	0.95	1
Ethylbenzene	2	2.0	20268	3.9		0.42	0.096	1
m,p-Xylene	4	4.0	20268	8.2		0.88	0.20	1
o-Xylene	2	2.0	20268	3.0		0.32	0.074	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS	Submitted by: NKP	Date : 15-AUG-25
Collection Media : Carbopack X	Supervisor: TEM	Approved by : TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY FACILITY
Project No. : 10142.008
Date Sampled : 23-JUL-25
Date Received : 08-AUG-25

Account No.: 41031
Login No. : L669391
Date Analyzed : 13-AUG-25 - 14-AUG-25
Report ID : 1513783

Client ID : FLM15-BLANK 8
Date Sampled : 07/23/25

Lab ID : L669391-15
Date Analyzed : 08/14/25
Time : 20216 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	20216	ND	U	<0.15	<0.046	1
Toluene	2	2.0	20216	ND	U	<0.19	<0.050	1
Ethylbenzene	2	2.0	20216	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20216	ND	U	<0.43	<0.099	1
o-Xylene	2	2.0	20216	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X
Submitted by: NKP
Supervisor: TEM
Date : 15-AUG-25
Approved by : TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY FACILITY
Project No. : 10142.008
Date Sampled : 23-JUL-25
Date Received : 08-AUG-25

Account No.: 41031
Login No. : L669391
Date Analyzed : 13-AUG-25 - 14-AUG-25
Report ID : 1513783

Client ID : FLM16-BLANK 11
Date Sampled : 07/23/25

Lab ID : L669391-16
Date Analyzed : 08/14/25
Time : 20265 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	20265	ND	U	<0.15	<0.046	1
Toluene	2	2.0	20265	ND	U	<0.19	<0.050	1
Ethylbenzene	2	2.0	20265	ND	U	<0.21	<0.049	1
m,p-Xylene	4	4.0	20265	ND	U	<0.43	<0.099	1
o-Xylene	2	2.0	20265	ND	U	<0.21	<0.049	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbo-pack X

Submitted by: NKP
Supervisor: TEM
Approved by : TEM

Date : 15-AUG-25



GALSON

LABORATORY FOOTNOTE REPORT

6601 Kirkville Road
 East Syracuse, NY 13057
 (315) 432-5227
 FAX: (315) 437-0571
 www.sgsгалson.com

Client Name : Haley Ward Inc.
 Site : COLD BROOK ENERGY FACILITY
 Project No. : 10142.008

Date Sampled : 23-JUL-25 Account No.: 41031
 Date Received: 08-AUG-25 Login No. : L669391
 Date Analyzed: 13-AUG-25 - 14-AUG-25

L669391 (Report ID: 1513783):

EPA qualifiers are as follows:
 U - Compound was analyzed for, but not detected.
 J - Compound was found greater than the MDL, but less than the LOQ.
 B - Compound is found in the associated method blank as well as in the sample.
 SOPs: MS-SOP-17(14)

L669391-7,13 (Report ID: 1513783):

Sample and duplicate Relative Percent Difference (RPD) was greater than 30% for m,p-Xylene and o-Xylene at 79% and 87%, respectively.

L669391-12,14 (Report ID: 1513783):

Sample and duplicate Relative Percent Difference (RPD) was greater than 30% for m,p-Xylene and o-Xylene at 70% and 72%, respectively.

L669391 (Report ID: 1513783):

Accuracy and mean recovery data presented below is based on a 95% confidence interval (k=2). The estimated accuracy applies to the media, technology, and SOP referenced in this report and does not account for the uncertainty associated with the sampling process. The accuracy is based solely on spike recovery data from internal quality control samples. Where N/A appears below, insufficient data is available to provide statistical accuracy and mean recovery values for the associated analyte.

Parameter	Accuracy	Mean Recovery
Benzene	+/-17.2%	102%
Ethylbenzene	+/-18.5%	104%
m,p-Xylenes	+/-20%	104%
o-Xylene	+/-18.2%	103%
Toluene	+/-17.5%	101%

Parameter	Method
Benzene	mod. EPA 325B; GCMS
Ethylbenzene	mod. EPA 325B; GCMS
Toluene	mod. EPA 325B; GCMS
m,p-Xylene	mod. EPA 325B; GCMS
o-Xylene	mod. EPA 325B; GCMS

U009391

SGS GALSON

Client Acct. No. 41031

EPA 325A Fenceline Monitoring

Chloe Desmond

121043178442674346
 Date: 08/08/25
 Shipper: UPS
 Initials: OTS
 Prep: UNKNOWN

Report To: Jason Patterson
 Company Name: Haley Ward Inc.
 Address 1: 1 Marchants Plaza
 Address 2: Suite 701
 State, Zip: Bangor, ME 04401
 Cell No.: 207-214-0141
 Report to: Cdesmond@haleyward.com
 Prep No.: PSY788280

Invoice To: Accounts Payable-Julie
 Company Name: Haley Ward Inc.
 Address 1: 1 Marchants Plaza
 Address 2: Suite 701
 City, State, Zip: Bangor, ME 04401
 Email Address: joreskovich@haleyward.com
 P.O. No.:
 Payment Info: Will Phone in Credit Card Information
 Credit Card on File

Need Results By*:	(surchar)
<input checked="" type="checkbox"/> 5 Business Days	0%
<input type="checkbox"/> 4 Business Days	35%
<input type="checkbox"/> 3 Business Days	50%
<input type="checkbox"/> 2 Business Days	75%
<input type="checkbox"/> Next Day by 6pm	100%
<input type="checkbox"/> Next Day by Noon	150%
<input type="checkbox"/> Same day	200%

complete shaded portions and return to the lab with the samples.*

Comments:

Average Ambient Temperature: 70.1
 Average Barometric Pressure: 29.87

50

Site Name: Cold Brook Energy Facility

Project: 10142.008

Sampled By: CGD

Sample Identification*	Manufacturer ID	Collection Medium	Date/Time Deployed (Military Time)	Date/Time Retrieved (Military Time)	Analysis Requested	Method
FLM 1	C60069	Carbopack X	7/23/25 1202	8/6/25 1348	BTEX	MOD. EPA325B: GCMS
FLM 2	C57013	Carbopack X	1206	1354	BTEX	MOD. EPA325B: GCMS
FLM 3	C56962	Carbopack X	1207	1359	BTEX	MOD. EPA325B: GCMS
FLM 4	C56910	Carbopack X	1212	1402	BTEX	MOD. EPA325B: GCMS
FLM 5	C53927	Carbopack X	1217	1406	BTEX	MOD. EPA325B: GCMS
FLM 6	C53928	Carbopack X	1222	1410	BTEX	MOD. EPA325B: GCMS
FLM 7	C55843	Carbopack X	1226	1414	BTEX	MOD. EPA325B: GCMS
FLM 8	C56968	Carbopack X	1141	1332	BTEX	MOD. EPA325B: GCMS
FLM 9	C53703	Carbopack X	1146	1330	BTEX	MOD. EPA325B: GCMS
FLM 10	C55851	Carbopack X	1152	1334	BTEX	MOD. EPA325B: GCMS
FLM 11	C40520	Carbopack X	1156	1337	BTEX	MOD. EPA325B: GCMS

Chain of Custody	Print Name	Signature	Date/Time
Relinquished by:	Chloe Grace Desmond	Chloe G. Desmond	8/6/25 1600
Received by LAB:		Olivia T. Silver / Olivia T. Silver	8/8/25 1222

*Required fields, failure to complete these fields may result in a delay in your samples being processed.

Page 1 of 2



Comments

Complete shaded portions and return to the lab with the samples.*

Sample Identification*	Manufacturer ID	Collection Medium	Date/Time Deployed (Military Time)	Date/Time Retrieved (Military Time)	Analysis Requested	Method
FLM 12	C60099	Carbopack X	7/23/25 1200	8/6/25 1344	BTEX	MOD. EPA325B: GCMS
FLM 13 - Dup (7)	C37964	Carbopack X	↓ 1222	↓ 1314 KLD 8/11/25	BTEX	MOD. EPA325B: GCMS
FLM 14 - Dup (12)	C15994	Carbopack X	↓ 1156	↓ 1344	BTEX	MOD. EPA325B: GCMS
FLM 15 - Blank (8)	C60057	Carbopack X	↓ 1226	↓ 1322	BTEX	MOD. EPA325B: GCMS
FLM 16 - Blank (11)	C60325	Carbopack X	↓ 1152	↓ 1337	BTEX	MOD. EPA325B: GCMS

Chain of Custody	Print Name	Signature	Date/Time
Relinquished by:	Chloe Grace Desmond	Chloe G. Desmond	8/6/25 1600
Received by LAB:		Olivia T. Silver	8/8/25 1222

*Required fields, failure to complete these fields may result in a delay in your samples being processed.

Page 2 of 2

Samples received after 3pm will be considered as next day's business.



GALSON

Chloe Desmond
Haley Ward Inc.
1 Merchants Plaza
Suite 701
Bangor, ME 04401

September 02, 2025

Account# 41031

Login# L670933

Dear Chloe Desmond:

Enclosed are the analytical results for the samples received by our laboratory on August 25, 2025. All samples on the chain of custody were received in good condition unless otherwise noted. Any additional observations will be noted on the chain of custody.

Please contact client services at (888) 432-5227 if you would like any additional information regarding this report. Thank you for using SGS Galson.

Sincerely,

SGS Galson

Lisa Swab
Laboratory Director

Enclosure(s)



Terms and Conditions & General Disclaimers

- This document is issued by the Company under its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.
- Any holder of this document is advised that information contained herein reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Analytical Disclaimers

- Unless otherwise noted within the report, all quality control results associated with the samples were within established control limits or did not impact reported results.
- Note: The findings recorded within this report were drawn from analysis of the sample(s) provided to the laboratory by the Client (or a third party acting at the Client’s direction). The laboratory does not have control over the sampling process, including but not limited to the use of field equipment and collection media, as well as the sampling duration, collection volume or any other collection parameter used by the Client. The findings herein constitute no warranty of the sample's representativeness of any sampled environment, and strictly relate to the samples as they were presented to the laboratory. For recommended sampling collection parameters, please refer to the Sampling and Analysis Guide at www.sgsgalson.com.
- Unrounded results are carried through the calculations that yield the final result and the final result is rounded to the number of significant figures appropriate to the accuracy of the analytical method. Please note that results appearing in the columns preceding the final result column may have been rounded and therefore, if carried through the calculations, may not yield an identical final result to the one reported.
- The stated LOQs for each analyte represent the demonstrated LOQ concentrations prior to correction for desorption efficiency (if applicable).
- Unless otherwise noted within the report, results have not been blank corrected for any field blank or method blank data.

Accreditations SGS Galson holds a variety of accreditations and recognitions. Our quality management system conforms with the requirements of ISO/IEC 17025. Where applicable, samples may also be analyzed in accordance with the requirements of ELAP, NELAC, or LELAP under one of the state accrediting bodies listed below. Current Scopes of Accreditation can be viewed at <http://www.sgsgalson.com> in the accreditations section of the "About" page. To determine if the analyte tested falls under our scope of accreditation, please visit our website or call Client Services at (888) 432-5227.

National/International	Accreditation/Recognition	Lab ID#	Program/Sector
AIHA-LAP, LLC - IHLAP, ELLAP, EMLAP	ISO/IEC 17025 and USEPA NLLAP	Lab ID 100324	Industrial Hygiene, Environmental Lead, Environmental Microbiology

State	Accreditation/Recognition	Lab ID#	Program/Sector
New York (NYSDOH)	ELAP and NELAC (TNI)	Lab ID: 11626	Air Analysis, Solid and Hazardous Waste
Louisiana (LDEQ)	LELAP	Lab ID: 04083	Air Analysis, Solid Chemical Materials

Legend

< - Less than	mg - Milligrams	MDL - Method Detection Limit	ppb - Parts per Billion
> - Greater than	ug - Micrograms	NA - Not Applicable	ppm - Parts per Million
l - Liters	m3 - Cubic Meters	NS - Not Specified	ppbv - ppb Volume
LOQ - Limit of Quantitation	kg - Kilograms	ND - Not Detected	ppmv - ppm Volume
ft2 - Square Feet	cm2 - Square Centimeters	in2 - Square Inches	ng - Nanograms



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : FENCELINE MONITORING 10142.008
Date Sampled : 06-AUG-25
Date Received : 25-AUG-25

Account No.: 41031
Login No. : L670933
Date Analyzed : 30-AUG-25
Report ID : 1517395

Client ID : FLM 1
Date Sampled : 08/06/25

Lab ID : L670933-1
Date Analyzed : 08/30/25
Time : 19892 minutes

Parameter	MDL ng	LOQ ng	Time minutes	Total ng	Total Qual	Conc ug/m3	ppbv	Dil Fact
Benzene	2	2.0	19892	12		0.87	0.27	1
Toluene	2	2.0	19892	23		2.2	0.58	1
Ethylbenzene	2	2.0	19892	2.5		0.28	0.064	1
m,p-Xylene	4	4.0	19892	7.7		0.84	0.19	1
o-Xylene	2	2.0	19892	3.2		0.35	0.080	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X
Submitted by: EEA
Supervisor: TEM
Date : 02-SEP-25
Approved by : TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : FENCELINE MONITORING 10142.008
Date Sampled : 06-AUG-25
Date Received : 25-AUG-25

Account No.: 41031
Login No. : L670933
Date Analyzed : 30-AUG-25
Report ID : 1517395

Client ID : FLM 2
Date Sampled : 08/06/25

Lab ID : L670933-2
Date Analyzed : 08/30/25

Time : 19890 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	19890	13		0.96	0.30	1
Toluene	2	2.0	19890	27		2.6	0.69	1
Ethylbenzene	2	2.0	19890	2.8		0.30	0.069	1
m,p-Xylene	4	4.0	19890	8.7		0.95	0.22	1
o-Xylene	2	2.0	19890	3.4		0.37	0.085	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM
Approved by : TEM

Date : 02-SEP-25



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : FENCELINE MONITORING 10142.008
Date Sampled : 06-AUG-25
Date Received : 25-AUG-25

Account No.: 41031
Login No. : L670933
Date Analyzed : 30-AUG-25
Report ID : 1517395

Client ID : FLM 3
Date Sampled : 08/06/25

Lab ID : L670933-3
Date Analyzed : 08/30/25
Time : 19890 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	19890	14		1.0	0.31	1
Toluene	2	2.0	19890	28		2.7	0.72	1
Ethylbenzene	2	2.0	19890	3.6		0.39	0.090	1
m,p-Xylene	4	4.0	19890	11		1.2	0.29	1
o-Xylene	2	2.0	19890	4.5		0.50	0.11	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X
Submitted by: EEA
Supervisor: TEM
Date : 02-SEP-25
Approved by : TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : FENCELINE MONITORING 10142.008
Date Sampled : 06-AUG-25
Date Received : 25-AUG-25

Account No.: 41031
Login No. : L670933
Date Analyzed : 30-AUG-25
Report ID : 1517395

Client ID : FLM 4
Date Sampled : 08/06/25

Lab ID : L670933-4
Date Analyzed : 08/30/25

Time : 19891 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	19891	8.6		0.65	0.20	1
Toluene	2	2.0	19891	16		1.5	0.40	1
Ethylbenzene	2	2.0	19891	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	19891	6.1		0.67	0.15	1
o-Xylene	2	2.0	19891	2.5		0.27	0.062	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM
Approved by : TEM

Date : 02-SEP-25



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : FENCELINE MONITORING 10142.008
Date Sampled : 06-AUG-25
Date Received : 25-AUG-25

Account No.: 41031
Login No. : L670933
Date Analyzed : 30-AUG-25
Report ID : 1517395

Client ID : FLM 5
Date Sampled : 08/06/25

Lab ID : L670933-5
Date Analyzed : 08/30/25

Time : 19891 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	19891	6.7		0.51	0.16	1
Toluene	2	2.0	19891	12		1.2	0.31	1
Ethylbenzene	2	2.0	19891	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	19891	5.0		0.55	0.13	1
o-Xylene	2	2.0	19891	2.1		0.22	0.052	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM
Approved by : TEM

Date : 02-SEP-25



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : FENCELINE MONITORING 10142.008
Date Sampled : 06-AUG-25
Date Received : 25-AUG-25

Account No.: 41031
Login No. : L670933
Date Analyzed : 30-AUG-25
Report ID : 1517395

Client ID : FLM 6
Date Sampled : 08/06/25

Lab ID : L670933-6
Date Analyzed : 08/30/25

Time : 19890 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	19890	5.7		0.43	0.13	1
Toluene	2	2.0	19890	9.9		0.96	0.25	1
Ethylbenzene	2	2.0	19890	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	19890	4.1		0.45	0.10	1
o-Xylene	2	2.0	19890	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM
Approved by : TEM

Date : 02-SEP-25



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : FENCELINE MONITORING 10142.008
Date Sampled : 06-AUG-25
Date Received : 25-AUG-25

Account No.: 41031
Login No. : L670933
Date Analyzed : 30-AUG-25
Report ID : 1517395

Client ID : FLM 7
Date Sampled : 08/06/25

Lab ID : L670933-7
Date Analyzed : 08/30/25
Time : 19891 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	19891	6.8		0.51	0.16	1
Toluene	2	2.0	19891	12		1.2	0.31	1
Ethylbenzene	2	2.0	19891	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	19891	6.1		0.66	0.15	1
o-Xylene	2	2.0	19891	2.7		0.29	0.068	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X
Submitted by: EEA
Supervisor: TEM
Date : 02-SEP-25
Approved by : TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : FENCELINE MONITORING 10142.008
Date Sampled : 06-AUG-25
Date Received : 25-AUG-25

Account No.: 41031
Login No. : L670933
Date Analyzed : 30-AUG-25
Report ID : 1517395

Client ID : FLM 8
Date Sampled : 08/06/25

Lab ID : L670933-8
Date Analyzed : 08/30/25

Time : 19894 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	19894	8.6		0.65	0.20	1
Toluene	2	2.0	19894	18		1.8	0.47	1
Ethylbenzene	2	2.0	19894	2.7		0.29	0.068	1
m,p-Xylene	4	4.0	19894	9.0		0.99	0.23	1
o-Xylene	2	2.0	19894	3.6		0.40	0.091	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM
Approved by : TEM

Date : 02-SEP-25



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : FENCELINE MONITORING 10142.008
Date Sampled : 06-AUG-25
Date Received : 25-AUG-25

Account No.: 41031
Login No. : L670933
Date Analyzed : 30-AUG-25
Report ID : 1517395

Client ID : FLM 9
Date Sampled : 08/06/25

Lab ID : L670933-9
Date Analyzed : 08/30/25

Time : 19891 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	19891	11		0.82	0.26	1
Toluene	2	2.0	19891	26		2.5	0.65	1
Ethylbenzene	2	2.0	19891	4.1		0.45	0.10	1
m,p-Xylene	4	4.0	19891	16		1.7	0.40	1
o-Xylene	2	2.0	19891	5.3		0.58	0.13	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 02-SEP-25

Approved by : TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : FENCELINE MONITORING 10142.008
Date Sampled : 06-AUG-25
Date Received : 25-AUG-25

Account No.: 41031
Login No. : L670933
Date Analyzed : 30-AUG-25
Report ID : 1517395

Client ID : FLM 10
Date Sampled : 08/06/25

Lab ID : L670933-10
Date Analyzed : 08/30/25
Time : 19892 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	19892	34		2.6	0.82	1
Toluene	2	2.0	19892	79		7.6	2.0	1
Ethylbenzene	2	2.0	19892	8.3		0.90	0.21	1
m,p-Xylene	4	4.0	19892	28		3.0	0.70	1
o-Xylene	2	2.0	19892	11		1.2	0.27	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X
Submitted by: EEA
Supervisor: TEM
Date : 02-SEP-25
Approved by : TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : FENCELINE MONITORING 10142.008
Date Sampled : 06-AUG-25
Date Received : 25-AUG-25

Account No.: 41031
Login No. : L670933
Date Analyzed : 30-AUG-25
Report ID : 1517395

Client ID : FLM 11
Date Sampled : 08/06/25

Lab ID : L670933-11
Date Analyzed : 08/30/25

Time : 19893 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	19893	21		1.6	0.50	1
Toluene	2	2.0	19893	49		4.7	1.3	1
Ethylbenzene	2	2.0	19893	5.3		0.58	0.13	1
m,p-Xylene	4	4.0	19893	13		1.5	0.33	1
o-Xylene	2	2.0	19893	5.0		0.55	0.13	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM
Approved by : TEM

Date : 02-SEP-25



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : FENCELINE MONITORING 10142.008
Date Sampled : 06-AUG-25
Date Received : 25-AUG-25

Account No.: 41031
Login No. : L670933
Date Analyzed : 30-AUG-25
Report ID : 1517395

Client ID : FLM 12
Date Sampled : 08/06/25

Lab ID : L670933-12
Date Analyzed : 08/30/25

Time : 19890 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	19890	14		1.1	0.34	1
Toluene	2	2.0	19890	34		3.3	0.88	1
Ethylbenzene	2	2.0	19890	3.7		0.40	0.092	1
m,p-Xylene	4	4.0	19890	8.1		0.89	0.20	1
o-Xylene	2	2.0	19890	2.9		0.31	0.072	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 02-SEP-25

Approved by : TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : FENCELINE MONITORING 10142.008
Date Sampled : 06-AUG-25
Date Received : 25-AUG-25

Account No.: 41031
Login No. : L670933
Date Analyzed : 30-AUG-25
Report ID : 1517395

Client ID : FLM 13-DUP (8)
Date Sampled : 08/06/25

Lab ID : L670933-13
Date Analyzed : 08/30/25

Time : 19842 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	19842	6.7		0.51	0.16	1
Toluene	2	2.0	19842	14		1.4	0.37	1
Ethylbenzene	2	2.0	19842	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	19842	ND	U	<0.44	<0.10	1
o-Xylene	2	2.0	19842	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbo-pack X

Submitted by: EEA
Supervisor: TEM
Approved by : TEM

Date : 02-SEP-25



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : FENCELINE MONITORING 10142.008
Date Sampled : 06-AUG-25
Date Received : 25-AUG-25

Account No.: 41031
Login No. : L670933
Date Analyzed : 30-AUG-25
Report ID : 1517395

Client ID : FLM 14-DUP (1)
Date Sampled : 08/06/25

Lab ID : L670933-14 Time : 19896 minutes
Date Analyzed : 08/30/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	19896	13		0.96	0.30	1
Toluene	2	2.0	19896	28		2.7	0.71	1
Ethylbenzene	2	2.0	19896	3.2		0.35	0.081	1
m,p-Xylene	4	4.0	19896	9.7		1.1	0.24	1
o-Xylene	2	2.0	19896	3.9		0.42	0.097	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbo-pack X

Submitted by: EEA
Supervisor: TEM

Date : 02-SEP-25
Approved by : TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : FENCELINE MONITORING 10142.008
Date Sampled : 06-AUG-25
Date Received : 25-AUG-25

Account No.: 41031
Login No. : L670933
Date Analyzed : 30-AUG-25
Report ID : 1517395

Client ID : FLM 15-BLANK (9)
Date Sampled : 08/06/25

Lab ID : L670933-15
Date Analyzed : 08/30/25

Time : 19899 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	19899	ND	U	<0.15	<0.047	1
Toluene	2	2.0	19899	ND	U	<0.19	<0.051	1
Ethylbenzene	2	2.0	19899	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	19899	ND	U	<0.44	<0.10	1
o-Xylene	2	2.0	19899	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 02-SEP-25

Approved by : TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : FENCELINE MONITORING 10142.008
Date Sampled : 06-AUG-25
Date Received : 25-AUG-25

Account No.: 41031
Login No. : L670933
Date Analyzed : 30-AUG-25
Report ID : 1517395

Client ID : FLM 16-BLANK (12)
Date Sampled : 08/06/25

Lab ID : L670933-16
Date Analyzed : 08/30/25

Time : 19897 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	19897	ND	U	<0.15	<0.047	1
Toluene	2	2.0	19897	ND	U	<0.19	<0.051	1
Ethylbenzene	2	2.0	19897	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	19897	ND	U	<0.44	<0.10	1
o-Xylene	2	2.0	19897	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 02-SEP-25
Approved by : TEM



GALSON

LABORATORY FOOTNOTE REPORT

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client Name : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : FENCELINE MONITORING 10142.008

Date Sampled : 06-AUG-25 Account No.: 41031
Date Received: 25-AUG-25 Login No. : L670933
Date Analyzed: 30-AUG-25

L670933 (Report ID: 1517395):

EPA qualifiers are as follows:
U - Compound was analyzed for, but not detected.
J - Compound was found greater than the MDL, but less than the LOQ.
B - Compound is found in the associated method blank as well as in the sample.
SOPs: MS-SOP-17(14)

L670933-8,13 (Report ID: 1517395):

Sample and Sample Duplicate Relative Percent Difference (RPD) exceeded 30% for Ethylbenzene, m,p-Xylene, and o-Xylene at 51%, 90%, and 94%, respectively.

L670933 (Report ID: 1517395):

Accuracy and mean recovery data presented below is based on a 95% confidence interval (k=2). The estimated accuracy applies to the media, technology, and SOP referenced in this report and does not account for the uncertainty associated with the sampling process. The accuracy is based solely on spike recovery data from internal quality control samples. Where N/A appears below, insufficient data is available to provide statistical accuracy and mean recovery values for the associated analyte.

Parameter	Accuracy	Mean Recovery
Benzene	+/-17.2%	102%
Ethylbenzene	+/-18.5%	104%
m,p-Xylenes	+/-20%	104%
o-Xylene	+/-18.2%	103%
Toluene	+/-17.5%	101%

Parameter	Method
Benzene	mod. EPA 325B; GCMS
Ethylbenzene	mod. EPA 325B; GCMS
Toluene	mod. EPA 325B; GCMS
m,p-Xylene	mod. EPA 325B; GCMS
o-Xylene	mod. EPA 325B; GCMS

U670933

SGS GALSON

Client Acct. No.

41031

EPA 325A Fenceline Monitoring

Chloe Desmond

Jason Patterson

Report To: Jason Patterson
 any Name: Haley Ward Inc.
 Address 1: 1 Marchants Plaza
 Address 2: Suite 701
 State, Zip: Bangor, ME 04401
 Cell No.: 207-214-0141
 Report to: cdesmond@haleyward.com
 jpatterson@haleyward.com
 rep No.: PSY788281

Invoice To: Accounts Payable-Julie

Company Name: Haley Ward Inc.

Address 1: 1 Marchants Plaza

Address 2: Suite 701

City, State, Zip: Bangor, ME 04401

Email Address: joreskovich@haleyward.com

P.O. No:

Payment Info: Will Phone in Credit Card Information
 Credit Card on File

55

121043178741585975
 Date: 08/25/25
 Shipper: UPS
 Initials: OTS
 Pr ep: UNKNOWN

Need Results By*:	(surcharge)
<input checked="" type="checkbox"/> 5 Business Days	0%
<input type="checkbox"/> 4 Business Days	35%
<input type="checkbox"/> 3 Business Days	50%
<input type="checkbox"/> 2 Business Days	75%
<input type="checkbox"/> Next Day by 6pm	100%
<input type="checkbox"/> Next Day by Noon	150%
<input type="checkbox"/> Same day	200%

Complete shaded portions and return to the lab with the samples.*

Comments:

Average Ambient Temperature:	69.1
Average Barometric Pressure:	29.92

Site Name: Cold Brook Energy Project: Fence line Monitoring 10142.008 Sampled By: Chloe Desmond

Sample Identification*	Manufacturer ID	Collection Medium	Date/Time Deployed (Military Time)	Date/Time Retrieved (Military Time)	Analysis Requested	Method
FLM 1	C41401	Carbopack X	8/6/25 1350	8/20/25 0922	BTEX	MOD. EPA325B: GCMS
FLM 2	C41402	Carbopack X	1356	0926	BTEX	MOD. EPA325B: GCMS
FLM 3	C41465	Carbopack X	1401	0931	BTEX	MOD. EPA325B: GCMS
FLM 4	C41504	Carbopack X	1404	0935	BTEX	MOD. EPA325B: GCMS
FLM 5	C40214	Carbopack X	1408	0939	BTEX	MOD. EPA325B: GCMS
FLM 6	C41422	Carbopack X	1412	0942	BTEX	MOD. EPA325B: GCMS
FLM 7	C41381	Carbopack X	1416	0947	BTEX	MOD. EPA325B: GCMS
FLM 8	C40212	Carbopack X	1324	0858	BTEX	MOD. EPA325B: GCMS
FLM 9	C54296	Carbopack X	1332	0903	BTEX	MOD. EPA325B: GCMS
FLM 10	C40275	Carbopack X	1336	0908	BTEX	MOD. EPA325B: GCMS
FLM 11	C41425	Carbopack X	↓ 1339 ↓	↓ 0912 ↓	BTEX	MOD. EPA325B: GCMS

Chain of Custody	Print Name	Signature	Date/Time
Relinquished by:	Chloe Desmond	Chloe Desmond	8/20/25 1200
Received by LAB:		Olivia T. Silver	8/25/25 1139



GALSON

Chloe Desmond
Haley Ward Inc.
1 Merchants Plaza
Suite 701
Bangor, ME 04401

September 12, 2025

Account# 41031

Login# L672109

Dear Chloe Desmond:

Enclosed are the analytical results for the samples received by our laboratory on September 05, 2025. All samples on the chain of custody were received in good condition unless otherwise noted. Any additional observations will be noted on the chain of custody.

Please contact client services at (888) 432-5227 if you would like any additional information regarding this report. Thank you for using SGS Galson.

Sincerely,

SGS Galson

Lisa Swab
Laboratory Director

Enclosure(s)



Terms and Conditions & General Disclaimers

- This document is issued by the Company under its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.
- Any holder of this document is advised that information contained herein reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Analytical Disclaimers

- Unless otherwise noted within the report, all quality control results associated with the samples were within established control limits or did not impact reported results.
- Note: The findings recorded within this report were drawn from analysis of the sample(s) provided to the laboratory by the Client (or a third party acting at the Client’s direction). The laboratory does not have control over the sampling process, including but not limited to the use of field equipment and collection media, as well as the sampling duration, collection volume or any other collection parameter used by the Client. The findings herein constitute no warranty of the sample's representativeness of any sampled environment, and strictly relate to the samples as they were presented to the laboratory. For recommended sampling collection parameters, please refer to the Sampling and Analysis Guide at www.sgsgalson.com.
- Unrounded results are carried through the calculations that yield the final result and the final result is rounded to the number of significant figures appropriate to the accuracy of the analytical method. Please note that results appearing in the columns preceding the final result column may have been rounded and therefore, if carried through the calculations, may not yield an identical final result to the one reported.
- The stated LOQs for each analyte represent the demonstrated LOQ concentrations prior to correction for desorption efficiency (if applicable).
- Unless otherwise noted within the report, results have not been blank corrected for any field blank or method blank data.

Accreditations SGS Galson holds a variety of accreditations and recognitions. Our quality management system conforms with the requirements of ISO/IEC 17025. Where applicable, samples may also be analyzed in accordance with the requirements of ELAP, NELAC, or LELAP under one of the state accrediting bodies listed below. Current Scopes of Accreditation can be viewed at <http://www.sgsgalson.com> in the accreditations section of the "About" page. To determine if the analyte tested falls under our scope of accreditation, please visit our website or call Client Services at (888) 432-5227.

National/International	Accreditation/Recognition	Lab ID#	Program/Sector
AIHA-LAP, LLC - IHLAP, ELLAP, EMLAP	ISO/IEC 17025 and USEPA NLLAP	Lab ID 100324	Industrial Hygiene, Environmental Lead, Environmental Microbiology

State	Accreditation/Recognition	Lab ID#	Program/Sector
New York (NYSDOH)	ELAP and NELAC (TNI)	Lab ID: 11626	Air Analysis, Solid and Hazardous Waste
Louisiana (LDEQ)	LELAP	Lab ID: 04083	Air Analysis, Solid Chemical Materials

Legend

< - Less than	mg - Milligrams	MDL - Method Detection Limit	ppb - Parts per Billion
> - Greater than	ug - Micrograms	NA - Not Applicable	ppm - Parts per Million
l - Liters	m3 - Cubic Meters	NS - Not Specified	ppbv - ppb Volume
LOQ - Limit of Quantitation	kg - Kilograms	ND - Not Detected	ppmv - ppm Volume
ft2 - Square Feet	cm2 - Square Centimeters	in2 - Square Inches	ng - Nanograms



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008 FENCE LINE MONITORING
Date Sampled : 20-AUG-25
Date Received : 05-SEP-25

Account No.: 41031
Login No. : L672109
Date Analyzed : 11-SEP-25 - 12-SEP-25
Report ID : 1519660

Client ID : FLM 1
Date Sampled : 08/20/25

Lab ID : L672109-1
Date Analyzed : 09/11/25

Time : 20150 minutes

Parameter	MDL ng	LOQ ng	Time minutes	Total ng	Total Qual	Conc ug/m3	ppbv	Dil Fact
Benzene	2	2.0	20150	11		0.80	0.25	1
Toluene	2	2.0	20150	23		2.2	0.58	1
Ethylbenzene	2	2.0	20150	2.8		0.30	0.070	1
m,p-Xylene	4	4.0	20150	6.9		0.75	0.17	1
o-Xylene	2	2.0	20150	2.7		0.29	0.066	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: BHB
Supervisor: TEM

Date : 12-SEP-25

Approved by : TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc. Account No.: 41031
Site : COLD BROOK ENERGY Login No. : L672109
Project No. : 10142.008 FENCE LINE MONITORING
Date Sampled : 20-AUG-25 Date Analyzed : 11-SEP-25 - 12-SEP-25
Date Received : 05-SEP-25 Report ID : 1519660

Client ID : FLM 2 Lab ID : L672109-2 Time : 20152 minutes
Date Sampled : 08/20/25 Date Analyzed : 09/11/25

Parameter	MDL ng	LOQ ng	Time minutes	Total ng	Total Qual	Conc ug/m3	Dil ppbv	Dil Fact
Benzene	2	2.0	20152	12		0.87	0.27	1
Toluene	2	2.0	20152	26		2.5	0.65	1
Ethylbenzene	2	2.0	20152	3.0		0.32	0.074	1
m,p-Xylene	4	4.0	20152	8.1		0.88	0.20	1
o-Xylene	2	2.0	20152	3.1		0.33	0.076	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS Submitted by: BHB Date : 12-SEP-25
Collection Media : Carbopack X Supervisor: TEM Approved by : TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008 FENCE LINE MONITORING
Date Sampled : 20-AUG-25
Date Received : 05-SEP-25

Account No.: 41031
Login No. : L672109
Date Analyzed : 11-SEP-25 - 12-SEP-25
Report ID : 1519660

Client ID : FLM 3
Date Sampled : 08/20/25

Lab ID : L672109-3
Date Analyzed : 09/11/25

Time : 20153 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	20153	9.9		0.74	0.23	1
Toluene	2	2.0	20153	19		1.8	0.48	1
Ethylbenzene	2	2.0	20153	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20153	4.3		0.47	0.11	1
o-Xylene	2	2.0	20153	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: BHB
Supervisor: TEM
Approved by : TEM

Date : 12-SEP-25



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc. Account No.: 41031
Site : COLD BROOK ENERGY Login No. : L672109
Project No. : 10142.008 FENCE LINE MONITORING
Date Sampled : 20-AUG-25 Date Analyzed : 11-SEP-25 - 12-SEP-25
Date Received : 05-SEP-25 Report ID : 1519660

Client ID : FLM 4 Lab ID : L672109-4 Time : 20155 minutes
Date Sampled : 08/20/25 Date Analyzed : 09/11/25

Parameter	MDL ng	LOQ ng	Time minutes	Total ng	Total Qual	Conc ug/m3	Dil ppbv	Dil Fact
Benzene	2	2.0	20155	7.5		0.56	0.18	1
Toluene	2	2.0	20155	13		1.2	0.33	1
Ethylbenzene	2	2.0	20155	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20155	ND	U	<0.43	<0.099	1
o-Xylene	2	2.0	20155	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS Submitted by: BHB Date : 12-SEP-25
Collection Media : Carbopack X Supervisor: TEM Approved by : TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc. Account No.: 41031
Site : COLD BROOK ENERGY Login No. : L672109
Project No. : 10142.008 FENCE LINE MONITORING
Date Sampled : 20-AUG-25 Date Analyzed : 11-SEP-25 - 12-SEP-25
Date Received : 05-SEP-25 Report ID : 1519660

Client ID : FLM 5 Lab ID : L672109-5 Time : 20154 minutes
Date Sampled : 08/20/25 Date Analyzed : 09/11/25

Parameter	MDL ng	LOQ ng	Time minutes	Total ng	Total Qual	Conc ug/m3	Dil ppbv	Dil Fact
Benzene	2	2.0	20154	4.6		0.34	0.11	1
Toluene	2	2.0	20154	7.4		0.71	0.19	1
Ethylbenzene	2	2.0	20154	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20154	ND	U	<0.43	<0.099	1
o-Xylene	2	2.0	20154	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS Submitted by: BHB Date : 12-SEP-25
Collection Media : Carbopack X Supervisor: TEM Approved by : TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc. Account No.: 41031
Site : COLD BROOK ENERGY Login No. : L672109
Project No. : 10142.008 FENCE LINE MONITORING
Date Sampled : 20-AUG-25 Date Analyzed : 11-SEP-25 - 12-SEP-25
Date Received : 05-SEP-25 Report ID : 1519660

Client ID : FLM 6 Lab ID : L672109-6 Time : 20156 minutes
Date Sampled : 08/20/25 Date Analyzed : 09/11/25

Parameter	MDL ng	LOQ ng	Time minutes	Total ng	Total Qual	Conc ug/m3	Dil ppbv	Dil Fact
Benzene	2	2.0	20156	4.1		0.31	0.094	1
Toluene	2	2.0	20156	6.8		0.64	0.17	1
Ethylbenzene	2	2.0	20156	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20156	ND	U	<0.43	<0.099	1
o-Xylene	2	2.0	20156	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS Submitted by: BHB Date : 12-SEP-25
Collection Media : Carbopack X Supervisor: TEM Approved by : TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc. Account No.: 41031
Site : COLD BROOK ENERGY Login No. : L672109
Project No. : 10142.008 FENCE LINE MONITORING
Date Sampled : 20-AUG-25 Date Analyzed : 11-SEP-25 - 12-SEP-25
Date Received : 05-SEP-25 Report ID : 1519660

Client ID : FLM 7 Lab ID : L672109-7 Time : 20154 minutes
Date Sampled : 08/20/25 Date Analyzed : 09/11/25

Parameter	MDL ng	LOQ ng	Time minutes	Total ng	Total Qual	Conc ug/m3	Dil ppbv	Dil Fact
Benzene	2	2.0	20154	4.2		0.32	0.10	1
Toluene	2	2.0	20154	7.3		0.69	0.18	1
Ethylbenzene	2	2.0	20154	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20154	ND	U	<0.43	<0.099	1
o-Xylene	2	2.0	20154	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS Submitted by: BHB Date : 12-SEP-25
Collection Media : Carbopack X Supervisor: TEM Approved by : TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc. Account No.: 41031
Site : COLD BROOK ENERGY Login No. : L672109
Project No. : 10142.008 FENCE LINE MONITORING
Date Sampled : 20-AUG-25 Date Analyzed : 11-SEP-25 - 12-SEP-25
Date Received : 05-SEP-25 Report ID : 1519660

Client ID : FLM 8 Lab ID : L672109-8 Time : 20151 minutes
Date Sampled : 08/20/25 Date Analyzed : 09/11/25

Parameter	MDL ng	LOQ ng	Time minutes	Total ng	Total Qual	Conc ug/m3	Dil ppbv	Dil Fact
Benzene	2	2.0	20151	5.9		0.44	0.14	1
Toluene	2	2.0	20151	11		1.1	0.29	1
Ethylbenzene	2	2.0	20151	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20151	ND	U	<0.43	<0.099	1
o-Xylene	2	2.0	20151	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS Submitted by: BHB Date : 12-SEP-25
Collection Media : Carbopack X Supervisor: TEM Approved by : TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc. Account No.: 41031
Site : COLD BROOK ENERGY Login No. : L672109
Project No. : 10142.008 FENCE LINE MONITORING
Date Sampled : 20-AUG-25 Date Analyzed : 11-SEP-25 - 12-SEP-25
Date Received : 05-SEP-25 Report ID : 1519660

Client ID : FLM 9 Lab ID : L672109-9 Time : 20150 minutes
Date Sampled : 08/20/25 Date Analyzed : 09/11/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20150	11		0.82	0.26	1
Toluene	2	2.0	20150	60		5.7	1.5	1
Ethylbenzene	2	2.0	20150	10		1.1	0.26	1
m,p-Xylene	4	4.0	20150	31		3.3	0.76	1
o-Xylene	2	2.0	20150	12		1.3	0.30	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS Submitted by: BHB Date : 12-SEP-25
Collection Media : Carbopack X Supervisor: TEM Approved by : TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc. Account No.: 41031
Site : COLD BROOK ENERGY Login No. : L672109
Project No. : 10142.008 FENCE LINE MONITORING
Date Sampled : 20-AUG-25 Date Analyzed : 11-SEP-25 - 12-SEP-25
Date Received : 05-SEP-25 Report ID : 1519660

Client ID : FLM 10 Lab ID : L672109-10 Time : 20150 minutes
Date Sampled : 08/20/25 Date Analyzed : 09/11/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20150	31		2.3	0.72	1
Toluene	2	2.0	20150	63		6.0	1.6	1
Ethylbenzene	2	2.0	20150	5.7		0.61	0.14	1
m,p-Xylene	4	4.0	20150	14		1.5	0.35	1
o-Xylene	2	2.0	20150	5.8		0.62	0.14	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS Submitted by: BHB Date : 12-SEP-25
Collection Media : Carbopack X Supervisor: TEM Approved by : TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc. Account No.: 41031
Site : COLD BROOK ENERGY Login No. : L672109
Project No. : 10142.008 FENCE LINE MONITORING
Date Sampled : 20-AUG-25 Date Analyzed : 11-SEP-25 - 12-SEP-25
Date Received : 05-SEP-25 Report ID : 1519660

Client ID : FLM 11 Lab ID : L672109-11 Time : 20151 minutes
Date Sampled : 08/20/25 Date Analyzed : 09/11/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20151	18		1.3	0.41	1
Toluene	2	2.0	20151	40		3.8	1.0	1
Ethylbenzene	2	2.0	20151	4.3		0.46	0.11	1
m,p-Xylene	4	4.0	20151	11		1.1	0.26	1
o-Xylene	2	2.0	20151	4.0		0.43	0.099	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS Submitted by: BHB Date : 12-SEP-25
Collection Media : Carbopack X Supervisor: TEM Approved by : TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc. Account No.: 41031
Site : COLD BROOK ENERGY Login No. : L672109
Project No. : 10142.008 FENCE LINE MONITORING
Date Sampled : 20-AUG-25 Date Analyzed : 11-SEP-25 - 12-SEP-25
Date Received : 05-SEP-25 Report ID : 1519660

Client ID : FLM 12 Lab ID : L672109-12 Time : 20152 minutes
Date Sampled : 08/20/25 Date Analyzed : 09/11/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20152	14		1.1	0.34	1
Toluene	2	2.0	20152	31		3.0	0.79	1
Ethylbenzene	2	2.0	20152	3.4		0.37	0.086	1
m,p-Xylene	4	4.0	20152	8.7		0.94	0.22	1
o-Xylene	2	2.0	20152	3.3		0.36	0.083	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS Submitted by: BHB Date : 12-SEP-25
Collection Media : Carbopack X Supervisor: TEM Approved by : TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc. Account No.: 41031
Site : COLD BROOK ENERGY Login No. : L672109
Project No. : 10142.008 FENCE LINE MONITORING
Date Sampled : 20-AUG-25 Date Analyzed : 11-SEP-25 - 12-SEP-25
Date Received : 05-SEP-25 Report ID : 1519660

Client ID : FLM 13-DUP (9) Lab ID : L672109-13 Time : 20155 minutes
Date Sampled : 08/20/25 Date Analyzed : 09/12/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20155	10		0.79	0.25	1
Toluene	2	2.0	20155	58		5.5	1.5	1
Ethylbenzene	2	2.0	20155	10		1.1	0.26	1
m,p-Xylene	4	4.0	20155	31		3.3	0.76	1
o-Xylene	2	2.0	20155	12		1.3	0.30	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS Submitted by: BHB Date : 12-SEP-25
Collection Media : Carbo-pack X Supervisor: TEM Approved by : TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc. Account No.: 41031
Site : COLD BROOK ENERGY Login No. : L672109
Project No. : 10142.008 FENCE LINE MONITORING
Date Sampled : 20-AUG-25 Date Analyzed : 11-SEP-25 - 12-SEP-25
Date Received : 05-SEP-25 Report ID : 1519660

Client ID : FLM 14-DUP (2) Lab ID : L672109-14 Time : 20156 minutes
Date Sampled : 08/20/25 Date Analyzed : 09/12/25

Parameter	MDL ng	LOQ ng	Time minutes	Total ng	Total Qual	Conc ug/m3	Dil ppbv	Dil Fact
Benzene	2	2.0	20156	12		0.88	0.28	1
Toluene	2	2.0	20156	23		2.2	0.59	1
Ethylbenzene	2	2.0	20156	2.2		0.24	0.054	1
m,p-Xylene	4	4.0	20156	4.7		0.51	0.12	1
o-Xylene	2	2.0	20156	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS Submitted by: BHB Date : 12-SEP-25
Collection Media : Carbo-pack X Supervisor: TEM Approved by : TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc. Account No.: 41031
Site : COLD BROOK ENERGY Login No. : L672109
Project No. : 10142.008 FENCE LINE MONITORING
Date Sampled : 20-AUG-25 Date Analyzed : 11-SEP-25 - 12-SEP-25
Date Received : 05-SEP-25 Report ID : 1519660

Client ID : FLM 15-BLANK (10) Lab ID : L672109-15 Time : 20155 minutes
Date Sampled : 08/20/25 Date Analyzed : 09/12/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	20155	ND	U	<0.15	<0.046	1
Toluene	2	2.0	20155	ND	U	<0.19	<0.051	1
Ethylbenzene	2	2.0	20155	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20155	ND	U	<0.43	<0.099	1
o-Xylene	2	2.0	20155	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS Submitted by: BHB Date : 12-SEP-25
Collection Media : Carbopack X Supervisor: TEM Approved by : TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc. Account No.: 41031
Site : COLD BROOK ENERGY Login No. : L672109
Project No. : 10142.008 FENCE LINE MONITORING
Date Sampled : 20-AUG-25 Date Analyzed : 11-SEP-25 - 12-SEP-25
Date Received : 05-SEP-25 Report ID : 1519660

Client ID : FLM 16-BLANK (1) Lab ID : L672109-16 Time : 20154 minutes
Date Sampled : 08/20/25 Date Analyzed : 09/12/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	20154	ND	U	<0.15	<0.046	1
Toluene	2	2.0	20154	ND	U	<0.19	<0.051	1
Ethylbenzene	2	2.0	20154	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20154	ND	U	<0.43	<0.099	1
o-Xylene	2	2.0	20154	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS Submitted by: BHB Date : 12-SEP-25
Collection Media : Carbo-pack X Supervisor: TEM Approved by : TEM



GALSON

LABORATORY FOOTNOTE REPORT

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsгалson.com

Client Name : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008 FENCE LINE MONITORING
Date Sampled : 20-AUG-25 Account No.: 41031
Date Received: 05-SEP-25 Login No. : L672109
Date Analyzed: 11-SEP-25 - 12-SEP-25

L672109 (Report ID: 1519660):

EPA qualifiers are as follows:
U - Compound was analyzed for, but not detected.
J - Compound was found greater than the MDL, but less than the LOQ.
B - Compound is found in the associated method blank as well as in the sample.
SOPs: MS-SOP-17(14)

L672109-2,14 (Report ID: 1519660):

Sample and Duplicate Relative Percent Difference (RPD) was greater than 30% RPD for m,p-Xylene and o-Xylene at 53% and 58%, respectively.

L672109 (Report ID: 1519660):

Middle CCV did not inject. Ending QC (method blank and CCV) were within control limits.
As a result, more than 10 samples were analyzed between passing QC.

L672109 (Report ID: 1519660):

Accuracy and mean recovery data presented below is based on a 95% confidence interval (k=2). The estimated accuracy applies to the media, technology, and SOP referenced in this report and does not account for the uncertainty associated with the sampling process. The accuracy is based solely on spike recovery data from internal quality control samples. Where N/A appears below, insufficient data is available to provide statistical accuracy and mean recovery values for the associated analyte.

Parameter	Accuracy	Mean Recovery
Benzene	+/-17.2%	102%
Ethylbenzene	+/-18.5%	104%
m,p-Xylenes	+/-20%	104%
o-Xylene	+/-18.2%	103%
Toluene	+/-17.5%	101%

Parameter	Method
Benzene	mod. EPA 325B; GCMS
Ethylbenzene	mod. EPA 325B; GCMS
Toluene	mod. EPA 325B; GCMS
m,p-Xylene	mod. EPA 325B; GCMS
o-Xylene	mod. EPA 325B; GCMS

SGS GALSON

Client Acct. No. 41031

EPA 325A Fenceline Monitoring

Chloe Desmond

(116)

Report To: ~~Jason Patterson~~

Invoice To: Accounts Payable-Julie

Company Name: Haley Ward Inc.

Company Name: Haley Ward Inc.

Address 1: 1 Marchants Plaza

Address 1: 1 Marchants Plaza

Address 2: Suite 701

Address 2: Suite 701

City, State, Zip: Bangor, ME 04401

City, State, Zip: Bangor, ME 04401

Cell No.: 207-214-0141

Email Address: joreskovich@haleyward.com

Email Report to: cdesmond@haleyward.com
~~jpatterson@haleyward.com~~

P.O. No:

Payment Info: Will Phone in Credit Card Information
 Credit Card on File

Prep No.: PSY786282

Need Results By*:	(surcharge)
<input checked="" type="checkbox"/> 5 Business Days	0%
<input type="checkbox"/> 4 Business Days	35%
<input type="checkbox"/> 3 Business Days	50%

121043178440122310
Date: 09/05/25
Shipper: UPS
Initials: MMM



Prep: UNKNOWN

Complete shaded portions and return to the lab with the samples.*

Average Ambient Temperature:	62.4
Average Barometric Pressure:	29.82

Site Name: Cold Brook Energy Project: 10142.008 Fence Line Monitoring Sampled By: Chloe Desmond

Sample Identification*	Manufacturer ID	Collection Medium	Date/Time Deployed (Military Time)	Date/Time Retrieved (Military Time)	Analysis Requested	Method
FLM 1	C41399	Carbopack X	8/20/25 0924	9/3/25 0914	BTEX	MOD. EPA325B: GCMS
FLM 2	C54140	Carbopack X	0928	0920	BTEX	MOD. EPA325B: GCMS
FLM 3	C41411	Carbopack X	0933	0926	BTEX	MOD. EPA325B: GCMS
FLM 4	C41398	Carbopack X	0937	0932	BTEX	MOD. EPA325B: GCMS
FLM 5	C41446	Carbopack X	0941	0935	BTEX	MOD. EPA325B: GCMS
FLM 6	C41424	Carbopack X	0944	0940	BTEX	MOD. EPA325B: GCMS
FLM 7	C41457	Carbopack X	0949	0943	BTEX	MOD. EPA325B: GCMS
FLM 8	C41461	Carbopack X	0900	0851	BTEX	MOD. EPA325B: GCMS
FLM 9	C41467	Carbopack X	0905	0855	BTEX	MOD. EPA325B: GCMS
FLM 10	C41382	Carbopack X	0910	0900	BTEX	MOD. EPA325B: GCMS
FLM 11	C41439	Carbopack X	↓ 0914	↓ 0905	BTEX	MOD. EPA325B: GCMS

Chain of Custody	Print Name	Signature	Date/Time
Relinquished by:	Chloe Desmond	Chloe Desmond	
Received by LAB:		Megan M. McGrath	9/5/25 6 1232 p

*Required fields, failure to complete these fields may result in a delay in your samples being processed.



GALSON

Chloe Desmond
Haley Ward Inc.
1 Merchants Plaza
Suite 701
Bangor, ME 04401

September 24, 2025

Account# 41031

Login# L673330

Dear Chloe Desmond:

Enclosed are the analytical results for the samples received by our laboratory on September 18, 2025. All samples on the chain of custody were received in good condition unless otherwise noted. Any additional observations will be noted on the chain of custody.

Please contact client services at (888) 432-5227 if you would like any additional information regarding this report. Thank you for using SGS Galson.

Sincerely,

SGS Galson

Lisa Swab
Laboratory Director

Enclosure(s)



Terms and Conditions & General Disclaimers

- This document is issued by the Company under its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.
- Any holder of this document is advised that information contained herein reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Analytical Disclaimers

- Unless otherwise noted within the report, all quality control results associated with the samples were within established control limits or did not impact reported results.
- Note: The findings recorded within this report were drawn from analysis of the sample(s) provided to the laboratory by the Client (or a third party acting at the Client’s direction). The laboratory does not have control over the sampling process, including but not limited to the use of field equipment and collection media, as well as the sampling duration, collection volume or any other collection parameter used by the Client. The findings herein constitute no warranty of the sample's representativeness of any sampled environment, and strictly relate to the samples as they were presented to the laboratory. For recommended sampling collection parameters, please refer to the Sampling and Analysis Guide at www.sgsgalson.com.
- Unrounded results are carried through the calculations that yield the final result and the final result is rounded to the number of significant figures appropriate to the accuracy of the analytical method. Please note that results appearing in the columns preceding the final result column may have been rounded and therefore, if carried through the calculations, may not yield an identical final result to the one reported.
- The stated LOQs for each analyte represent the demonstrated LOQ concentrations prior to correction for desorption efficiency (if applicable).
- Unless otherwise noted within the report, results have not been blank corrected for any field blank or method blank data.

Accreditations SGS Galson holds a variety of accreditations and recognitions. Our quality management system conforms with the requirements of ISO/IEC 17025. Where applicable, samples may also be analyzed in accordance with the requirements of ELAP, NELAC, or LELAP under one of the state accrediting bodies listed below. Current Scopes of Accreditation can be viewed at <http://www.sgsgalson.com> in the accreditations section of the "About" page. To determine if the analyte tested falls under our scope of accreditation, please visit our website or call Client Services at (888) 432-5227.

National/International	Accreditation/Recognition	Lab ID#	Program/Sector
AIHA-LAP, LLC - IHLAP, ELLAP, EMLAP	ISO/IEC 17025 and USEPA NLLAP	Lab ID 100324	Industrial Hygiene, Environmental Lead, Environmental Microbiology

State	Accreditation/Recognition	Lab ID#	Program/Sector
New York (NYSDOH)	ELAP and NELAC (TNI)	Lab ID: 11626	Air Analysis, Solid and Hazardous Waste
Louisiana (LDEQ)	LELAP	Lab ID: 04083	Air Analysis, Solid Chemical Materials

Legend

< - Less than	mg - Milligrams	MDL - Method Detection Limit	ppb - Parts per Billion
> - Greater than	ug - Micrograms	NA - Not Applicable	ppm - Parts per Million
l - Liters	m3 - Cubic Meters	NS - Not Specified	ppbv - ppb Volume
LOQ - Limit of Quantitation	kg - Kilograms	ND - Not Detected	ppmv - ppm Volume
ft2 - Square Feet	cm2 - Square Centimeters	in2 - Square Inches	ng - Nanograms



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : FENCELINE MONITORING 10142.008
Date Sampled : 03-SEP-25
Date Received : 18-SEP-25

Account No.: 41031
Login No. : L673330
Date Analyzed : 22-SEP-25 - 23-SEP-25
Report ID : 1521592

Client ID : FLM1
Date Sampled : 09/03/25

Lab ID : L673330-1
Date Analyzed : 09/22/25

Time : 20142 minutes

Parameter	MDL ng	LOQ ng	Time minutes	Total ng	Total Qual	Conc ug/m3	ppbv	Dil Fact
Benzene	2	2.0	20142	12		0.92	0.29	1
Toluene	2	2.0	20142	20		2.0	0.52	1
Ethylbenzene	2	2.0	20142	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20142	4.4		0.47	0.11	1
o-Xylene	2	2.0	20142	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X
Submitted by: EEA
Supervisor: TEM
Date : 24-SEP-25
Approved by : BHB/TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : FENCELINE MONITORING 10142.008
Date Sampled : 03-SEP-25
Date Received : 18-SEP-25

Account No.: 41031
Login No. : L673330
Date Analyzed : 22-SEP-25 - 23-SEP-25
Report ID : 1521592

Client ID : FLM2
Date Sampled : 09/03/25

Lab ID : L673330-2
Date Analyzed : 09/22/25
Time : 20140 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20140	12		0.94	0.29	1
Toluene	2	2.0	20140	22		2.1	0.55	1
Ethylbenzene	2	2.0	20140	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20140	ND	U	<0.43	<0.099	1
o-Xylene	2	2.0	20140	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X
Submitted by: EEA
Supervisor: TEM
Date : 24-SEP-25
Approved by : BHB/TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : FENCELINE MONITORING 10142.008
Date Sampled : 03-SEP-25
Date Received : 18-SEP-25

Account No.: 41031
Login No. : L673330
Date Analyzed : 22-SEP-25 - 23-SEP-25
Report ID : 1521592

Client ID : FLM3
Date Sampled : 09/03/25

Lab ID : L673330-3
Date Analyzed : 09/22/25
Time : 20138 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20138	16		1.2	0.38	1
Toluene	2	2.0	20138	32		3.0	0.80	1
Ethylbenzene	2	2.0	20138	4.5		0.49	0.11	1
m,p-Xylene	4	4.0	20138	14		1.5	0.35	1
o-Xylene	2	2.0	20138	5.4		0.58	0.13	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X
Submitted by: EEA
Supervisor: TEM
Date : 24-SEP-25
Approved by : BHB/TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : FENCELINE MONITORING 10142.008
Date Sampled : 03-SEP-25
Date Received : 18-SEP-25

Account No.: 41031
Login No. : L673330
Date Analyzed : 22-SEP-25 - 23-SEP-25
Report ID : 1521592

Client ID : FLM4 Lab ID : L673330-4 Time : 20139 minutes
Date Sampled : 09/03/25 Date Analyzed : 09/22/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20139	11		0.82	0.26	1
Toluene	2	2.0	20139	19		1.8	0.48	1
Ethylbenzene	2	2.0	20139	2.8		0.30	0.069	1
m,p-Xylene	4	4.0	20139	8.8		0.95	0.22	1
o-Xylene	2	2.0	20139	3.7		0.40	0.091	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS Submitted by: EEA Date : 24-SEP-25
Collection Media : Carbopack X Supervisor: TEM Approved by : BHB/TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : FENCELINE MONITORING 10142.008
Date Sampled : 03-SEP-25
Date Received : 18-SEP-25

Account No.: 41031
Login No. : L673330
Date Analyzed : 22-SEP-25 - 23-SEP-25
Report ID : 1521592

Client ID : FLM5
Date Sampled : 09/03/25

Lab ID : L673330-5
Date Analyzed : 09/22/25

Time : 20140 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20140	7.4		0.56	0.18	1
Toluene	2	2.0	20140	12		1.1	0.30	1
Ethylbenzene	2	2.0	20140	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20140	5.6		0.61	0.14	1
o-Xylene	2	2.0	20140	2.2		0.24	0.054	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 24-SEP-25
Approved by : BHB/TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : FENCELINE MONITORING 10142.008
Date Sampled : 03-SEP-25
Date Received : 18-SEP-25

Account No.: 41031
Login No. : L673330
Date Analyzed : 22-SEP-25 - 23-SEP-25
Report ID : 1521592

Client ID : FLM6
Date Sampled : 09/03/25

Lab ID : L673330-6
Date Analyzed : 09/22/25

Time : 20139 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20139	6.5		0.49	0.15	1
Toluene	2	2.0	20139	10		0.99	0.26	1
Ethylbenzene	2	2.0	20139	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20139	5.3		0.58	0.13	1
o-Xylene	2	2.0	20139	2.4		0.26	0.059	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X
Submitted by: EEA
Supervisor: TEM
Date : 24-SEP-25
Approved by : BHB/TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : FENCELINE MONITORING 10142.008
Date Sampled : 03-SEP-25
Date Received : 18-SEP-25

Account No.: 41031
Login No. : L673330
Date Analyzed : 22-SEP-25 - 23-SEP-25
Report ID : 1521592

Client ID : FLM7
Date Sampled : 09/03/25

Lab ID : L673330-7
Date Analyzed : 09/22/25
Time : 20138 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20138	6.7		0.51	0.16	1
Toluene	2	2.0	20138	9.7		0.92	0.24	1
Ethylbenzene	2	2.0	20138	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20138	4.8		0.51	0.12	1
o-Xylene	2	2.0	20138	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X
Submitted by: EEA
Supervisor: TEM
Date : 24-SEP-25
Approved by : BHB/TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : FENCELINE MONITORING 10142.008
Date Sampled : 03-SEP-25
Date Received : 18-SEP-25

Account No.: 41031
Login No. : L673330
Date Analyzed : 22-SEP-25 - 23-SEP-25
Report ID : 1521592

Client ID : FLM8
Date Sampled : 09/03/25

Lab ID : L673330-8
Date Analyzed : 09/22/25
Time : 20142 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	20142	8.2		0.62	0.19	1
Toluene	2	2.0	20142	14		1.3	0.34	1
Ethylbenzene	2	2.0	20142	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20142	4.3		0.46	0.11	1
o-Xylene	2	2.0	20142	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X
Submitted by: EEA
Supervisor: TEM
Date : 24-SEP-25
Approved by : BHB/TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : FENCELINE MONITORING 10142.008
Date Sampled : 03-SEP-25
Date Received : 18-SEP-25

Account No.: 41031
Login No. : L673330
Date Analyzed : 22-SEP-25 - 23-SEP-25
Report ID : 1521592

Client ID : FLM9 Lab ID : L673330-9 Time : 20143 minutes
Date Sampled : 09/03/25 Date Analyzed : 09/22/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20143	11		0.83	0.26	1
Toluene	2	2.0	20143	21		2.0	0.54	1
Ethylbenzene	2	2.0	20143	3.3		0.35	0.081	1
m,p-Xylene	4	4.0	20143	11		1.1	0.26	1
o-Xylene	2	2.0	20143	4.1		0.45	0.10	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS Submitted by: EEA Date : 24-SEP-25
Collection Media : Carbopack X Supervisor: TEM Approved by : BHB/TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : FENCELINE MONITORING 10142.008
Date Sampled : 03-SEP-25
Date Received : 18-SEP-25

Account No.: 41031
Login No. : L673330
Date Analyzed : 22-SEP-25 - 23-SEP-25
Report ID : 1521592

Client ID : FLM10
Date Sampled : 09/03/25

Lab ID : L673330-10
Date Analyzed : 09/22/25
Time : 20142 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20142	32		2.4	0.75	1
Toluene	2	2.0	20142	66		6.3	1.7	1
Ethylbenzene	2	2.0	20142	7.3		0.79	0.18	1
m,p-Xylene	4	4.0	20142	25		2.7	0.61	1
o-Xylene	2	2.0	20142	9.8		1.1	0.24	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X
Submitted by: EEA
Supervisor: TEM
Date : 24-SEP-25
Approved by : BHB/TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : FENCELINE MONITORING 10142.008
Date Sampled : 03-SEP-25
Date Received : 18-SEP-25

Account No.: 41031
Login No. : L673330
Date Analyzed : 22-SEP-25 - 23-SEP-25
Report ID : 1521592

Client ID : FLM11
Date Sampled : 09/03/25

Lab ID : L673330-11
Date Analyzed : 09/22/25

Time : 20141 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20141	22		1.7	0.53	1
Toluene	2	2.0	20141	46		4.4	1.2	1
Ethylbenzene	2	2.0	20141	4.6		0.49	0.11	1
m,p-Xylene	4	4.0	20141	11		1.2	0.27	1
o-Xylene	2	2.0	20141	4.1		0.45	0.10	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 24-SEP-25
Approved by : BHB/TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : FENCELINE MONITORING 10142.008
Date Sampled : 03-SEP-25
Date Received : 18-SEP-25

Account No.: 41031
Login No. : L673330
Date Analyzed : 22-SEP-25 - 23-SEP-25
Report ID : 1521592

Client ID : FLM12
Date Sampled : 09/03/25

Lab ID : L673330-12
Date Analyzed : 09/22/25
Time : 20141 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20141	14		1.1	0.31	1
Toluene	2	2.0	20141	30		2.9	0.76	1
Ethylbenzene	2	2.0	20141	3.9		0.42	0.098	1
m,p-Xylene	4	4.0	20141	12		1.3	0.31	1
o-Xylene	2	2.0	20141	5.0		0.54	0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X
Submitted by: EEA
Supervisor: TEM
Date : 24-SEP-25
Approved by : BHB/TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : FENCELINE MONITORING 10142.008
Date Sampled : 03-SEP-25
Date Received : 18-SEP-25

Account No.: 41031
Login No. : L673330
Date Analyzed : 22-SEP-25 - 23-SEP-25
Report ID : 1521592

Client ID : FLM13-DUP (10)
Date Sampled : 09/03/25

Lab ID : L673330-13
Date Analyzed : 09/22/25

Time : 20141 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20141	33		2.5	0.78	1
Toluene	2	2.0	20141	67		6.4	1.7	1
Ethylbenzene	2	2.0	20141	5.4		0.59	0.14	1
m,p-Xylene	4	4.0	20141	12		1.3	0.29	1
o-Xylene	2	2.0	20141	4.2		0.46	0.11	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbo-pack X

Submitted by: EEA
Supervisor: TEM

Date : 24-SEP-25
Approved by : BHB/TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : FENCELINE MONITORING 10142.008
Date Sampled : 03-SEP-25
Date Received : 18-SEP-25

Account No.: 41031
Login No. : L673330
Date Analyzed : 22-SEP-25 - 23-SEP-25
Report ID : 1521592

Client ID : FLM14-DUP (3)
Date Sampled : 09/03/25

Lab ID : L673330-14
Date Analyzed : 09/22/25

Time : 20139 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20139	16		1.2	0.38	1
Toluene	2	2.0	20139	29		2.8	0.75	1
Ethylbenzene	2	2.0	20139	3.2		0.34	0.079	1
m,p-Xylene	4	4.0	20139	6.9		0.74	0.17	1
o-Xylene	2	2.0	20139	2.8		0.30	0.069	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 24-SEP-25

Approved by : BHB/TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : FENCELINE MONITORING 10142.008
Date Sampled : 03-SEP-25
Date Received : 18-SEP-25

Account No.: 41031
Login No. : L673330
Date Analyzed : 22-SEP-25 - 23-SEP-25
Report ID : 1521592

Client ID : FLM15-BLANK (11)
Date Sampled : 09/03/25

Lab ID : L673330-15
Date Analyzed : 09/22/25
Time : 20140 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20140	ND	U	<0.15	<0.046	1
Toluene	2	2.0	20140	ND	U	<0.19	<0.051	1
Ethylbenzene	2	2.0	20140	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20140	ND	U	<0.43	<0.099	1
o-Xylene	2	2.0	20140	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbo-pack X
Submitted by: EEA
Supervisor: TEM
Date : 24-SEP-25
Approved by : BHB/TEM



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : FENCELINE MONITORING 10142.008
Date Sampled : 03-SEP-25
Date Received : 18-SEP-25

Account No.: 41031
Login No. : L673330
Date Analyzed : 22-SEP-25 - 23-SEP-25
Report ID : 1521592

Client ID : FLM16-BLANK (2)
Date Sampled : 09/03/25

Lab ID : L673330-16
Date Analyzed : 09/23/25
Time : 20141 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	20141	ND	U	<0.15	<0.046	1
Toluene	2	2.0	20141	ND	U	<0.19	<0.051	1
Ethylbenzene	2	2.0	20141	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20141	ND	U	<0.43	<0.099	1
o-Xylene	2	2.0	20141	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbo-pack X
Submitted by: EEA
Supervisor: TEM
Date : 24-SEP-25
Approved by : BHB/TEM



GALSON

LABORATORY FOOTNOTE REPORT

6601 Kirkville Road
 East Syracuse, NY 13057
 (315) 432-5227
 FAX: (315) 437-0571
 www.sgsgalson.com

Client Name : Haley Ward Inc.
 Site : COLD BROOK ENERGY
 Project No. : FENCELINE MONITORING 10142.008
 Date Sampled : 03-SEP-25 Account No.: 41031
 Date Received: 18-SEP-25 Login No. : L673330
 Date Analyzed: 22-SEP-25 - 23-SEP-25

L673330 (Report ID: 1521592):

EPA qualifiers are as follows:
 U - Compound was analyzed for, but not detected.
 J - Compound was found greater than the MDL, but less than the LOQ.
 B - Compound is found in the associated method blank as well as in the sample.
 SOPs: MS-SOP-17(14)

L673330-10,13 (Report ID: 1521592):

Sample and Sample Duplicate Relative Percent Difference (RPD) exceeded 30% for Ethylbenzene at 32%, m,p-Xylene at 70%, and o-Xylene at 80%.

L673330-3,14 (Report ID: 1521592):

Sample and Sample Duplicate Relative Percent Difference (RPD) exceeded 30% for Ethylbenzene at 33%, m,p-Xylene at 68%, and o-Xylene at 63%.

L673330 (Report ID: 1521592):

Accuracy and mean recovery data presented below is based on a 95% confidence interval (k=2). The estimated accuracy applies to the media, technology, and SOP referenced in this report and does not account for the uncertainty associated with the sampling process. The accuracy is based solely on spike recovery data from internal quality control samples. Where N/A appears below, insufficient data is available to provide statistical accuracy and mean recovery values for the associated analyte.

Parameter	Accuracy	Mean Recovery
Benzene	+/-17.2%	102%
Ethylbenzene	+/-18.5%	104%
m,p-Xylenes	+/-20%	104%
o-Xylene	+/-18.2%	103%
Toluene	+/-17.5%	101%

Parameter	Method
Benzene	mod. EPA 325B; GCMS
Ethylbenzene	mod. EPA 325B; GCMS
Toluene	mod. EPA 325B; GCMS
m,p-Xylene	mod. EPA 325B; GCMS
o-Xylene	mod. EPA 325B; GCMS

11073330

SGS GALSON

Client Acct. No. 41031

EPA 325A Fenceline Monitoring

Chloe Desmond
Jason Patterson

Report To: Chloe Desmond
Jason Patterson
Company Name: Haley Ward Inc.
Address 1: 1 Marchants Plaza
Address 2: Suite 701
City, State, Zip: Bangor, ME 04401
Cell No.: 207-214-0141
E-mail Report to: cdesmond@haleyward.com
jpatterson@haleyward.com
Prep No.:

Invoice To: Accounts Payable-Julie
Company Name: Haley Ward Inc.
Address 1: 1 Marchants Plaza
Address 2: Suite 701
City, State, Zip: Bangor, ME 04401
Email Address: joreskovich@haleyward.com
P.O. No:
Payment Info: Will Phone in Credit Card Information
 Credit Card on File

121043178440216095
Date: 09/18/25
Shipper: UPS
Initials: OTS
Prep: UNKNOWN

Lead Results By*:	(surcha
<input checked="" type="checkbox"/> 5 Business Days	0%
<input type="checkbox"/> 4 Business Days	35%
<input type="checkbox"/> 3 Business Days	50%
<input type="checkbox"/> 2 Business Days	75%
<input type="checkbox"/> Next Day by 6pm	100%
<input type="checkbox"/> Next Day by Noon	150%
<input type="checkbox"/> Same day	200%

Complete shaded portions and return to the lab with the samples.*

Comments:	Average Ambient Temperature: 59.39
	Average Barometric Pressure: 29.9 inHg

55

Site Name: Cold Brook Energy Project: Fence Line Monitoring 10142.008 Sampled By: Chloe Desmond

Sample Identification*	Manufacturer ID	Collection Medium	Date/Time Deployed (Military Time)	Date/Time Retrieved (Military Time)	Analysis Requested	Method
FLM 1	C55851	Carbopack X	9/3/25 0917	9/17/25 0859	BTEX	MOD. EPA325B: GCMS
FLM 2	C53927	Carbopack X	0922	0902	BTEX	MOD. EPA325B: GCMS
FLM 3	C60099	Carbopack X	0928	0906	BTEX	MOD. EPA325B: GCMS
FLM 4	C60057	Carbopack X	0933	0912	BTEX	MOD. EPA325B: GCMS
FLM 5	C57013	Carbopack X	0936	0916	BTEX	MOD. EPA325B: GCMS
FLM 6	C55843	Carbopack X	0941	0920	BTEX	MOD. EPA325B: GCMS
FLM 7	C60069	Carbopack X	0945	0923	BTEX	MOD. EPA325B: GCMS
FLM 8	C53928	Carbopack X	0853	0835	BTEX	MOD. EPA325B: GCMS
FLM 9	C56910	Carbopack X	0857	0840	BTEX	MOD. EPA325B: GCMS
FLM 10	C60325	Carbopack X	0902	0844	BTEX	MOD. EPA325B: GCMS
FLM 11	C37964	Carbopack X	↓ 0907	↓ 0848	BTEX	MOD. EPA325B: GCMS

Chain of Custody	Print Name	Signature	Date/Time
Relinquished by:	Chloe Desmond	Chloe Desmond	9/17/25 1017
Received by LAB:		Olivia T. Silver Olivia T. Silver	9/18/25 1129

