



January 7, 2026

Ms. Tanya Hovell  
Maine Department of Environmental Protection  
Bureau of Air Quality  
106 Hogan Road  
Bangor, ME 04401  
[Tanya.Hovell@maine.gov](mailto:Tanya.Hovell@maine.gov)

**Re: Cold Brook Energy | Fenceline Monitoring Q4-2025 | 809 Main Road North, Hampden, Maine**

Dear Ms. Hovell:

Attached is the Fourth Quarter, 2025 Fenceline Monitoring Report. A total of seven monitoring periods are included in the fourth quarter (Q4) report. Each monitoring period consisted of 14 days. During each monitoring period at the Cold Brook Energy Facility, twelve Fenceline Monitoring samples were deployed and collected. In accordance with EPA Method 325A, one field blank and one duplicate sample were collected for every ten ambient air samples.

Following the completion of the Field Replicate Precision analysis, duplicate samples with a variance greater than 30% were flagged. We have reported the results based on the sample ID number documented on the Chain of Custody, field data sheets, and lab reports. No deployment or retrieval issues were encountered during the fourth quarter.

If you have any questions, please do not hesitate to contact me at 207-989-4824 or [ksullivan@haleyward.com](mailto:ksullivan@haleyward.com), or contact Kevin Fish directly at 207-945-9465.

Sincerely,  
Haley Ward, Inc.

Kyle Sullivan, Project Manager  
Environmental Division  
Attachments  
KSS/cgd/kjf



## ATTACHMENT 1

## Cold Brook Energy


809 Main Rd North, Hampden, Maine  
Fenceline Monitoring 2025 Q4 Statistical Summary

9/17/2025 to 10/1/2025

Location	Benzene		Toluene		Ethylbenzene		m,p-Xylene		o-Xylene	
	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3
FLM 1 - Sample		0.97		2.50		0.33		0.77		0.30
FLM 2 - Sample		0.94		2.40		0.27		0.57		0.22
FLM 3 - Sample		1.10		3.00		0.35		0.78		0.29
FLM 4 - Sample		0.71		1.80		0.23		0.57		0.23
FLM 5 - Sample		0.53		1.20		0.22		0.43		0.22
FLM 6 - Sample		0.49		1.10		0.22		0.43		0.22
FLM 7 - Sample		0.47		1.00		0.22		0.43		0.22
FLM 8 - Sample		0.45		1.10		0.22		0.43		0.22
FLM 9 - Sample		0.88		3.90		0.76		2.20		0.85
FLM 10 - Sample		1.50		4.50		0.43		0.97		0.37
FLM 11 - Sample		0.97		3.00		0.38		0.99		0.38
FLM 12 - Sample		1.00		2.90		0.33		0.79		0.29
FLM 13 - Dup (11)		1.00		3.10		0.39		1.00		0.38
FLM 14 - Dup (4)		0.69		1.70		0.22		0.43		0.22
FLM 15 - Blank (12)	<	0.15	<	0.19	<	0.22	<	0.43	<	0.22
FLM 16 - Blank (3)	<	0.15	<	0.19	<	0.22	<	0.43	<	0.22
MDL ug/m <sup>3</sup>	NA	<0.15	NA	<0.19	NA	<0.22	NA	<0.43	NA	<0.22



<b>Cold Brook Energy</b>										
809 Main Rd North, Hampden, Maine										
Fenceline Monitoring Duplicate Precision										
9/17/2025 to 10/1/2025										
	Benzene		Toluene		Ethylbenzene		m,p-Xylene		o-Xylene	
Location	ug/m <sup>3</sup>	Qualifier	ug/m <sup>3</sup>	Qualifier	ug/m <sup>3</sup>	Qualifier	ug/m <sup>3</sup>	Qualifier	ug/m <sup>3</sup>	Qualifier
FLM 1 - Sample	0.97		2.50		0.33		0.77		0.30	
FLM 2 - Sample	0.94		2.40		0.27		0.57		0.22	
FLM 3 - Sample	1.10		3.00		0.35		0.78		0.29	
FLM 4 - Sample	0.71		1.80		0.23		0.57		0.23	
FLM 5 - Sample	0.53		1.20		0.22		0.43		0.22	
FLM 6 - Sample	0.49		1.10		0.22	<	0.43		0.22	
FLM 7 - Sample	0.47		1.00		0.22	<	0.43		0.22	<
FLM 8 - Sample	0.45		1.10		0.22		0.43		0.22	
FLM 9 - Sample	0.88		3.90		0.76		2.20		0.85	
FLM 10 - Sample	1.50		4.50		0.43		0.97		0.37	
FLM 11 - Sample	0.97		3.00		0.38		0.99		0.38	
FLM 12 - Sample	1.00		2.90		0.33		0.79		0.29	
FLM 13 - Dup (11)	1.00		3.10		0.39	<	1.00		0.38	<
Field Duplicate Precision	3		3		3		1		0	
FLM 14 - Dup (4)	0.69		1.70		0.22		0.43		0.22	
Field Duplicate Precision	3		6		4		28		4	
FLM 15 - Blank (12)	0.15	<	0.19	<	0.22	<	0.43	<	0.22	<
FLM 16 - Blank (3)	0.15	<	0.19	<	0.22	<	0.43	<	0.22	<
MDL ng	<0.15		<0.19		<0.22		<0.43		<0.22	
Field Duplicate Precision exceeding 30% are indicated by: <span style="background-color: #FFC0CB; border: 1px solid black; padding: 2px;"> </span>										
"<" data qualification flag = Compounds that were "non-detect" are reported at the Method Detection Limit (MDL)										



**Method 325 A/B**  
**Field Data Sheet**

Site Name: Cold Brook Energy Site Address: 809 Main Rd North  
City: Hampden State: Maine  
Zip Code: 04444 Total Avg. Barometric Pressure (in. Hg): 29.84  
Total Avg. Ambient Temperature (°F): 58.83 Total Avg. Wind Speed and Direction: 5.6/North

Location Coordinates	Sample ID	Deployment Date	Start Time	Retrieval Date	End Time
N44° 46' 44.12" W68° 47' 00.09"	FLM 1 - Sample	9/17/2025	0859	10/1/2025	0927
N44° 46' 43.51" W68° 46' 59.55"	FLM 2 - Sample	9/17/2025	0902	10/1/2025	0931
N44° 46' 42.41" W68° 47' 00.80"	FLM 3 - Sample	9/17/2025	0906	10/1/2025	0935
N44° 46' 41.62" W68° 47' 01.76"	FLM 4 - Sample	9/17/2025	0912	10/1/2025	0939
N44° 46' 40.41" W68° 47' 03.25"	FLM 5 - Sample	9/17/2025	0916	10/1/2025	0945
N44° 46' 40.54" W68° 47' 04.34"	FLM 6 - Sample	9/17/2025	0920	10/1/2025	0949
N44° 46' 41.25" W68° 47' 05.46"	FLM 7 - Sample	9/17/2025	0923	10/1/2025	0953
N44° 46' 42.19" W68° 47' 04.63"	FLM 8 - Sample	9/17/2025	0835	10/1/2025	0905
N44° 46' 43.01" W68° 47' 04.90"	FLM 9 - Sample	9/17/2025	0840	10/1/2025	0908
N44° 46' 44.11" W68° 47' 03.88"	FLM 10 - Sample	9/17/2025	0844	10/1/2025	0912
N44° 46' 44.80" W68° 47' 03.01"	FLM 11 - Sample	9/17/2025	0848	10/1/2025	0916
N44° 46' 44.82" W68° 47' 01.49"	FLM 12 - Sample	9/17/2025	0853	10/1/2025	0921
N44° 46' 44.12" W68° 47' 00.09"	FLM 13- Dup (11)	9/17/2025	0844	10/1/2025	0917
N44° 46' 40.54" W68° 47' 04.34"	FLM 14- Dup (4)	9/17/2025	0907	10/1/2025	0940
N44° 46' 43.51" W68° 46' 59.55"	FLM 15- Blank (12)	9/17/2025	0848	10/1/2025	0922
N44° 46' 41.62" W68° 47' 01.76"	FLM 16- Blank (3)	9/17/2025	0903	10/1/2025	0936


Sampler Name: Chloe Desmond

Sampler Signature: *Chloe Desmond*

# BANGOR INTERNATIONAL AIRPORT (ME) Wind Rose ☰

9/17/2025 - 10/1/2025

Sub-Interval: Sep 17 - Oct 1, 00:00 - 23:59



## Cold Brook Energy


809 Main Rd North, Hampden, Maine  
Fenceline Monitoring 2025 Q4 Statistical Summary

10/1/2025 to 10/15/2025

Location	Benzene				o-Xylene					
	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3		
FLM 1 - Sample		0.72		2.20		0.26		0.81		0.31
FLM 2 - Sample		0.70		2.00		0.23		0.69		0.28
FLM 3 - Sample		0.82		2.40		0.26		0.80		0.31
FLM 4 - Sample		0.57		1.60	<	0.22		0.56	<	0.22
FLM 5 - Sample		0.54		1.50	<	0.22		0.59		0.24
FLM 6 - Sample		0.47		1.30	<	0.22		0.59		0.25
FLM 7 - Sample		0.48		1.30	<	0.22		0.51		0.22
FLM 8 - Sample		0.56		1.60		0.24		0.80		0.32
FLM 9 - Sample		1.10		11.00		3.00		11.00		4.60
FLM 10 - Sample		1.30		4.20		0.52		1.70		0.67
FLM 11 - Sample		0.85		2.90		0.42		1.30		0.52
FLM 12 - Sample		0.94		2.90		0.37		1.20		0.45
FLM 13 - Dup (12)		0.95		2.90		0.35		1.10		0.42
FLM 14 - Dup (5)		0.52		1.30		0.22		0.52		0.22
FLM 15 - Blank (1)	<	0.15	<	0.19	<	0.22	<	0.43	<	0.22
FLM 16 - Blank (4)	<	0.15	<	0.19	<	0.22	<	0.43	<	0.22
MDL ug/m <sup>3</sup>	NA	<0.15	NA	<0.19	NA	<0.22	NA	<0.43	NA	<0.22



<b>Cold Brook Energy</b>										
809 Main Rd North, Hampden, Maine										
Fenceline Monitoring Duplicate Precision										
<b>10/1/2025 to 10/15/2025</b>										
	Benzene		Toluene		Ethylbenzene		m,p-Xylene		o-Xylene	
Location	ug/m <sup>3</sup>	Qualifier	ug/m <sup>3</sup>	Qualifier	ug/m <sup>3</sup>	Qualifier	ug/m <sup>3</sup>	Qualifier	ug/m <sup>3</sup>	Qualifier
FLM 1 - Sample	0.72		2.20		0.26		0.81		0.31	
FLM 2 - Sample	0.70		2.00		0.23		0.69		0.28	
FLM 3 - Sample	0.82		2.40		0.26		0.80		0.31	
FLM 4 - Sample	0.57		1.60		0.22	<	0.56		0.22	<
FLM 5 - Sample	0.54		1.50		0.22	<	0.59		0.24	
FLM 6 - Sample	0.47		1.30		0.22	<	0.59		0.25	
FLM 7 - Sample	0.48		1.30		0.22	<	0.51		0.22	
FLM 8 - Sample	0.56		1.60		0.24		0.80		0.32	
FLM 9 - Sample	1.10		11.00		3.00		11.00		4.60	
FLM 10 - Sample	1.30		4.20		0.52		1.70		0.67	
FLM 11 - Sample	0.85		2.90		0.42		1.30		0.52	
FLM 12 - Sample	0.94		2.90		0.37		1.20		0.45	
FLM 13 - Dup (12)	0.95		2.90		0.35		1.10		0.42	
Field Duplicate Precision	1		0		6		9		7	
FLM 14 - Dup (5)	0.52		1.30		0.22		0.52		0.22	
Field Duplicate Precision	4		14		0		13		9	
FLM 15 - Blank (1)	0.15	<	0.19	<	0.22	<	0.43	<	0.22	<
FLM 16 - Blank (4)	0.15	<	0.19	<	0.22	<	0.43	<	0.22	<
MDL ng	<0.15		<0.19		<0.22		<0.43		<0.22	
Field Duplicate Precision exceeding 30% are indicated by: <span style="background-color: #FFC0CB; border: 1px solid black; padding: 2px;"> </span>										
"<" data qualification flag = Compounds that were "non-detect" are reported at the Method Detection Limit (MDL)										



**Method 325 A/B**  
**Field Data Sheet**

Site Name: Cold Brook Energy Site Address: 809 Main Rd North  
 City: Hampden State: Maine  
 Zip Code: 04444 Total Avg. Barometric Pressure (in. Hg): 30  
 Total Avg. Ambient Temperature (°F): 53.5 Total Avg. Wind Speed and Direction: 6.1 / North

Location Coordinates	Sample ID	Deployment Date	Start Time	Retrieval Date	End Time
N44° 46' 44.12" W68° 47' 00.09"	FLM 1 - Sample	10/1/2025	0928	10/15/2025	0903
N44° 46' 43.51" W68° 46' 59.55"	FLM 2 - Sample	10/1/2025	0933	10/15/2025	0909
N44° 46' 42.41" W68° 47' 00.80"	FLM 3 - Sample	10/1/2025	0937	10/15/2025	0913
N44° 46' 41.62" W68° 47' 01.76"	FLM 4 - Sample	10/1/2025	0941	10/15/2025	0917
N44° 46' 40.41" W68° 47' 03.25"	FLM 5 - Sample	10/1/2025	0946	10/15/2025	0922
N44° 46' 40.54" W68° 47' 04.34"	FLM 6 - Sample	10/1/2025	0950	10/15/2025	0928
N44° 46' 41.25" W68° 47' 05.46"	FLM 7 - Sample	10/1/2025	0954	10/15/2025	0932
N44° 46' 42.19" W68° 47' 04.63"	FLM 8 - Sample	10/1/2025	0906	10/15/2025	0843
N44° 46' 43.01" W68° 47' 04.90"	FLM 9 - Sample	10/1/2025	0910	10/15/2025	0846
N44° 46' 44.11" W68° 47' 03.88"	FLM 10 - Sample	10/1/2025	0914	10/15/2025	0850
N44° 46' 44.80" W68° 47' 03.01"	FLM 11 - Sample	10/1/2025	0919	10/15/2025	0853
N44° 46' 44.82" W68° 47' 01.49"	FLM 12 - Sample	10/1/2025	0923	10/15/2025	0857
N44° 46' 44.12" W68° 47' 00.09"	FLM 13- Dup (12)	10/1/2025	0924	10/15/2025	0859
N44° 46' 40.54" W68° 47' 04.34"	FLM 14- Dup (5)	10/1/2025	0947	10/15/2025	0923
N44° 46' 43.51" W68° 46' 59.55"	FLM 15- Blank (1)	10/1/2025	0929	10/15/2025	0904
N44° 46' 41.62" W68° 47' 01.76"	FLM 16- Blank (4)	10/1/2025	0942	10/15/2025	0918


Tube's  
threading  
Jams

Sampler Name: Chloe Desmond  
 Sampler Signature: Chloe Desmond

# BANGOR INTERNATIONAL AIRPORT (ME) Wind Rose



10/1/2025 - 10/15/2025  
Sub-Interval: Oct 1 - Oct 15, 00:00 - 23:59



## Wind Speed (mph)

- 1.3 - 4
- 4 - 8
- 8 - 13
- 13 - 19
- 19 - 25
- 25 - 32
- 32 - 39
- 39 - 47
- > 47

## Cold Brook Energy

809 Main Rd North, Hampden, Maine  
Fenceline Monitoring 2025 Q4 Statistical Summary

10/15/2025 to 10/29/2025

Location	Benzene		Toluene		Ethylbenzene		m,p-Xylene		o-Xylene	
	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3
FLM 1 - Sample		0.51		1.50		0.54		1.10		0.54
FLM 2 - Sample		0.54		1.40		0.54		1.10		0.54
FLM 3 - Sample		0.82		2.40		0.54		1.10		0.54
FLM 4 - Sample		0.70		1.90		0.54		1.10		0.54
FLM 5 - Sample		0.63		1.80		0.54		1.10		0.54
FLM 6 - Sample		0.61		1.60		0.54		1.10		0.54
FLM 7 - Sample		0.62		1.60		0.54		1.10		0.54
FLM 8 - Sample		0.51		1.60		0.54		1.10		0.54
FLM 9 - Sample		0.70		2.60		0.54		1.20		0.54
FLM 10 - Sample		1.40		6.30		0.78		2.70		0.98
FLM 11 - Sample		0.73		2.50		0.54		1.30		0.54
FLM 12 - Sample		0.57		1.70		0.54		1.10		0.54
FLM 13 - Dup (1)		0.53		1.50		0.54		1.10		0.54
FLM 14 - Dup (6)		0.61		1.60		0.54		1.10		0.54
FLM 15 - Blank (2)	<	0.37	<	0.48	<	0.54	<	1.10	<	0.54
FLM 16 - Blank (5)	<	0.37	<	0.48	<	0.54	<	1.10	<	0.54
MDL ug/m <sup>3</sup>	NA	<0.37	NA	<0.48	NA	<0.54	NA	<1.1	NA	<0.54



<b>Cold Brook Energy</b>										
809 Main Rd North, Hampden, Maine										
Fenceline Monitoring Duplicate Precision										
<b>10/15/2025 to 10/29/2025</b>										
	<b>Benzene</b>		<b>Toluene</b>		<b>Ethylbenzene</b>		<b>m,p-Xylene</b>		<b>o-Xylene</b>	
<b>Location</b>	<b>ug/m<sup>3</sup></b>	<b>Qualifier</b>	<b>ug/m<sup>3</sup></b>	<b>Qualifier</b>	<b>ug/m<sup>3</sup></b>	<b>Qualifier</b>	<b>ug/m<sup>3</sup></b>	<b>Qualifier</b>	<b>ug/m<sup>3</sup></b>	<b>Qualifier</b>
FLM 1 - Sample	0.51		1.50		0.54		1.1		0.54	
FLM 2 - Sample	0.54		1.40		0.54		1.1		0.54	
FLM 3 - Sample	0.82		2.40		0.54		1.1		0.54	
FLM 4 - Sample	0.70		1.90		0.54		1.1		0.54	
FLM 5 - Sample	0.63		1.80		0.54		1.1		0.54	
FLM 6 - Sample	0.61		1.60		0.54		1.1		0.54	
FLM 7 - Sample	0.62		1.60		0.54		1.1		0.54	
FLM 8 - Sample	0.51		1.60		0.54		1.1		0.54	
FLM 9 - Sample	0.70		2.60		0.54		1.2		0.54	
FLM 10 - Sample	1.40		6.30		0.78		2.7		0.98	
FLM 11 - Sample	0.73		2.50		0.54		1.3		0.54	
FLM 12 - Sample	0.57		1.70		0.54		1.1		0.54	
FLM 13 - Dup (1)	0.53		1.50		0.54		1.10		0.54	
Field Duplicate Precision	4		0		0		0		0	
FLM 14 - Dup (6)	0.61		1.60		0.54		1.1		0.54	
Field Duplicate Precision	0		0		0		0		0	
FLM 15 - Blank (2)	0.37	<	0.48	<	0.54	<	1.1	<	0.54	<
FLM 16 - Blank (5)	0.37	<	0.48	<	0.54	<	1.1	<	0.54	<
MDL ng	<0.15		<0.19		<0.22		<0.43		<0.22	
Field Duplicate Precision exceeding 30% are indicated by:										
"<" data qualification flag = Compounds that were "non-detect" are reported at the Method Detection Limit (MDL)										



Method 325 A/B  
Field Data Sheet

Site Name: Cold Brook Energy Site Address: 809 Main Rd North  
City: Hampden State: Maine  
Zip Code: 04444 Total Avg. Barometric Pressure (in. Hg): 29.80  
Total Avg. Ambient Temperature (°F): 48.08 Total Avg. Wind Speed and Direction: 7.3 / N

Location Coordinates	Sample ID	Deployment Date	Start Time	Retrieval Date	End Time
N44° 46' 44.12" W68° 47' 00.09"	FLM 1 - Sample	10/15/2025	0906	10/29/2025	911
N44° 46' 43.51" W68° 46' 59.55"	FLM 2 - Sample	10/15/2025	0910	10/29/2025	916
N44° 46' 42.41" W68° 47' 00.80"	FLM 3 - Sample	10/15/2025	0915	10/29/2025	922
N44° 46' 41.62" W68° 47' 01.76"	FLM 4 - Sample	10/15/2025	0919	10/29/2025	926
N44° 46' 40.41" W68° 47' 03.25"	FLM 5 - Sample	10/15/2025	0924	10/29/2025	931
N44° 46' 40.54" W68° 47' 04.34"	FLM 6 - Sample	10/15/2025	0929	10/29/2025	937
N44° 46' 41.25" W68° 47' 05.46"	FLM 7 - Sample	10/15/2025	0933	10/29/2025	944
N44° 46' 42.19" W68° 47' 04.63"	FLM 8 - Sample	10/15/2025	0845	10/29/2025	846
N44° 46' 43.01" W68° 47' 04.90"	FLM 9 - Sample	10/15/2025	0848	10/29/2025	851
N44° 46' 44.11" W68° 47' 03.88"	FLM 10 - Sample	10/15/2025	0851	10/29/2025	856
N44° 46' 44.80" W68° 47' 03.01"	FLM 11 - Sample	10/15/2025	0854	10/29/2025	900
N44° 46' 44.82" W68° 47' 01.49"	FLM 12 - Sample	10/15/2025	0901	10/29/2025	905
N44° 46' 44.12" W68° 47' 00.09"	FLM 13- Dup (1)	10/15/2025	0907	10/29/2025	911
N44° 46' 40.54" W68° 47' 04.34"	FLM 14- Dup (6)	10/15/2025	0930	10/29/2025	937
N44° 46' 43.51" W68° 46' 59.55"	FLM 15- Blank (2)	10/15/2025	0911	10/29/2025	916
N44° 46' 41.62" W68° 47' 01.76"	FLM 16- Blank (5)	10/15/2025	0925	10/29/2025	931


Sampler Name: Jason Patterson

Sampler Signature: 

# BANGOR INTERNATIONAL AIRPORT (ME) Wind Rose



10/15/2025 - 10/29/2025  
Sub-Interval: Jan 1 - Dec 31, 00:00 - 23:59



## Cold Brook Energy


809 Main Rd North, Hampden, Maine  
Fenceline Monitoring 2025 Q4 Statistical Summary

10/29/2025 to 11/12/2025

Location	Benzene		Toluene		Ethylbenzene		m,p-Xylene		o-Xylene	
	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3
FLM 1 - Sample		0.65		1.60	<	0.54	<	1.10	<	0.54
FLM 2 - Sample		0.55		1.40	<	0.54	<	1.10	<	0.54
FLM 3 - Sample		0.64		1.50	<	0.54	<	1.10	<	0.54
FLM 4 - Sample		0.55		1.10	<	0.54	<	1.10	<	0.54
FLM 5 - Sample		0.42		0.76	<	0.54	<	1.10	<	0.54
FLM 6 - Sample	<	0.37		0.66	<	0.54	<	1.10	<	0.54
FLM 7 - Sample		0.49		0.99	<	0.54	<	1.10	<	0.54
FLM 8 - Sample		0.52		1.30	<	0.54	<	1.10	<	0.54
FLM 9 - Sample		0.80		4.40		0.67		2.50		0.98
FLM 10 - Sample		0.95		2.90	<	0.54		1.40		0.56
FLM 11 - Sample		0.72		2.10	<	0.54		1.10	<	0.54
FLM 12 - Sample		0.75		2.10	<	0.54		1.10	<	0.54
FLM 13 - Dup (2)		0.65		1.60	<	0.54	<	1.10	<	0.54
FLM 14 - Dup (7)		0.48		0.95	<	0.54	<	1.10	<	0.54
FLM 15 - Blank (3)	<	0.37	<	0.48	<	0.54	<	1.10	<	0.54
FLM 16 - Blank (6)	<	0.37	<	0.48	<	0.54	<	1.10	<	0.54
MDL ug/m <sup>3</sup>	NA	<.37	NA	<.48	NA	<0.54	NA	<1.1	NA	<0.54



<b>Cold Brook Energy</b>										
809 Main Rd North, Hampden, Maine										
Fenceline Monitoring Duplicate Precision										
<b>10/29/2025 to 11/12/2025</b>										
	Benzene		Toluene		Ethylbenzene		m,p-Xylene		o-Xylene	
Location	ug/m <sup>3</sup>	Qualifier	ug/m <sup>3</sup>	Qualifier	ug/m <sup>3</sup>	Qualifier	ug/m <sup>3</sup>	Qualifier	ug/m <sup>3</sup>	Qualifier
FLM 1 - Sample	0.65		1.60		0.54		1.10		0.54	
FLM 2 - Sample	0.55		1.40		0.54		1.10		0.54	
FLM 3 - Sample	0.64		1.50		0.54		1.10		0.54	
FLM 4 - Sample	0.55		1.10		0.54	<	1.10		0.54	
FLM 5 - Sample	0.42		0.76		0.54	<	1.10		0.54	
FLM 6 - Sample	0.37		0.66		0.54	<	1.10		0.54	<
FLM 7 - Sample	0.49		0.99		0.54	<	1.10		0.54	
FLM 8 - Sample	0.52		1.30		0.54		1.10		0.54	
FLM 9 - Sample	0.80		4.40		0.67		2.50		0.98	
FLM 10 - Sample	0.95		2.90		0.54		1.40		0.56	
FLM 11 - Sample	0.72		2.10		0.54		1.10		0.54	
FLM 12 - Sample	0.75		2.10		0.54		1.10		0.54	
FLM 13 - Dup (2)	0.65		1.60		0.54	<	1.10	<	0.54	<
Field Duplicate Precision	17		13		0		0		0	
FLM 14 - Dup (7)	0.48		0.95		0.54		1.10		0.54	
Field Duplicate Precision	2		4		0		0		0	
FLM 15 - Blank (3)	0.37	<	0.48	<	0.54	<	1.10	<	0.54	<
FLM 16 - Blank (6)	0.37	<	0.48	<	0.54	<	1.10	<	0.54	<
MDL ng	<0.15		<0.19		<0.22		<0.43		<0.22	
Field Duplicate Precision exceeding 30% are indicated by: <span style="background-color: #FFC0CB; border: 1px solid black; padding: 2px;"> </span>										
"<" data qualification flag = Compounds that were "non-detect" are reported at the Method Detection Limit (MDL)										



**Method 325 A/B  
Field Data Sheet**

Site Name: Cold Brook Energy Site Address: 809 Main Rd North  
City: Hampden State: Maine  
Zip Code: 04444 Total Avg. Barometric Pressure (in. Hg): 29.56  
Total Avg. Ambient Temperature (°F): 42.12 Total Avg. Wind Speed and Direction: 7.0/North

Location Coordinates	Sample ID	Deployment Date	Start Time	Retrieval Date	End Time
N44° 46' 44.12" W68° 47' 00.09"	FLM 1 - Sample	10/29/2025	913	11/12/2025	826
N44° 46' 43.51" W68° 46' 59.55"	FLM 2 - Sample	10/29/2025	918	11/12/2025	830
N44° 46' 42.41" W68° 47' 00.80"	FLM 3 - Sample	10/29/2025	924	11/12/2025	834
N44° 46' 41.62" W68° 47' 01.76"	FLM 4 - Sample	10/29/2025	928	11/12/2025	840
N44° 46' 40.41" W68° 47' 03.25"	FLM 5 - Sample	10/29/2025	933	11/12/2025	843
N44° 46' 40.54" W68° 47' 04.34"	FLM 6 - Sample	10/29/2025	939	11/12/2025	849
N44° 46' 41.25" W68° 47' 05.46"	FLM 7 - Sample	10/29/2025	946	11/12/2025	853
N44° 46' 42.19" W68° 47' 04.63"	FLM 8 - Sample	10/29/2025	848	11/12/2025	808
N44° 46' 43.01" W68° 47' 04.90"	FLM 9 - Sample	10/29/2025	853	11/12/2025	813
N44° 46' 44.11" W68° 47' 03.88"	FLM 10 - Sample	10/29/2025	858	11/12/2025	816
N44° 46' 44.80" W68° 47' 03.01"	FLM 11 - Sample	10/29/2025	902	11/12/2025	819
N44° 46' 44.82" W68° 47' 01.49"	FLM 12 - Sample	10/29/2025	907	11/12/2025	822
N44° 46' 44.12" W68° 47' 00.09"	FLM 13- Dup (2)	10/29/2025	913	11/12/2025	830
N44° 46' 40.54" W68° 47' 04.34"	FLM 14- Dup (7)	10/29/2025	939	11/12/2025	853
N44° 46' 43.51" W68° 46' 59.55"	FLM 15- Blank (3)	10/29/2025	918	11/12/2025	834
N44° 46' 41.62" W68° 47' 01.76"	FLM 16- Blank (6)	10/29/2025	933	11/12/2025	849


Sampler Name: Chloe Desmond

Sampler Signature: *Chloe Desmond*

# BANGOR INTERNATIONAL AIRPORT (ME) Wind Rose



10/29/2025 - 11/12/2025  
Sub-Interval: Jan 1 - Dec 31, 00:00 - 23:59



## Wind Speed (mph)

- 1.3 - 4
- 4 - 8
- 8 - 13
- 13 - 19
- 19 - 25
- 25 - 32
- 32 - 39
- 39 - 47
- > 47

## Cold Brook Energy

809 Main Rd North, Hampden, Maine  
Fenceline Monitoring 2025 Q4 Statistical Summary

11/12/2025 to 11/26/2025

Location	Benzene		Toluene		Ethylbenzene		m,p-Xylene		o-Xylene	
	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3
FLM 1 - Sample		0.98		2.50	<	0.54		1.40		0.58
FLM 2 - Sample		1.00		2.40	<	0.54		1.20	<	0.54
FLM 3 - Sample		1.00		2.30	<	0.54		1.20	<	0.54
FLM 4 - Sample		0.88		1.80	<	0.54	<	1.10	<	0.54
FLM 5 - Sample		0.73		1.30	<	0.54	<	1.10	<	0.54
FLM 6 - Sample		0.64		1.00	<	0.54	<	1.10	<	0.54
FLM 7 - Sample		0.61		0.99	<	0.54	<	1.10	<	0.54
FLM 8 - Sample		0.72		1.40	<	0.54	<	1.10	<	0.54
FLM 9 - Sample		0.88		3.40		0.96		3.70		1.50
FLM 10 - Sample		1.20		3.20	<	0.54		1.80		0.71
FLM 11 - Sample		1.00		2.40	<	0.54		1.40		0.57
FLM 12 - Sample		0.98		2.50	<	0.54		1.40		0.57
FLM 13 - Dup (3)		0.98		2.20	<	0.54		1.10	<	0.54
FLM 14 - Dup (8)		0.71		1.40	<	0.54	<	1.10	<	0.54
FLM 15 - Blank (4)	<	0.37	<	0.48	<	0.54	<	1.10	<	0.54
FLM 16 - Blank (7)	<	0.37	<	0.48	<	0.54	<	1.10	<	0.54
MDL ug/m <sup>3</sup>	NA	<0.37	NA	<0.48	NA	<0.54	NA	<1.1	NA	<0.54



<b>Cold Brook Energy</b>										
809 Main Rd North, Hampden, Maine										
Fenceline Monitoring Duplicate Precision										
<b>11/12/2025 to 11/26/2025</b>										
	Benzene		Toluene		Ethylbenzene		m,p-Xylene		o-Xylene	
Location	ug/m <sup>3</sup>	Qualifier	ug/m <sup>3</sup>	Qualifier	ug/m <sup>3</sup>	Qualifier	ug/m <sup>3</sup>	Qualifier	ug/m <sup>3</sup>	Qualifier
FLM 1 - Sample	0.98		2.50		0.54		1.40		0.58	
FLM 2 - Sample	1.00		2.40		0.54		1.20		0.54	
FLM 3 - Sample	1.00		2.30		0.54	<	1.20		0.54	<
FLM 4 - Sample	0.88		1.80		0.54	<	1.10	<	0.54	<
FLM 5 - Sample	0.73		1.30		0.54	<	1.10	<	0.54	<
FLM 6 - Sample	0.64		1.00		0.54	<	1.10	<	0.54	<
FLM 7 - Sample	0.61		0.99		0.54	<	1.10	<	0.54	<
FLM 8 - Sample	0.72		1.40		0.54	<	1.10	<	0.54	<
FLM 9 - Sample	0.88		3.40		0.96		3.70		1.50	
FLM 10 - Sample	1.20		3.20		0.54		1.80		0.71	
FLM 11 - Sample	1.00		2.40		0.54		1.40		0.57	
FLM 12 - Sample	0.98		2.50		0.54		1.40		0.57	
FLM 13 - Dup (3)	0.98		2.20		0.54		1.10		0.54	
Field Duplicate Precision	2		4		0		9		0	
FLM 14 - Dup (8)	0.71		1.40		0.54		1.10		0.54	
Field Duplicate Precision	1		0		0		0		0	
FLM 15 - Blank (4)	0.37	<	0.48	<	0.54	<	1.10	<	0.54	<
FLM 16 - Blank (7)	0.37	<	0.48	<	0.54	<	1.10	<	0.54	<
MDL ng	<.37		<.48		<0.54		<1.1		<0.54	
Field Duplicate Precision exceeding 30% are indicated by: <span style="background-color: #FFC0CB; border: 1px solid black; padding: 2px;"> </span>										
"<" data qualification flag = Compounds that were "non-detect" are reported at the Method Detection Limit (MDL)										



Method 325 A/B  
Field Data Sheet

Site Name: Cold Brook Energy Site Address: 809 Main Rd North  
City: Hampden State: Maine  
Zip Code: 04444 Total Avg. Barometric Pressure (in. Hg): 29.6  
Total Avg. Ambient Temperature (°F): 33.64 Total Avg. Wind Speed and Direction: 4.8/North

Location Coordinates	Sample ID	Deployment Date	Start Time	Retrieval Date	End Time
N44° 46' 44.12" W68° 47' 00.09"	FLM 1 - Sample	11/12/2025	828	11/26/2025	906
N44° 46' 43.51" W68° 46' 59.55"	FLM 2 - Sample	11/12/2025	832	11/26/2025	909
N44° 46' 42.41" W68° 47' 00.80"	FLM 3 - Sample	11/12/2025	836	11/26/2025	913
N44° 46' 41.62" W68° 47' 01.76"	FLM 4 - Sample	11/12/2025	842	11/26/2025	917
N44° 46' 40.41" W68° 47' 03.25"	FLM 5 - Sample	11/12/2025	845	11/26/2025	920
N44° 46' 40.54" W68° 47' 04.34"	FLM 6 - Sample	11/12/2025	851	11/26/2025	924
N44° 46' 41.25" W68° 47' 05.46"	FLM 7 - Sample	11/12/2025	855	11/26/2025	928
N44° 46' 42.19" W68° 47' 04.63"	FLM 8 - Sample	11/12/2025	810	11/26/2025	850
N44° 46' 43.01" W68° 47' 04.90"	FLM 9 - Sample	11/12/2025	815	11/26/2025	854
N44° 46' 44.11" W68° 47' 03.88"	FLM 10 - Sample	11/12/2025	818	11/26/2025	857
N44° 46' 44.80" W68° 47' 03.01"	FLM 11 - Sample	11/12/2025	821	11/26/2025	900
N44° 46' 44.82" W68° 47' 01.49"	FLM 12 - Sample	11/12/2025	824	11/26/2025	903
N44° 46' 44.12" W68° 47' 00.09"	FLM 13- Dup (3)	11/12/2025	836	11/26/2025	913
N44° 46' 40.54" W68° 47' 04.34"	FLM 14- Dup (8)	11/12/2025	810	11/26/2025	850
N44° 46' 43.51" W68° 46' 59.55"	FLM 15- Blank (4)	11/12/2025	842	11/26/2025	917
N44° 46' 41.62" W68° 47' 01.76"	FLM 16- Blank (7)	11/12/2025	855	11/26/2025	928


Sampler Name: Chloe Desmond

Sampler Signature: *Chloe Desmond*

# BANGOR INTERNATIONAL AIRPORT (ME) Wind Rose



11/12/2025 - 11/26/2025  
Sub-Interval: Jan 1 - Dec 31, 00:00 - 23:59



## Wind Speed (mph)

- 1.3 - 4
- 4 - 8
- 8 - 13
- 13 - 19
- 19 - 25
- 25 - 32
- 32 - 39
- 39 - 47
- > 47

## Cold Brook Energy

809 Main Rd North, Hampden, Maine  
Fenceline Monitoring 2025 Q4 Statistical Summary

11/26/2025 to 12/10/2025

Location	Benzene		Toluene		Ethylbenzene		m,p-Xylene		o-Xylene	
	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3
FLM 1 - Sample		1.10		1.90	<	0.54	<	1.10	<	0.54
FLM 2 - Sample		1.10		2.00	<	0.54	<	1.10	<	0.54
FLM 3 - Sample		1.10		2.10	<	0.54	<	1.10	<	0.54
FLM 4 - Sample		0.94		1.80	<	0.54	<	1.10	<	0.54
FLM 5 - Sample		0.79		1.30	<	0.54	<	1.10	<	0.54
FLM 6 - Sample		0.77		1.20	<	0.54	<	1.10	<	0.54
FLM 7 - Sample		0.74		1.20	<	0.54	<	1.10	<	0.54
FLM 8 - Sample		0.79		1.40	<	0.54	<	1.10	<	0.54
FLM 9 - Sample		0.72		1.50	<	0.54	<	1.10	<	0.54
FLM 10 - Sample		1.10		2.80	<	0.54		1.70		0.67
FLM 11 - Sample		1.10		2.70	<	0.54		1.70		0.67
FLM 12 - Sample		1.10		2.40	<	0.54		1.50		0.58
FLM 13 - Dup (4)		0.74		1.40	<	0.54	<	1.10	<	0.54
FLM 14 - Dup (9)		0.82		1.70	<	0.54		1.20	<	0.54
FLM 15 - Blank (5)	<	0.37	<	0.48	<	0.54	<	1.10	<	0.54
FLM 16 - Blank (8)	<	0.37	<	0.48	<	0.54	<	1.10	<	0.54
MDL ug/m <sup>3</sup>	NA	<0.37	NA	<0.48	NA	<0.54	NA	<1.1	NA	<0.54



Cold Brook Energy										
809 Main Rd North, Hampden, Maine										
Fenceline Monitoring Duplicate Precision										
11/26/2025 to 12/10/2025										
	Benzene		Toluene		Ethylbenzene		m,p-Xylene		o-Xylene	
Location	ug/m <sup>3</sup>	Qualifier	ug/m <sup>3</sup>	Qualifier	ug/m <sup>3</sup>	Qualifier	ug/m <sup>3</sup>	Qualifier	ug/m <sup>3</sup>	Qualifier
FLM 1 - Sample	1.10		1.90		0.54	<	1.10		0.54	<
FLM 2 - Sample	1.10		2.00		0.54	<	1.10	<	0.54	<
FLM 3 - Sample	1.10		2.10		0.54		1.10		0.54	
FLM 4 - Sample	0.94		1.80		0.54		1.10		0.54	
FLM 5 - Sample	0.79		1.30		0.54	<	1.10		0.54	
FLM 6 - Sample	0.77		1.20		0.54	<	1.10		0.54	
FLM 7 - Sample	0.74		1.20		0.54	<	1.10		0.54	<
FLM 8 - Sample	0.79		1.40		0.54	<	1.10		0.54	<
FLM 9 - Sample	0.72		1.50		0.54	<	1.10		0.54	
FLM 10 - Sample	1.10		2.80		0.54		1.70		0.67	
FLM 11 - Sample	1.10		2.70		0.54		1.70		0.67	
FLM 12 - Sample	1.10		2.40		0.54		1.50		0.58	
FLM 13 - Dup (4)	0.74		1.40		0.54		1.10		0.54	
Field Duplicate Precision	24		25		0		0		0	
FLM 14 - Dup (9)	0.82		1.70		0.54		1.20		0.54	
Field Duplicate Precision	13		13		0		9		0	
FLM 15 - Blank (5)	0.37	<	0.48	<	0.54	<	1.10	<	0.54	<
FLM 16 - Blank (8)	0.37	<	0.48	<	0.54	<	1.10	<	0.54	<
MDL ng	<0.37		<0.48		<0.54		<1.10		<0.54	
Field Duplicate Precision exceeding 30% are indicated by: <span style="background-color: #FFC0CB; border: 1px solid black; padding: 2px;"> </span>										
"<" data qualification flag = Compounds that were "non-detect" are reported at the Method Detection Limit (MDL)										



Method 325 A/B  
Field Data Sheet

Site Name:	Cold Brook Energy	Site Address:	809 Main Rd North
City:	Hampden	State:	Maine
Zip Code:	04444	Total Avg. Barometric Pressure (in. Hg):	29.76
Total Avg. Ambient Temperature (°F):	24.4	Total Avg. Wind Speed (mph) and Direction:	5.3/N

Location Coordinates	Sample ID	Deployment Date	Start Time	Retrieval Date	End Time
N44° 46' 44.12" W68° 47' 00.09"	FLM 1 - Sample	11/26/2025	908	12/10/2025	1011
N44° 46' 43.51" W68° 46' 59.55"	FLM 2 - Sample	11/26/2025	910	12/10/2025	1015
N44° 46' 42.41" W68° 47' 00.80"	FLM 3 - Sample	11/26/2025	914	12/10/2025	1020
N44° 46' 41.62" W68° 47' 01.76"	FLM 4 - Sample	11/26/2025	919	12/10/2025	1026
N44° 46' 40.41" W68° 47' 03.25"	FLM 5 - Sample	11/26/2025	922	12/10/2025	1031
N44° 46' 40.54" W68° 47' 04.34"	FLM 6 - Sample	11/26/2025	926	12/10/2025	1036
N44° 46' 41.25" W68° 47' 05.46"	FLM 7 - Sample	11/26/2025	929	12/10/2025	1042
N44° 46' 42.19" W68° 47' 04.63"	FLM 8 - Sample	11/26/2025	851	12/10/2025	945
N44° 46' 43.01" W68° 47' 04.90"	FLM 9 - Sample	11/26/2025	855	12/10/2025	951
N44° 46' 44.11" W68° 47' 03.88"	FLM 10 - Sample	11/26/2025	859	12/10/2025	956
N44° 46' 44.80" W68° 47' 03.01"	FLM 11 - Sample	11/26/2025	901	12/10/2025	1002
N44° 46' 44.82" W68° 47' 01.49"	FLM 12 - Sample	11/26/2025	904	12/10/2025	1067
N44° 46' 44.12" W68° 47' 00.09"	FLM 13- Dup (4)	11/26/2025	919	12/10/2025	<del>1011</del> 1026
N44° 46' 40.54" W68° 47' 04.34"	FLM 14- Dup (9)	11/26/2025	855	12/10/2025	951
N44° 46' 43.51" W68° 46' 59.55"	FLM 15- Blank (5)	11/26/2025	922	12/10/2025	1031
N44° 46' 41.62" W68° 47' 01.76"	FLM 16- Blank (8)	11/26/2025	851	12/10/2025	945


Sampler Name: Chloe Desmond & Jason Patterson

Sampler Signature:

# BANGOR INTERNATIONAL AIRPORT (ME) Wind Rose



11/26/2025 - 12/10/2025  
Sub-Interval: Jan 1 - Dec 31, 00:00 - 23:59



Highcharts.com

## Cold Brook Energy

809 Main Rd North, Hampden, Maine  
Fenceline Monitoring 2025 Q4 Statistical Summary

12/10/2025 to 12/24/2025

Location	Benzene		Toluene		Ethylbenzene		m,p-Xylene		o-Xylene	
	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3
FLM 1 - Sample		0.86		1.50	<	0.54	<	1.10	<	0.54
FLM 2 - Sample		0.81		1.40	<	0.54	<	1.10	<	0.54
FLM 3 - Sample		0.75		1.30	<	0.54	<	1.10	<	0.54
FLM 4 - Sample		0.65		0.90	<	0.54	<	1.10	<	0.54
FLM 5 - Sample		0.60		0.76	<	0.54	<	1.10	<	0.54
FLM 6 - Sample		0.54		0.72	<	0.54	<	1.10	<	0.54
FLM 7 - Sample		0.62		0.89	<	0.54	<	1.10	<	0.54
FLM 8 - Sample		0.69		1.30	<	0.54	<	1.10	<	0.54
FLM 9 - Sample		0.79		1.90	<	0.54		1.20	<	0.54
FLM 10 - Sample		1.20		3.20	<	0.54		1.70		0.71
FLM 11 - Sample		1.10		3.20	<	0.54		1.80		0.77
FLM 12 - Sample		1.10		3.10	<	0.54		1.70		0.70
FLM 13 - Dup (5)		0.55		0.65	<	0.54	<	1.10	<	0.54
FLM 14 - Dup (10)		1.20		3.10	<	0.54		1.60		0.65
FLM 15 - Blank (6)	<	0.37	<	0.48	<	0.54	<	1.10	<	0.54
FLM 16 - Blank (9)	<	0.37	<	0.48	<	0.54	<	1.10	<	0.54
MDL ug/m <sup>3</sup>	NA	<0.37	NA	<0.48	NA	<0.54	NA	<1.1	NA	<0.54



<b>Cold Brook Energy</b>										
809 Main Rd North, Hampden, Maine										
Fenceline Monitoring Duplicate Precision										
12/10/2025 to 12/24/2026										
	Benzene		Toluene		Ethylbenzene		m,p-Xylene		o-Xylene	
Location	ug/m <sup>3</sup>	Qualifier	ug/m <sup>3</sup>	Qualifier	ug/m <sup>3</sup>	Qualifier	ug/m <sup>3</sup>	Qualifier	ug/m <sup>3</sup>	Qualifier
FLM 1 - Sample	0.86		1.50		0.54	<	1.10	<	0.54	<
FLM 2 - Sample	0.81		1.40		0.54	<	1.10	<	0.54	<
FLM 3 - Sample	0.75		1.30		0.54	<	1.10	<	0.54	<
FLM 4 - Sample	0.65		0.90		0.54	<	1.10	<	0.54	<
FLM 5 - Sample	0.60		0.76		0.54	<	1.10	<	0.54	<
FLM 6 - Sample	0.54		0.72		0.54	<	1.10	<	0.54	<
FLM 7 - Sample	0.62		0.89		0.54	<	1.10	<	0.54	<
FLM 8 - Sample	0.69		1.30		0.54	<	1.10	<	0.54	<
FLM 9 - Sample	0.79		1.90		0.54	<	1.20		0.54	<
FLM 10 - Sample	1.20		3.20		0.54	<	1.70		0.71	
FLM 11 - Sample	1.10		3.20		0.54	<	1.80		0.77	
FLM 12 - Sample	1.10		3.10		0.54	<	1.70		0.70	
FLM 13 - Dup (5)	0.55		0.65		0.54	<	1.10	<	0.54	<
Field Duplicate Precision	9		16		0		0		0	
FLM 14 - Dup (10)	1.20		3.10		0.54	<	1.60		0.65	
Field Duplicate Precision	0		3		0		6		9	
FLM 15 - Blank (6)	0.37	<	0.48	<	0.54	<	1.10	<	0.54	<
FLM 16 - Blank (9)	0.37	<	0.48	<	0.54	<	1.10	<	0.54	<
MDL ng	<0.37		<0.48		<0.54		<1.10		<0.54	
Field Duplicate Precision exceeding 30% are indicated by: <span style="background-color: #FFC0CB; border: 1px solid black; padding: 2px;"> </span>										
"<" data qualification flag = Compounds that were "non-detect" are reported at the Method Detection Limit (MDL)										

**Method 325 A/B**  
**Field Data Sheet**

Site Name: Cold Brook Energy Site Address: 809 Main Rd North  
 City: Hampden State: Maine  
 Zip Code: 04444 Total Avg. Barometric Pressure (in. Hg): 30.02  
 Total Avg. Ambient Temperature (°F): 27.60 Total Avg. Wind Speed (mph) and Direction: 6.8/North


Location Coordinates	Sample ID	Deployment Date	Start Time	Retrieval Date	End Time
N44° 46' 44.12" W68° 47' 00.09"	FLM 1 - Sample	12/10/2025	1013	12/24/2025	1050
N44° 46' 43.51" W68° 46' 59.55"	FLM 2 - Sample	12/10/2025	1017	12/24/2025	1053
N44° 46' 42.41" W68° 47' 00.80"	FLM 3 - Sample	12/10/2025	1022	12/24/2025	1056
N44° 46' 41.62" W68° 47' 01.76"	FLM 4 - Sample	12/10/2025	1028	12/24/2025	1100
N44° 46' 40.41" W68° 47' 03.25"	FLM 5 - Sample	12/10/2025	1032	12/24/2025	1104
N44° 46' 40.54" W68° 47' 04.34"	FLM 6 - Sample	12/10/2025	1038	12/24/2025	1109
N44° 46' 41.25" W68° 47' 05.46"	FLM 7 - Sample	12/10/2025	1044	12/24/2025	1113
N44° 46' 42.19" W68° 47' 04.63"	FLM 8 - Sample	12/10/2025	947	12/24/2025	1030
N44° 46' 43.01" W68° 47' 04.90"	FLM 9 - Sample	12/10/2025	953	12/24/2025	1034
N44° 46' 44.11" W68° 47' 03.88"	FLM 10 - Sample	12/10/2025	958	12/24/2025	1038
N44° 46' 44.80" W68° 47' 03.01"	FLM 11 - Sample	12/10/2025	1004	12/24/2025	1042
N44° 46' 44.82" W68° 47' 01.49"	FLM 12 - Sample	12/10/2025	1009	12/24/2025	1046
N44° 46' 44.12" W68° 47' 00.09"	FLM 13- Dup (5)	12/10/2025	1028	12/24/2025	1104
N44° 46' 40.54" W68° 47' 04.34"	FLM 14- Dup (10)	12/10/2025	953	12/24/2025	1038
N44° 46' 43.51" W68° 46' 59.55"	FLM 15- Blank (6)	12/10/2025	1032	12/24/2025	1109
N44° 46' 41.62" W68° 47' 01.76"	FLM 16- Blank (9)	12/10/2025	947	12/24/2025	1034

Sampler Name: Chloe Desmond  
 Sampler Signature: *Chloe of Desmond*

# BANGOR INTERNATIONAL AIRPORT (ME) Wind Rose



12/10/2025 - 12/24/2025  
Sub-Interval: Dec 1 - Dec 31, 00:00 - 23:59



## Wind Speed (mph)

- 1.3 - 4
- 4 - 8
- 8 - 13
- 13 - 19
- 19 - 25
- 25 - 32
- 32 - 39
- 39 - 47
- > 47



## ATTACHMENT 2

### Cold Brook Energy

809 Main Rd North, Hampden, Maine

Fenceline Monitoring 2025 Q4 Statistical Summary

	Coldbrook Energy Fenceline Monitoring Statistics-2025 Qtr 4									
	Benzene		Toluene		Ethylbenzene		m,p-Xylene		o-Xylene	
	ug/m3		ug/m3		ug/m3		ug/m3		ug/m3	
Quarterly Maximum	1.50		11.00		3.00		11.00		4.60	
Quarterly Average	0.79		2.13		0.52		1.28		0.57	
Rolling Annual Maximum	3.70		14.00		3.00		11.00		4.60	
Rolling Annual Average	0.89		2.41		0.42		1.21		0.49	



## ATTACHMENT 3



**GALSON**

**Chloe Desmond  
Haley Ward Inc.  
1 Merchants Plaza  
Suite 701  
Bangor, ME 04401**

**October 09, 2025**

**Account# 41031**

**Login# L674870**

**Dear Chloe Desmond:**

**Enclosed are the analytical results for the samples received by our laboratory on October 02, 2025. All samples on the chain of custody were received in good condition unless otherwise noted. Any additional observations will be noted on the chain of custody.**

**Please contact client services at (888) 432-5227 if you would like any additional information regarding this report. Thank you for using SGS Galson.**

**Sincerely,**

**SGS Galson**

A handwritten signature in black ink that reads 'Lisa Swab'. The signature is written in a cursive, flowing style.

**Lisa Swab  
Laboratory Director**

**Enclosure(s)**



**Terms and Conditions & General Disclaimers**

- This document is issued by the Company under its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.
- Any holder of this document is advised that information contained herein reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Analytical Disclaimers**

- Unless otherwise noted within the report, all quality control results associated with the samples were within established control limits or did not impact reported results.
- Note: The findings recorded within this report were drawn from analysis of the sample(s) provided to the laboratory by the Client (or a third party acting at the Client’s direction). The laboratory does not have control over the sampling process, including but not limited to the use of field equipment and collection media, as well as the sampling duration, collection volume or any other collection parameter used by the Client. The findings herein constitute no warranty of the sample's representativeness of any sampled environment, and strictly relate to the samples as they were presented to the laboratory. For recommended sampling collection parameters, please refer to the Sampling and Analysis Guide at [www.sgsgalson.com](http://www.sgsgalson.com).
- Unrounded results are carried through the calculations that yield the final result and the final result is rounded to the number of significant figures appropriate to the accuracy of the analytical method. Please note that results appearing in the columns preceding the final result column may have been rounded and therefore, if carried through the calculations, may not yield an identical final result to the one reported.
- The stated LOQs for each analyte represent the demonstrated LOQ concentrations prior to correction for desorption efficiency (if applicable).
- Unless otherwise noted within the report, results have not been blank corrected for any field blank or method blank data.

**Accreditations** SGS Galson holds a variety of accreditations and recognitions. Our quality management system conforms with the requirements of ISO/IEC 17025. Where applicable, samples may also be analyzed in accordance with the requirements of ELAP, NELAC, or LELAP under one of the state accrediting bodies listed below. Current Scopes of Accreditation can be viewed at <http://www.sgsgalson.com> in the accreditations section of the "About" page. To determine if the analyte tested falls under our scope of accreditation, please visit our website or call Client Services at (888) 432-5227.

National/International	Accreditation/Recognition	Lab ID#	Program/Sector
AIHA-LAP, LLC - IHLAP, ELLAP, EMLAP	ISO/IEC 17025 and USEPA NLLAP	Lab ID 100324	Industrial Hygiene, Environmental Lead, Environmental Microbiology

State	Accreditation/Recognition	Lab ID#	Program/Sector
New York (NYSDOH)	ELAP and NELAC (TNI)	Lab ID: 11626	Air Analysis, Solid and Hazardous Waste
Louisiana (LDEQ)	LELAP	Lab ID: 04083	Air Analysis, Solid Chemical Materials

**Legend**

< - Less than	mg - Milligrams	MDL - Method Detection Limit	ppb - Parts per Billion
> - Greater than	ug - Micrograms	NA - Not Applicable	ppm - Parts per Million
l - Liters	m3 - Cubic Meters	NS - Not Specified	ppbv - ppb Volume
LOQ - Limit of Quantitation	kg - Kilograms	ND - Not Detected	ppmv - ppm Volume
ft2 - Square Feet	cm2 - Square Centimeters	in2 - Square Inches	ng - Nanograms



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc. Account No.: 41031  
Site : COLD BROOK ENERGY Login No. : L674870  
Project No. : FENCE LINE MONITORING 10142.008  
Date Sampled : 17-SEP-25 Date Analyzed : 08-OCT-25  
Date Received : 02-OCT-25 Report ID : 1525331

Client ID : FLM1 Lab ID : L674870-1 Time : 20188 minutes  
Date Sampled : 09/17/25 Date Analyzed : 10/08/25

Parameter	MDL ng	LOQ ng	Time minutes	Total ng	Total Qual	Conc ug/m3	ppbv	Dil Fact
Benzene	2	2.0	20188	13		0.97	0.30	1
Toluene	2	2.0	20188	27		2.5	0.67	1
Ethylbenzene	2	2.0	20188	3.1		0.33	0.077	1
m,p-Xylene	4	4.0	20188	7.2		0.77	0.18	1
o-Xylene	2	2.0	20188	2.8		0.30	0.070	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS Submitted by: EEA Date : 09-OCT-25  
Collection Media : Carbopack X Supervisor: TEM Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client	: Haley Ward Inc.	Account No.:	41031
Site	: COLD BROOK ENERGY	Login No. :	L674870
Project No.	: FENCE LINE MONITORING 10142.008		
Date Sampled	: 17-SEP-25	Date Analyzed	: 08-OCT-25
Date Received	: 02-OCT-25	Report ID	: 1525331

Client ID : FLM2                      Lab ID : L674870-2                      Time : 20189 minutes  
 Date Sampled : 09/17/25                      Date Analyzed : 10/08/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	20189	12		0.94	0.29	1
Toluene	2	2.0	20189	25		2.4	0.64	1
Ethylbenzene	2	2.0	20189	2.5		0.27	0.061	1
m,p-Xylene	4	4.0	20189	5.3		0.57	0.13	1
o-Xylene	2	2.0	20189	2.0		0.22	0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS	Submitted by: EEA	Date : 09-OCT-25
Collection Media : Carbopack X	Supervisor: TEM	Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client	: Haley Ward Inc.	Account No.:	41031
Site	: COLD BROOK ENERGY	Login No. :	L674870
Project No.	: FENCE LINE MONITORING 10142.008		
Date Sampled	: 17-SEP-25	Date Analyzed	: 08-OCT-25
Date Received	: 02-OCT-25	Report ID	: 1525331

Client ID : FLM3                      Lab ID : L674870-3                      Time : 20189 minutes  
 Date Sampled : 09/17/25                      Date Analyzed : 10/08/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	20189	15		1.1	0.34	1
Toluene	2	2.0	20189	31		3.0	0.79	1
Ethylbenzene	2	2.0	20189	3.3		0.35	0.081	1
m,p-Xylene	4	4.0	20189	7.3		0.78	0.18	1
o-Xylene	2	2.0	20189	2.7		0.29	0.067	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS	Submitted by: EEA	Date : 09-OCT-25
Collection Media : Carbopack X	Supervisor: TEM	Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client	: Haley Ward Inc.	Account No.:	41031
Site	: COLD BROOK ENERGY	Login No. :	L674870
Project No.	: FENCE LINE MONITORING 10142.008		
Date Sampled	: 17-SEP-25	Date Analyzed	: 08-OCT-25
Date Received	: 02-OCT-25	Report ID	: 1525331

Client ID : FLM4                      Lab ID : L674870-4                      Time : 20187 minutes  
 Date Sampled : 09/17/25                      Date Analyzed : 10/08/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	20187	9.5		0.71	0.22	1
Toluene	2	2.0	20187	19		1.8	0.47	1
Ethylbenzene	2	2.0	20187	2.2		0.23	0.054	1
m,p-Xylene	4	4.0	20187	5.3		0.57	0.13	1
o-Xylene	2	2.0	20187	2.2		0.23	0.053	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS	Submitted by: EEA	Date : 09-OCT-25
Collection Media : Carbopack X	Supervisor: TEM	Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client	: Haley Ward Inc.	Account No.:	41031
Site	: COLD BROOK ENERGY	Login No. :	L674870
Project No.	: FENCE LINE MONITORING 10142.008		
Date Sampled	: 17-SEP-25	Date Analyzed	: 08-OCT-25
Date Received	: 02-OCT-25	Report ID	: 1525331

Client ID : FLM5                      Lab ID : L674870-5                      Time : 20189 minutes  
 Date Sampled : 09/17/25                      Date Analyzed : 10/08/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	20189	7.1		0.53	0.17	1
Toluene	2	2.0	20189	13		1.2	0.32	1
Ethylbenzene	2	2.0	20189	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20189	ND	U	<0.43	<0.099	1
o-Xylene	2	2.0	20189	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS	Submitted by: EEA	Date : 09-OCT-25
Collection Media : Carbopack X	Supervisor: TEM	Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client	: Haley Ward Inc.	Account No.:	41031
Site	: COLD BROOK ENERGY	Login No. :	L674870
Project No.	: FENCE LINE MONITORING 10142.008		
Date Sampled	: 17-SEP-25	Date Analyzed	: 08-OCT-25
Date Received	: 02-OCT-25	Report ID	: 1525331

Client ID : FLM6                      Lab ID : L674870-6                      Time : 20189 minutes  
 Date Sampled : 09/17/25                      Date Analyzed : 10/08/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	20189	6.5		0.49	0.15	1
Toluene	2	2.0	20189	11		1.1	0.28	1
Ethylbenzene	2	2.0	20189	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20189	ND	U	<0.43	<0.099	1
o-Xylene	2	2.0	20189	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS	Submitted by: EEA	Date : 09-OCT-25
Collection Media : Carbopack X	Supervisor: TEM	Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client	: Haley Ward Inc.	Account No.:	41031
Site	: COLD BROOK ENERGY	Login No. :	L674870
Project No.	: FENCE LINE MONITORING 10142.008		
Date Sampled	: 17-SEP-25	Date Analyzed	: 08-OCT-25
Date Received	: 02-OCT-25	Report ID	: 1525331

Client ID : FLM7                      Lab ID : L674870-7                      Time : 20190 minutes  
 Date Sampled : 09/17/25                      Date Analyzed : 10/08/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	20190	6.2		0.47	0.14	1
Toluene	2	2.0	20190	11		1.0	0.28	1
Ethylbenzene	2	2.0	20190	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20190	ND	U	<0.43	<0.099	1
o-Xylene	2	2.0	20190	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS	Submitted by: EEA	Date : 09-OCT-25
Collection Media : Carbopack X	Supervisor: TEM	Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client	: Haley Ward Inc.	Account No.:	41031
Site	: COLD BROOK ENERGY	Login No. :	L674870
Project No.	: FENCE LINE MONITORING 10142.008		
Date Sampled	: 17-SEP-25	Date Analyzed	: 08-OCT-25
Date Received	: 02-OCT-25	Report ID	: 1525331

Client ID : FLM8                      Lab ID : L674870-8                      Time : 20190 minutes  
 Date Sampled : 09/17/25                      Date Analyzed : 10/08/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	20190	6.0		0.45	0.14	1
Toluene	2	2.0	20190	12		1.1	0.30	1
Ethylbenzene	2	2.0	20190	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20190	ND	U	<0.43	<0.099	1
o-Xylene	2	2.0	20190	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS	Submitted by: EEA	Date : 09-OCT-25
Collection Media : Carbopack X	Supervisor: TEM	Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client	: Haley Ward Inc.	Account No.:	41031
Site	: COLD BROOK ENERGY	Login No. :	L674870
Project No.	: FENCE LINE MONITORING 10142.008		
Date Sampled	: 17-SEP-25	Date Analyzed	: 08-OCT-25
Date Received	: 02-OCT-25	Report ID	: 1525331

Client ID : FLM9                      Lab ID : L674870-9                      Time : 20188 minutes  
 Date Sampled : 09/17/25                      Date Analyzed : 10/08/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	20188	12		0.88	0.28	1
Toluene	2	2.0	20188	41		3.9	1.0	1
Ethylbenzene	2	2.0	20188	7.0		0.76	0.17	1
m,p-Xylene	4	4.0	20188	20		2.2	0.50	1
o-Xylene	2	2.0	20188	7.9		0.85	0.20	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS	Submitted by: EEA	Date : 09-OCT-25
Collection Media : Carbopack X	Supervisor: TEM	Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client	: Haley Ward Inc.	Account No.:	41031
Site	: COLD BROOK ENERGY	Login No. :	L674870
Project No.	: FENCE LINE MONITORING 10142.008		
Date Sampled	: 17-SEP-25	Date Analyzed	: 08-OCT-25
Date Received	: 02-OCT-25	Report ID	: 1525331

Client ID : FLM10                      Lab ID : L674870-10                      Time : 20188 minutes  
 Date Sampled : 09/17/25                      Date Analyzed : 10/08/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20188	20		1.5	0.47	1
Toluene	2	2.0	20188	47		4.5	1.2	1
Ethylbenzene	2	2.0	20188	4.0		0.43	0.099	1
m,p-Xylene	4	4.0	20188	9.0		0.97	0.22	1
o-Xylene	2	2.0	20188	3.5		0.37	0.086	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS	Submitted by: EEA	Date : 09-OCT-25
Collection Media : Carbopack X	Supervisor: TEM	Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client	: Haley Ward Inc.	Account No.:	41031
Site	: COLD BROOK ENERGY	Login No. :	L674870
Project No.	: FENCE LINE MONITORING 10142.008		
Date Sampled	: 17-SEP-25	Date Analyzed	: 08-OCT-25
Date Received	: 02-OCT-25	Report ID	: 1525331

Client ID : FLM11                      Lab ID : L674870-11                      Time : 20188 minutes  
 Date Sampled : 09/17/25                      Date Analyzed : 10/08/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	20188	13		0.97	0.30	1
Toluene	2	2.0	20188	31		3.0	0.79	1
Ethylbenzene	2	2.0	20188	3.5		0.38	0.087	1
m,p-Xylene	4	4.0	20188	9.2		0.99	0.23	1
o-Xylene	2	2.0	20188	3.5		0.38	0.088	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS	Submitted by: EEA	Date : 09-OCT-25
Collection Media : Carbopack X	Supervisor: TEM	Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client	: Haley Ward Inc.	Account No.:	41031
Site	: COLD BROOK ENERGY	Login No. :	L674870
Project No.	: FENCE LINE MONITORING 10142.008		
Date Sampled	: 17-SEP-25	Date Analyzed	: 08-OCT-25
Date Received	: 02-OCT-25	Report ID	: 1525331

Client ID : FLM12                      Lab ID : L674870-12                      Time : 20188 minutes  
 Date Sampled : 09/17/25                      Date Analyzed : 10/08/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	20188	14		1.0	0.31	1
Toluene	2	2.0	20188	30		2.9	0.76	1
Ethylbenzene	2	2.0	20188	3.1		0.33	0.076	1
m,p-Xylene	4	4.0	20188	7.3		0.79	0.18	1
o-Xylene	2	2.0	20188	2.7		0.29	0.067	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS	Submitted by: EEA	Date : 09-OCT-25
Collection Media : Carbopack X	Supervisor: TEM	Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client	: Haley Ward Inc.	Account No.:	41031
Site	: COLD BROOK ENERGY	Login No. :	L674870
Project No.	: FENCE LINE MONITORING 10142.008		
Date Sampled	: 17-SEP-25	Date Analyzed	: 08-OCT-25
Date Received	: 02-OCT-25	Report ID	: 1525331

Client ID : FLM13-DUP(11)  
Date Sampled : 09/17/25

Lab ID : L674870-13      Time : 20193 minutes  
Date Analyzed : 10/08/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	20193	13		1.0	0.31	1
Toluene	2	2.0	20193	32		3.1	0.82	1
Ethylbenzene	2	2.0	20193	3.6		0.39	0.090	1
m,p-Xylene	4	4.0	20193	9.3		1.0	0.23	1
o-Xylene	2	2.0	20193	3.6		0.38	0.088	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS	Submitted by: EEA	Date : 09-OCT-25
Collection Media : Carbo-pack X	Supervisor: TEM	Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client	: Haley Ward Inc.	Account No.:	41031
Site	: COLD BROOK ENERGY	Login No.:	L674870
Project No.	: FENCE LINE MONITORING 10142.008		
Date Sampled	: 17-SEP-25	Date Analyzed	: 08-OCT-25
Date Received	: 02-OCT-25	Report ID	: 1525331

Client ID : FLM14-DUP(4)  
Date Sampled : 09/17/25

Lab ID : L674870-14      Time : 20193 minutes  
Date Analyzed : 10/08/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	20193	9.2		0.69	0.22	1
Toluene	2	2.0	20193	18		1.7	0.44	1
Ethylbenzene	2	2.0	20193	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20193	4.0		0.43	0.10	1
o-Xylene	2	2.0	20193	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS	Submitted by: EEA	Date : 09-OCT-25
Collection Media : Carbopack X	Supervisor: TEM	Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client	: Haley Ward Inc.	Account No.:	41031
Site	: COLD BROOK ENERGY	Login No. :	L674870
Project No.	: FENCE LINE MONITORING 10142.008		
Date Sampled	: 17-SEP-25	Date Analyzed	: 08-OCT-25
Date Received	: 02-OCT-25	Report ID	: 1525331

Client ID : FLM15-BLANK(12)      Lab ID : L674870-15      Time : 20194 minutes  
 Date Sampled : 09/17/25      Date Analyzed : 10/08/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	20194	ND	U	<0.15	<0.046	1
Toluene	2	2.0	20194	ND	U	<0.19	<0.051	1
Ethylbenzene	2	2.0	20194	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20194	ND	U	<0.43	<0.099	1
o-Xylene	2	2.0	20194	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS	Submitted by: EEA	Date : 09-OCT-25
Collection Media : Carbo-pack X	Supervisor: TEM	Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client	: Haley Ward Inc.	Account No.:	41031
Site	: COLD BROOK ENERGY	Login No. :	L674870
Project No.	: FENCE LINE MONITORING 10142.008		
Date Sampled	: 17-SEP-25	Date Analyzed	: 08-OCT-25
Date Received	: 02-OCT-25	Report ID	: 1525331

Client ID : FLM16-BLANK(3)      Lab ID : L674870-16      Time : 20193 minutes  
 Date Sampled : 09/17/25      Date Analyzed : 10/08/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	20193	ND	U	<0.15	<0.046	1
Toluene	2	2.0	20193	ND	U	<0.19	<0.051	1
Ethylbenzene	2	2.0	20193	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20193	ND	U	<0.43	<0.099	1
o-Xylene	2	2.0	20193	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS	Submitted by: EEA	Date : 09-OCT-25
Collection Media : Carbo-pack X	Supervisor: TEM	Approved by : BHB



# GALSON

LABORATORY FOOTNOTE REPORT

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsгалсон.com

Client Name : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : FENCE LINE MONITORING 10142.008

Date Sampled : 17-SEP-25  
Date Received: 02-OCT-25  
Date Analyzed: 08-OCT-25  
Account No.: 41031  
Login No. : L674870

L674870 (Report ID: 1525331):

EPA qualifiers are as follows:  
U - Compound was analyzed for, but not detected.  
J - Compound was found greater than the MDL, but less than the LOQ.  
B - Compound is found in the associated method blank as well as in the sample.  
SOPs: MS-SOP-17(14)

L674870-4,14 (Report ID: 1525331):

Sample and Sample Duplicate Relative Percent Difference (RPD) exceeded 30% for m,p-xylene at 38%.

L674870 (Report ID: 1525331):

Accuracy and mean recovery data presented below is based on a 95% confidence interval (k=2). The estimated accuracy applies to the media, technology, and SOP referenced in this report and does not account for the uncertainty associated with the sampling process. The accuracy is based solely on spike recovery data from internal quality control samples. Where N/A appears below, insufficient data is available to provide statistical accuracy and mean recovery values for the associated analyte.

Parameter	Accuracy	Mean Recovery
Benzene	+/-17.2%	102%
Ethylbenzene	+/-18.5%	104%
m,p-Xylenes	+/-20%	104%
o-Xylene	+/-18.2%	103%
Toluene	+/-17.5%	101%

Parameter	Method
Benzene	mod. EPA 325B; GCMS
Ethylbenzene	mod. EPA 325B; GCMS
Toluene	mod. EPA 325B; GCMS
m,p-Xylene	mod. EPA 325B; GCMS
o-Xylene	mod. EPA 325B; GCMS

SGS GALSON

Client Acct. No. 41031

EPA 325A Fenceline Monitoring

116

41078 41074870

Report To: Chloe Desmond  
Jason Patterson  
Company Name: Haley Ward Inc.  
Address 1: 1 Marchants Plaza  
Address 2: Suite 701  
City, State, Zip: Bangor, ME 04401  
Cell No.: 207-214-0141  
Email Report to: cdesmond@haleyward.com  
jpatterson@haleyward.com

Invoice To: Accounts Payable-Julie  
Company Name: Haley Ward Inc.  
Address 1: 1 Marchants Plaza  
Address 2: Suite 701  
City, State, Zip: Bangor, ME 04401  
Email Address: joreskovich@haleyward.com  
P.O. No.:  
Payment Info:  Will Phone in Credit Card Information  
 Credit Card on File

121043178442563582

Date: 10/02/25

Shipper: UPS

Initials: MMM



Prep: UNKNOWN

Prep No.: PSY788285

Complete shaded portions and return to the lab with the samples.\*

Comments:	Average Ambient Temperature:	58.83°F
	Average Barometric Pressure:	29.84

Site Name: Cold Brook Energy Project: Fence Line Monitoring - 10142.008 Sampled By: Chloe Desmond

Sample Identification*	Manufacturer ID	Collection Medium	Date/Time Deployed (Military Time)	Date/Time Retrieved (Military Time)	Analysis Requested	Method
FLM 1	C41410	Carbopack X	9/17/25 0859	10/1/25 0927	BTEX	MOD. EPA325B: GCMS
FLM 2	C41465	Carbopack X	0902	0931	BTEX	MOD. EPA325B: GCMS
FLM 3	C40255	Carbopack X	0906	0935	BTEX	MOD. EPA325B: GCMS
FLM 4	C41401	Carbopack X	0912	0939	BTEX	MOD. EPA325B: GCMS
FLM 5	C41425	Carbopack X	0916	0945	BTEX	MOD. EPA325B: GCMS
FLM 6	C38329	Carbopack X	0920	0949	BTEX	MOD. EPA325B: GCMS
FLM 7	C41456	Carbopack X	0923	0953	BTEX	MOD. EPA325B: GCMS
FLM 8	C41402	Carbopack X	0835	0905	BTEX	MOD. EPA325B: GCMS
FLM 9	C41422	Carbopack X	0840	0908	BTEX	MOD. EPA325B: GCMS
FLM 10	C40212	Carbopack X	0844	0912	BTEX	MOD. EPA325B: GCMS
FLM 11	C41381	Carbopack X	0848	0916	BTEX	MOD. EPA325B: GCMS

Chain of Custody	Print Name	Signature	Date/Time
Relinquished by:	Chloe Desmond	Chloe Desmond	10/1/25 1018
Received by LAB:	Kaitlynn Buckley	Kaitlynn Buckley	10/2/25 1008

Comments

Complete shaded portions and return to the lab with the samples.\*

Sample Identification*	Manufacturer ID	Collection Medium	Date/Time Deployed (Military Time)	Date/Time Retrieved (Military Time)	Analysis Requested	Method
FLM 12	C40214	Carbopack X	9/17/25 0853	10/1/25 0921	BTEX	MOD. EPA325B: GCMS
FLM 13 - Dup (11)	C41419	Carbopack X	↓ 0844	↓ 0917	BTEX	MOD. EPA325B: GCMS
FLM 14 - Dup (4)	C41504	Carbopack X	↓ 0907	↓ 0940	BTEX	MOD. EPA325B: GCMS
FLM 15 - Blank (12)	C54296	Carbopack X	↓ 0848	↓ 0922	BTEX	MOD. EPA325B: GCMS
FLM 16 - Blank (3)	C40275	Carbopack X	↓ 0903	↓ 0936	BTEX	MOD. EPA325B: GCMS

Chain of Custody	Print Name	Signature	Date/Time
Relinquished by:	Chloe Desmond	<i>Chloe Desmond</i>	10/1/25 1018
Received by LAB:	Kaitlynn Buckley	<i>Kaitlynn Buckley</i>	10/2/25 1003

\*Required fields, failure to complete these fields may result in a delay in your samples being processed.

Page 1 of     

Samples received after 3pm will be considered as next day's business.



**GALSON**

**Chloe Desmond  
Haley Ward Inc.  
1 Merchants Plaza  
Suite 701  
Bangor, ME 04401**

**October 24, 2025**

**Account# 41031**

**Login# L676472**

**Dear Chloe Desmond:**

**Enclosed are the analytical results for the samples received by our laboratory on October 17, 2025. All samples on the chain of custody were received in good condition unless otherwise noted. Any additional observations will be noted on the chain of custody.**

**Please contact client services at (888) 432-5227 if you would like any additional information regarding this report. Thank you for using SGS Galson.**

**Sincerely,**

**SGS Galson**

A handwritten signature in black ink that reads 'Lisa Swab'. The signature is written in a cursive, flowing style.

**Lisa Swab  
Laboratory Director**

**Enclosure(s)**



**Terms and Conditions & General Disclaimers**

- This document is issued by the Company under its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.
- Any holder of this document is advised that information contained herein reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Analytical Disclaimers**

- Unless otherwise noted within the report, all quality control results associated with the samples were within established control limits or did not impact reported results.
- Note: The findings recorded within this report were drawn from analysis of the sample(s) provided to the laboratory by the Client (or a third party acting at the Client’s direction). The laboratory does not have control over the sampling process, including but not limited to the use of field equipment and collection media, as well as the sampling duration, collection volume or any other collection parameter used by the Client. The findings herein constitute no warranty of the sample's representativeness of any sampled environment, and strictly relate to the samples as they were presented to the laboratory. For recommended sampling collection parameters, please refer to the Sampling and Analysis Guide at [www.sgsgalson.com](http://www.sgsgalson.com).
- Unrounded results are carried through the calculations that yield the final result and the final result is rounded to the number of significant figures appropriate to the accuracy of the analytical method. Please note that results appearing in the columns preceding the final result column may have been rounded and therefore, if carried through the calculations, may not yield an identical final result to the one reported.
- The stated LOQs for each analyte represent the demonstrated LOQ concentrations prior to correction for desorption efficiency (if applicable).
- Unless otherwise noted within the report, results have not been blank corrected for any field blank or method blank data.

**Accreditations** SGS Galson holds a variety of accreditations and recognitions. Our quality management system conforms with the requirements of ISO/IEC 17025. Where applicable, samples may also be analyzed in accordance with the requirements of ELAP, NELAC, or LELAP under one of the state accrediting bodies listed below. Current Scopes of Accreditation can be viewed at <http://www.sgsgalson.com> in the accreditations section of the "About" page. To determine if the analyte tested falls under our scope of accreditation, please visit our website or call Client Services at (888) 432-5227.

National/International	Accreditation/Recognition	Lab ID#	Program/Sector
AIHA-LAP, LLC - IHLAP, ELLAP, EMLAP	ISO/IEC 17025 and USEPA NLLAP	Lab ID 100324	Industrial Hygiene, Environmental Lead, Environmental Microbiology

State	Accreditation/Recognition	Lab ID#	Program/Sector
New York (NYSDOH)	ELAP and NELAC (TNI)	Lab ID: 11626	Air Analysis, Solid and Hazardous Waste
Louisiana (LDEQ)	LELAP	Lab ID: 04083	Air Analysis, Solid Chemical Materials

**Legend**

< - Less than	mg - Milligrams	MDL - Method Detection Limit	ppb - Parts per Billion
> - Greater than	ug - Micrograms	NA - Not Applicable	ppm - Parts per Million
l - Liters	m3 - Cubic Meters	NS - Not Specified	ppbv - ppb Volume
LOQ - Limit of Quantitation	kg - Kilograms	ND - Not Detected	ppmv - ppm Volume
ft2 - Square Feet	cm2 - Square Centimeters	in2 - Square Inches	ng - Nanograms



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : FENCELINE MONITORING 10142.008  
Date Sampled : 01-OCT-25  
Date Received : 17-OCT-25

Account No.: 41031  
Login No. : L676472  
Date Analyzed : 23-OCT-25 - 24-OCT-25  
Report ID : 1528414

Client ID : FLM 1  
Date Sampled : 10/01/25

Lab ID : L676472-1  
Date Analyzed : 10/23/25  
Time : 20135 minutes

Parameter	MDL ng	LOQ ng	Time minutes	Total ng	Total Qual	Conc ug/m3	ppbv	Dil Fact
Benzene	2	2.0	20135	9.6		0.72	0.23	1
Toluene	2	2.0	20135	23		2.2	0.57	1
Ethylbenzene	2	2.0	20135	2.4		0.26	0.059	1
m,p-Xylene	4	4.0	20135	7.5		0.81	0.19	1
o-Xylene	2	2.0	20135	2.9		0.31	0.072	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X  
Submitted by: EEA  
Supervisor: TEM  
Date : 24-OCT-25  
Approved by : TEM



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : FENCELINE MONITORING 10142.008  
Date Sampled : 01-OCT-25  
Date Received : 17-OCT-25

Account No.: 41031  
Login No. : L676472  
Date Analyzed : 23-OCT-25 - 24-OCT-25  
Report ID : 1528414

Client ID : FLM 2  
Date Sampled : 10/01/25

Lab ID : L676472-2  
Date Analyzed : 10/23/25  
Time : 20136 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20136	9.2		0.70	0.22	1
Toluene	2	2.0	20136	21		2.0	0.54	1
Ethylbenzene	2	2.0	20136	2.1		0.23	0.053	1
m,p-Xylene	4	4.0	20136	6.4		0.69	0.16	1
o-Xylene	2	2.0	20136	2.5		0.28	0.063	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X

Submitted by: EEA  
Supervisor: TEM

Date : 24-OCT-25  
Approved by : TEM



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : FENCELINE MONITORING 10142.008  
Date Sampled : 01-OCT-25  
Date Received : 17-OCT-25

Account No.: 41031  
Login No. : L676472  
Date Analyzed : 23-OCT-25 - 24-OCT-25  
Report ID : 1528414

Client ID : FLM 3  
Date Sampled : 10/01/25

Lab ID : L676472-3  
Date Analyzed : 10/23/25  
Time : 20136 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20136	11		0.82	0.26	1
Toluene	2	2.0	20136	25		2.4	0.63	1
Ethylbenzene	2	2.0	20136	2.4		0.26	0.061	1
m,p-Xylene	4	4.0	20136	7.4		0.80	0.19	1
o-Xylene	2	2.0	20136	2.9		0.31	0.072	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X

Submitted by: EEA  
Supervisor: TEM  
Approved by : TEM

Date : 24-OCT-25



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : FENCELINE MONITORING 10142.008  
Date Sampled : 01-OCT-25  
Date Received : 17-OCT-25

Account No.: 41031  
Login No. : L676472  
Date Analyzed : 23-OCT-25 - 24-OCT-25  
Report ID : 1528414

Client ID : FLM 4  
Date Sampled : 10/01/25

Lab ID : L676472-4  
Date Analyzed : 10/23/25  
Time : 20136 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	20136	7.5		0.57	0.18	1
Toluene	2	2.0	20136	16		1.6	0.42	1
Ethylbenzene	2	2.0	20136	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20136	5.2		0.56	0.13	1
o-Xylene	2	2.0	20136	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X

Submitted by: EEA  
Supervisor: TEM

Date : 24-OCT-25  
Approved by : TEM



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : FENCELINE MONITORING 10142.008  
Date Sampled : 01-OCT-25  
Date Received : 17-OCT-25

Account No.: 41031  
Login No. : L676472  
Date Analyzed : 23-OCT-25 - 24-OCT-25  
Report ID : 1528414

Client ID : FLM 5  
Date Sampled : 10/01/25

Lab ID : L676472-5  
Date Analyzed : 10/23/25  
Time : 20136 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20136	7.1		0.54	0.17	1
Toluene	2	2.0	20136	15		1.5	0.39	1
Ethylbenzene	2	2.0	20136	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20136	5.4		0.59	0.14	1
o-Xylene	2	2.0	20136	2.2		0.24	0.055	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X

Submitted by: EEA  
Supervisor: TEM

Date : 24-OCT-25  
Approved by : TEM



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : FENCELINE MONITORING 10142.008  
Date Sampled : 01-OCT-25  
Date Received : 17-OCT-25

Account No.: 41031  
Login No. : L676472  
Date Analyzed : 23-OCT-25 - 24-OCT-25  
Report ID : 1528414

Client ID : FLM 6  
Date Sampled : 10/01/25

Lab ID : L676472-6  
Date Analyzed : 10/24/25  
Time : 20138 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	20138	6.2		0.47	0.15	1
Toluene	2	2.0	20138	14		1.3	0.35	1
Ethylbenzene	2	2.0	20138	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20138	5.5		0.59	0.14	1
o-Xylene	2	2.0	20138	2.3		0.25	0.058	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X  
Submitted by: EEA  
Supervisor: TEM  
Date : 24-OCT-25  
Approved by : TEM



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : FENCELINE MONITORING 10142.008  
Date Sampled : 01-OCT-25  
Date Received : 17-OCT-25

Account No.: 41031  
Login No. : L676472  
Date Analyzed : 23-OCT-25 - 24-OCT-25  
Report ID : 1528414

Client ID : FLM 7  
Date Sampled : 10/01/25

Lab ID : L676472-7  
Date Analyzed : 10/24/25  
Time : 20138 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20138	6.3		0.48	0.15	1
Toluene	2	2.0	20138	14		1.3	0.35	1
Ethylbenzene	2	2.0	20138	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20138	4.7		0.51	0.12	1
o-Xylene	2	2.0	20138	2.1		0.22	0.051	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X

Submitted by: EEA  
Supervisor: TEM  
Approved by : TEM

Date : 24-OCT-25



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : FENCELINE MONITORING 10142.008  
Date Sampled : 01-OCT-25  
Date Received : 17-OCT-25

Account No.: 41031  
Login No. : L676472  
Date Analyzed : 23-OCT-25 - 24-OCT-25  
Report ID : 1528414

Client ID : FLM 8                      Lab ID : L676472-8                      Time : 20137 minutes  
Date Sampled : 10/01/25                      Date Analyzed : 10/24/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20137	7.4		0.56	0.18	1
Toluene	2	2.0	20137	17		1.6	0.42	1
Ethylbenzene	2	2.0	20137	2.2		0.24	0.055	1
m,p-Xylene	4	4.0	20137	7.4		0.80	0.18	1
o-Xylene	2	2.0	20137	2.9		0.32	0.073	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS                      Submitted by: EEA                      Date : 24-OCT-25  
Collection Media : Carbopack X                      Supervisor: TEM                      Approved by : TEM



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : FENCELINE MONITORING 10142.008  
Date Sampled : 01-OCT-25  
Date Received : 17-OCT-25

Account No.: 41031  
Login No. : L676472  
Date Analyzed : 23-OCT-25 - 24-OCT-25  
Report ID : 1528414

Client ID : FLM 9  
Date Sampled : 10/01/25

Lab ID : L676472-9  
Date Analyzed : 10/24/25  
Time : 20136 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20136	14		1.1	0.31	1
Toluene	2	2.0	20136	110		11	2.9	1
Ethylbenzene	2	2.0	20136	28		3.0	0.70	1
m,p-Xylene	4	4.0	20136	100		11	2.6	1
o-Xylene	2	2.0	20136	43		4.6	1.1	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X

Submitted by: EEA  
Supervisor: TEM

Date : 24-OCT-25  
Approved by : TEM



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : FENCELINE MONITORING 10142.008  
Date Sampled : 01-OCT-25  
Date Received : 17-OCT-25

Account No.: 41031  
Login No. : L676472  
Date Analyzed : 23-OCT-25 - 24-OCT-25  
Report ID : 1528414

Client ID : FLM 10  
Date Sampled : 10/01/25

Lab ID : L676472-10  
Date Analyzed : 10/24/25  
Time : 20136 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20136	17		1.3	0.41	1
Toluene	2	2.0	20136	44		4.2	1.1	1
Ethylbenzene	2	2.0	20136	4.8		0.52	0.12	1
m,p-Xylene	4	4.0	20136	16		1.7	0.40	1
o-Xylene	2	2.0	20136	6.2		0.67	0.15	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X

Submitted by: EEA  
Supervisor: TEM

Date : 24-OCT-25  
Approved by : TEM



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : FENCELINE MONITORING 10142.008  
Date Sampled : 01-OCT-25  
Date Received : 17-OCT-25

Account No.: 41031  
Login No. : L676472  
Date Analyzed : 23-OCT-25 - 24-OCT-25  
Report ID : 1528414

Client ID : FLM 11  
Date Sampled : 10/01/25

Lab ID : L676472-11  
Date Analyzed : 10/24/25  
Time : 20134 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20134	11		0.85	0.26	1
Toluene	2	2.0	20134	31		2.9	0.77	1
Ethylbenzene	2	2.0	20134	3.9		0.42	0.096	1
m,p-Xylene	4	4.0	20134	12		1.3	0.31	1
o-Xylene	2	2.0	20134	4.8		0.52	0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X

Submitted by: EEA  
Supervisor: TEM

Date : 24-OCT-25

Approved by : TEM



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : FENCELINE MONITORING 10142.008  
Date Sampled : 01-OCT-25  
Date Received : 17-OCT-25

Account No.: 41031  
Login No. : L676472  
Date Analyzed : 23-OCT-25 - 24-OCT-25  
Report ID : 1528414

Client ID : FLM 12  
Date Sampled : 10/01/25

Lab ID : L676472-12  
Date Analyzed : 10/24/25

Time : 20134 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	20134	12		0.94	0.29	1
Toluene	2	2.0	20134	31		2.9	0.77	1
Ethylbenzene	2	2.0	20134	3.4		0.37	0.086	1
m,p-Xylene	4	4.0	20134	11		1.2	0.27	1
o-Xylene	2	2.0	20134	4.1		0.45	0.10	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X

Submitted by: EEA  
Supervisor: TEM

Date : 24-OCT-25

Approved by : TEM



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : FENCELINE MONITORING 10142.008  
Date Sampled : 01-OCT-25  
Date Received : 17-OCT-25

Account No.: 41031  
Login No. : L676472  
Date Analyzed : 23-OCT-25 - 24-OCT-25  
Report ID : 1528414

Client ID : FLM 13- DUP (12)  
Date Sampled : 10/01/25

Lab ID : L676472-13  
Date Analyzed : 10/24/25  
Time : 20135 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20135	13		0.95	0.30	1
Toluene	2	2.0	20135	30		2.9	0.76	1
Ethylbenzene	2	2.0	20135	3.3		0.35	0.081	1
m,p-Xylene	4	4.0	20135	10		1.1	0.25	1
o-Xylene	2	2.0	20135	3.9		0.42	0.097	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbo-pack X

Submitted by: EEA  
Supervisor: TEM

Date : 24-OCT-25  
Approved by : TEM



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : FENCELINE MONITORING 10142.008  
Date Sampled : 01-OCT-25  
Date Received : 17-OCT-25

Account No.: 41031  
Login No. : L676472  
Date Analyzed : 23-OCT-25 - 24-OCT-25  
Report ID : 1528414

Client ID : FLM 14- DUP (5)  
Date Sampled : 10/01/25

Lab ID : L676472-14      Time : 20136 minutes  
Date Analyzed : 10/24/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	2.0	20136	6.9		0.52	0.16	1
Toluene	2	2.0	20136	14		1.3	0.35	1
Ethylbenzene	2	2.0	20136	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20136	4.8		0.52	0.12	1
o-Xylene	2	2.0	20136	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbo-pack X

Submitted by: EEA  
Supervisor: TEM  
Approved by : TEM

Date : 24-OCT-25



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : FENCELINE MONITORING 10142.008  
Date Sampled : 01-OCT-25  
Date Received : 17-OCT-25

Account No.: 41031  
Login No. : L676472  
Date Analyzed : 23-OCT-25 - 24-OCT-25  
Report ID : 1528414

Client ID : FLM 15-BLANK (1)  
Date Sampled : 10/01/25

Lab ID : L676472-15      Time : 20135 minutes  
Date Analyzed : 10/24/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	2	2.0	20135	ND	U	<0.15	<0.046	1
Toluene	2	2.0	20135	ND	U	<0.19	<0.051	1
Ethylbenzene	2	2.0	20135	ND	U	<0.22	<0.050	1
m,p-Xylene	4	4.0	20135	ND	U	<0.43	<0.099	1
o-Xylene	2	2.0	20135	ND	U	<0.22	<0.050	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X

Submitted by: EEA  
Supervisor: TEM  
Approved by : TEM

Date : 24-OCT-25



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : FENCELINE MONITORING 10142.008  
Date Sampled : 01-OCT-25  
Date Received : 17-OCT-25

Account No.: 41031  
Login No. : L676472  
Date Analyzed : 23-OCT-25 - 24-OCT-25  
Report ID : 1528414

Client ID : FLM 16-BLANK (4)  
Date Sampled : 10/01/25

Lab ID : L676472-16  
Date Analyzed : 10/24/25

Time : 20136 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	2	200.	20136	ND	U	<15	<4.6	100
Toluene	2	200.	20136	ND	U	<19	<5.1	100
Ethylbenzene	2	200.	20136	ND	U	<22	<5.0	100
m,p-Xylene	4	400.	20136	ND	U	<43	<9.9	100
o-Xylene	2	200.	20136	ND	U	<22	<5.0	100

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbo-pack X

Submitted by: EEA  
Supervisor: TEM

Date : 24-OCT-25  
Approved by : TEM



# GALSON

LABORATORY FOOTNOTE REPORT

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsгалson.com

Client Name : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : FENCELINE MONITORING 10142.008

Date Sampled : 01-OCT-25      Account No.: 41031  
Date Received: 17-OCT-25      Login No. : L676472  
Date Analyzed: 23-OCT-25 - 24-OCT-25

L676472 (Report ID: 1528414):

EPA qualifiers are as follows:  
U - Compound was analyzed for, but not detected.  
J - Compound was found greater than the MDL, but less than the LOQ.  
B - Compound is found in the associated method blank as well as in the sample.  
SOPs: MS-SOP-17(14)

L676472 (Report ID: 1528414):

Accuracy and mean recovery data presented below is based on a 95% confidence interval (k=2). The estimated accuracy applies to the media, technology, and SOP referenced in this report and does not account for the uncertainty associated with the sampling process. The accuracy is based solely on spike recovery data from internal quality control samples. Where N/A appears below, insufficient data is available to provide statistical accuracy and mean recovery values for the associated analyte.

Parameter	Accuracy	Mean Recovery
Benzene	+/-17.2%	102%
Ethylbenzene	+/-18.5%	104%
m,p-Xylenes	+/-20%	104%
o-Xylene	+/-18.2%	103%
Toluene	+/-17.5%	101%

Parameter	Method
Benzene	mod. EPA 325B; GCMS
Ethylbenzene	mod. EPA 325B; GCMS
Toluene	mod. EPA 325B; GCMS
m,p-Xylene	mod. EPA 325B; GCMS
o-Xylene	mod. EPA 325B; GCMS

110710472

**GALSON**

**Need Results By\*:** (surch:)

<input checked="" type="checkbox"/>	5 Business Days	0%
<input type="checkbox"/>	4 Business Days	35%
<input type="checkbox"/>	3 Business Days	50%
<input type="checkbox"/>	2 Business Days	75%
<input type="checkbox"/>	Next Day by 6pm	100%
<input type="checkbox"/>	Next Day by Noon	150%
<input type="checkbox"/>	Same day	200%

Client Acct. No. 41031

Report To: Chloe Desmond  
~~Jason Patterson~~

Company Name: Haley Ward Inc.

Address 1: 1 Marchants Plaza

Address 2: Suite 701

City, State, Zip: Bangor, ME 04401

Cell No.: 207-214-0141

Email Report to: cdesmond@haleyward.com  
~~jpatterson@haleyward.com~~

Prep No.: PSY788287

121043178742317780  
Date: 10/17/25  
Shipper: UPS  
Initials: OTS

Prep: UNKNOWN

**EPA 325A Fenceline Monitoring**

Invoice To: Accounts Payable-Julie

Company Name: Haley Ward Inc.

Address 1: 1 Marchants Plaza

Address 2: Suite 701

City, State, Zip: Bangor, ME 04401

Email Address: joreskovich@haleyward.com

P.O. No:

Payment Info:  Will Phone in Credit Card Information  
 Credit Card on File

53

Complete shaded portions and return to the lab with the samples.\*

Comments: <u>FLM 13-Dup(12): Tube threading is Jammed</u>	Average Ambient Temperature:	<u>53.5 °F</u>
	Average Barometric Pressure:	<u>30</u>

Site Name: <u>Cold Brook Energy</u>		Project: <u>Fenceline Monitoring 10142.008</u>			Sampled By: <u>Chloe Desmond</u>	
Sample Identification*	Manufacturer ID	Collection Medium	Date/Time Deployed (Military Time)	Date/Time Retrieved (Military Time)	Analysis Requested	Method
<u>FLM 1</u>	<u>C41405</u>	<u>Carbopack X</u>	<u>10/1/25 0928</u>	<u>10/15/25 0903</u>	<u>BTEX</u>	<u>MOD. EPA325B: GCMS</u>
<u>FLM 2</u>	<u>C41462</u>	<u>Carbopack X</u>	<u>0933</u>	<u>0909</u>	<u>BTEX</u>	<u>MOD. EPA325B: GCMS</u>
<u>FLM 3</u>	<u>C41467</u>	<u>Carbopack X</u>	<u>0937</u>	<u>0913</u>	<u>BTEX</u>	<u>MOD. EPA325B: GCMS</u>
<u>FLM 4</u>	<u>C41382</u>	<u>Carbopack X</u>	<u>0941</u>	<u>0917</u>	<u>BTEX</u>	<u>MOD. EPA325B: GCMS</u>
<u>FLM 5</u>	<u>C41461</u>	<u>Carbopack X</u>	<u>0946</u>	<u>0922</u>	<u>BTEX</u>	<u>MOD. EPA325B: GCMS</u>
<u>FLM 6</u>	<u>C41398</u>	<u>Carbopack X</u>	<u>0950</u>	<u>0928</u>	<u>BTEX</u>	<u>MOD. EPA325B: GCMS</u>
<u>FLM 7</u>	<u>C41411</u>	<u>Carbopack X</u>	<u>0954</u>	<u>0932</u>	<u>BTEX</u>	<u>MOD. EPA325B: GCMS</u>
<u>FLM 8</u>	<u>C41446</u>	<u>Carbopack X</u>	<u>0906</u>	<u>0843</u>	<u>BTEX</u>	<u>MOD. EPA325B: GCMS</u>
<u>FLM 9</u>	<u>C41424</u>	<u>Carbopack X</u>	<u>0910</u>	<u>0846</u>	<u>BTEX</u>	<u>MOD. EPA325B: GCMS</u>
<u>FLM 10</u>	<u>C41457</u>	<u>Carbopack X</u>	<u>0914</u>	<u>0850</u>	<u>BTEX</u>	<u>MOD. EPA325B: GCMS</u>
<u>FLM 11</u>	<u>C54140</u>	<u>Carbopack X</u>	<u>0919</u>	<u>0853</u>	<u>BTEX</u>	<u>MOD. EPA325B: GCMS</u>

Chain of Custody	Print Name	Signature	Date/Time
Relinquished by:	<u>Chloe Desmond</u>	<u>Chloe Desmond</u>	<u>10/15/25 1012</u>
Received by LAB:		<u>Olivia T. Silver</u>	<u>10/17/25 1309</u>





**GALSON**

**Chloe Desmond  
Haley Ward Inc.  
1 Merchants Plaza  
Suite 701  
Bangor, ME 04401**

**November 06, 2025**

**Account# 41031**

**Login# L677689**

**Dear Chloe Desmond:**

**Enclosed are the analytical results for the samples received by our laboratory on October 30, 2025. All samples on the chain of custody were received in good condition unless otherwise noted. Any additional observations will be noted on the chain of custody.**

**Please contact client services at (888) 432-5227 if you would like any additional information regarding this report. Thank you for using SGS Galson.**

**Sincerely,**

**SGS Galson**

A handwritten signature in black ink that reads 'Lisa Swab'. The signature is written in a cursive, flowing style.

**Lisa Swab  
Laboratory Director**

**Enclosure(s)**



**Terms and Conditions & General Disclaimers**

- This document is issued by the Company under its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.
- Any holder of this document is advised that information contained herein reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Analytical Disclaimers**

- Unless otherwise noted within the report, all quality control results associated with the samples were within established control limits or did not impact reported results.
- Note: The findings recorded within this report were drawn from analysis of the sample(s) provided to the laboratory by the Client (or a third party acting at the Client’s direction). The laboratory does not have control over the sampling process, including but not limited to the use of field equipment and collection media, as well as the sampling duration, collection volume or any other collection parameter used by the Client. The findings herein constitute no warranty of the sample's representativeness of any sampled environment, and strictly relate to the samples as they were presented to the laboratory. For recommended sampling collection parameters, please refer to the Sampling and Analysis Guide at [www.sgsgalson.com](http://www.sgsgalson.com).
- Unrounded results are carried through the calculations that yield the final result and the final result is rounded to the number of significant figures appropriate to the accuracy of the analytical method. Please note that results appearing in the columns preceding the final result column may have been rounded and therefore, if carried through the calculations, may not yield an identical final result to the one reported.
- The stated LOQs for each analyte represent the demonstrated LOQ concentrations prior to correction for desorption efficiency (if applicable).
- Unless otherwise noted within the report, results have not been blank corrected for any field blank or method blank data.

**Accreditations** SGS Galson holds a variety of accreditations and recognitions. Our quality management system conforms with the requirements of ISO/IEC 17025. Where applicable, samples may also be analyzed in accordance with the requirements of ELAP, NELAC, or LELAP under one of the state accrediting bodies listed below. Current Scopes of Accreditation can be viewed at <http://www.sgsgalson.com> in the accreditations section of the "About" page. To determine if the analyte tested falls under our scope of accreditation, please visit our website or call Client Services at (888) 432-5227.

National/International	Accreditation/Recognition	Lab ID#	Program/Sector
AIHA-LAP, LLC - IHLAP, ELLAP, EMLAP	ISO/IEC 17025 and USEPA NLLAP	Lab ID 100324	Industrial Hygiene, Environmental Lead, Environmental Microbiology

State	Accreditation/Recognition	Lab ID#	Program/Sector
New York (NYSDOH)	ELAP and NELAC (TNI)	Lab ID: 11626	Air Analysis, Solid and Hazardous Waste
Louisiana (LDEQ)	LELAP	Lab ID: 04083	Air Analysis, Solid Chemical Materials

**Legend**

< - Less than	mg - Milligrams	MDL - Method Detection Limit	ppb - Parts per Billion
> - Greater than	ug - Micrograms	NA - Not Applicable	ppm - Parts per Million
l - Liters	m3 - Cubic Meters	NS - Not Specified	ppbv - ppb Volume
LOQ - Limit of Quantitation	kg - Kilograms	ND - Not Detected	ppmv - ppm Volume
ft2 - Square Feet	cm2 - Square Centimeters	in2 - Square Inches	ng - Nanograms



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : FENCE LINE MONITORING 10142.008  
Date Sampled : 15-OCT-25  
Date Received : 30-OCT-25

Account No.: 41031  
Login No. : L677689  
Date Analyzed : 04-NOV-25 - 05-NOV-25  
Report ID : 1530968

Client ID : FLM 1  
Date Sampled : 10/15/25

Lab ID : L677689-1  
Date Analyzed : 11/04/25  
Time : 20165 minutes

Parameter	MDL ng	LOQ ng	Time minutes	Total ng	Total Qual	Conc ug/m3	ppbv	Dil Fact
Benzene	5	5.0	20165	6.7		0.51	0.16	1
Toluene	5	5.0	20165	15		1.5	0.39	1
Ethylbenzene	5	5.0	20165	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20165	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20165	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X  
Submitted by: EEA  
Supervisor: TEM  
Date : 06-NOV-25  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : FENCE LINE MONITORING 10142.008  
Date Sampled : 15-OCT-25  
Date Received : 30-OCT-25

Account No.: 41031  
Login No. : L677689  
Date Analyzed : 04-NOV-25 - 05-NOV-25  
Report ID : 1530968

Client ID : FLM 2  
Date Sampled : 10/15/25

Lab ID : L677689-2  
Date Analyzed : 11/04/25  
Time : 20166 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	5	5.0	20166	7.0		0.54	0.17	1
Toluene	5	5.0	20166	15		1.4	0.38	1
Ethylbenzene	5	5.0	20166	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20166	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20166	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X  
Submitted by: EEA  
Supervisor: TEM  
Date : 06-NOV-25  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : FENCE LINE MONITORING 10142.008  
Date Sampled : 15-OCT-25  
Date Received : 30-OCT-25

Account No.: 41031  
Login No. : L677689  
Date Analyzed : 04-NOV-25 - 05-NOV-25  
Report ID : 1530968

Client ID : FLM 3  
Date Sampled : 10/15/25

Lab ID : L677689-3  
Date Analyzed : 11/04/25  
Time : 20167 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	5	5.0	20167	11		0.82	0.26	1
Toluene	5	5.0	20167	25		2.4	0.64	1
Ethylbenzene	5	5.0	20167	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20167	10		1.1	0.25	1
o-Xylene	5	5.0	20167	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X

Submitted by: EEA  
Supervisor: TEM

Date : 06-NOV-25  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : FENCE LINE MONITORING 10142.008  
Date Sampled : 15-OCT-25  
Date Received : 30-OCT-25

Account No.: 41031  
Login No. : L677689  
Date Analyzed : 04-NOV-25 - 05-NOV-25  
Report ID : 1530968

Client ID : FLM 4  
Date Sampled : 10/15/25

Lab ID : L677689-4  
Date Analyzed : 11/04/25  
Time : 20167 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	5	5.0	20167	9.2		0.70	0.22	1
Toluene	5	5.0	20167	20		1.9	0.50	1
Ethylbenzene	5	5.0	20167	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20167	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20167	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X

Submitted by: EEA  
Supervisor: TEM

Date : 06-NOV-25  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client	: Haley Ward Inc.	Account No.:	41031
Site	: COLD BROOK ENERGY	Login No. :	L677689
Project No.	: FENCE LINE MONITORING 10142.008		
Date Sampled	: 15-OCT-25	Date Analyzed	: 04-NOV-25 - 05-NOV-25
Date Received	: 30-OCT-25	Report ID	: 1530968

Client ID : FLM 5                      Lab ID : L677689-5                      Time : 20167 minutes  
 Date Sampled : 10/15/25                      Date Analyzed : 11/04/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20167	8.3		0.63	0.20	1
Toluene	5	5.0	20167	19		1.8	0.48	1
Ethylbenzene	5	5.0	20167	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20167	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20167	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS	Submitted by: EEA	Date : 06-NOV-25
Collection Media : Carbopack X	Supervisor: TEM	Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : FENCE LINE MONITORING 10142.008  
Date Sampled : 15-OCT-25  
Date Received : 30-OCT-25

Account No.: 41031  
Login No. : L677689  
Date Analyzed : 04-NOV-25 - 05-NOV-25  
Report ID : 1530968

Client ID : FLM 6  
Date Sampled : 10/15/25

Lab ID : L677689-6  
Date Analyzed : 11/04/25  
Time : 20168 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	5	5.0	20168	8.0		0.61	0.19	1
Toluene	5	5.0	20168	17		1.6	0.43	1
Ethylbenzene	5	5.0	20168	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20168	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20168	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X

Submitted by: EEA  
Supervisor: TEM

Date : 06-NOV-25  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client	: Haley Ward Inc.	Account No.:	41031
Site	: COLD BROOK ENERGY	Login No. :	L677689
Project No.	: FENCE LINE MONITORING 10142.008		
Date Sampled	: 15-OCT-25	Date Analyzed	: 04-NOV-25 - 05-NOV-25
Date Received	: 30-OCT-25	Report ID	: 1530968

Client ID : FLM 7                      Lab ID : L677689-7                      Time : 20171 minutes  
 Date Sampled : 10/15/25                      Date Analyzed : 11/04/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20171	8.1		0.62	0.19	1
Toluene	5	5.0	20171	17		1.6	0.43	1
Ethylbenzene	5	5.0	20171	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20171	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20171	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS	Submitted by: EEA	Date : 06-NOV-25
Collection Media : Carbopack X	Supervisor: TEM	Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : FENCE LINE MONITORING 10142.008  
Date Sampled : 15-OCT-25  
Date Received : 30-OCT-25

Account No.: 41031  
Login No. : L677689  
Date Analyzed : 04-NOV-25 - 05-NOV-25  
Report ID : 1530968

Client ID : FLM 8  
Date Sampled : 10/15/25

Lab ID : L677689-8  
Date Analyzed : 11/04/25

Time : 20161 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	5	5.0	20161	6.7		0.51	0.16	1
Toluene	5	5.0	20161	16		1.6	0.42	1
Ethylbenzene	5	5.0	20161	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20161	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20161	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X

Submitted by: EEA  
Supervisor: TEM

Date : 06-NOV-25

Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : FENCE LINE MONITORING 10142.008  
Date Sampled : 15-OCT-25  
Date Received : 30-OCT-25

Account No.: 41031  
Login No. : L677689  
Date Analyzed : 04-NOV-25 - 05-NOV-25  
Report ID : 1530968

Client ID : FLM 9  
Date Sampled : 10/15/25

Lab ID : L677689-9  
Date Analyzed : 11/04/25  
Time : 20163 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	5	5.0	20163	9.3		0.70	0.22	1
Toluene	5	5.0	20163	27		2.6	0.68	1
Ethylbenzene	5	5.0	20163	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20163	11		1.2	0.28	1
o-Xylene	5	5.0	20163	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X

Submitted by: EEA  
Supervisor: TEM

Date : 06-NOV-25  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client	: Haley Ward Inc.	Account No.:	41031
Site	: COLD BROOK ENERGY	Login No.:	L677689
Project No.	: FENCE LINE MONITORING 10142.008		
Date Sampled	: 15-OCT-25	Date Analyzed	: 04-NOV-25 - 05-NOV-25
Date Received	: 30-OCT-25	Report ID	: 1530968

Client ID : FLM 10                      Lab ID : L677689-10                      Time : 20165 minutes  
 Date Sampled : 10/15/25                      Date Analyzed : 11/05/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20165	19		1.4	0.44	1
Toluene	5	5.0	20165	66		6.3	1.7	1
Ethylbenzene	5	5.0	20165	7.2		0.78	0.18	1
m,p-Xylene	10	10.	20165	25		2.7	0.63	1
o-Xylene	5	5.0	20165	9.1		0.98	0.23	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS	Submitted by: EEA	Date : 06-NOV-25
Collection Media : Carbopack X	Supervisor: TEM	Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc. Account No.: 41031  
Site : COLD BROOK ENERGY Login No. : L677689  
Project No. : FENCE LINE MONITORING 10142.008  
Date Sampled : 15-OCT-25 Date Analyzed : 04-NOV-25 - 05-NOV-25  
Date Received : 30-OCT-25 Report ID : 1530968

Client ID : FLM 11 Lab ID : L677689-11 Time : 20166 minutes  
Date Sampled : 10/15/25 Date Analyzed : 11/05/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20166	9.6		0.73	0.23	1
Toluene	5	5.0	20166	27		2.5	0.67	1
Ethylbenzene	5	5.0	20166	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20166	12		1.3	0.30	1
o-Xylene	5	5.0	20166	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS Submitted by: EEA Date : 06-NOV-25  
Collection Media : Carbopack X Supervisor: TEM Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client	: Haley Ward Inc.	Account No.:	41031
Site	: COLD BROOK ENERGY	Login No.:	L677689
Project No.	: FENCE LINE MONITORING 10142.008		
Date Sampled	: 15-OCT-25	Date Analyzed	: 04-NOV-25 - 05-NOV-25
Date Received	: 30-OCT-25	Report ID	: 1530968

Client ID : FLM 12                      Lab ID : L677689-12                      Time : 20164 minutes  
 Date Sampled : 10/15/25                      Date Analyzed : 11/05/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20164	7.5		0.57	0.18	1
Toluene	5	5.0	20164	18		1.7	0.46	1
Ethylbenzene	5	5.0	20164	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20164	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20164	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS	Submitted by: EEA	Date : 06-NOV-25
Collection Media : Carbopack X	Supervisor: TEM	Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc. Account No.: 41031  
Site : COLD BROOK ENERGY Login No. : L677689  
Project No. : FENCE LINE MONITORING 10142.008  
Date Sampled : 15-OCT-25 Date Analyzed : 04-NOV-25 - 05-NOV-25  
Date Received : 30-OCT-25 Report ID : 1530968

Client ID : FLM 13-DUP (1) Lab ID : L677689-13 Time : 20164 minutes  
Date Sampled : 10/15/25 Date Analyzed : 11/05/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	5	5.0	20164	7.0		0.53	0.17	1
Toluene	5	5.0	20164	16		1.5	0.40	1
Ethylbenzene	5	5.0	20164	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20164	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20164	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS Submitted by: EEA Date : 06-NOV-25  
Collection Media : Carbo-pack X Supervisor: TEM Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc. Account No.: 41031  
Site : COLD BROOK ENERGY Login No. : L677689  
Project No. : FENCE LINE MONITORING 10142.008  
Date Sampled : 15-OCT-25 Date Analyzed : 04-NOV-25 - 05-NOV-25  
Date Received : 30-OCT-25 Report ID : 1530968

Client ID : FLM 14-DUP (6) Lab ID : L677689-14 Time : 20194 minutes  
Date Sampled : 10/15/25 Date Analyzed : 11/05/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	5	5.0	20194	8.1		0.61	0.19	1
Toluene	5	5.0	20194	17		1.6	0.42	1
Ethylbenzene	5	5.0	20194	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20194	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20194	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS Submitted by: EEA Date : 06-NOV-25  
Collection Media : Carbo-pack X Supervisor: TEM Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client	: Haley Ward Inc.	Account No.:	41031
Site	: COLD BROOK ENERGY	Login No. :	L677689
Project No.	: FENCE LINE MONITORING 10142.008		
Date Sampled	: 15-OCT-25	Date Analyzed	: 04-NOV-25 - 05-NOV-25
Date Received	: 30-OCT-25	Report ID	: 1530968

Client ID : FLM 15-BLANK (2)      Lab ID : L677689-15      Time : 20165 minutes  
 Date Sampled : 10/15/25      Date Analyzed : 11/05/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20165	ND	U	<0.37	<0.12	1
Toluene	5	5.0	20165	ND	U	<0.48	<0.13	1
Ethylbenzene	5	5.0	20165	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20165	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20165	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS	Submitted by: EEA	Date : 06-NOV-25
Collection Media : Carbopack X	Supervisor: TEM	Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client	: Haley Ward Inc.	Account No.:	41031
Site	: COLD BROOK ENERGY	Login No.:	L677689
Project No.	: FENCE LINE MONITORING 10142.008		
Date Sampled	: 15-OCT-25	Date Analyzed	: 04-NOV-25 - 05-NOV-25
Date Received	: 30-OCT-25	Report ID	: 1530968

Client ID : FLM 16-BLANK (5)      Lab ID : L677689-16      Time : 20166 minutes  
 Date Sampled : 10/15/25      Date Analyzed : 11/05/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20166	ND	U	<0.37	<0.12	1
Toluene	5	5.0	20166	ND	U	<0.48	<0.13	1
Ethylbenzene	5	5.0	20166	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20166	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20166	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS	Submitted by: EEA	Date : 06-NOV-25
Collection Media : Carbo-pack X	Supervisor: TEM	Approved by : BHB



# GALSON

LABORATORY FOOTNOTE REPORT

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsгалson.com

Client Name : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : FENCE LINE MONITORING 10142.008

Date Sampled : 15-OCT-25      Account No.: 41031  
Date Received: 30-OCT-25      Login No. : L677689  
Date Analyzed: 04-NOV-25 - 05-NOV-25

L677689 (Report ID: 1530968):

EPA qualifiers are as follows:  
U - Compound was analyzed for, but not detected.  
J - Compound was found greater than the MDL, but less than the LOQ.  
B - Compound is found in the associated method blank as well as in the sample.  
SOPs: MS-SOP-17(14)

L677689 (Report ID: 1530968):

Accuracy and mean recovery data presented below is based on a 95% confidence interval (k=2). The estimated accuracy applies to the media, technology, and SOP referenced in this report and does not account for the uncertainty associated with the sampling process. The accuracy is based solely on spike recovery data from internal quality control samples. Where N/A appears below, insufficient data is available to provide statistical accuracy and mean recovery values for the associated analyte.

Parameter	Accuracy	Mean Recovery
Benzene	+/-17.2%	102%
Ethylbenzene	+/-18.5%	104%
m,p-Xylenes	+/-20%	104%
o-Xylene	+/-18.2%	103%
Toluene	+/-17.5%	101%

Parameter	Method
Benzene	mod. EPA 325B; GCMS
Ethylbenzene	mod. EPA 325B; GCMS
Toluene	mod. EPA 325B; GCMS
m,p-Xylene	mod. EPA 325B; GCMS
o-Xylene	mod. EPA 325B; GCMS

U677689

**SGS** GALSON

Client Acct. No. 41031

EPA 325A Fenceline Monitoring

Chloe Desmond

Report To: Jason Patterson

Company Name: Haley Ward Inc.

Address 1: 1 Marchants Plaza

Address 2: Suite 701

City, State, Zip: Bangor, ME 04401

Cell No.: 207-214-0141

Email Report to: cdesmond@haleyward.com  
jpatterson@haleyward.com

Prep No.: PSY788288

Invoice To: Accounts Payable-Julie

Company Name: Haley Ward Inc.

Address 1: 1 Marchants Plaza

Address 2: Suite 701

City, State, Zip: Bangor, ME 04401

Email Address: joreskovich@haleyward.com

P.O. No:

Payment Info:  Will Phone in Credit Card Information

Credit Card on File

51

Need Results By\*: (surcharge)

- 5 Business Days 0%
- 4 Business Days 35%
- 3 Business Days 50%

121043178440898644

Date: 10/30/25

Shipper: UPS

Initials: KLD



Prep: UNKNOWN

Complete shaded portions and return to the lab with the samples.\*

Average Ambient Temperature:	48.08°F
Average Barometric Pressure:	29.80 in Hg

Site Name: Cold Brook Energy      Project: Fence line monitoring 10142.008      Sampled By: Chloe Desmond/Jason Patterson

Sample Identification*	Manufacturer ID	Collection Medium	Date/Time Deployed (Military Time)	Date/Time Retrieved (Military Time)	Analysis Requested	Method
FLM 1	C55843	Carbopack X	10/15/25 0906	10/29/25 911	BTEX	MOD. EPA325B: GCMS
FLM 2	C56968	Carbopack X	0916	916	BTEX	MOD. EPA325B: GCMS
FLM 3	C60069	Carbopack X	0915	922	BTEX	MOD. EPA325B: GCMS
FLM 4	C53927	Carbopack X	0919	926	BTEX	MOD. EPA325B: GCMS
FLM 5	C56910	Carbopack X	0924	931	BTEX	MOD. EPA325B: GCMS
FLM 6	C15994	Carbopack X	0929	937	BTEX	MOD. EPA325B: GCMS
FLM 7	C60057	Carbopack X	0933	944	BTEX	MOD. EPA325B: GCMS
FLM 8	C57013	Carbopack X	0845	846	BTEX	MOD. EPA325B: GCMS
FLM 9	C53928	Carbopack X	0848	851	BTEX	MOD. EPA325B: GCMS
FLM 10	C60099	Carbopack X	0851	856	BTEX	MOD. EPA325B: GCMS
FLM 11	C60325	Carbopack X	0854	900	BTEX	MOD. EPA325B: GCMS

Chain of Custody	Print Name	Signature	Date/Time
Relinquished by:	Jason Patterson	<i>Jason Patterson</i>	10/29/25 1100
Received by LAB:	Kathryn L. Drogo	<i>Kathryn L. Drogo</i>	10/30/25 1215

\*Required fields, failure to complete these fields may result in a delay in your samples being processed.





**GALSON**

**Chloe Desmond  
Haley Ward Inc.  
1 Merchants Plaza  
Suite 701  
Bangor, ME 04401**

**November 19, 2025**

**Account# 41031**

**Login# L679278**

**Dear Chloe Desmond:**

**Enclosed are the analytical results for the samples received by our laboratory on November 14, 2025. All samples on the chain of custody were received in good condition unless otherwise noted. Any additional observations will be noted on the chain of custody.**

**Please contact client services at (888) 432-5227 if you would like any additional information regarding this report. Thank you for using SGS Galson.**

**Sincerely,**

**SGS Galson**

A handwritten signature in black ink that reads 'Lisa Swab'. The signature is written in a cursive, flowing style.

**Lisa Swab  
Laboratory Director**

**Enclosure(s)**



**Terms and Conditions & General Disclaimers**

- This document is issued by the Company under its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.
- Any holder of this document is advised that information contained herein reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Analytical Disclaimers**

- Unless otherwise noted within the report, all quality control results associated with the samples were within established control limits or did not impact reported results.
- Note: The findings recorded within this report were drawn from analysis of the sample(s) provided to the laboratory by the Client (or a third party acting at the Client’s direction). The laboratory does not have control over the sampling process, including but not limited to the use of field equipment and collection media, as well as the sampling duration, collection volume or any other collection parameter used by the Client. The findings herein constitute no warranty of the sample's representativeness of any sampled environment, and strictly relate to the samples as they were presented to the laboratory. For recommended sampling collection parameters, please refer to the Sampling and Analysis Guide at [www.sgsgalson.com](http://www.sgsgalson.com).
- Unrounded results are carried through the calculations that yield the final result and the final result is rounded to the number of significant figures appropriate to the accuracy of the analytical method. Please note that results appearing in the columns preceding the final result column may have been rounded and therefore, if carried through the calculations, may not yield an identical final result to the one reported.
- The stated LOQs for each analyte represent the demonstrated LOQ concentrations prior to correction for desorption efficiency (if applicable).
- Unless otherwise noted within the report, results have not been blank corrected for any field blank or method blank data.

**Accreditations** SGS Galson holds a variety of accreditations and recognitions. Our quality management system conforms with the requirements of ISO/IEC 17025. Where applicable, samples may also be analyzed in accordance with the requirements of ELAP, NELAC, or LELAP under one of the state accrediting bodies listed below. Current Scopes of Accreditation can be viewed at <http://www.sgsgalson.com> in the accreditations section of the "About" page. To determine if the analyte tested falls under our scope of accreditation, please visit our website or call Client Services at (888) 432-5227.

National/International	Accreditation/Recognition	Lab ID#	Program/Sector
AIHA-LAP, LLC - IHLAP, ELLAP, EMLAP	ISO/IEC 17025 and USEPA NLLAP	Lab ID 100324	Industrial Hygiene, Environmental Lead, Environmental Microbiology

State	Accreditation/Recognition	Lab ID#	Program/Sector
New York (NYSDOH)	ELAP and NELAC (TNI)	Lab ID: 11626	Air Analysis, Solid and Hazardous Waste
Louisiana (LDEQ)	LELAP	Lab ID: 04083	Air Analysis, Solid Chemical Materials

**Legend**

< - Less than	mg - Milligrams	MDL - Method Detection Limit	ppb - Parts per Billion
> - Greater than	ug - Micrograms	NA - Not Applicable	ppm - Parts per Million
l - Liters	m3 - Cubic Meters	NS - Not Specified	ppbv - ppb Volume
LOQ - Limit of Quantitation	kg - Kilograms	ND - Not Detected	ppmv - ppm Volume
ft2 - Square Feet	cm2 - Square Centimeters	in2 - Square Inches	ng - Nanograms



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008  
Date Sampled : 29-OCT-25  
Date Received : 14-NOV-25

Account No.: 41031  
Login No. : L679278  
Date Analyzed : 18-NOV-25 - 19-NOV-25  
Report ID : 1533636

Client ID : FLM 1  
Date Sampled : 10/29/25

Lab ID : L679278-1  
Date Analyzed : 11/18/25  
Time : 20113 minutes

Parameter	MDL ng	LOQ ng	Time minutes	Total ng	Total Qual	Conc ug/m3	ppbv	Dil Fact
Benzene	5	5.0	20113	8.4		0.65	0.20	1
Toluene	5	5.0	20113	16		1.6	0.42	1
Ethylbenzene	5	5.0	20113	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20113	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20113	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X  
Submitted by: EEA  
Supervisor: TEM  
Date : 19-NOV-25  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008  
Date Sampled : 29-OCT-25  
Date Received : 14-NOV-25

Account No.: 41031  
Login No. : L679278  
Date Analyzed : 18-NOV-25 - 19-NOV-25  
Report ID : 1533636

Client ID : FLM 2  
Date Sampled : 10/29/25

Lab ID : L679278-2  
Date Analyzed : 11/18/25  
Time : 20112 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	5	5.0	20112	7.1		0.55	0.17	1
Toluene	5	5.0	20112	14		1.4	0.36	1
Ethylbenzene	5	5.0	20112	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20112	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20112	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X  
Submitted by: EEA  
Supervisor: TEM  
Date : 19-NOV-25  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008  
Date Sampled : 29-OCT-25  
Date Received : 14-NOV-25

Account No.: 41031  
Login No. : L679278  
Date Analyzed : 18-NOV-25 - 19-NOV-25  
Report ID : 1533636

Client ID : FLM 3  
Date Sampled : 10/29/25

Lab ID : L679278-3  
Date Analyzed : 11/18/25  
Time : 20110 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	5	5.0	20110	8.2		0.64	0.20	1
Toluene	5	5.0	20110	16		1.5	0.40	1
Ethylbenzene	5	5.0	20110	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20110	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20110	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X  
Submitted by: EEA  
Supervisor: TEM  
Date : 19-NOV-25  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008  
Date Sampled : 29-OCT-25  
Date Received : 14-NOV-25

Account No.: 41031  
Login No. : L679278  
Date Analyzed : 18-NOV-25 - 19-NOV-25  
Report ID : 1533636

Client ID : FLM 4  
Date Sampled : 10/29/25

Lab ID : L679278-4  
Date Analyzed : 11/18/25  
Time : 20112 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	5	5.0	20112	7.1		0.55	0.17	1
Toluene	5	5.0	20112	11		1.1	0.29	1
Ethylbenzene	5	5.0	20112	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20112	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20112	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X  
Submitted by: EEA  
Supervisor: TEM  
Date : 19-NOV-25  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008  
Date Sampled : 29-OCT-25  
Date Received : 14-NOV-25

Account No.: 41031  
Login No. : L679278  
Date Analyzed : 18-NOV-25 - 19-NOV-25  
Report ID : 1533636

Client ID : FLM 5  
Date Sampled : 10/29/25

Lab ID : L679278-5  
Date Analyzed : 11/18/25  
Time : 20110 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	5	5.0	20110	5.4		0.42	0.13	1
Toluene	5	5.0	20110	7.9		0.76	0.20	1
Ethylbenzene	5	5.0	20110	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20110	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20110	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X  
Submitted by: EEA  
Supervisor: TEM  
Date : 19-NOV-25  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008  
Date Sampled : 29-OCT-25  
Date Received : 14-NOV-25

Account No.: 41031  
Login No. : L679278  
Date Analyzed : 18-NOV-25 - 19-NOV-25  
Report ID : 1533636

Client ID : FLM 6  
Date Sampled : 10/29/25

Lab ID : L679278-6  
Date Analyzed : 11/18/25  
Time : 20110 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20110	ND	U	<0.37	<0.12	1
Toluene	5	5.0	20110	6.9		0.66	0.18	1
Ethylbenzene	5	5.0	20110	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20110	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20110	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X  
Submitted by: EEA  
Supervisor: TEM  
Date : 19-NOV-25  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008  
Date Sampled : 29-OCT-25  
Date Received : 14-NOV-25

Account No.: 41031  
Login No. : L679278  
Date Analyzed : 18-NOV-25 - 19-NOV-25  
Report ID : 1533636

Client ID : FLM 7  
Date Sampled : 10/29/25

Lab ID : L679278-7  
Date Analyzed : 11/18/25  
Time : 20107 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	5	5.0	20107	6.4		0.49	0.15	1
Toluene	5	5.0	20107	10		0.99	0.26	1
Ethylbenzene	5	5.0	20107	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20107	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20107	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X

Submitted by: EEA  
Supervisor: TEM

Date : 19-NOV-25  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008  
Date Sampled : 29-OCT-25  
Date Received : 14-NOV-25

Account No.: 41031  
Login No. : L679278  
Date Analyzed : 18-NOV-25 - 19-NOV-25  
Report ID : 1533636

Client ID : FLM 8  
Date Sampled : 10/29/25

Lab ID : L679278-8  
Date Analyzed : 11/18/25  
Time : 20120 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20120	6.7		0.52	0.16	1
Toluene	5	5.0	20120	13		1.3	0.34	1
Ethylbenzene	5	5.0	20120	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20120	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20120	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X  
Submitted by: EEA  
Supervisor: TEM  
Date : 19-NOV-25  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008  
Date Sampled : 29-OCT-25  
Date Received : 14-NOV-25

Account No.: 41031  
Login No. : L679278  
Date Analyzed : 18-NOV-25 - 19-NOV-25  
Report ID : 1533636

Client ID : FLM 9  
Date Sampled : 10/29/25

Lab ID : L679278-9  
Date Analyzed : 11/18/25

Time : 20120 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	5	5.0	20120	10		0.80	0.25	1
Toluene	5	5.0	20120	46		4.4	1.2	1
Ethylbenzene	5	5.0	20120	6.2		0.67	0.15	1
m,p-Xylene	10	10.	20120	23		2.5	0.57	1
o-Xylene	5	5.0	20120	9.1		0.98	0.23	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X

Submitted by: EEA  
Supervisor: TEM

Date : 19-NOV-25  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008  
Date Sampled : 29-OCT-25  
Date Received : 14-NOV-25

Account No.: 41031  
Login No. : L679278  
Date Analyzed : 18-NOV-25 - 19-NOV-25  
Report ID : 1533636

Client ID : FLM 10  
Date Sampled : 10/29/25

Lab ID : L679278-10  
Date Analyzed : 11/19/25

Time : 20118 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	5	5.0	20118	12		0.95	0.30	1
Toluene	5	5.0	20118	30		2.9	0.77	1
Ethylbenzene	5	5.0	20118	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20118	13		1.4	0.32	1
o-Xylene	5	5.0	20118	5.2		0.56	0.13	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X

Submitted by: EEA  
Supervisor: TEM

Date : 19-NOV-25  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008  
Date Sampled : 29-OCT-25  
Date Received : 14-NOV-25

Account No.: 41031  
Login No. : L679278  
Date Analyzed : 18-NOV-25 - 19-NOV-25  
Report ID : 1533636

Client ID : FLM 11  
Date Sampled : 10/29/25

Lab ID : L679278-11  
Date Analyzed : 11/19/25  
Time : 20117 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	5	5.0	20117	9.2		0.72	0.23	1
Toluene	5	5.0	20117	22		2.1	0.57	1
Ethylbenzene	5	5.0	20117	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20117	10		1.1	0.26	1
o-Xylene	5	5.0	20117	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X  
Submitted by: EEA  
Supervisor: TEM  
Date : 19-NOV-25  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008  
Date Sampled : 29-OCT-25  
Date Received : 14-NOV-25

Account No.: 41031  
Login No. : L679278  
Date Analyzed : 18-NOV-25 - 19-NOV-25  
Report ID : 1533636

Client ID : FLM 12  
Date Sampled : 10/29/25

Lab ID : L679278-12  
Date Analyzed : 11/19/25  
Time : 20115 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	5	5.0	20115	9.7		0.75	0.24	1
Toluene	5	5.0	20115	22		2.1	0.56	1
Ethylbenzene	5	5.0	20115	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20115	10		1.1	0.26	1
o-Xylene	5	5.0	20115	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X  
Submitted by: EEA  
Supervisor: TEM  
Date : 19-NOV-25  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008  
Date Sampled : 29-OCT-25  
Date Received : 14-NOV-25

Account No.: 41031  
Login No. : L679278  
Date Analyzed : 18-NOV-25 - 19-NOV-25  
Report ID : 1533636

Client ID : FLM 13 DUP (2)  
Date Sampled : 10/29/25

Lab ID : L679278-13  
Date Analyzed : 11/19/25

Time : 20117 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	5	5.0	20117	8.4		0.65	0.20	1
Toluene	5	5.0	20117	17		1.6	0.42	1
Ethylbenzene	5	5.0	20117	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20117	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20117	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbo-pack X

Submitted by: EEA  
Supervisor: TEM

Date : 19-NOV-25

Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008  
Date Sampled : 29-OCT-25  
Date Received : 14-NOV-25

Account No.: 41031  
Login No. : L679278  
Date Analyzed : 18-NOV-25 - 19-NOV-25  
Report ID : 1533636

Client ID : FLM 14 DUP (7)  
Date Sampled : 10/29/25

Lab ID : L679278-14      Time : 20114 minutes  
Date Analyzed : 11/19/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	5	5.0	20114	6.1		0.48	0.15	1
Toluene	5	5.0	20114	10		0.95	0.25	1
Ethylbenzene	5	5.0	20114	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20114	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20114	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbo-pack X

Submitted by: EEA  
Supervisor: TEM

Date : 19-NOV-25  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008  
Date Sampled : 29-OCT-25  
Date Received : 14-NOV-25

Account No.: 41031  
Login No. : L679278  
Date Analyzed : 18-NOV-25 - 19-NOV-25  
Report ID : 1533636

Client ID : FLM 15 BLANK (3)  
Date Sampled : 10/29/25

Lab ID : L679278-15  
Date Analyzed : 11/18/25

Time : 20116 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20116	ND	U	<0.37	<0.12	1
Toluene	5	5.0	20116	ND	U	<0.48	<0.13	1
Ethylbenzene	5	5.0	20116	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20116	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20116	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X

Submitted by: EEA  
Supervisor: TEM

Date : 19-NOV-25  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008  
Date Sampled : 29-OCT-25  
Date Received : 14-NOV-25

Account No.: 41031  
Login No. : L679278  
Date Analyzed : 18-NOV-25 - 19-NOV-25  
Report ID : 1533636

Client ID : FLM 16 BLANK (6)      Lab ID : L679278-16      Time : 20116 minutes  
Date Sampled : 10/29/25      Date Analyzed : 11/19/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20116	ND	U	<0.37	<0.12	1
Toluene	5	5.0	20116	ND	U	<0.48	<0.13	1
Ethylbenzene	5	5.0	20116	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20116	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20116	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS      Submitted by: EEA      Date : 19-NOV-25  
Collection Media : Carbo-pack X      Supervisor: TEM      Approved by : BHB



# GALSON

LABORATORY FOOTNOTE REPORT

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsгалсон.com

Client Name : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008

Date Sampled : 29-OCT-25  
Date Received: 14-NOV-25  
Date Analyzed: 18-NOV-25 - 19-NOV-25

Account No.: 41031  
Login No. : L679278

L679278 (Report ID: 1533636):

EPA qualifiers are as follows:  
U - Compound was analyzed for, but not detected.  
J - Compound was found greater than the MDL, but less than the LOQ.  
B - Compound is found in the associated method blank as well as in the sample.  
SOPs: MS-SOP-17(14)

L679278 (Report ID: 1533636):

Accuracy and mean recovery data presented below is based on a 95% confidence interval (k=2). The estimated accuracy applies to the media, technology, and SOP referenced in this report and does not account for the uncertainty associated with the sampling process. The accuracy is based solely on spike recovery data from internal quality control samples. Where N/A appears below, insufficient data is available to provide statistical accuracy and mean recovery values for the associated analyte.

Parameter	Accuracy	Mean Recovery
Benzene	+/-17.2%	102%
Ethylbenzene	+/-18.5%	104%
m,p-Xylenes	+/-20%	104%
o-Xylene	+/-18.2%	103%
Toluene	+/-17.5%	101%

Parameter	Method
Benzene	mod. EPA 325B; GCMS
Ethylbenzene	mod. EPA 325B; GCMS
Toluene	mod. EPA 325B; GCMS
m,p-Xylene	mod. EPA 325B; GCMS
o-Xylene	mod. EPA 325B; GCMS

SGS GALSON

Client Acct. No. 41031

EPA 325A Fenceline Monitoring

Chloe Desmond  
Jason Patterson

Report To: \_\_\_\_\_

Company Name: Haley Ward Inc.

Address 1: 1 Marchants Plaza

Address 2: Suite 701

City, State, Zip: Bangor, ME 04401

Cell No.: 207-214-0141

Email Report to: cdesmond@haleyward.com  
jpatterson@haleyward.com

Invoice To: Accounts Payable-Julie

Company Name: Haley Ward Inc.

Address 1: 1 Marchants Plaza

Address 2: Suite 701

City, State, Zip: Bangor, ME 04401

Email Address: joreskovich@haleyward.com

P.O. No: \_\_\_\_\_

Payment Info:  Will Phone in Credit Card Information  
 Credit Card on File

Results By: (surcharge)

5 Business Days 0%

10 Business Days 35%

1Z1043178440164123

Date: 11/14/25

Shipper: UPS

Initials: KLD



Prep: UNKNOWN

15

Prep No.: PSY788289

Complete shaded portions and return to the lab with the samples.\*

Comments:

Average Ambient Temperature: 42.12

Average Barometric Pressure: 29.56

Site Name: Cold Brook Energy

Project: 10142.008

Sampled By: Chloe Desmond

Sample Identification*	Manufacturer ID	Collection Medium	Date/Time Deployed (Military Time)	Date/Time Retrieved (Military Time)	Analysis Requested	Method
FLM 1	C38329	Carbopack X	10/29/25 913	11/12/25 826	BTEX	MOD. EPA325B: GCMS
FLM 2	C41410	Carbopack X	918	830	BTEX	MOD. EPA325B: GCMS
FLM 3	C41401	Carbopack X	924	834	BTEX	MOD. EPA325B: GCMS
FLM 4	C40275	Carbopack X	928	840	BTEX	MOD. EPA325B: GCMS
FLM 5	C41456	Carbopack X	933	843	BTEX	MOD. EPA325B: GCMS
FLM 6	C41419	Carbopack X	939	849	BTEX	MOD. EPA325B: GCMS
FLM 7	C41402	Carbopack X	946	853	BTEX	MOD. EPA325B: GCMS
FLM 8	C41381	Carbopack X	848	808	BTEX	MOD. EPA325B: GCMS
FLM 9	C40255	Carbopack X	853	813	BTEX	MOD. EPA325B: GCMS
FLM 10	C40212	Carbopack X	858	816	BTEX	MOD. EPA325B: GCMS
FLM 11	C54296	Carbopack X	902	819	BTEX	MOD. EPA325B: GCMS

Chain of Custody

Print Name

Signature

Date/Time

Relinquished by: Chloe Desmond

Chloe Desmond

11/12/25 935

Received by LAB:

Kathryn L. Drogo

11/14/25 1454

\*Required fields, failure to complete these fields may result in a delay in your samples being processed.

Page 20 of 21

Report Reference: Generated: 19 NOV 25 18:11  
Samples received after 3pm will be considered as next day's business.

Page 1 of





**GALSON**

**Chloe Desmond  
Haley Ward Inc.  
1 Merchants Plaza  
Suite 701  
Bangor, ME 04401**

**December 08, 2025**

**Account# 41031**

**Login# L680804**

**Dear Chloe Desmond:**

**Enclosed are the analytical results for the samples received by our laboratory on December 01, 2025. All samples on the chain of custody were received in good condition unless otherwise noted. Any additional observations will be noted on the chain of custody.**

**Please contact client services at (888) 432-5227 if you would like any additional information regarding this report. Thank you for using SGS Galson.**

**Sincerely,**

**SGS Galson**

A handwritten signature in black ink that reads 'Lisa Swab'. The signature is written in a cursive, flowing style.

**Lisa Swab  
Laboratory Director**

**Enclosure(s)**



**Terms and Conditions & General Disclaimers**

- This document is issued by the Company under its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.
- Any holder of this document is advised that information contained herein reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Analytical Disclaimers**

- Unless otherwise noted within the report, all quality control results associated with the samples were within established control limits or did not impact reported results.
- Note: The findings recorded within this report were drawn from analysis of the sample(s) provided to the laboratory by the Client (or a third party acting at the Client’s direction). The laboratory does not have control over the sampling process, including but not limited to the use of field equipment and collection media, as well as the sampling duration, collection volume or any other collection parameter used by the Client. The findings herein constitute no warranty of the sample's representativeness of any sampled environment, and strictly relate to the samples as they were presented to the laboratory. For recommended sampling collection parameters, please refer to the Sampling and Analysis Guide at [www.sgsgalson.com](http://www.sgsgalson.com).
- Unrounded results are carried through the calculations that yield the final result and the final result is rounded to the number of significant figures appropriate to the accuracy of the analytical method. Please note that results appearing in the columns preceding the final result column may have been rounded and therefore, if carried through the calculations, may not yield an identical final result to the one reported.
- The stated LOQs for each analyte represent the demonstrated LOQ concentrations prior to correction for desorption efficiency (if applicable).
- Unless otherwise noted within the report, results have not been blank corrected for any field blank or method blank data.

**Accreditations** SGS Galson holds a variety of accreditations and recognitions. Our quality management system conforms with the requirements of ISO/IEC 17025. Where applicable, samples may also be analyzed in accordance with the requirements of ELAP, NELAC, or LELAP under one of the state accrediting bodies listed below. Current Scopes of Accreditation can be viewed at <http://www.sgsgalson.com> in the accreditations section of the "About" page. To determine if the analyte tested falls under our scope of accreditation, please visit our website or call Client Services at (888) 432-5227.

National/International	Accreditation/Recognition	Lab ID#	Program/Sector
AIHA-LAP, LLC - IHLAP, ELLAP, EMLAP	ISO/IEC 17025 and USEPA NLLAP	Lab ID 100324	Industrial Hygiene, Environmental Lead, Environmental Microbiology

State	Accreditation/Recognition	Lab ID#	Program/Sector
New York (NYSDOH)	ELAP and NELAC (TNI)	Lab ID: 11626	Air Analysis, Solid and Hazardous Waste
Louisiana (LDEQ)	LELAP	Lab ID: 04083	Air Analysis, Solid Chemical Materials

**Legend**

< - Less than	mg - Milligrams	MDL - Method Detection Limit	ppb - Parts per Billion
> - Greater than	ug - Micrograms	NA - Not Applicable	ppm - Parts per Million
l - Liters	m3 - Cubic Meters	NS - Not Specified	ppbv - ppb Volume
LOQ - Limit of Quantitation	kg - Kilograms	ND - Not Detected	ppmv - ppm Volume
ft2 - Square Feet	cm2 - Square Centimeters	in2 - Square Inches	ng - Nanograms



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008 FENCELINE MONITORING  
Date Sampled : 12-NOV-25  
Date Received : 01-DEC-25

Account No.: 41031  
Login No. : L680804  
Date Analyzed : 07-DEC-25 - 08-DEC-25  
Report ID : 1537377

Client ID : FLM 1  
Date Sampled : 11/12/25

Lab ID : L680804-1  
Date Analyzed : 12/07/25  
Time : 20198 minutes

Parameter	MDL ng	LOQ ng	Time minutes	Total ng	Total Qual	Conc ug/m3	ppbv	Dil Fact
Benzene	5	5.0	20198	13		0.98	0.31	1
Toluene	5	5.0	20198	26		2.5	0.67	1
Ethylbenzene	5	5.0	20198	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20198	13		1.4	0.32	1
o-Xylene	5	5.0	20198	5.4		0.58	0.13	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X  
Submitted by: EEA  
Supervisor: TEM  
Date : 08-DEC-25  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008 FENCELINE MONITORING  
Date Sampled : 12-NOV-25  
Date Received : 01-DEC-25

Account No.: 41031  
Login No. : L680804  
Date Analyzed : 07-DEC-25 - 08-DEC-25  
Report ID : 1537377

Client ID : FLM 2  
Date Sampled : 11/12/25

Lab ID : L680804-2  
Date Analyzed : 12/07/25  
Time : 20197 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20197	13		1.0	0.31	1
Toluene	5	5.0	20197	25		2.4	0.63	1
Ethylbenzene	5	5.0	20197	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20197	11		1.2	0.27	1
o-Xylene	5	5.0	20197	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X  
Submitted by: EEA  
Supervisor: TEM  
Date : 08-DEC-25  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008 FENCELINE MONITORING  
Date Sampled : 12-NOV-25  
Date Received : 01-DEC-25

Account No.: 41031  
Login No. : L680804  
Date Analyzed : 07-DEC-25 - 08-DEC-25  
Report ID : 1537377

Client ID : FLM 3  
Date Sampled : 11/12/25

Lab ID : L680804-3  
Date Analyzed : 12/07/25  
Time : 20197 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	5	5.0	20197	13		1.0	0.31	1
Toluene	5	5.0	20197	25		2.3	0.62	1
Ethylbenzene	5	5.0	20197	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20197	11		1.2	0.27	1
o-Xylene	5	5.0	20197	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X  
Submitted by: EEA  
Supervisor: TEM  
Date : 08-DEC-25  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008 FENCELINE MONITORING  
Date Sampled : 12-NOV-25  
Date Received : 01-DEC-25

Account No.: 41031  
Login No. : L680804  
Date Analyzed : 07-DEC-25 - 08-DEC-25  
Report ID : 1537377

Client ID : FLM 4  
Date Sampled : 11/12/25

Lab ID : L680804-4  
Date Analyzed : 12/07/25  
Time : 20195 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	5	5.0	20195	11		0.88	0.28	1
Toluene	5	5.0	20195	19		1.8	0.49	1
Ethylbenzene	5	5.0	20195	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20195	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20195	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X

Submitted by: EEA  
Supervisor: TEM

Date : 08-DEC-25  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008 FENCELINE MONITORING  
Date Sampled : 12-NOV-25  
Date Received : 01-DEC-25

Account No.: 41031  
Login No. : L680804  
Date Analyzed : 07-DEC-25 - 08-DEC-25  
Report ID : 1537377

Client ID : FLM 5  
Date Sampled : 11/12/25

Lab ID : L680804-5  
Date Analyzed : 12/08/25  
Time : 20195 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20195	9.5		0.73	0.23	1
Toluene	5	5.0	20195	14		1.3	0.35	1
Ethylbenzene	5	5.0	20195	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20195	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20195	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X  
Submitted by: EEA  
Supervisor: TEM  
Date : 08-DEC-25  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008 FENCELINE MONITORING  
Date Sampled : 12-NOV-25  
Date Received : 01-DEC-25

Account No.: 41031  
Login No. : L680804  
Date Analyzed : 07-DEC-25 - 08-DEC-25  
Report ID : 1537377

Client ID : FLM 6                      Lab ID : L680804-6                      Time : 20193 minutes  
Date Sampled : 11/12/25                      Date Analyzed : 12/08/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20193	8.3		0.64	0.20	1
Toluene	5	5.0	20193	11		1.0	0.27	1
Ethylbenzene	5	5.0	20193	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20193	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20193	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS                      Submitted by: EEA                      Date : 08-DEC-25  
Collection Media : Carbopack X                      Supervisor: TEM                      Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008 FENCELINE MONITORING  
Date Sampled : 12-NOV-25  
Date Received : 01-DEC-25

Account No.: 41031  
Login No. : L680804  
Date Analyzed : 07-DEC-25 - 08-DEC-25  
Report ID : 1537377

Client ID : FLM 7  
Date Sampled : 11/12/25

Lab ID : L680804-7  
Date Analyzed : 12/08/25  
Time : 20193 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	5	5.0	20193	8.0		0.61	0.19	1
Toluene	5	5.0	20193	10		0.99	0.26	1
Ethylbenzene	5	5.0	20193	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20193	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20193	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X

Submitted by: EEA  
Supervisor: TEM

Date : 08-DEC-25  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008 FENCELINE MONITORING  
Date Sampled : 12-NOV-25  
Date Received : 01-DEC-25

Account No.: 41031  
Login No. : L680804  
Date Analyzed : 07-DEC-25 - 08-DEC-25  
Report ID : 1537377

Client ID : FLM 8  
Date Sampled : 11/12/25

Lab ID : L680804-8  
Date Analyzed : 12/08/25  
Time : 20200 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20200	9.4		0.72	0.23	1
Toluene	5	5.0	20200	15		1.4	0.37	1
Ethylbenzene	5	5.0	20200	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20200	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20200	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X

Submitted by: EEA  
Supervisor: TEM

Date : 08-DEC-25  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008 FENCELINE MONITORING  
Date Sampled : 12-NOV-25  
Date Received : 01-DEC-25

Account No.: 41031  
Login No. : L680804  
Date Analyzed : 07-DEC-25 - 08-DEC-25  
Report ID : 1537377

Client ID : FLM 9  
Date Sampled : 11/12/25

Lab ID : L680804-9  
Date Analyzed : 12/08/25  
Time : 20199 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	5	5.0	20199	11		0.88	0.28	1
Toluene	5	5.0	20199	36		3.4	0.91	1
Ethylbenzene	5	5.0	20199	8.9		0.96	0.22	1
m,p-Xylene	10	10.	20199	34		3.7	0.84	1
o-Xylene	5	5.0	20199	14		1.5	0.34	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X  
Submitted by: EEA  
Supervisor: TEM  
Date : 08-DEC-25  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008 FENCELINE MONITORING  
Date Sampled : 12-NOV-25  
Date Received : 01-DEC-25

Account No.: 41031  
Login No. : L680804  
Date Analyzed : 07-DEC-25 - 08-DEC-25  
Report ID : 1537377

Client ID : FLM 10  
Date Sampled : 11/12/25

Lab ID : L680804-10  
Date Analyzed : 12/08/25  
Time : 20199 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	5	5.0	20199	16		1.2	0.38	1
Toluene	5	5.0	20199	34		3.2	0.85	1
Ethylbenzene	5	5.0	20199	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20199	17		1.8	0.42	1
o-Xylene	5	5.0	20199	6.6		0.71	0.16	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X  
Submitted by: EEA  
Supervisor: TEM  
Date : 08-DEC-25  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008 FENCELINE MONITORING  
Date Sampled : 12-NOV-25  
Date Received : 01-DEC-25

Account No.: 41031  
Login No. : L680804  
Date Analyzed : 07-DEC-25 - 08-DEC-25  
Report ID : 1537377

Client ID : FLM 11  
Date Sampled : 11/12/25

Lab ID : L680804-11  
Date Analyzed : 12/08/25  
Time : 20199 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	5	5.0	20199	13		1.0	0.31	1
Toluene	5	5.0	20199	25		2.4	0.64	1
Ethylbenzene	5	5.0	20199	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20199	13		1.4	0.33	1
o-Xylene	5	5.0	20199	5.3		0.57	0.13	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X  
Submitted by: EEA  
Supervisor: TEM  
Date : 08-DEC-25  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008 FENCELINE MONITORING  
Date Sampled : 12-NOV-25  
Date Received : 01-DEC-25

Account No.: 41031  
Login No. : L680804  
Date Analyzed : 07-DEC-25 - 08-DEC-25  
Report ID : 1537377

Client ID : FLM 12  
Date Sampled : 11/12/25

Lab ID : L680804-12  
Date Analyzed : 12/08/25  
Time : 20199 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	5	5.0	20199	13		0.98	0.31	1
Toluene	5	5.0	20199	26		2.5	0.66	1
Ethylbenzene	5	5.0	20199	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20199	13		1.4	0.32	1
o-Xylene	5	5.0	20199	5.3		0.57	0.13	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X  
Submitted by: EEA  
Supervisor: TEM  
Date : 08-DEC-25  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008 FENCELINE MONITORING  
Date Sampled : 12-NOV-25  
Date Received : 01-DEC-25

Account No.: 41031  
Login No. : L680804  
Date Analyzed : 07-DEC-25 - 08-DEC-25  
Report ID : 1537377

Client ID : FLM 13 DUP (3)  
Date Sampled : 11/12/25

Lab ID : L680804-13  
Date Analyzed : 12/08/25

Time : 20197 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	5	5.0	20197	13		0.98	0.31	1
Toluene	5	5.0	20197	23		2.2	0.59	1
Ethylbenzene	5	5.0	20197	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20197	10		1.1	0.25	1
o-Xylene	5	5.0	20197	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbo-pack X

Submitted by: EEA  
Supervisor: TEM

Date : 08-DEC-25  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client	: Haley Ward Inc.	Account No.:	41031
Site	: COLD BROOK ENERGY	Login No. :	L680804
Project No.	: 10142.008 FENCELINE MONITORING		
Date Sampled	: 12-NOV-25	Date Analyzed	: 07-DEC-25 - 08-DEC-25
Date Received	: 01-DEC-25	Report ID	: 1537377

Client ID : FLM 14 DUP (8)      Lab ID : L680804-14      Time : 20200 minutes  
 Date Sampled : 11/12/25      Date Analyzed : 12/08/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20200	9.2		0.71	0.22	1
Toluene	5	5.0	20200	15		1.4	0.37	1
Ethylbenzene	5	5.0	20200	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20200	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20200	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS	Submitted by: EEA	Date : 08-DEC-25
Collection Media : Carbopack X	Supervisor: TEM	Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008 FENCELINE MONITORING  
Date Sampled : 12-NOV-25  
Date Received : 01-DEC-25

Account No.: 41031  
Login No. : L680804  
Date Analyzed : 07-DEC-25 - 08-DEC-25  
Report ID : 1537377

Client ID : FLM 15 BLANK (4)  
Date Sampled : 11/12/25

Lab ID : L680804-15  
Date Analyzed : 12/08/25  
Time : 20195 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20195	ND	U	<0.37	<0.12	1
Toluene	5	5.0	20195	ND	U	<0.48	<0.13	1
Ethylbenzene	5	5.0	20195	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20195	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20195	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbo-pack X

Submitted by: EEA  
Supervisor: TEM

Date : 08-DEC-25  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008 FENCELINE MONITORING  
Date Sampled : 12-NOV-25  
Date Received : 01-DEC-25

Account No.: 41031  
Login No. : L680804  
Date Analyzed : 07-DEC-25 - 08-DEC-25  
Report ID : 1537377

Client ID : FLM 16 BLANK (7)  
Date Sampled : 11/12/25

Lab ID : L680804-16  
Date Analyzed : 12/08/25  
Time : 20193 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20193	ND	U	<0.37	<0.12	1
Toluene	5	5.0	20193	ND	U	<0.48	<0.13	1
Ethylbenzene	5	5.0	20193	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20193	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20193	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbo-pack X

Submitted by: EEA  
Supervisor: TEM

Date : 08-DEC-25  
Approved by : BHB



# GALSON

LABORATORY FOOTNOTE REPORT

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsгалson.com

Client Name : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008 FENCELINE MONITORING

Date Sampled : 12-NOV-25      Account No.: 41031  
Date Received: 01-DEC-25      Login No. : L680804  
Date Analyzed: 07-DEC-25 - 08-DEC-25

L680804 (Report ID: 1537377):

EPA qualifiers are as follows:  
U - Compound was analyzed for, but not detected.  
J - Compound was found greater than the MDL, but less than the LOQ.  
B - Compound is found in the associated method blank as well as in the sample.  
SOPs: MS-SOP-17(14)

L680804 (Report ID: 1537377):

Accuracy and mean recovery data presented below is based on a 95% confidence interval (k=2). The estimated accuracy applies to the media, technology, and SOP referenced in this report and does not account for the uncertainty associated with the sampling process. The accuracy is based solely on spike recovery data from internal quality control samples. Where N/A appears below, insufficient data is available to provide statistical accuracy and mean recovery values for the associated analyte.

Parameter	Accuracy	Mean Recovery
Benzene	+/-17.2%	102%
Ethylbenzene	+/-18.7%	101%
m,p-Xylenes	+/-20%	104%
o-Xylene	+/-22.8%	100%
Toluene	+/-16.1%	99.3%

Parameter	Method
Benzene	mod. EPA 325B; GCMS
Ethylbenzene	mod. EPA 325B; GCMS
Toluene	mod. EPA 325B; GCMS
m,p-Xylene	mod. EPA 325B; GCMS
o-Xylene	mod. EPA 325B; GCMS

SGS GALSON  
 1080804

Client Acct. No. 41031

EPA 325A Fenceline Monitoring

116

Chloe Desmond  
 Jason Patterson

Report To: \_\_\_\_\_  
 Company Name: Haley Ward Inc.  
 Address 1: 1 Marchants Plaza  
 Address 2: Suite 701  
 City, State, Zip: Bangor, ME 04401  
 Cell No.: 207-214-0141  
 Email Report to: cdesmond@haleyward.com  
 j.patterson@haleyward.com

Invoice To: Accounts Payable-Julie  
 Company Name: Haley Ward Inc.  
 Address 1: 1 Marchants Plaza  
 Address 2: Suite 701  
 City, State, Zip: Bangor, ME 04401  
 Email Address: joreskovich@haleyward.com  
 P.O. No: \_\_\_\_\_  
 Payment Info:  Will Phone in Credit Card Information  
 Credit Card on File

Need Results By*:	(surcharge)
<input checked="" type="checkbox"/> 5 Business Days	0%
<input type="checkbox"/> 4 Business Days	35%
<input type="checkbox"/> 2 Business Days	50%

121043178441707900  
 Date: 12/01/25  
 Shipper: UPS  
 Initials: MMM

Prep: UNKNOWN

Prep No.: PSY788290

Complete shaded portions and return to the lab with the samples.\*

Average Ambient Temperature:	33.64°
Average Barometric Pressure:	29.60

Site Name: Cold Brook Energy Project: 10142.008 Fence Line Monitoring Sampled By: Chloe Desmond

Sample Identification*	Manufacturer ID	Collection Medium	Date/Time Deployed (Military Time)	Date/Time Retrieved (Military Time)	Analysis Requested	Method
FLM 1	C41424	Carbopack X	11/12/25 828	11/26/25 906	BTEX	MOD. EPA325B: GCMS
FLM 2	C41461	Carbopack X	832	909	BTEX	MOD. EPA325B: GCMS
FLM 3	C41467	Carbopack X	836	913	BTEX	MOD. EPA325B: GCMS
FLM 4	C41439	Carbopack X	842	917	BTEX	MOD. EPA325B: GCMS
FLM 5	C41392	Carbopack X	845	920	BTEX	MOD. EPA325B: GCMS
FLM 6	C41399	Carbopack X	851	924	BTEX	MOD. EPA325B: GCMS
FLM 7	C41462	Carbopack X	855	928	BTEX	MOD. EPA325B: GCMS
FLM 8	C54140	Carbopack X	810	850	BTEX	MOD. EPA325B: GCMS
FLM 9	C41446	Carbopack X	815	854	BTEX	MOD. EPA325B: GCMS
FLM 10	C41405	Carbopack X	818	857	BTEX	MOD. EPA325B: GCMS
FLM 11	C41411	Carbopack X	821	900	BTEX	MOD. EPA325B: GCMS

Chain of Custody	Print Name	Signature	Date/Time
Relinquished by:	Chloe Desmond	Chloe Desmond	11/26/25 1002
Received by LAB:		Megan M. McGrath	12/1/25 1:19 p

\*Required fields, failure to complete these fields may result in a delay in your samples being processed.





**GALSON**

**Jason Patterson  
Haley Ward Inc.  
1 Merchants Plaza  
Suite 701  
Bangor, ME 04401**

**December 19, 2025**

**Account# 41031**

**Login# L682014**

**Dear Jason Patterson:**

**Enclosed are the analytical results for the samples received by our laboratory on December 12, 2025. All samples on the chain of custody were received in good condition unless otherwise noted. Any additional observations will be noted on the chain of custody.**

**Please contact client services at (888) 432-5227 if you would like any additional information regarding this report. Thank you for using SGS Galson.**

**Sincerely,**

**SGS Galson**

**Lisa Swab  
Laboratory Director**

**Enclosure(s)**



**Terms and Conditions & General Disclaimers**

- This document is issued by the Company under its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.
- Any holder of this document is advised that information contained herein reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Analytical Disclaimers**

- Unless otherwise noted within the report, all quality control results associated with the samples were within established control limits or did not impact reported results.
- Note: The findings recorded within this report were drawn from analysis of the sample(s) provided to the laboratory by the Client (or a third party acting at the Client’s direction). The laboratory does not have control over the sampling process, including but not limited to the use of field equipment and collection media, as well as the sampling duration, collection volume or any other collection parameter used by the Client. The findings herein constitute no warranty of the sample's representativeness of any sampled environment, and strictly relate to the samples as they were presented to the laboratory. For recommended sampling collection parameters, please refer to the Sampling and Analysis Guide at [www.sgsgalson.com](http://www.sgsgalson.com).
- Unrounded results are carried through the calculations that yield the final result and the final result is rounded to the number of significant figures appropriate to the accuracy of the analytical method. Please note that results appearing in the columns preceding the final result column may have been rounded and therefore, if carried through the calculations, may not yield an identical final result to the one reported.
- The stated LOQs for each analyte represent the demonstrated LOQ concentrations prior to correction for desorption efficiency (if applicable).
- Unless otherwise noted within the report, results have not been blank corrected for any field blank or method blank data.

**Accreditations** SGS Galson holds a variety of accreditations and recognitions. Our quality management system conforms with the requirements of ISO/IEC 17025. Where applicable, samples may also be analyzed in accordance with the requirements of ELAP, NELAC, or LELAP under one of the state accrediting bodies listed below. Current Scopes of Accreditation can be viewed at <http://www.sgsgalson.com> in the accreditations section of the "About" page. To determine if the analyte tested falls under our scope of accreditation, please visit our website or call Client Services at (888) 432-5227.

National/International	Accreditation/Recognition	Lab ID#	Program/Sector
AIHA-LAP, LLC - IHLAP, ELLAP, EMLAP	ISO/IEC 17025 and USEPA NLLAP	Lab ID 100324	Industrial Hygiene, Environmental Lead, Environmental Microbiology

State	Accreditation/Recognition	Lab ID#	Program/Sector
New York (NYSDOH)	ELAP and NELAC (TNI)	Lab ID: 11626	Air Analysis, Solid and Hazardous Waste
Louisiana (LDEQ)	LELAP	Lab ID: 04083	Air Analysis, Solid Chemical Materials

**Legend**

< - Less than	mg - Milligrams	MDL - Method Detection Limit	ppb - Parts per Billion
> - Greater than	ug - Micrograms	NA - Not Applicable	ppm - Parts per Million
l - Liters	m3 - Cubic Meters	NS - Not Specified	ppbv - ppb Volume
LOQ - Limit of Quantitation	kg - Kilograms	ND - Not Detected	ppmv - ppm Volume
ft2 - Square Feet	cm2 - Square Centimeters	in2 - Square Inches	ng - Nanograms



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLDBROOK ENERGY  
Project No. : 10142.008 FENCELINE MONITORING  
Date Sampled : 26-NOV-25  
Date Received : 12-DEC-25

Account No.: 41031  
Login No. : L682014  
Date Analyzed : 15-DEC-25 - 16-DEC-25  
Report ID : 1539637

Client ID : FLM 1  
Date Sampled : 11/26/25

Lab ID : L682014-1  
Date Analyzed : 12/15/25  
Time : 20225 minutes

Parameter	MDL ng	LOQ ng	Time minutes	Total ng	Total Qual	Conc ug/m3	ppbv	Dil Fact
Benzene	5	5.0	20225	14		1.1	0.34	1
Toluene	5	5.0	20225	20		1.9	0.51	1
Ethylbenzene	5	5.0	20225	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20225	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20225	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X  
Submitted by: EEA  
Supervisor: TEM  
Date : 19-DEC-25  
Approved by : TEM



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLDBROOK ENERGY  
Project No. : 10142.008 FENCELINE MONITORING  
Date Sampled : 26-NOV-25  
Date Received : 12-DEC-25

Account No.: 41031  
Login No. : L682014  
Date Analyzed : 15-DEC-25 - 16-DEC-25  
Report ID : 1539637

Client ID : FLM 2  
Date Sampled : 11/26/25

Lab ID : L682014-2  
Date Analyzed : 12/15/25  
Time : 20227 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20227	14		1.1	0.34	1
Toluene	5	5.0	20227	21		2.0	0.53	1
Ethylbenzene	5	5.0	20227	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20227	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20227	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X  
Submitted by: EEA  
Supervisor: TEM  
Date : 19-DEC-25  
Approved by : TEM



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLDBROOK ENERGY  
Project No. : 10142.008 FENCELINE MONITORING  
Date Sampled : 26-NOV-25  
Date Received : 12-DEC-25

Account No.: 41031  
Login No. : L682014  
Date Analyzed : 15-DEC-25 - 16-DEC-25  
Report ID : 1539637

Client ID : FLM 3                      Lab ID : L682014-3                      Time : 20228 minutes  
Date Sampled : 11/26/25                      Date Analyzed : 12/15/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20228	15		1.1	0.34	1
Toluene	5	5.0	20228	22		2.1	0.57	1
Ethylbenzene	5	5.0	20228	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20228	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20228	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS                      Submitted by: EEA                      Date : 19-DEC-25  
Collection Media : Carbopack X                      Supervisor: TEM                      Approved by : TEM



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLDBROOK ENERGY  
Project No. : 10142.008 FENCELINE MONITORING  
Date Sampled : 26-NOV-25  
Date Received : 12-DEC-25

Account No.: 41031  
Login No. : L682014  
Date Analyzed : 15-DEC-25 - 16-DEC-25  
Report ID : 1539637

Client ID : FLM 4                      Lab ID : L682014-4                      Time : 20229 minutes  
Date Sampled : 11/26/25                      Date Analyzed : 12/15/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20229	12		0.94	0.29	1
Toluene	5	5.0	20229	19		1.8	0.47	1
Ethylbenzene	5	5.0	20229	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20229	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20229	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS                      Submitted by: EEA                      Date : 19-DEC-25  
Collection Media : Carbopack X                      Supervisor: TEM                      Approved by : TEM



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLDBROOK ENERGY  
Project No. : 10142.008 FENCELINE MONITORING  
Date Sampled : 26-NOV-25  
Date Received : 12-DEC-25

Account No.: 41031  
Login No. : L682014  
Date Analyzed : 15-DEC-25 - 16-DEC-25  
Report ID : 1539637

Client ID : FLM 5                      Lab ID : L682014-5                      Time : 20230 minutes  
Date Sampled : 11/26/25                      Date Analyzed : 12/15/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20230	10		0.79	0.25	1
Toluene	5	5.0	20230	14		1.3	0.35	1
Ethylbenzene	5	5.0	20230	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20230	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20230	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS                      Submitted by: EEA                      Date : 19-DEC-25  
Collection Media : Carbopack X                      Supervisor: TEM                      Approved by : TEM



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLDBROOK ENERGY  
Project No. : 10142.008 FENCELINE MONITORING  
Date Sampled : 26-NOV-25  
Date Received : 12-DEC-25

Account No.: 41031  
Login No. : L682014  
Date Analyzed : 15-DEC-25 - 16-DEC-25  
Report ID : 1539637

Client ID : FLM 6                      Lab ID : L682014-6                      Time : 20232 minutes  
Date Sampled : 11/26/25                      Date Analyzed : 12/15/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20232	9.9		0.77	0.24	1
Toluene	5	5.0	20232	13		1.2	0.33	1
Ethylbenzene	5	5.0	20232	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20232	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20232	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS                      Submitted by: EEA                      Date : 19-DEC-25  
Collection Media : Carbopack X                      Supervisor: TEM                      Approved by : TEM



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLDBROOK ENERGY  
Project No. : 10142.008 FENCELINE MONITORING  
Date Sampled : 26-NOV-25  
Date Received : 12-DEC-25

Account No.: 41031  
Login No. : L682014  
Date Analyzed : 15-DEC-25 - 16-DEC-25  
Report ID : 1539637

Client ID : FLM 7                      Lab ID : L682014-7                      Time : 20235 minutes  
Date Sampled : 11/26/25                      Date Analyzed : 12/15/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	5	5.0	20235	9.5		0.74	0.23	1
Toluene	5	5.0	20235	13		1.2	0.32	1
Ethylbenzene	5	5.0	20235	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20235	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20235	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS                      Submitted by: EEA                      Date : 19-DEC-25  
Collection Media : Carbopack X                      Supervisor: TEM                      Approved by : TEM



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLDBROOK ENERGY  
Project No. : 10142.008 FENCELINE MONITORING  
Date Sampled : 26-NOV-25  
Date Received : 12-DEC-25

Account No.: 41031  
Login No. : L682014  
Date Analyzed : 15-DEC-25 - 16-DEC-25  
Report ID : 1539637

Client ID : FLM 8  
Date Sampled : 11/26/25

Lab ID : L682014-8  
Date Analyzed : 12/15/25  
Time : 20216 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20216	10		0.79	0.25	1
Toluene	5	5.0	20216	15		1.4	0.38	1
Ethylbenzene	5	5.0	20216	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20216	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20216	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X  
Submitted by: EEA  
Supervisor: TEM  
Date : 19-DEC-25  
Approved by : TEM



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLDBROOK ENERGY  
Project No. : 10142.008 FENCELINE MONITORING  
Date Sampled : 26-NOV-25  
Date Received : 12-DEC-25

Account No.: 41031  
Login No. : L682014  
Date Analyzed : 15-DEC-25 - 16-DEC-25  
Report ID : 1539637

Client ID : FLM 9  
Date Sampled : 11/26/25

Lab ID : L682014-9  
Date Analyzed : 12/15/25  
Time : 20218 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20218	9.3		0.72	0.23	1
Toluene	5	5.0	20218	16		1.5	0.40	1
Ethylbenzene	5	5.0	20218	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20218	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20218	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X

Submitted by: EEA  
Supervisor: TEM

Date : 19-DEC-25  
Approved by : TEM



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLDBROOK ENERGY  
Project No. : 10142.008 FENCELINE MONITORING  
Date Sampled : 26-NOV-25  
Date Received : 12-DEC-25

Account No.: 41031  
Login No. : L682014  
Date Analyzed : 15-DEC-25 - 16-DEC-25  
Report ID : 1539637

Client ID : FLM 10  
Date Sampled : 11/26/25

Lab ID : L682014-10  
Date Analyzed : 12/15/25  
Time : 20219 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20219	14		1.1	0.34	1
Toluene	5	5.0	20219	29		2.8	0.73	1
Ethylbenzene	5	5.0	20219	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20219	16		1.7	0.40	1
o-Xylene	5	5.0	20219	6.2		0.67	0.15	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X  
Submitted by: EEA  
Supervisor: TEM  
Date : 19-DEC-25  
Approved by : TEM



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client	: Haley Ward Inc.	Account No.:	41031
Site	: COLDBROOK ENERGY	Login No.:	L682014
Project No.	: 10142.008 FENCELINE MONITORING		
Date Sampled	: 26-NOV-25	Date Analyzed	: 15-DEC-25 - 16-DEC-25
Date Received	: 12-DEC-25	Report ID	: 1539637

Client ID : FLM 11                      Lab ID : L682014-11                      Time : 20223 minutes  
 Date Sampled : 11/26/25                      Date Analyzed : 12/16/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20223	14		1.1	0.34	1
Toluene	5	5.0	20223	28		2.7	0.71	1
Ethylbenzene	5	5.0	20223	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20223	16		1.7	0.40	1
o-Xylene	5	5.0	20223	6.2		0.67	0.15	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS	Submitted by: EEA	Date : 19-DEC-25
Collection Media : Carbopack X	Supervisor: TEM	Approved by : TEM



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLDBROOK ENERGY  
Project No. : 10142.008 FENCELINE MONITORING  
Date Sampled : 26-NOV-25  
Date Received : 12-DEC-25

Account No.: 41031  
Login No. : L682014  
Date Analyzed : 15-DEC-25 - 16-DEC-25  
Report ID : 1539637

Client ID : FLM 12  
Date Sampled : 11/26/25

Lab ID : L682014-12  
Date Analyzed : 12/16/25  
Time : 20225 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	5	5.0	20225	14		1.1	0.34	1
Toluene	5	5.0	20225	25		2.4	0.64	1
Ethylbenzene	5	5.0	20225	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20225	14		1.5	0.34	1
o-Xylene	5	5.0	20225	5.4		0.58	0.13	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X  
Submitted by: EEA  
Supervisor: TEM  
Date : 19-DEC-25  
Approved by : TEM



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLDBROOK ENERGY  
Project No. : 10142.008 FENCELINE MONITORING  
Date Sampled : 26-NOV-25  
Date Received : 12-DEC-25

Account No.: 41031  
Login No. : L682014  
Date Analyzed : 15-DEC-25 - 16-DEC-25  
Report ID : 1539637

Client ID : FLM 13- DUP (4)  
Date Sampled : 11/26/25

Lab ID : L682014-13  
Date Analyzed : 12/16/25  
Time : 20229 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	5	5.0	20229	9.5		0.74	0.23	1
Toluene	5	5.0	20229	15		1.4	0.37	1
Ethylbenzene	5	5.0	20229	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20229	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20229	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbo-pack X

Submitted by: EEA  
Supervisor: TEM  
Approved by : TEM

Date : 19-DEC-25



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client	: Haley Ward Inc.	Account No.:	41031
Site	: COLDBROOK ENERGY	Login No. :	L682014
Project No.	: 10142.008 FENCELINE MONITORING		
Date Sampled	: 26-NOV-25	Date Analyzed	: 15-DEC-25 - 16-DEC-25
Date Received	: 12-DEC-25	Report ID	: 1539637

Client ID : FLM 14- DUP(9)      Lab ID : L682014-14      Time : 20218 minutes  
 Date Sampled : 11/26/25      Date Analyzed : 12/16/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20218	10		0.82	0.26	1
Toluene	5	5.0	20218	18		1.7	0.46	1
Ethylbenzene	5	5.0	20218	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20218	11		1.2	0.28	1
o-Xylene	5	5.0	20218	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS	Submitted by: EEA	Date : 19-DEC-25
Collection Media : Carbopack X	Supervisor: TEM	Approved by : TEM



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLDBROOK ENERGY  
Project No. : 10142.008 FENCELINE MONITORING  
Date Sampled : 26-NOV-25  
Date Received : 12-DEC-25

Account No.: 41031  
Login No. : L682014  
Date Analyzed : 15-DEC-25 - 16-DEC-25  
Report ID : 1539637

Client ID : FLM 15- BLANK (5)      Lab ID : L682014-15      Time : 20230 minutes  
Date Sampled : 11/26/25      Date Analyzed : 12/15/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20230	ND	U	<0.37	<0.12	1
Toluene	5	5.0	20230	ND	U	<0.48	<0.13	1
Ethylbenzene	5	5.0	20230	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20230	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20230	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS      Submitted by: EEA      Date : 19-DEC-25  
Collection Media : Carbo-pack X      Supervisor: TEM      Approved by : TEM



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLDBROOK ENERGY  
Project No. : 10142.008 FENCELINE MONITORING  
Date Sampled : 26-NOV-25  
Date Received : 12-DEC-25

Account No.: 41031  
Login No. : L682014  
Date Analyzed : 15-DEC-25 - 16-DEC-25  
Report ID : 1539637

Client ID : FLM 16- BLANK (8)      Lab ID : L682014-16      Time : 20216 minutes  
Date Sampled : 11/26/25      Date Analyzed : 12/16/25

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20216	ND	U	<0.37	<0.12	1
Toluene	5	5.0	20216	ND	U	<0.48	<0.13	1
Ethylbenzene	5	5.0	20216	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20216	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20216	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS      Submitted by: EEA      Date : 19-DEC-25  
Collection Media : Carbo-pack X      Supervisor: TEM      Approved by : TEM



# GALSON

LABORATORY FOOTNOTE REPORT

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsгалson.com

Client Name : Haley Ward Inc.  
Site : COLDBROOK ENERGY  
Project No. : 10142.008 FENCELINE MONITORING

Date Sampled : 26-NOV-25      Account No.: 41031  
Date Received: 12-DEC-25      Login No. : L682014  
Date Analyzed: 15-DEC-25 - 16-DEC-25

L682014 (Report ID: 1539637):

EPA qualifiers are as follows:  
U - Compound was analyzed for, but not detected.  
J - Compound was found greater than the MDL, but less than the LOQ.  
B - Compound is found in the associated method blank as well as in the sample.  
SOPs: MS-SOP-17(14)

L682014 (Report ID: 1539637):

Accuracy and mean recovery data presented below is based on a 95% confidence interval (k=2). The estimated accuracy applies to the media, technology, and SOP referenced in this report and does not account for the uncertainty associated with the sampling process. The accuracy is based solely on spike recovery data from internal quality control samples. Where N/A appears below, insufficient data is available to provide statistical accuracy and mean recovery values for the associated analyte.

Parameter	Accuracy	Mean Recovery
Benzene	+/-17.2%	102%
Ethylbenzene	+/-18.7%	101%
m,p-Xylenes	+/-21.6%	102%
o-Xylene	+/-22.8%	100%
Toluene	+/-16.1%	99.3%

Parameter	Method
Benzene	mod. EPA 325B; GCMS
Ethylbenzene	mod. EPA 325B; GCMS
Toluene	mod. EPA 325B; GCMS
m,p-Xylene	mod. EPA 325B; GCMS
o-Xylene	mod. EPA 325B; GCMS

**SGS GALSON**  
 12082014  
 Need Results By\*: (surcharge)  
 5 Business Days 0%  
 4 Business Days 35%  
 121043178441401963  
 Date: 12/12/25  
 Shipper: UPS  
 Initials: KLD  
 Prep: UNKNOWN

Client Acct. No. 41031  
 EPA 325A Fenceline Monitoring  
 Report To: Chloe Desmond  
 Jason Patterson  
 Company Name: Haley Ward Inc.  
 Address 1: 1 Marchants Plaza  
 Address 2: Suite 701  
 City, State, Zip: Bangor, ME 04401  
 Cell No.: 207-214-0141  
 Email Report to: cdesmond@haleyward.com  
 jpatterson@haleyward.com  
 Prep No.: PSY788291

Invoice To: Accounts Payable-Julie  
 Company Name: Haley Ward Inc.  
 Address 1: 1 Marchants Plaza  
 Address 2: Suite 701  
 City, State, Zip: Bangor, ME 04401  
 Email Address: joreskovich@haleyward.com  
 P.O. No.:  
 Payment Info:  Will Phone in Credit Card Information  
 Credit Card on File

36

Complete shaded portions and return to the lab with the samples.\*

Comments:	Average Ambient Temperature:	24.36 °F
	Average Barometric Pressure:	29.76 in Hg

Site Name: Cold Brook Energy		Project: 10142.008 Fence Line Monitoring			Sampled By: Chloe Desmond / JNP	
Sample Identification*	Manufacturer ID	Collection Medium	Date/Time Deployed (Military Time)	Date/Time Retrieved (Military Time)	Analysis Requested	Method
FLM 1	C66678	Carbopack X	11/26/25 908	12/10/25 1013	BTEX	MOD. EPA325B: GCMS
FLM 2	C55851	Carbopack X	910	1017	BTEX	MOD. EPA325B: GCMS
FLM 3	C53928	Carbopack X	914	1022	BTEX	MOD. EPA325B: GCMS
FLM 4	C56962	Carbopack X	919	1028	BTEX	MOD. EPA325B: GCMS
FLM 5	C60099	Carbopack X	922	1032	BTEX	MOD. EPA325B: GCMS
FLM 6	C60069	Carbopack X	926	1038	BTEX	MOD. EPA325B: GCMS
FLM 7	C53703	Carbopack X	929	1044	BTEX	MOD. EPA325B: GCMS
FLM 8	C53927	Carbopack X	851	947	BTEX	MOD. EPA325B: GCMS
FLM 9	C56968	Carbopack X	855	953	BTEX	MOD. EPA325B: GCMS
FLM 10	C56910	Carbopack X	859	958	BTEX	MOD. EPA325B: GCMS
FLM 11	C60325	Carbopack X	901	1004	BTEX	MOD. EPA325B: GCMS

Chain of Custody	Print Name	Signature	Date/Time
Relinquished by:	Chloe Desmond	Chloe Desmond	12/10/25 1400
Received by LAB:	Kathryn L. Drogo	[Signature]	12/12/25 1436



**Chloe Desmond  
Haley Ward Inc.  
1 Merchants Plaza  
Suite 701  
Bangor, ME 04401**

**January 07, 2026**

**Account# 41031**

**Login# L683614**

**Dear Chloe Desmond:**

**Enclosed are the analytical results for the samples received by our laboratory on January 05, 2026. All samples on the chain of custody were received in good condition unless otherwise noted. Any additional observations will be noted on the chain of custody.**

**Please contact client services at (888) 432-5227 if you would like any additional information regarding this report. Thank you for using SGS Galson.**

**Sincerely,**

**SGS Galson**



**Lisa Swab  
Laboratory Director**

**Enclosure(s)**



**Terms and Conditions & General Disclaimers**

- This document is issued by the Company under its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.
- Any holder of this document is advised that information contained herein reflects the Company’s findings at the time of its intervention only and within the limits of Client’s instructions, if any. The Company’s sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Analytical Disclaimers**

- Unless otherwise noted within the report, all quality control results associated with the samples were within established control limits or did not impact reported results.
- Note: The findings recorded within this report were drawn from analysis of the sample(s) provided to the laboratory by the Client (or a third party acting at the Client’s direction). The laboratory does not have control over the sampling process, including but not limited to the use of field equipment and collection media, as well as the sampling duration, collection volume or any other collection parameter used by the Client. The findings herein constitute no warranty of the sample's representativeness of any sampled environment, and strictly relate to the samples as they were presented to the laboratory. For recommended sampling collection parameters, please refer to the Sampling and Analysis Guide at [www.sgsgalson.com](http://www.sgsgalson.com).
- Unrounded results are carried through the calculations that yield the final result and the final result is rounded to the number of significant figures appropriate to the accuracy of the analytical method. Please note that results appearing in the columns preceding the final result column may have been rounded and therefore, if carried through the calculations, may not yield an identical final result to the one reported.
- The stated LOQs for each analyte represent the demonstrated LOQ concentrations prior to correction for desorption efficiency (if applicable).
- Unless otherwise noted within the report, results have not been blank corrected for any field blank or method blank data.

**Accreditations** SGS Galson holds a variety of accreditations and recognitions. Our quality management system conforms with the requirements of ISO/IEC 17025. Where applicable, samples may also be analyzed in accordance with the requirements of ELAP, NELAC, or LELAP under one of the state accrediting bodies listed below. Current Scopes of Accreditation can be viewed at <http://www.sgsgalson.com> in the accreditations section of the "About" page. To determine if the analyte tested falls under our scope of accreditation, please visit our website or call Client Services at (888) 432-5227.

National/International	Accreditation/Recognition	Lab ID#	Program/Sector
AIHA-LAP, LLC - IHLAP, ELLAP, EMLAP	ISO/IEC 17025 and USEPA NLLAP	Lab ID 100324	Industrial Hygiene, Environmental Lead, Environmental Microbiology

State	Accreditation/Recognition	Lab ID#	Program/Sector
New York (NYSDOH)	ELAP and NELAC (TNI)	Lab ID: 11626	Air Analysis, Solid and Hazardous Waste
Louisiana (LDEQ)	LELAP	Lab ID: 04083	Air Analysis, Solid Chemical Materials

**Legend**

< - Less than	mg - Milligrams	MDL - Method Detection Limit	ppb - Parts per Billion
> - Greater than	ug - Micrograms	NA - Not Applicable	ppm - Parts per Million
l - Liters	m3 - Cubic Meters	NS - Not Specified	ppbv - ppb Volume
LOQ - Limit of Quantitation	kg - Kilograms	ND - Not Detected	ppmv - ppm Volume
ft2 - Square Feet	cm2 - Square Centimeters	in2 - Square Inches	ng - Nanograms



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008  
Date Sampled : 10-DEC-25  
Date Received : 05-JAN-26

Account No.: 41031  
Login No. : L683614  
Date Analyzed : 06-JAN-26  
Report ID : 1542366

Client ID : FLM 1  
Date Sampled : 12/10/25

Lab ID : L683614-1  
Date Analyzed : 01/06/26

Time : 20197 minutes

Parameter	MDL ng	LOQ ng	Time minutes	Total ng	Total Qual	Conc ug/m3	ppbv	Dil Fact
Benzene	5	5.0	20197	11		0.86	0.27	1
Toluene	5	5.0	20197	16		1.5	0.41	1
Ethylbenzene	5	5.0	20197	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20197	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20197	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X

Submitted by: EEA  
Supervisor: TEM

Date : 07-JAN-26

Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008  
Date Sampled : 10-DEC-25  
Date Received : 05-JAN-26

Account No.: 41031  
Login No. : L683614  
Date Analyzed : 06-JAN-26  
Report ID : 1542366

Client ID : FLM 2  
Date Sampled : 12/10/25

Lab ID : L683614-2  
Date Analyzed : 01/06/26  
Time : 20196 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20196	10		0.81	0.25	1
Toluene	5	5.0	20196	15		1.4	0.38	1
Ethylbenzene	5	5.0	20196	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20196	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20196	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X

Submitted by: EEA  
Supervisor: TEM

Date : 07-JAN-26  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008  
Date Sampled : 10-DEC-25  
Date Received : 05-JAN-26

Account No.: 41031  
Login No. : L683614  
Date Analyzed : 06-JAN-26  
Report ID : 1542366

Client ID : FLM 3  
Date Sampled : 12/10/25

Lab ID : L683614-3  
Date Analyzed : 01/06/26  
Time : 20194 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20194	9.6		0.75	0.24	1
Toluene	5	5.0	20194	13		1.3	0.33	1
Ethylbenzene	5	5.0	20194	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20194	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20194	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X

Submitted by: EEA  
Supervisor: TEM

Date : 07-JAN-26  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008  
Date Sampled : 10-DEC-25  
Date Received : 05-JAN-26

Account No.: 41031  
Login No. : L683614  
Date Analyzed : 06-JAN-26  
Report ID : 1542366

Client ID : FLM 4  
Date Sampled : 12/10/25

Lab ID : L683614-4  
Date Analyzed : 01/06/26  
Time : 20192 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20192	8.3		0.65	0.20	1
Toluene	5	5.0	20192	9.4		0.90	0.24	1
Ethylbenzene	5	5.0	20192	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20192	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20192	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X

Submitted by: EEA  
Supervisor: TEM

Date : 07-JAN-26

Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008  
Date Sampled : 10-DEC-25  
Date Received : 05-JAN-26

Account No.: 41031  
Login No. : L683614  
Date Analyzed : 06-JAN-26  
Report ID : 1542366

Client ID : FLM 5  
Date Sampled : 12/10/25

Lab ID : L683614-5  
Date Analyzed : 01/06/26  
Time : 20192 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20192	7.8		0.60	0.19	1
Toluene	5	5.0	20192	8.0		0.76	0.20	1
Ethylbenzene	5	5.0	20192	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20192	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20192	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X

Submitted by: EEA  
Supervisor: TEM

Date : 07-JAN-26  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008  
Date Sampled : 10-DEC-25  
Date Received : 05-JAN-26

Account No.: 41031  
Login No. : L683614  
Date Analyzed : 06-JAN-26  
Report ID : 1542366

Client ID : FLM 6  
Date Sampled : 12/10/25

Lab ID : L683614-6  
Date Analyzed : 01/06/26  
Time : 20191 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20191	7.0		0.54	0.17	1
Toluene	5	5.0	20191	7.6		0.72	0.19	1
Ethylbenzene	5	5.0	20191	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20191	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20191	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X

Submitted by: EEA  
Supervisor: TEM

Date : 07-JAN-26  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008  
Date Sampled : 10-DEC-25  
Date Received : 05-JAN-26

Account No.: 41031  
Login No. : L683614  
Date Analyzed : 06-JAN-26  
Report ID : 1542366

Client ID : FLM 7  
Date Sampled : 12/10/25

Lab ID : L683614-7  
Date Analyzed : 01/06/26  
Time : 20189 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	5	5.0	20189	8.0		0.62	0.19	1
Toluene	5	5.0	20189	9.4		0.89	0.24	1
Ethylbenzene	5	5.0	20189	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20189	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20189	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X

Submitted by: EEA  
Supervisor: TEM

Date : 07-JAN-26  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008  
Date Sampled : 10-DEC-25  
Date Received : 05-JAN-26

Account No.: 41031  
Login No. : L683614  
Date Analyzed : 06-JAN-26  
Report ID : 1542366

Client ID : FLM 8  
Date Sampled : 12/10/25

Lab ID : L683614-8  
Date Analyzed : 01/06/26

Time : 20203 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20203	8.9		0.69	0.22	1
Toluene	5	5.0	20203	13		1.3	0.34	1
Ethylbenzene	5	5.0	20203	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20203	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20203	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X

Submitted by: EEA  
Supervisor: TEM

Date : 07-JAN-26  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008  
Date Sampled : 10-DEC-25  
Date Received : 05-JAN-26

Account No.: 41031  
Login No. : L683614  
Date Analyzed : 06-JAN-26  
Report ID : 1542366

Client ID : FLM 9  
Date Sampled : 12/10/25

Lab ID : L683614-9  
Date Analyzed : 01/06/26  
Time : 20201 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	5	5.0	20201	10		0.79	0.25	1
Toluene	5	5.0	20201	20		1.9	0.50	1
Ethylbenzene	5	5.0	20201	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20201	12		1.2	0.29	1
o-Xylene	5	5.0	20201	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X

Submitted by: EEA  
Supervisor: TEM

Date : 07-JAN-26  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008  
Date Sampled : 10-DEC-25  
Date Received : 05-JAN-26

Account No.: 41031  
Login No. : L683614  
Date Analyzed : 06-JAN-26  
Report ID : 1542366

Client ID : FLM 10  
Date Sampled : 12/10/25

Lab ID : L683614-10  
Date Analyzed : 01/06/26  
Time : 20200 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	5	5.0	20200	16		1.2	0.38	1
Toluene	5	5.0	20200	34		3.2	0.85	1
Ethylbenzene	5	5.0	20200	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20200	16		1.7	0.40	1
o-Xylene	5	5.0	20200	6.6		0.71	0.16	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X

Submitted by: EEA  
Supervisor: TEM

Date : 07-JAN-26

Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008  
Date Sampled : 10-DEC-25  
Date Received : 05-JAN-26

Account No.: 41031  
Login No. : L683614  
Date Analyzed : 06-JAN-26  
Report ID : 1542366

Client ID : FLM 11  
Date Sampled : 12/10/25

Lab ID : L683614-11  
Date Analyzed : 01/06/26  
Time : 20198 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	5	5.0	20198	15		1.1	0.34	1
Toluene	5	5.0	20198	34		3.2	0.86	1
Ethylbenzene	5	5.0	20198	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20198	17		1.8	0.43	1
o-Xylene	5	5.0	20198	7.2		0.77	0.18	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X

Submitted by: EEA  
Supervisor: TEM

Date : 07-JAN-26  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008  
Date Sampled : 10-DEC-25  
Date Received : 05-JAN-26

Account No.: 41031  
Login No. : L683614  
Date Analyzed : 06-JAN-26  
Report ID : 1542366

Client ID : FLM 12  
Date Sampled : 12/10/25

Lab ID : L683614-12  
Date Analyzed : 01/06/26  
Time : 20197 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	5	5.0	20197	14		1.1	0.34	1
Toluene	5	5.0	20197	32		3.1	0.81	1
Ethylbenzene	5	5.0	20197	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20197	16		1.7	0.39	1
o-Xylene	5	5.0	20197	6.5		0.70	0.16	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X

Submitted by: EEA  
Supervisor: TEM

Date : 07-JAN-26  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008  
Date Sampled : 10-DEC-25  
Date Received : 05-JAN-26

Account No.: 41031  
Login No. : L683614  
Date Analyzed : 06-JAN-26  
Report ID : 1542366

Client ID : FLM 13-DUP (5)  
Date Sampled : 12/10/25

Lab ID : L683614-13  
Date Analyzed : 01/06/26  
Time : 20196 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	5	5.0	20196	7.1		0.55	0.17	1
Toluene	5	5.0	20196	6.8		0.65	0.17	1
Ethylbenzene	5	5.0	20196	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20196	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20196	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbo-pack X

Submitted by: EEA  
Supervisor: TEM

Date : 07-JAN-26  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008  
Date Sampled : 10-DEC-25  
Date Received : 05-JAN-26

Account No.: 41031  
Login No. : L683614  
Date Analyzed : 06-JAN-26  
Report ID : 1542366

Client ID : FLM 14-DUP (10)  
Date Sampled : 12/10/25

Lab ID : L683614-14  
Date Analyzed : 01/06/26  
Time : 20205 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	5	5.0	20205	16		1.2	0.38	1
Toluene	5	5.0	20205	33		3.1	0.83	1
Ethylbenzene	5	5.0	20205	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20205	15		1.6	0.38	1
o-Xylene	5	5.0	20205	6.1		0.65	0.15	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbo-pack X

Submitted by: EEA  
Supervisor: TEM

Date : 07-JAN-26  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008  
Date Sampled : 10-DEC-25  
Date Received : 05-JAN-26

Account No.: 41031  
Login No. : L683614  
Date Analyzed : 06-JAN-26  
Report ID : 1542366

Client ID : FLM 15-BLANK (6)  
Date Sampled : 12/10/25

Lab ID : L683614-15      Time : 20197 minutes  
Date Analyzed : 01/06/26

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20197	ND	U	<0.37	<0.12	1
Toluene	5	5.0	20197	ND	U	<0.48	<0.13	1
Ethylbenzene	5	5.0	20197	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20197	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20197	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbopack X

Submitted by: EEA  
Supervisor: TEM

Date : 07-JAN-26  
Approved by : BHB



# GALSON

## LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsgalson.com

Client : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008  
Date Sampled : 10-DEC-25  
Date Received : 05-JAN-26

Account No.: 41031  
Login No. : L683614  
Date Analyzed : 06-JAN-26  
Report ID : 1542366

Client ID : FLM 16-BLANK (9)  
Date Sampled : 12/10/25

Lab ID : L683614-16  
Date Analyzed : 01/06/26  
Time : 20207 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>Dil</u> <u>ppbv</u>	<u>Fact</u>
Benzene	5	5.0	20207	ND	U	<0.37	<0.12	1
Toluene	5	5.0	20207	ND	U	<0.48	<0.13	1
Ethylbenzene	5	5.0	20207	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20207	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20207	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS  
Collection Media : Carbo-pack X

Submitted by: EEA  
Supervisor: TEM

Date : 07-JAN-26  
Approved by : BHB



# GALSON

LABORATORY FOOTNOTE REPORT

6601 Kirkville Road  
East Syracuse, NY 13057  
(315) 432-5227  
FAX: (315) 437-0571  
www.sgsгалson.com

Client Name : Haley Ward Inc.  
Site : COLD BROOK ENERGY  
Project No. : 10142.008

Date Sampled : 10-DEC-25  
Date Received: 05-JAN-26  
Date Analyzed: 06-JAN-26

Account No.: 41031  
Login No. : L683614

L683614 (Report ID: 1542366):

EPA qualifiers are as follows:  
U - Compound was analyzed for, but not detected.  
J - Compound was found greater than the MDL, but less than the LOQ.  
B - Compound is found in the associated method blank as well as in the sample.  
SOPs: MS-SOP-17(14)

L683614 (Report ID: 1542366):

Accuracy and mean recovery data presented below is based on a 95% confidence interval (k=2). The estimated accuracy applies to the media, technology, and SOP referenced in this report and does not account for the uncertainty associated with the sampling process. The accuracy is based solely on spike recovery data from internal quality control samples. Where N/A appears below, insufficient data is available to provide statistical accuracy and mean recovery values for the associated analyte.

Parameter	Accuracy	Mean Recovery
Benzene	+/-16.4%	99.9%
Ethylbenzene	+/-18.7%	101%
m,p-Xylenes	+/-21.6%	102%
o-Xylene	+/-22.8%	100%
Toluene	+/-16.1%	99.3%

Parameter	Method
Benzene	mod. EPA 325B; GCMS
Ethylbenzene	mod. EPA 325B; GCMS
Toluene	mod. EPA 325B; GCMS
m,p-Xylene	mod. EPA 325B; GCMS
o-Xylene	mod. EPA 325B; GCMS

W083614

116

<b>SGS</b> GALSON	Client Acct. No.	41031	<b>EPA 325A Fenceline Monitoring</b>	
	Report To:	Chloe Desmond <del>Jason Patterson</del>		
Need Results By*:	(surcharge)	Company Name:	Haley Ward Inc.	
<input checked="" type="checkbox"/> 5 Business Days	0%	Address 1:	1 Marchants Plaza	
<input type="checkbox"/> 4 Business Days	35%	Address 2:	Suite 701	
<input type="checkbox"/> 3 Business Days	50%	City, State, Zip:	Bangor, ME 04401	
		Cell No.:	207-214-0141	
		Email Report to:	cDesmond <del>jpatterson@haleyward.com</del>	
		Prep No.:	PSY788292	
		Invoice To:	Accounts Payable-Julie	
		Company Name:	Haley Ward Inc.	
		Address 1:	1 Marchants Plaza	
		Address 2:	Suite 701	
		City, State, Zip:	Bangor, ME 04401	
		Email Address:	joreskovich@haleyward.com	
		P.O. No.:		
		Payment Info:	<input type="checkbox"/> Will Phone in Credit Card Information <input type="checkbox"/> Credit Card on File	

887524400900  
 Date: 01/05/26  
 Shipper: FEDEX  
 Initials: MMM



Prep: UNKNOWN

Complete shaded portions and return to the lab with the samples.\*

Average Ambient Temperature:	27.60
Average Barometric Pressure:	30.02

Site Name: Cold Brook Energy		Project: 10142.008			Sampled By: JWP/Chloe Desmond	
Sample Identification*	Manufacturer ID	Collection Medium	Date/Time Deployed (Military Time)	Date/Time Retrieved (Military Time)	Analysis Requested	Method
FLM 1	C41381	Carbopack X	12/10/25 1013	12/24/25 1050	BTEX	MOD. EPA325B: GCMS
FLM 2	C41401	Carbopack X	1017	1053	BTEX	MOD. EPA325B: GCMS
FLM 3	C41465	Carbopack X	1022	1056	BTEX	MOD. EPA325B: GCMS
FLM 4	C40255	Carbopack X	1028	1100	BTEX	MOD. EPA325B: GCMS
FLM 5	C54296	Carbopack X	1032	1104	BTEX	MOD. EPA325B: GCMS
FLM 6	C41456	Carbopack X	1038	1109	BTEX	MOD. EPA325B: GCMS
FLM 7	C41425	Carbopack X	1044	1113	BTEX	MOD. EPA325B: GCMS
FLM 8	C41410	Carbopack X	947	1030	BTEX	MOD. EPA325B: GCMS
FLM 9	C40212	Carbopack X	953	1034	BTEX	MOD. EPA325B: GCMS
FLM 10	C41402	Carbopack X	958	1038	BTEX	MOD. EPA325B: GCMS
FLM 11	C40214	Carbopack X	1004	1042	BTEX	MOD. EPA325B: GCMS

Chain of Custody	Print Name	Signature	Date/Time
Relinquished by:	Chloe Desmond	Chloe Desmond	12/24/25 1152
Received by LAB:		Megan M. McGrath <i>M/Gen M/ McGrath</i>	1/5/26 @ 10:20A

\*Required fields, failure to complete these fields may result in a delay in your samples being processed.

Page 1 of 2

Report Reference: 1 Generated: 07-JAN-26 14:34

