



March 31, 2026

Ms. Tanya Hovell
Maine Department of Environmental Protection
Bureau of Air Quality
106 Hogan Road
Bangor, ME 04401
Tanya.Hovell@maine.gov

**Re: Cold Brook Energy | Fenceline Monitoring Q1-2026 | 809 Main Road North,
Hampden, Maine**

Dear Ms. Hovell:

Attached is the First Quarter (Q1), 2026 Fenceline Monitoring Report. A total of six monitoring periods are included in the Q1 report. Each monitoring period consisted of 14 days. During each monitoring period at the Cold Brook Energy Facility, twelve Fenceline Monitoring samples were deployed and collected. In accordance with EPA Method 325A, one field blank and one duplicate sample were collected for every ten ambient air samples.

Following the completion of the Field Replicate Precision analysis, duplicate samples with a variance greater than 30% were flagged. We have reported the results based on the sample ID number documented on the Chain of Custody, field data sheets, and lab reports. No deployment or retrieval issues were encountered during the fourth quarter.

If you have any questions, please do not hesitate to contact me at 207-989-4824 or via email at ksullivan@haleyward.com, or contact Kevin Fish directly at 207-945-9465.

Sincerely,
Haley Ward, Inc.

Kyle Sullivan, Project Manager
Environmental Division

Attachments
KSS/cgd/kjf



ATTACHMENT 1

Cold Brook Energy

809 Main Rd North, Hampden, Maine
Fenceline Monitoring 2026 Q1 Statistical Summary

12/24/2025 to 1/7/2026

Location	Benzene		Toluene		Ethylbenzene		m,p-Xylene		o-Xylene	
	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3
FLM 1 - Sample		1.00		2.00	<	0.54	<	1.1	<	0.54
FLM 2 - Sample		1.00		1.90	<	0.54	<	1.1	<	0.54
FLM 3 - Sample		1.10		2.10	<	0.54	<	1.1	<	0.54
FLM 4 - Sample	<	0.83	<	1.60	<	0.54	<	1.1	<	0.54
FLM 5 - Sample		0.92		1.50	<	0.54	<	1.1	<	0.54
FLM 6 - Sample		0.89		1.70	<	0.54	<	1.1	<	0.54
FLM 7 - Sample		0.92		1.70	<	0.54	<	1.1	<	0.54
FLM 8 - Sample		1.10		2.80	<	0.54		1.1	<	0.54
FLM 9 - Sample		1.90		9.40		1.5		4.3		1.6
FLM 10 - Sample		1.30		3.40		0.56		1.5		0.6
FLM 11 - Sample		1.00		2.50	<	0.54		1.3	<	0.54
FLM 12 - Sample		1.10		2.50	<	0.54	<	1.1	<	0.54
FLM 13 - Dup (6)		0.88		1.60	<	0.54	<	1.10	<	0.54
FLM 14 - Dup (11)		1.00		2.50	<	0.54	<	1.2	<	0.54
FLM 15 - Blank (7)	<	0.37	<	0.48	<	0.54	<	1.1	<	0.54
FLM 16 - Blank (10)	<	0.37	<	0.48	<	0.54	<	1.1	<	0.54
MDL ug/m ³	NA	<.37	NA	<.48	NA	<0.54	NA	<1.1	NA	<0.54



Cold Brook Energy										
809 Main Rd North, Hampden, Maine										
Fenceline Monitoring Duplicate Precision										
12/24/2025 to 1/7/2026										
	Benzene		Toluene		Ethylbenzene		m,p-Xylene		o-Xylene	
Location	ug/m ³	Qualifier	ug/m ³	Qualifier	ug/m ³	Qualifier	ug/m ³	Qualifier	ug/m ³	Qualifier
FLM 1 - Sample	1.00		2.00		0.54	<	1.10	<	0.54	<
FLM 2 - Sample	1.00		1.90		0.54	<	1.10	<	0.54	<
FLM 3 - Sample	1.10		2.10		0.54	<	1.10	<	0.54	<
FLM 4 - Sample	0.83	<	1.60	<	0.54	<	1.10	<	0.54	<
FLM 5 - Sample	0.92		1.50		0.54	<	1.10	<	0.54	<
FLM 6 - Sample	0.89		1.70		0.54	<	1.10	<	0.54	<
FLM 7 - Sample	0.92		1.70		0.54	<	1.10	<	0.54	<
FLM 8 - Sample	1.10		2.80		0.54	<	1.10		0.54	<
FLM 9 - Sample	1.90		9.40		1.50		4.30		1.60	
FLM 10 - Sample	1.30		3.40		0.56		1.50		0.60	
FLM 11 - Sample	1.00		2.50		0.54	<	1.30		0.54	<
FLM 12 - Sample	1.10		2.50		0.54	<	1.10	<	0.54	<
FLM 13 - Dup (6)	0.88		1.60		0.54	<	1.10	<	0.54	<
Field Duplicate Precision	1		6		0		0		0	
FLM 14 - Dup (11)	1.00		2.50		0.54	<	1.20	<	0.54	<
Field Duplicate Precision	0		0		0		8		0	
FLM 15 - Blank (7)	0.37	<	0.48	<	0.54	<	1.1	<	0.54	<
FLM 16 - Blank (10)	0.37	<	0.48	<	0.54	<	1.1	<	0.54	<
MDL ng	<.37		<.48		<0.54		<1.1		<0.54	
Field Duplicate Precision exceeding 30% are indicated by:										
" <" data qualification flag = Compounds that were "non-detect" are reported at the Method Detection Limit (MDL)										



Method 325 A/B
Field Data Sheet

Site Name:	Cold Brook Energy	Site Address:	809 Main Rd North
City:	Hampden	State:	Maine
Zip Code:	04444	Total Avg. Barometric Pressure (in. Hg):	29.61 Hg
Total Avg. Ambient Temperature (°F):	13.22 F	Total Avg. Wind Speed (mph) and Direction:	5.5 mph/North

Location Coordinates	Sample ID	Deployment Date	Start Time	Retrieval Date	End Time
N44° 46' 44.12" W68° 47' 00.09"	FLM 1 - Sample	12/24/2025	1051	1/7/2026	1013
N44° 46' 43.51" W68° 46' 59.55"	FLM 2 - Sample	12/24/2025	1055	1/7/2026	1016
N44° 46' 42.41" W68° 47' 00.80"	FLM 3 - Sample	12/24/2025	1058	1/7/2026	1019
N44° 46' 41.62" W68° 47' 01.76"	FLM 4 - Sample	12/24/2025	1102	1/7/2026	1022
N44° 46' 40.41" W68° 47' 03.25"	FLM 5 - Sample	12/24/2025	1106	1/7/2026	1026
N44° 46' 40.54" W68° 47' 04.34"	FLM 6 - Sample	12/24/2025	1111	1/7/2026	1030
N44° 46' 41.25" W68° 47' 05.46"	FLM 7 - Sample	12/24/2025	1115	1/7/2026	1034
N44° 46' 42.19" W68° 47' 04.63"	FLM 8 - Sample	12/24/2025	1032	1/7/2026	0950
N44° 46' 43.01" W68° 47' 04.90"	FLM 9 - Sample	12/24/2025	1036	1/7/2026	0955
N44° 46' 44.11" W68° 47' 03.88"	FLM 10 - Sample	12/24/2025	1040	1/7/2026	0959
N44° 46' 44.80" W68° 47' 03.01"	FLM 11 - Sample	12/24/2025	1044	1/7/2026	1004
N44° 46' 44.82" W68° 47' 01.49"	FLM 12 - Sample	12/24/2025	1048	1/7/2026	1008
N44° 46' 44.12" W68° 47' 00.09"	FLM 13- Dup (6)	12/24/2025	1106	1/7/2026	1030
N44° 46' 40.54" W68° 47' 04.34"	FLM 14- Dup (11)	12/24/2025	1040	1/7/2026	1004
N44° 46' 43.51" W68° 46' 59.55"	FLM 15- Blank (7)	12/24/2025	1111	1/7/2026	1030
N44° 46' 41.62" W68° 47' 01.76"	FLM 16- Blank (10)	12/24/2025	1036	1/7/2026	0959

Sampler Name: Chloe Desmond


Sampler Signature:

Chloe Desmond

BANGOR INTERNATIONAL AIRPORT (ME) Wind Rose

12/24/2025 - 1/7/2026

Sub-Interval: Dec 24 - Jan 7, 00:00 - 23:59



Cold Brook Energy

809 Main Rd North, Hampden, Maine
Fenceline Monitoring 2026 Q1 Statistical Summary

1/7/2026 to 1/21/2026

Location	Benzene				o-Xylene					
	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3
FLM 1 - Sample		1.10		2.70	<	0.54		1.6		0.62
FLM 2 - Sample		0.92		1.90	<	0.54		1.1	<	0.54
FLM 3 - Sample		0.93		1.80	<	0.54	<	1.1	<	0.54
FLM 4 - Sample		0.85		1.60	<	0.54	<	1.1	<	0.54
FLM 5 - Sample		0.74		1.10	<	0.54	<	1.1	<	0.54
FLM 6 - Sample		0.71		0.94	<	0.54	<	1.1	<	0.54
FLM 7 - Sample		0.71		0.92	<	0.54	<	1.1	<	0.54
FLM 8 - Sample		0.81		1.50	<	0.54	<	1.1	<	0.54
FLM 9 - Sample	<	0.87		2.40	<	0.54		1.5		0.6
FLM 10 - Sample		1.60		5.60		0.88		3		1.2
FLM 11 - Sample		1.30		4.60		0.82		3		1.2
FLM 12 - Sample		1.30		4.10		0.71		2.5		0.94
FLM 13 - Dup (7)		0.72		0.94	<	0.54	<	1.10	<	0.54
FLM 14 - Dup (12)		1.30		4.60		0.84		3		1.1
FLM 15 - Blank (8)	<	0.37	<	0.48	<	0.54	<	1.1	<	0.54
FLM 16 - Blank (11)	<	0.37	<	0.47	<	0.54	<	1.1	<	0.54
MDL ug/m ³	NA	<0.15	NA	<0.19	NA	<0.22	NA	<0.43	NA	<0.22



Cold Brook Energy										
809 Main Rd North, Hampden, Maine										
Fenceline Monitoring Duplicate Precision										
1/7/2026 to 1/21/2026										
	Benzene		Toluene		Ethylbenzene		m,p-Xylene		o-Xylene	
Location	ug/m ³	Qualifier	ug/m ³	Qualifier	ug/m ³	Qualifier	ug/m ³	Qualifier	ug/m ³	Qualifier
FLM 1 - Sample	1.10		2.70		0.54	<	1.60		0.62	
FLM 2 - Sample	0.92		1.90		0.54	<	1.10		0.54	<
FLM 3 - Sample	0.93		1.80		0.54	<	1.10	<	0.54	<
FLM 4 - Sample	0.85		1.60		0.54	<	1.10	<	0.54	<
FLM 5 - Sample	0.74		1.10		0.54	<	1.10	<	0.54	<
FLM 6 - Sample	0.71		0.94		0.54	<	1.10	<	0.54	<
FLM 7 - Sample	0.71		0.92		0.54	<	1.10	<	0.54	<
FLM 8 - Sample	0.81		1.50		0.54	<	1.10	<	0.54	<
FLM 9 - Sample	0.87	<	2.40		0.54	<	1.50		0.60	
FLM 10 - Sample	1.60		5.60		0.88		3.00		1.20	
FLM 11 - Sample	1.30		4.60		0.82		3.00		1.20	
FLM 12 - Sample	1.30		4.10		0.71		2.50		0.94	
FLM 13 - Dup (7)	0.72		0.94		0.54	<	1.10	<	0.54	<
Field Duplicate Precision	1		2		0		0		0	
FLM 14 - Dup (12)	1.30		4.60		0.84		3		1.10	
Field Duplicate Precision	0		11		17		18		16	
FLM 15 - Blank (8)	0.37	<	0.48	<	0.54	<	1.1	<	0.54	<
FLM 16 - Blank (11)	0.37	<	0.47	<	0.54	<	1.1	<	0.54	<
MDL ng	<.37		<.48		<0.54		<1.1		<0.54	
Field Duplicate Precision exceeding 30% are indicated by:										
"<" data qualification flag = Compounds that were "non-detect" are reported at the Method Detection Limit (MDL)										




Method 325 A/B
Field Data Sheet

Site Name:	Cold Brook Energy	Site Address:	809 Main Rd North		
City:	Hampden	State:	Maine		
Zip Code:	04444	Total Avg. Barometric Pressure (in. Hg):	29.64 Hg		
Total Avg. Ambient Temperature (°F):	27.77 F	Total Avg. Wind Speed (mph) and Direction:	5.9 mph/North		
Location Coordinates	Sample ID	Deployment Date	Start Time	Retrieval Date	End Time
N44° 46' 44.12" W68° 47' 00.09"	FLM 1 - Sample	1/7/2026	1015	1/21/2026	1217
N44° 46' 43.51" W68° 46' 59.55"	FLM 2 - Sample	1/7/2026	1018	1/21/2026	1221
N44° 46' 42.41" W68° 47' 00.80"	FLM 3 - Sample	1/7/2026	1021	1/21/2026	1224
N44° 46' 41.62" W68° 47' 01.76"	FLM 4 - Sample	1/7/2026	1024	1/21/2026	1227
N44° 46' 40.41" W68° 47' 03.25"	FLM 5 - Sample	1/7/2026	1028	1/21/2026	1230
N44° 46' 40.54" W68° 47' 04.34"	FLM 6 - Sample	1/7/2026	1032	1/21/2026	1234
N44° 46' 41.25" W68° 47' 05.46"	FLM 7 - Sample	1/7/2026	1036	1/21/2026	1238
N44° 46' 42.19" W68° 47' 04.63"	FLM 8 - Sample	1/7/2026	0952	1/21/2026	1153
N44° 46' 43.01" W68° 47' 04.90"	FLM 9 - Sample	1/7/2026	0957	1/21/2026	1158
N44° 46' 44.11" W68° 47' 03.88"	FLM 10 - Sample	1/7/2026	1001	1/21/2026	1203
N44° 46' 44.80" W68° 47' 03.01"	FLM 11 - Sample	1/7/2026	1006	1/21/2026	1207
N44° 46' 44.82" W68° 47' 01.49"	FLM 12 - Sample	1/7/2026	1010	1/21/2026	1211
N44° 46' 44.12" W68° 47' 00.09"	FLM 13- Dup (7)	1/7/2026	1032	1/21/2026	1238
N44° 46' 40.54" W68° 47' 04.34"	FLM 14- Dup (12)	1/7/2026	1006	1/21/2026	1211
N44° 46' 43.51" W68° 46' 59.55"	FLM 15- Blank (8)	1/7/2026	1032	1/21/2026	1153
N44° 46' 41.62" W68° 47' 01.76"	FLM 16- Blank (11)	1/7/2026	1001	1/21/2026	1207
Sampler Name:	Chloe Desmond				
Sampler Signature:					

BANGOR INTERNATIONAL AIRPORT (ME) Wind Rose

1/7/2026 - 1/21/2026
Sub-Interval: Jan 1 - Jan 31, 00:00 - 23:59



Cold Brook Energy										
809 Main Rd North, Hampden, Maine										
Fenceline Monitoring 2026 Q1 Statistical Summary										
1/21/2026 to 2/4/2026										
	Benzene		Toluene		Ethylbenzene		m,p-Xylene		o-Xylene	
Location	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3
FLM 1 - Sample		1.10		2.80	<	0.53		1.30	<	0.53
FLM 2 - Sample		0.99		2.10	<	0.53	<	1.10	<	0.53
FLM 3 - Sample		1.00		2.30	<	0.53		1.10	<	0.53
FLM 4 - Sample		0.96		2.10	<	0.53	<	1.10	<	0.53
FLM 5 - Sample		0.82		1.50	<	0.53	<	1.10	<	0.53
FLM 6 - Sample		0.76		1.20	<	0.53	<	1.10	<	0.53
FLM 7 - Sample		0.80		1.20	<	0.53	<	1.10	<	0.53
FLM 8 - Sample		0.88		1.90	<	0.53	<	1.10	<	0.53
FLM 9 - Sample		1.10		3.20		0.60		2.10		0.90
FLM 10 - Sample		1.60		5.90		1.00		3.70		1.50
FLM 11 - Sample		1.10		3.00	<	0.53		1.80		0.75
FLM 12 - Sample		1.10		3.30	<	0.53		1.80		0.70
FLM 13 - Dup (8)		1.00		3.00		0.57		2.00		0.87
FLM 14 - Dup (1)		0.99		2.00	<	0.53		1.10	<	0.53
FLM 15 - Blank (9)	<	0.37	<	0.47	<	0.53	<	1.10	<	0.53
FLM 16 - Blank (12)	<	0.37	<	0.47	<	0.53	<	1.10	<	0.53
MDL ug/m ³	NA	<0.37	NA	<0.48	NA	<0.54	NA	<1.1	NA	<0.54



Cold Brook Energy										
809 Main Rd North, Hampden, Maine										
Fenceline Monitoring Duplicate Precision										
1/21/2026 to 2/4/2026										
	Benzene		Toluene		Ethylbenzene		m,p-Xylene		o-Xylene	
Location	ug/m ³	Qualifier	ug/m ³	Qualifier	ug/m ³	Qualifier	ug/m ³	Qualifier	ug/m ³	Qualifier
FLM 1 - Sample	1.10		2.80		0.53	<	1.3		0.53	<
FLM 2 - Sample	0.99		2.10		0.53	<	1.1	<	0.53	<
FLM 3 - Sample	1.00		2.30		0.53	<	1.1		0.53	<
FLM 4 - Sample	0.96		2.10		0.53	<	1.1	<	0.53	<
FLM 5 - Sample	0.82		1.50		0.53	<	1.1	<	0.53	<
FLM 6 - Sample	0.76		1.20		0.53	<	1.1	<	0.53	<
FLM 7 - Sample	0.80		1.20		0.53	<	1.1	<	0.53	<
FLM 8 - Sample	0.88		1.90		0.53	<	1.1	<	0.53	<
FLM 9 - Sample	1.10		3.20		0.60		2.1		0.90	
FLM 10 - Sample	1.60		5.90		1.00		3.7		1.50	
FLM 11 - Sample	1.10		3.00		0.53	<	1.8		0.75	
FLM 12 - Sample	1.10		3.30		0.53	<	1.8		0.70	
FLM 13 - Dup (8)	1.00		3.00		0.57		2.00		0.87	
Field Duplicate Precision	13		45		7		58		49	
FLM 14 - Dup (1)	0.99		2.00		0.53	<	1.1	<	0.53	<
Field Duplicate Precision	11		33		0		17		0	
FLM 15 - Blank (9)	0.37	<	0.47	<	0.53	<	1.1	<	0.53	<
FLM 16 - Blank (12)	0.37	<	0.47	<	0.53	<	1.1	<	0.53	<
MDL ng	<.37		<.48		<0.54		<1.1		<0.54	
Field Duplicate Precision exceeding 30% are indicated by:										
"<" data qualification flag = Compounds that were "non-detect" are reported at the Method Detection Limit (MDL)										




Method 325 A/B
Field Data Sheet

Site Name:	Cold Brook Energy	Site Address:	809 Main Rd North		
City:	Hampden	State:	Maine		
Zip Code:	04444	Total Avg. Barometric Pressure (in. Hg):	29.79	Hg	
Total Avg. Ambient Temperature (°F):	9.42	°F	Total Avg. Wind Speed (mph) and Direction:	7.2 mph / North	
Location Coordinates	Sample ID	Deployment Date	Start Time	Retrieval Date	End Time
N44° 46' 44.12" W68° 47' 00.09"	FLM 1 - Sample	1/21/2026	1219	2/4/2026	0851
N44° 46' 43.51" W68° 46' 59.55"	FLM 2 - Sample	1/21/2026	1223	2/4/2026	0856
N44° 46' 42.41" W68° 47' 00.80"	FLM 3 - Sample	1/21/2026	1226	2/4/2026	0900
N44° 46' 41.62" W68° 47' 01.76"	FLM 4 - Sample	1/21/2026	1229	2/4/2026	0903
N44° 46' 40.41" W68° 47' 03.25"	FLM 5 - Sample	1/21/2026	1232	2/4/2026	0907
N44° 46' 40.54" W68° 47' 04.34"	FLM 6 - Sample	1/21/2026	1236	2/4/2026	0911
N44° 46' 41.25" W68° 47' 05.46"	FLM 7 - Sample	1/21/2026	1240	2/4/2026	0915
N44° 46' 42.19" W68° 47' 04.63"	FLM 8 - Sample	1/21/2026	1155	2/4/2026	0830
N44° 46' 43.01" W68° 47' 04.90"	FLM 9 - Sample	1/21/2026	1200	2/4/2026	0835
N44° 46' 44.11" W68° 47' 03.88"	FLM 10 - Sample	1/21/2026	1205	2/4/2026	1039
N44° 46' 44.80" W68° 47' 03.01"	FLM 11 - Sample	1/21/2026	1209	2/4/2026	0842
N44° 46' 44.82" W68° 47' 01.49"	FLM 12 - Sample	1/21/2026	1213	2/4/2026	0846
N44° 46' 44.12" W68° 47' 00.09"	FLM 13- Dup (8)	1/21/2026	1238	2/4/2026	0830
N44° 46' 40.54" W68° 47' 04.34"	FLM 14- Dup (1)	1/21/2026	1213	2/4/2026	0851
N44° 46' 43.51" W68° 46' 59.55"	FLM 15- Blank (9)	1/21/2026	1155	2/4/2026	0835
N44° 46' 41.62" W68° 47' 01.76"	FLM 16- Blank (12)	1/21/2026	1209	2/4/2026	0846
Sampler Name:	Chloe Desmond				
Sampler Signature:					

BANGOR INTERNATIONAL AIRPORT (ME) Wind Rose

1/21/2026 - 2/4/2026

Sub-Interval: Jan 1 - Feb 28, 00:00 - 23:59



Cold Brook Energy

809 Main Rd North, Hampden, Maine
Fenceline Monitoring 2026 Q1 Statistical Summary

2/4/2026 to 2/18/2026

Location	Benzene		Toluene		Ethylbenzene		m,p-Xylene		o-Xylene	
	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3
FLM 1 - Sample		1.10		2.80	<	0.53		1.3	<	0.53
FLM 2 - Sample		0.99		2.10	<	0.53	<	1.1	<	0.53
FLM 3 - Sample		1.00		2.30	<	0.53		1.1	<	0.53
FLM 4 - Sample		0.96		2.10	<	0.53	<	1.1	<	0.53
FLM 5 - Sample		0.82		1.50	<	0.53	<	1.1	<	0.53
FLM 6 - Sample		0.76		1.20	<	0.53	<	1.1	<	0.53
FLM 7 - Sample		0.80		1.20	<	0.53	<	1.1	<	0.53
FLM 8 - Sample		0.88		1.90	<	0.53	<	1.1	<	0.53
FLM 9 - Sample		1.10		3.20		0.6		2.1		0.9
FLM 10 - Sample		1.60		5.90		1		3.7		1.5
FLM 11 - Sample		1.10		3.00	<	0.53		1.8		0.75
FLM 12 - Sample		1.10		3.30	<	0.53		1.8		0.7
FLM 13 - Dup (9)		1.00		3.00		0.57		2.00		0.87
FLM 14 - Dup (2)		0.99		2.00	<	0.53		1.1	<	0.53
FLM 15 - Blank (10)	<	0.37	<	0.47	<	0.53	<	1.1	<	0.53
FLM 16 - Blank (1)	<	0.37	<	0.47	<	0.53	<	1.1	<	0.53
MDL ug/m ³	NA	<.37	NA	<.48	NA	<0.54	NA	<1.1	NA	<0.54



Cold Brook Energy										
809 Main Rd North, Hampden, Maine										
Fenceline Monitoring Duplicate Precision										
2/4/2026 to 2/18/2026										
	Benzene		Toluene		Ethylbenzene		m,p-Xylene		o-Xylene	
Location	ug/m ³	Qualifier	ug/m ³	Qualifier	ug/m ³	Qualifier	ug/m ³	Qualifier	ug/m ³	Qualifier
FLM 1 - Sample	1.10		2.80		0.53	<	1.30		0.53	<
FLM 2 - Sample	0.99		2.10		0.53	<	1.10	<	0.53	<
FLM 3 - Sample	1.00		2.30		0.53	<	1.10		0.53	<
FLM 4 - Sample	0.96		2.10		0.53	<	1.10	<	0.53	<
FLM 5 - Sample	0.82		1.50		0.53	<	1.10	<	0.53	<
FLM 6 - Sample	0.76		1.20		0.53	<	1.10	<	0.53	<
FLM 7 - Sample	0.80		1.20		0.53	<	1.10	<	0.53	<
FLM 8 - Sample	0.88		1.90		0.53	<	1.10	<	0.53	<
FLM 9 - Sample	1.10		3.20		0.60		2.10		0.90	
FLM 10 - Sample	1.60		5.90		1.00		3.70		1.50	
FLM 11 - Sample	1.10		3.00		0.53	<	1.80		0.75	
FLM 12 - Sample	1.10		3.30		0.53	<	1.80		0.70	
FLM 13 - Dup (9)	1.00		3.00		0.57		2.00		0.87	
Field Duplicate Precision	10		6		5		5		3	
FLM 14 - Dup (2)	0.99		2.00		0.53	<	1.1	<	0.53	<
Field Duplicate Precision	0		5		0		0		0	
FLM 15 - Blank (10)	0.37	<	<	<	0.53	<	1.1	<	0.53	<
FLM 16 - Blank (1)	0.37	<	<	<	0.53	<	1.1	<	0.53	<
MDL ng	<.37		<.48		<0.54		<1.1		<0.54	
Field Duplicate Precision exceeding 30% are indicated by:										
"<" data qualification flag = Compounds that were "non-detect" are reported at the Method Detection Limit (MDL)										



Method 325 A/B
Field Data Sheet

Site Name: Cold Brook Energy Site Address: 809 Main Rd North
City: Hampden State: Maine
Zip Code: 04444 Total Avg. Barometric Pressure (in. Hg): 29.7 Hg
Total Avg. Ambient Temperature (°F): 18.08 °F Total Avg. Wind Speed (mph) and Direction: 6.7mph / Northwest

Location Coordinates	Sample ID	Deployment Date	Start Time	Retrieval Date	End Time
N44° 46' 44.12" W68° 47' 00.09"	FLM 1 - Sample	2/4/2026	0853	2/18/2026	1258
N44° 46' 43.51" W68° 46' 59.55"	FLM 2 - Sample	2/4/2026	0858	2/18/2026	1301
N44° 46' 42.41" W68° 47' 00.80"	FLM 3 - Sample	2/4/2026	0902	2/18/2026	1304
N44° 46' 41.62" W68° 47' 01.76"	FLM 4 - Sample	2/4/2026	0905	2/18/2026	1310
N44° 46' 40.41" W68° 47' 03.25"	FLM 5 - Sample	2/4/2026	0909	2/18/2026	1312
N44° 46' 40.54" W68° 47' 04.34"	FLM 6 - Sample	2/4/2026	0913	2/18/2026	1315
N44° 46' 41.25" W68° 47' 05.46"	FLM 7 - Sample	2/4/2026	0917	2/18/2026	1317
N44° 46' 42.19" W68° 47' 04.63"	FLM 8 - Sample	2/4/2026	0832	2/18/2026	1241
N44° 46' 43.01" W68° 47' 04.90"	FLM 9 - Sample	2/4/2026	0837	2/18/2026	1244
N44° 46' 44.11" W68° 47' 03.88"	FLM 10 - Sample	2/4/2026	1041	2/18/2026	1247
N44° 46' 44.80" W68° 47' 03.01"	FLM 11 - Sample	2/4/2026	0844	2/18/2026	1250
N44° 46' 44.82" W68° 47' 01.49"	FLM 12 - Sample	2/4/2026	0848	2/18/2026	1254
N44° 46' 44.12" W68° 47' 00.09"	FLM 13- Dup (9)	2/4/2026	0832	2/18/2026	1244
N44° 46' 40.54" W68° 47' 04.34"	FLM 14- Dup (2)	2/4/2026	0853	2/18/2026	1301
N44° 46' 43.51" W68° 46' 59.55"	FLM 15- Blank (10)	2/4/2026	0837	2/18/2026	1247
N44° 46' 41.62" W68° 47' 01.76"	FLM 16- Blank (1)	2/4/2026	0848	2/18/2026	1258

Sampler Name: Chloe Desmond


Sampler Signature:

Chloe Desmond

BANGOR INTERNATIONAL AIRPORT (ME) Wind Rose

2/4/2026 - 2/18/2026

Sub-Interval: Feb 1 - Feb 28, 00:00 - 23:59




Cold Brook Energy										
809 Main Rd North, Hampden, Maine										
Fenceline Monitoring 2026 Q1 Statistical Summary										
2/18/2026 to 3/4/2026										
	Benzene		Toluene		Ethylbenzene		m,p-Xylene		o-Xylene	
Location	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3
FLM 1 - Sample		1.20		4.80		0.76		2.8		1.2
FLM 2 - Sample		0.91		2.80	<	0.54		1.7		0.7
FLM 3 - Sample		0.71		1.70	<	0.54	<	1.1	<	0.54
FLM 4 - Sample		0.62		1.10	<	0.54	<	1.1	<	0.54
FLM 5 - Sample		0.59		1.10	<	0.54	<	1.1	<	0.54
FLM 6 - Sample		0.62		0.97	<	0.54	<	1.1	<	0.54
FLM 7 - Sample		0.72		1.40	<	0.54	<	1.1	<	0.54
FLM 8 - Sample		0.76		1.70	<	0.54	<	1.1	<	0.54
FLM 9 - Sample		0.74		1.60	<	0.54	<	1.1	<	0.54
FLM 10 - Sample		0.84		2.10	<	0.54	<	1.1	<	0.54
FLM 11 - Sample		0.89		3.40		0.65		2.5		0.98
FLM 12 - Sample		0.91		2.90	<	0.54		1.60		0.63
FLM 13 - Dup (10)		1.20		4.70		0.73		2.70		1.00
FLM 14 - Dup (3)		0.74		1.60	<	0.54	<	1.10	<	0.54
FLM 15 - Blank (11)	<	0.37	<	0.48	<	0.54	<	1.10	<	0.54
FLM 16 - Blank (2)	<	0.37	<	0.48	<	0.54	<	1.1	<	0.54
MDL ug/m ³	NA	<0.37	NA	<0.48	NA	<0.54	NA	<1.1	NA	<0.54



Cold Brook Energy										
809 Main Rd North, Hampden, Maine										
Fenceline Monitoring Duplicate Precision										
2/18/2026 to 3/4/2026										
Location	Benzene		Toluene		Ethylbenzene		m,p-Xylene		o-Xylene	
	ug/m ³	Qualifier	ug/m ³	Qualifier	ug/m ³	Qualifier	ug/m ³	Qualifier	ug/m ³	Qualifier
FLM 1 - Sample	1.20		4.80		0.76		2.80		1.20	
FLM 2 - Sample	0.91		2.80		0.54	<	1.70		0.70	
FLM 3 - Sample	0.71		1.70		0.54	<	1.10	<	0.54	<
FLM 4 - Sample	0.62		1.10		0.54	<	1.10	<	0.54	<
FLM 5 - Sample	0.59		1.10		0.54	<	1.10	<	0.54	<
FLM 6 - Sample	0.62		0.97		0.54	<	1.10	<	0.54	<
FLM 7 - Sample	0.72		1.40		0.54	<	1.10	<	0.54	<
FLM 8 - Sample	0.76		1.70		0.54	<	1.10	<	0.54	<
FLM 9 - Sample	0.74		1.60		0.54	<	1.10	<	0.54	<
FLM 10 - Sample	0.84		2.10		0.54	<	1.10	<	0.54	<
FLM 11 - Sample	0.89		3.40		0.65		2.50		0.98	
FLM 12 - Sample	0.91		2.90		0.54	<	1.60		0.63	
FLM 13 - Dup (10)	1.20		4.70		0.73		2.70		1.00	
Field Duplicate Precision	35		76		30		84		60	
FLM 14 - Dup (3)	0.74		1.60		0.54	<	1.10	<	0.54	<
Field Duplicate Precision	4		6		0		0		0	
FLM 15 - Blank (11)	0.37	<	0.48	<	0.54	<	1.10	<	0.54	<
FLM 16 - Blank (2)	0.37	<	0.48	<	0.54	<	1.10	<	0.54	<
MDL ng	<.37		<.48		<0.54		<1.1		<0.54	
Field Duplicate Precision exceeding 30% are indicated by:										
" <" data qualification flag = Compounds that were "non-detect" are reported at the Method Detection Limit (MDL)										




Method 325 A/B
Field Data Sheet

Site Name:	Cold Brook Energy	Site Address:	809 Main Rd North		
City:	Hampden	State:	Maine		
Zip Code:	04444	Total Avg. Barometric Pressure (in. Hg):	29.8	Hg	
Total Avg. Ambient Temperature (°F):		22.49	°F	Total Avg. Wind Speed (mph) and Direction: 6.8 mph / North	
Location Coordinates	Sample ID	Deployment Date	Start Time	Retrieval Date	End Time
N44° 46' 44.12" W68° 47' 00.09"	FLM 1 - Sample	2/18/2026	1300	3/4/2026	1305
N44° 46' 43.51" W68° 46' 59.55"	FLM 2 - Sample	2/18/2026	1303	3/4/2026	1308
N44° 46' 42.41" W68° 47' 00.80"	FLM 3 - Sample	2/18/2026	1306	3/4/2026	1312
N44° 46' 41.62" W68° 47' 01.76"	FLM 4 - Sample	2/18/2026	1312	3/4/2026	1318
N44° 46' 40.41" W68° 47' 03.25"	FLM 5 - Sample	2/18/2026	1314	3/4/2026	1324
N44° 46' 40.54" W68° 47' 04.34"	FLM 6 - Sample	2/18/2026	1317	3/4/2026	1331
N44° 46' 41.25" W68° 47' 05.46"	FLM 7 - Sample	2/18/2026	1319	3/4/2026	1337
N44° 46' 42.19" W68° 47' 04.63"	FLM 8 - Sample	2/18/2026	1243	3/4/2026	1240
N44° 46' 43.01" W68° 47' 04.90"	FLM 9 - Sample	2/18/2026	1246	3/4/2026	1245
N44° 46' 44.11" W68° 47' 03.88"	FLM 10 - Sample	2/18/2026	1249	3/4/2026	1251
N44° 46' 44.80" W68° 47' 03.01"	FLM 11 - Sample	2/18/2026	1252	3/4/2026	1256
N44° 46' 44.82" W68° 47' 01.49"	FLM 12 - Sample	2/18/2026	1256	3/4/2026	1302
N44° 46' 44.12" W68° 47' 00.09"	FLM 13- Dup (10)	2/18/2026	1246	3/4/2026	1251
N44° 46' 40.54" W68° 47' 04.34"	FLM 14- Dup (3)	2/18/2026	1303	3/4/2026	1312
N44° 46' 43.51" W68° 46' 59.55"	FLM 15- Blank (11)	2/18/2026	1249	3/4/2026	1256
N44° 46' 41.62" W68° 47' 01.76"	FLM 16- Blank (2)	2/18/2026	1300	3/4/2026	1308
Sampler Name: Chloe Desmond & Jason Patterson					
Sampler Signature:  					

BANGOR INTERNATIONAL AIRPORT (ME) Wind Rose

2/18/2026 - 3/4/2026

Sub-Interval: Feb 1 - Mar 31, 00:00 - 23:59



Cold Brook Energy


809 Main Rd North, Hampden, Maine
Fenceline Monitoring 2026 Q1 Statistical Summary

3/4/2026 to 3/18/2026

Location	Benzene		Toluene		Ethylbenzene		m,p-Xylene		o-Xylene	
	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3	Qualifier	ug/m3
FLM 1 - Sample		0.83		2.10	<	0.54	<	1.1	<	0.54
FLM 2 - Sample		0.75		1.70	<	0.54	<	1.1	<	0.54
FLM 3 - Sample		0.61		1.20	<	0.54	<	1.1	<	0.54
FLM 4 - Sample		0.71		1.30	<	0.54	<	1.1	<	0.54
FLM 5 - Sample		0.63		0.98	<	0.54	<	1.1	<	0.54
FLM 6 - Sample		0.61		1.10	<	0.54	<	1.1	<	0.54
FLM 7 - Sample		0.67		1.30	<	0.54	<	1.1	<	0.54
FLM 8 - Sample		0.77		2.00	<	0.54	<	1.1	<	0.54
FLM 9 - Sample		0.86		2.90		0.68		2.5		0.9
FLM 10 - Sample		1.50		6.60		0.95		3.3		1.3
FLM 11 - Sample		1.10		4.60		0.72		2.4		0.98
FLM 12 - Sample		0.93		3.80		0.62		2.10		0.82
FLM 13 - Dup (11)		1.00		4.40		0.68		2.40		0.92
FLM 14 - Dup (4)		0.61		1.10	<	0.54	<	1.10	<	0.54
FLM 15 - Blank (12)	<	0.37	<	0.48	<	0.54	<	1.10	<	0.54
FLM 16 - Blank (3)	<	0.37	<	0.48	<	0.54	<	1.1	<	0.54
MDL ug/m³	NA	<0.37	NA	<0.48	NA	<0.54	NA	<1.1	NA	<0.54



Cold Brook Energy										
809 Main Rd North, Hampden, Maine										
Fenceline Monitoring Duplicate Precision										
3/4/2026 to 3/18/2026										
	Benzene		Toluene		Ethylbenzene		m,p-Xylene		o-Xylene	
Location	ug/m ³	Qualifier	ug/m ³	Qualifier	ug/m ³	Qualifier	ug/m ³	Qualifier	ug/m ³	Qualifier
FLM 1 - Sample	0.83		2.10		0.54	<	1.1	<	0.54	<
FLM 2 - Sample	0.75		1.70		0.54	<	1.1	<	0.54	<
FLM 3 - Sample	0.61		1.20		0.54	<	1.1	<	0.54	<
FLM 4 - Sample	0.71		1.30		0.54	<	1.1	<	0.54	<
FLM 5 - Sample	0.63		0.98		0.54	<	1.1	<	0.54	<
FLM 6 - Sample	0.61		1.10		0.54	<	1.1	<	0.54	<
FLM 7 - Sample	0.67		1.30		0.54	<	1.1	<	0.54	<
FLM 8 - Sample	0.77		2.00		0.54	<	1.1	<	0.54	<
FLM 9 - Sample	0.86		2.90		0.68		2.5		0.90	
FLM 10 - Sample	1.50		6.60		0.95		3.3		1.30	
FLM 11 - Sample	1.10		4.60		0.72		2.4		0.98	
FLM 12 - Sample	0.93		3.80		0.62		2.10		0.82	
FLM 13 - Dup (11)	1.00		4.40		0.68		2.40		0.92	
Field Duplicate Precision	10		4		6		0		6	
FLM 14 - Dup (4)	0.61		1.10		0.54	<	1.10	<	0.54	<
Field Duplicate Precision	15		17		0		0		0	
FLM 15 - Blank (12)	0.37	<	0.48	<	0.54	<	1.10	<	0.54	<
FLM 16 - Blank (3)	0.37	<	0.48	<	0.54	<	1.10	<	0.54	<
MDL ng	<0.37		<0.48		<0.54		<1.10		<0.54	
Field Duplicate Precision exceeding 30% are indicated by: 										
"<" data qualification flag = Compounds that were "non-detect" are reported at the Method Detection Limit (MDL)										



Method 325 A/B
Field Data Sheet

Site Name: Cold Brook Energy Site Address: 809 Main Rd North
City: Hampden State: Maine
Zip Code: 04444 Total Avg. Barometric Pressure (in. Hg): 29.77 in Hg
Total Avg. Ambient Temperature (°F): 36.33 °F Total Avg. Wind Speed (mph) and Direction: 8.1 mph / North

Location Coordinates	Sample ID	Deployment Date	Start Time	Retrieval Date	End Time
N44° 46' 44.12" W68° 47' 00.09"	FLM 1 - Sample	3/4/2026	1306	3/18/2026	1240
N44° 46' 43.51" W68° 46' 59.55"	FLM 2 - Sample	3/4/2026	1310	3/18/2026	1243
N44° 46' 42.41" W68° 47' 00.80"	FLM 3 - Sample	3/4/2026	1314	3/18/2026	1247
N44° 46' 41.62" W68° 47' 01.76"	FLM 4 - Sample	3/4/2026	1320	3/18/2026	1250
N44° 46' 40.41" W68° 47' 03.25"	FLM 5 - Sample	3/4/2026	1326	3/18/2026	1253
N44° 46' 40.54" W68° 47' 04.34"	FLM 6 - Sample	3/4/2026	1333	3/18/2026	1257
N44° 46' 41.25" W68° 47' 05.46"	FLM 7 - Sample	3/4/2026	1339	3/18/2026	1300
N44° 46' 42.19" W68° 47' 04.63"	FLM 8 - Sample	3/4/2026	1242	3/18/2026	1223
N44° 46' 43.01" W68° 47' 04.90"	FLM 9 - Sample	3/4/2026	1247	3/18/2026	1226
N44° 46' 44.11" W68° 47' 03.88"	FLM 10 - Sample	3/4/2026	1253	3/18/2026	1229
N44° 46' 44.80" W68° 47' 03.01"	FLM 11 - Sample	3/4/2026	1258	3/18/2026	1233
N44° 46' 44.82" W68° 47' 01.49"	FLM 12 - Sample	3/4/2026	1304	3/18/2026	1236
N44° 46' 44.12" W68° 47' 00.09"	FLM 13- Dup (11)	3/4/2026	1258	3/18/2026	1233
N44° 46' 40.54" W68° 47' 04.34"	FLM 14- Dup (4)	3/4/2026	1320	3/18/2026	1250
N44° 46' 43.51" W68° 46' 59.55"	FLM 15- Blank (12)	3/4/2026	1304	3/18/2026	1236
N44° 46' 41.62" W68° 47' 01.76"	FLM 16- Blank (3)	3/4/2026	1314	3/18/2026	1247

Sampler Name: Chloe Desmond & Jason Patterson


Sampler Signature:

Chloe Desmond

BANGOR INTERNATIONAL AIRPORT (ME) Wind Rose

3/4/2026 - 3/18/2026

Sub-Interval: Mar 1 - Mar 31, 00:00 - 23:59





ATTACHMENT 2

Cold Brook Energy

809 Main Rd North, Hampden, Maine
Fenceline Monitoring 2026 Q1 Statistical Summary

	Coldbrook Energy Fenceline Monitoring Statistics-2026 Qtr 1									
	Benzene		Toluene		Ethylbenzene		m,p-Xylene		o-Xylene	
	ug/m3		ug/m3		ug/m3		ug/m3		ug/m3	
Quarterly Maximum	1.90		9.40		1.50		4.30		1.60	
Quarterly Average	0.96		2.48		0.59		1.52		0.67	
Rolling Annual Maximum	3.70		14.00		3.00		11.00		4.60	
Rolling Annual Average	0.90		2.42		0.44		1.25		0.52	



ATTACHMENT 3



Chloe Desmond
Haley Ward Inc.
1 Merchants Plaza
Suite 701
Bangor, ME 04401

January 27, 2026

Account# 41031

Login# L684884

Dear Chloe Desmond:

Enclosed are the analytical results for the samples received by our laboratory on January 23, 2026. All samples on the chain of custody were received in good condition unless otherwise noted. Any additional observations will be noted on the chain of custody.

Please contact client services at (888) 432-5227 if you would like any additional information regarding this report. Thank you for using SGS Galson.

Sincerely,

SGS Galson

A handwritten signature in black ink that reads "Lisa Swab". The signature is written in a cursive, flowing style.

Lisa Swab
Laboratory Director

Enclosure(s)

Terms and Conditions & General Disclaimers

- This document is issued by the Company under its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.
- Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Analytical Disclaimers

- Unless otherwise noted within the report, all quality control results associated with the samples were within established control limits or did not impact reported results.
- Note: The findings recorded within this report were drawn from analysis of the sample(s) provided to the laboratory by the Client (or a third party acting at the Client's direction). The laboratory does not have control over the sampling process, including but not limited to the use of field equipment and collection media, as well as the sampling duration, collection volume or any other collection parameter used by the Client. The findings herein constitute no warranty of the sample's representativeness of any sampled environment, and strictly relate to the samples as they were presented to the laboratory. For recommended sampling collection parameters, please refer to the Sampling and Analysis Guide at www.sgsgalson.com.
- Unrounded results are carried through the calculations that yield the final result and the final result is rounded to the number of significant figures appropriate to the accuracy of the analytical method. Please note that results appearing in the columns preceding the final result column may have been rounded and therefore, if carried through the calculations, may not yield an identical final result to the one reported.
- The stated LOQs for each analyte represent the demonstrated LOQ concentrations prior to correction for desorption efficiency (if applicable).
- Unless otherwise noted within the report, results have not been blank corrected for any field blank or method blank data.

Accreditations SGS Galson holds a variety of accreditations and recognitions. Our quality management system conforms with the requirements of ISO/IEC 17025. Where applicable, samples may also be analyzed in accordance with the requirements of ELAP, NELAC, or LELAP under one of the state accrediting bodies listed below. Current Scopes of Accreditation can be viewed at <http://www.sgsgalson.com> in the accreditations section of the "About" page. To determine if the analyte tested falls under our scope of accreditation, please visit our website or call Client Services at (888) 432-5227.

National/International	Accreditation/Recognition	Lab ID#	Program/Sector
AIHA-LAP, LLC - IHLAP, ELLAP, EMLAP	ISO/IEC 17025 and USEPA NLLAP	Lab ID 100324	Industrial Hygiene, Environmental Lead, Environmental Microbiology

State	Accreditation/Recognition	Lab ID#	Program/Sector
New York (NYSDOH)	ELAP and NELAC (TNI)	Lab ID: 11626	Air Analysis, Solid and Hazardous Waste
Louisiana (LDEQ)	LELAP	Lab ID: 04083	Air Analysis, Solid Chemical Materials

Legend

< - Less than	mg - Milligrams	MDL - Method Detection Limit	ppb - Parts per Billion
> - Greater than	ug - Micrograms	NA - Not Applicable	ppm - Parts per Million
l - Liters	m3 - Cubic Meters	NS - Not Specified	ppbv - ppb Volume
LOQ - Limit of Quantitation	kg - Kilograms	ND - Not Detected	ppmv - ppm Volume
ft2 - Square Feet	cm2 - Square Centimeters	in2 - Square Inches	ng - Nanograms



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 07-JAN-26
Date Received : 23-JAN-26

Account No.: 41031
Login No. : L684884
Date Analyzed : 23-JAN-26 - 24-JAN-26
Report ID : 1544762

Client ID : FLM 1
Date Sampled : 01/07/26

Lab ID : L684884-1
Date Analyzed : 01/23/26
Time : 20282 minutes

Parameter	MDL ng	LOQ ng	Time minutes	Total ng	Total Qual	Conc ug/m3	ppbv	Dil Fact
Benzene	5	5.0	20282	14		1.1	0.34	1
Toluene	5	5.0	20282	29		2.7	0.73	1
Ethylbenzene	5	5.0	20282	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20282	15		1.6	0.37	1
o-Xylene	5	5.0	20282	5.8		0.62	0.14	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM
Approved by : BHB

Date : 27-JAN-26



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 07-JAN-26
Date Received : 23-JAN-26

Account No.: 41031
Login No. : L684884
Date Analyzed : 23-JAN-26 - 24-JAN-26
Report ID : 1544762

Client ID : FLM 2
Date Sampled : 01/07/26

Lab ID : L684884-2
Date Analyzed : 01/23/26

Time : 20283 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20283	12		0.92	0.29	1
Toluene	5	5.0	20283	20		1.9	0.51	1
Ethylbenzene	5	5.0	20283	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20283	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20283	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 27-JAN-26

Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 07-JAN-26
Date Received : 23-JAN-26

Account No.: 41031
Login No. : L684884
Date Analyzed : 23-JAN-26 - 24-JAN-26
Report ID : 1544762

Client ID : FLM 3
Date Sampled : 01/07/26

Lab ID : L684884-3
Date Analyzed : 01/23/26
Time : 20283 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20283	12		0.93	0.29	1
Toluene	5	5.0	20283	19		1.8	0.48	1
Ethylbenzene	5	5.0	20283	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20283	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20283	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 27-JAN-26

Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 07-JAN-26
Date Received : 23-JAN-26

Account No.: 41031
Login No. : L684884
Date Analyzed : 23-JAN-26 - 24-JAN-26
Report ID : 1544762

Client ID : FLM 4
Date Sampled : 01/07/26

Lab ID : L684884-4
Date Analyzed : 01/23/26
Time : 20283 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20283	11		0.85	0.27	1
Toluene	5	5.0	20283	17		1.6	0.42	1
Ethylbenzene	5	5.0	20283	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20283	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20283	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 27-JAN-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 07-JAN-26
Date Received : 23-JAN-26

Account No.: 41031
Login No. : L684884
Date Analyzed : 23-JAN-26 - 24-JAN-26
Report ID : 1544762

Client ID : FLM 5
Date Sampled : 01/07/26

Lab ID : L684884-5
Date Analyzed : 01/23/26

Time : 20282 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20282	9.6		0.74	0.23	1
Toluene	5	5.0	20282	12		1.1	0.30	1
Ethylbenzene	5	5.0	20282	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20282	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20282	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 27-JAN-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 07-JAN-26
Date Received : 23-JAN-26

Account No.: 41031
Login No. : L684884
Date Analyzed : 23-JAN-26 - 24-JAN-26
Report ID : 1544762

Client ID : FLM 6
Date Sampled : 01/07/26

Lab ID : L684884-6
Date Analyzed : 01/23/26

Time : 20282 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20282	9.2		0.71	0.22	1
Toluene	5	5.0	20282	9.9		0.94	0.25	1
Ethylbenzene	5	5.0	20282	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20282	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20282	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 27-JAN-26

Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 07-JAN-26
Date Received : 23-JAN-26

Account No.: 41031
Login No. : L684884
Date Analyzed : 23-JAN-26 - 24-JAN-26
Report ID : 1544762

Client ID : FLM 7
Date Sampled : 01/07/26

Lab ID : L684884-7
Date Analyzed : 01/23/26
Time : 20282 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20282	9.2		0.71	0.22	1
Toluene	5	5.0	20282	9.7		0.92	0.25	1
Ethylbenzene	5	5.0	20282	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20282	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20282	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 27-JAN-26

Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 07-JAN-26
Date Received : 23-JAN-26

Account No.: 41031
Login No. : L684884
Date Analyzed : 23-JAN-26 - 24-JAN-26
Report ID : 1544762

Client ID : FLM 8
Date Sampled : 01/07/26

Lab ID : L684884-8
Date Analyzed : 01/23/26
Time : 20281 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20281	10		0.81	0.25	1
Toluene	5	5.0	20281	16		1.5	0.40	1
Ethylbenzene	5	5.0	20281	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20281	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20281	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 27-JAN-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 07-JAN-26
Date Received : 23-JAN-26

Account No.: 41031
Login No. : L684884
Date Analyzed : 23-JAN-26 - 24-JAN-26
Report ID : 1544762

Client ID : FLM 9
Date Sampled : 01/07/26

Lab ID : L684884-9
Date Analyzed : 01/23/26
Time : 20281 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20281	11		0.87	0.27	1
Toluene	5	5.0	20281	25		2.4	0.63	1
Ethylbenzene	5	5.0	20281	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20281	14		1.5	0.34	1
o-Xylene	5	5.0	20281	5.6		0.60	0.14	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 27-JAN-26

Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 07-JAN-26
Date Received : 23-JAN-26

Account No.: 41031
Login No. : L684884
Date Analyzed : 23-JAN-26 - 24-JAN-26
Report ID : 1544762

Client ID : FLM 10
Date Sampled : 01/07/26

Lab ID : L684884-10
Date Analyzed : 01/24/26

Time : 20282 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20282	21		1.6	0.50	1
Toluene	5	5.0	20282	59		5.6	1.5	1
Ethylbenzene	5	5.0	20282	8.2		0.88	0.20	1
m,p-Xylene	10	10.	20282	28		3.0	0.70	1
o-Xylene	5	5.0	20282	11		1.2	0.28	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 27-JAN-26

Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 07-JAN-26
Date Received : 23-JAN-26

Account No.: 41031
Login No. : L684884
Date Analyzed : 23-JAN-26 - 24-JAN-26
Report ID : 1544762

Client ID : FLM 11
Date Sampled : 01/07/26

Lab ID : L684884-11
Date Analyzed : 01/24/26

Time : 20281 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20281	17		1.3	0.41	1
Toluene	5	5.0	20281	48		4.6	1.2	1
Ethylbenzene	5	5.0	20281	7.7		0.82	0.19	1
m,p-Xylene	10	10.	20281	28		3.0	0.69	1
o-Xylene	5	5.0	20281	11		1.2	0.27	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 27-JAN-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 07-JAN-26
Date Received : 23-JAN-26

Account No.: 41031
Login No. : L684884
Date Analyzed : 23-JAN-26 - 24-JAN-26
Report ID : 1544762

Client ID : FLM 12
Date Sampled : 01/07/26

Lab ID : L684884-12
Date Analyzed : 01/24/26
Time : 20281 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20281	17		1.3	0.41	1
Toluene	5	5.0	20281	43		4.1	1.1	1
Ethylbenzene	5	5.0	20281	6.6		0.71	0.16	1
m,p-Xylene	10	10.	20281	23		2.5	0.57	1
o-Xylene	5	5.0	20281	8.7		0.94	0.22	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 27-JAN-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 07-JAN-26
Date Received : 23-JAN-26

Account No.: 41031
Login No. : L684884
Date Analyzed : 23-JAN-26 - 24-JAN-26
Report ID : 1544762

Client ID : FLM 13 DUP (7)
Date Sampled : 01/07/26

Lab ID : L684884-13
Date Analyzed : 01/24/26

Time : 20286 minutes

Parameter	MDL ng	LOQ ng	Time minutes	Total ng	Total Qual	Conc ug/m3	ppbv	Dil Fact
Benzene	5	5.0	20286	9.4		0.72	0.23	1
Toluene	5	5.0	20286	9.9		0.94	0.25	1
Ethylbenzene	5	5.0	20286	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20286	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20286	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 27-JAN-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 07-JAN-26
Date Received : 23-JAN-26

Account No.: 41031
Login No. : L684884
Date Analyzed : 23-JAN-26 - 24-JAN-26
Report ID : 1544762

Client ID : FLM 14 DUP (12)
Date Sampled : 01/07/26

Lab ID : L684884-14
Date Analyzed : 01/24/26
Time : 20285 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20285	17		1.3	0.41	1
Toluene	5	5.0	20285	48		4.6	1.2	1
Ethylbenzene	5	5.0	20285	7.9		0.84	0.19	1
m,p-Xylene	10	10.	20285	28		3.0	0.68	1
o-Xylene	5	5.0	20285	11		1.1	0.26	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 27-JAN-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 07-JAN-26
Date Received : 23-JAN-26

Account No.: 41031
Login No. : L684884
Date Analyzed : 23-JAN-26 - 24-JAN-26
Report ID : 1544762

Client ID : FLM 16 BLANK (8)
Date Sampled : 01/07/26

Lab ID : L684884-15
Date Analyzed : 01/24/26

Time : 20241 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20241	ND	U	<0.37	<0.12	1
Toluene	5	5.0	20241	ND	U	<0.48	<0.13	1
Ethylbenzene	5	5.0	20241	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20241	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20241	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 27-JAN-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 07-JAN-26
Date Received : 23-JAN-26

Account No.: 41031
Login No. : L684884
Date Analyzed : 23-JAN-26 - 24-JAN-26
Report ID : 1544762

Client ID : FLM 17 BLANK (11) Lab ID : L684884-16 Time : 20286 minutes
Date Sampled : 01/07/26 Date Analyzed : 01/24/26

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20286	ND	U	<0.37	<0.12	1
Toluene	5	5.0	20286	ND	U	<0.47	<0.13	1
Ethylbenzene	5	5.0	20286	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20286	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20286	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS Submitted by: EEA Date : 27-JAN-26
Collection Media : Carbopack X Supervisor: TEM Approved by : BHB



GALSON

LABORATORY FOOTNOTE REPORT

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client Name : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008

Date Sampled : 07-JAN-26
Date Received: 23-JAN-26
Date Analyzed: 23-JAN-26 - 24-JAN-26

Account No.: 41031
Login No. : L684884

L684884 (Report ID: 1544762):

EPA qualifiers are as follows:
U - Compound was analyzed for, but not detected.
J - Compound was found greater than the MDL, but less than the LOQ.
B - Compound is found in the associated method blank as well as in the sample.
SOPs: MS-SOP-17(14)

L684884-12,14 (Report ID: 1544762):

Sample and Sample Duplicate Relative Percent Difference (RPD) exceeded 30% for o-Xylene at 31% respectively

L684884 (Report ID: 1544762):

Accuracy and mean recovery data presented below is based on a 95% confidence interval (k=2). The estimated accuracy applies to the media, technology, and SOP referenced in this report and does not account for the uncertainty associated with the sampling process. The accuracy is based solely on spike recovery data from internal quality control samples. Where N/A appears below, insufficient data is available to provide statistical accuracy and mean recovery values for the associated analyte.

Parameter	Accuracy	Mean Recovery
Benzene	+/-16.4%	99.9%
Ethylbenzene	+/-18.7%	101%
m,p-Xylenes	+/-21.6%	102%
o-Xylene	+/-22.8%	100%
Toluene	+/-16.1%	99.3%

Parameter	Method
Benzene	mod. EPA 325B; GCMS
Ethylbenzene	mod. EPA 325B; GCMS
Toluene	mod. EPA 325B; GCMS
m,p-Xylene	mod. EPA 325B; GCMS
o-Xylene	mod. EPA 325B; GCMS

SGS

GALSON

Client Acct. No.

41031

EPA 325A Fenceline Monitoring

Report To:

Chloe Desmond
Jason Patterson

Company Name:

Haley Ward Inc.

Address 1:

1 Marchants Plaza

Address 2:

Suite 701

City, State, Zip:

Bangor, ME 04401

Cell No.:

207-214-0141

Email Report to:

cdesmond
jpatterson@haleyward.com

Prep No.:

PSY788295

Invoice To:

Accounts Payable-Julie

Company Name:

Haley Ward Inc.

Address 1:

1 Marchants Plaza

Address 2:

Suite 701

City, State, Zip:

Bangor, ME 04401

Email Address:

joreskovich@haleyward.com

P.O. No.:

Payment Info: ☐ Will Phone in Credit Card Information☐ Credit Card on File

Need Results By*:

(surcharge)

☒	5 Business Days	0%
☐	4 Business Days	35%
☐	3 Business Days	50%
☐	2 Business Days	75%
☐	Next Day by 6pm	100%
☐	Next Day by Noon	150%
☐	Same day	200%

35

Complete shaded portions and return to the lab with the samples.*

Comments:

Average Ambient Temperature:

27.77

Average Barometric Pressure:

29.64

Site Name:

Cold Brook Energy

Project:

10142.008

Sampled By:

Chloe Desmond

Sample Identification*	Manufacturer ID	Collection Medium	Date/Time Deployed (Military Time)	Date/Time Retrieved (Military Time)	Analysis Requested	Method
FLM 1	C60099	Carbopack X	1/7/26 1015	1/21/26 1217	BTEX	MOD. EPA325B: GCMS
FLM 2	C57013	Carbopack X	1018	1221	BTEX	MOD. EPA325B: GCMS
FLM 3	C60057	Carbopack X	1021	1224	BTEX	MOD. EPA325B: GCMS
FLM 4	C56962	Carbopack X	1024	1227	BTEX	MOD. EPA325B: GCMS
FLM 5	C60325	Carbopack X	1028	1230	BTEX	MOD. EPA325B: GCMS
FLM 6	C55851	Carbopack X	1032	1234	BTEX	MOD. EPA325B: GCMS
FLM 7	C66678	Carbopack X	1036	1238	BTEX	MOD. EPA325B: GCMS
FLM 8	C53703	Carbopack X	0952	1153	BTEX	MOD. EPA325B: GCMS
FLM 9	C60403	Carbopack X	0957	1158	BTEX	MOD. EPA325B: GCMS
FLM 10	C56968	Carbopack X	1001	1203	BTEX	MOD. EPA325B: GCMS
FLM 11	C53928	Carbopack X	1006	1207	BTEX	MOD. EPA325B: GCMS

Chain of Custody

Print Name

Signature

Date/Time

Relinquished by:

Chloe Desmond

Bill Fischer

1/21/26 1356

Received by LAB:

23 Jan 26 / 1016

*Required fields, failure to complete these fields may result in a delay in your samples being processed.

Page 1 of

Prep: UNKNOWN


 121043178741726232
 Date: 01/23/26
 Shipper: UPS
 Initials: BCF

Comments

Complete shaded portions and return to the lab with the samples.*

[illegible]

Chain of Custody	Print Name	Signature	Date/Time
Relinquished by :	Chloe Desmond	Chloe Desmond	1/21/26 1356
Received by LAB :		Bill Fischer Bill Fischer	23Jan26/1016
*Required fields, failure to complete these fields may result in a delay in your samples being processed.		Page 1 of _____ Samples received after 3pm will be considered as next day's business.	

Chloe Desmond
Haley Ward Inc.
cdesmond@haleyward.com

February 12, 2026

Account# 41031

Login# L686026

Dear Chloe Desmond:

Enclosed are the analytical results for the samples received by our laboratory on February 06, 2026. All samples on the chain of custody were received in good condition unless otherwise noted. Any additional observations will be noted on the chain of custody.

Please contact client services at (888) 432-5227 if you would like any additional information regarding this report. Thank you for using SGS Galson.

Sincerely,

SGS Galson



Lisa Swab
Laboratory Director

Enclosure(s)

Terms and Conditions & General Disclaimers

- This document is issued by the Company under its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.
- Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Analytical Disclaimers

- Unless otherwise noted within the report, all quality control results associated with the samples were within established control limits or did not impact reported results.
- Note: The findings recorded within this report were drawn from analysis of the sample(s) provided to the laboratory by the Client (or a third party acting at the Client's direction). The laboratory does not have control over the sampling process, including but not limited to the use of field equipment and collection media, as well as the sampling duration, collection volume or any other collection parameter used by the Client. The findings herein constitute no warranty of the sample's representativeness of any sampled environment, and strictly relate to the samples as they were presented to the laboratory. For recommended sampling collection parameters, please refer to the Sampling and Analysis Guide at www.sgsgalson.com.
- Unrounded results are carried through the calculations that yield the final result and the final result is rounded to the number of significant figures appropriate to the accuracy of the analytical method. Please note that results appearing in the columns preceding the final result column may have been rounded and therefore, if carried through the calculations, may not yield an identical final result to the one reported.
- The stated LOQs for each analyte represent the demonstrated LOQ concentrations prior to correction for desorption efficiency (if applicable).
- Unless otherwise noted within the report, results have not been blank corrected for any field blank or method blank data.

Accreditations SGS Galson holds a variety of accreditations and recognitions. Our quality management system conforms with the requirements of ISO/IEC 17025. Where applicable, samples may also be analyzed in accordance with the requirements of ELAP, NELAC, or LELAP under one of the state accrediting bodies listed below. Current Scopes of Accreditation can be viewed at <http://www.sgsgalson.com> in the accreditations section of the "About" page. To determine if the analyte tested falls under our scope of accreditation, please visit our website or call Client Services at (888) 432-5227.

National/International	Accreditation/Recognition	Lab ID#	Program/Sector
AIHA-LAP, LLC - IHLAP, ELLAP, EMLAP	ISO/IEC 17025 and USEPA NLLAP	Lab ID 100324	Industrial Hygiene, Environmental Lead, Environmental Microbiology

State	Accreditation/Recognition	Lab ID#	Program/Sector
New York (NYSDOH)	ELAP and NELAC (TNI)	Lab ID: 11626	Air Analysis, Solid and Hazardous Waste
Louisiana (LDEQ)	LELAP	Lab ID: 04083	Air Analysis, Solid Chemical Materials

Legend

< - Less than	mg - Milligrams	MDL - Method Detection Limit	ppb - Parts per Billion
> - Greater than	ug - Micrograms	NA - Not Applicable	ppm - Parts per Million
l - Liters	m3 - Cubic Meters	NS - Not Specified	ppbv - ppb Volume
LOQ - Limit of Quantitation	kg - Kilograms	ND - Not Detected	ppmv - ppm Volume
ft2 - Square Feet	cm2 - Square Centimeters	in2 - Square Inches	ng - Nanograms



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 21-JAN-26
Date Received : 06-FEB-26

Account No.: 41031
Login No. : L686026
Date Analyzed : 09-FEB-26 - 10-FEB-26
Report ID : 1546972

Client ID : FLM 1
Date Sampled : 01/21/26

Lab ID : L686026-1
Date Analyzed : 02/09/26
Time : 19952 minutes

Parameter	MDL ng	LOQ ng	Time minutes	Total ng	Total Qual	Conc ug/m3	ppbv	Dil Fact
Benzene	5	5.0	19952	13		1.0	0.31	1
Toluene	5	5.0	19952	26		2.5	0.66	1
Ethylbenzene	5	5.0	19952	ND	U	<0.54	<0.13	1
m,p-Xylene	10	10.	19952	11		1.2	0.28	1
o-Xylene	5	5.0	19952	ND	U	<0.54	<0.13	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 12-FEB-26

Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 21-JAN-26
Date Received : 06-FEB-26

Account No.: 41031
Login No. : L686026
Date Analyzed : 09-FEB-26 - 10-FEB-26
Report ID : 1546972

Client ID : FLM 2
Date Sampled : 01/21/26

Lab ID : L686026-2
Date Analyzed : 02/09/26

Time : 19953 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	19953	12		0.99	0.31	1
Toluene	5	5.0	19953	23		2.2	0.59	1
Ethylbenzene	5	5.0	19953	ND	U	<0.54	<0.13	1
m,p-Xylene	10	10.	19953	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	19953	ND	U	<0.54	<0.13	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 12-FEB-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 21-JAN-26
Date Received : 06-FEB-26

Account No.: 41031
Login No. : L686026
Date Analyzed : 09-FEB-26 - 10-FEB-26
Report ID : 1546972

Client ID : FLM 3
Date Sampled : 01/21/26

Lab ID : L686026-3
Date Analyzed : 02/09/26
Time : 19954 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	19954	12		0.94	0.29	1
Toluene	5	5.0	19954	21		2.0	0.54	1
Ethylbenzene	5	5.0	19954	ND	U	<0.54	<0.13	1
m,p-Xylene	10	10.	19954	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	19954	ND	U	<0.54	<0.13	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 12-FEB-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 21-JAN-26
Date Received : 06-FEB-26

Account No.: 41031
Login No. : L686026
Date Analyzed : 09-FEB-26 - 10-FEB-26
Report ID : 1546972

Client ID : FLM 4
Date Sampled : 01/21/26

Lab ID : L686026-4
Date Analyzed : 02/09/26
Time : 19954 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	19954	11		0.90	0.28	1
Toluene	5	5.0	19954	20		1.9	0.51	1
Ethylbenzene	5	5.0	19954	ND	U	<0.54	<0.13	1
m,p-Xylene	10	10.	19954	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	19954	ND	U	<0.54	<0.13	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 12-FEB-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 21-JAN-26
Date Received : 06-FEB-26

Account No.: 41031
Login No. : L686026
Date Analyzed : 09-FEB-26 - 10-FEB-26
Report ID : 1546972

Client ID : FLM 5
Date Sampled : 01/21/26

Lab ID : L686026-5
Date Analyzed : 02/09/26

Time : 19955 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	19955	10		0.80	0.25	1
Toluene	5	5.0	19955	14		1.4	0.37	1
Ethylbenzene	5	5.0	19955	ND	U	<0.54	<0.13	1
m,p-Xylene	10	10.	19955	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	19955	ND	U	<0.54	<0.13	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 12-FEB-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 21-JAN-26
Date Received : 06-FEB-26

Account No.: 41031
Login No. : L686026
Date Analyzed : 09-FEB-26 - 10-FEB-26
Report ID : 1546972

Client ID : FLM 6
Date Sampled : 01/21/26

Lab ID : L686026-6
Date Analyzed : 02/09/26

Time : 19955 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	19955	9.5		0.76	0.24	1
Toluene	5	5.0	19955	14		1.3	0.35	1
Ethylbenzene	5	5.0	19955	ND	U	<0.54	<0.13	1
m,p-Xylene	10	10.	19955	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	19955	ND	U	<0.54	<0.13	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 12-FEB-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 21-JAN-26
Date Received : 06-FEB-26

Account No.: 41031
Login No. : L686026
Date Analyzed : 09-FEB-26 - 10-FEB-26
Report ID : 1546972

Client ID : FLM 7
Date Sampled : 01/21/26

Lab ID : L686026-7
Date Analyzed : 02/09/26
Time : 19955 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	19955	10		0.81	0.25	1
Toluene	5	5.0	19955	14		1.3	0.35	1
Ethylbenzene	5	5.0	19955	ND	U	<0.54	<0.13	1
m,p-Xylene	10	10.	19955	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	19955	ND	U	<0.54	<0.13	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 12-FEB-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 21-JAN-26
Date Received : 06-FEB-26

Account No.: 41031
Login No. : L686026
Date Analyzed : 09-FEB-26 - 10-FEB-26
Report ID : 1546972

Client ID : FLM 8
Date Sampled : 01/21/26

Lab ID : L686026-8
Date Analyzed : 02/09/26

Time : 19955 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	19955	11		0.86	0.27	1
Toluene	5	5.0	19955	19		1.8	0.48	1
Ethylbenzene	5	5.0	19955	ND	U	<0.54	<0.13	1
m,p-Xylene	10	10.	19955	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	19955	ND	U	<0.54	<0.13	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 12-FEB-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 21-JAN-26
Date Received : 06-FEB-26

Account No.: 41031
Login No. : L686026
Date Analyzed : 09-FEB-26 - 10-FEB-26
Report ID : 1546972

Client ID : FLM 9
Date Sampled : 01/21/26

Lab ID : L686026-9
Date Analyzed : 02/09/26

Time : 19955 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	19955	18		1.4	0.44	1
Toluene	5	5.0	19955	110		11	2.9	1
Ethylbenzene	5	5.0	19955	21		2.3	0.52	1
m,p-Xylene	10	10.	19955	61		6.7	1.5	1
o-Xylene	5	5.0	19955	25		2.7	0.62	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 12-FEB-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 21-JAN-26
Date Received : 06-FEB-26

Account No.: 41031
Login No. : L686026
Date Analyzed : 09-FEB-26 - 10-FEB-26
Report ID : 1546972

Client ID : FLM 10
Date Sampled : 01/21/26

Lab ID : L686026-10
Date Analyzed : 02/09/26

Time : 19954 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	19954	16		1.3	0.41	1
Toluene	5	5.0	19954	47		4.5	1.2	1
Ethylbenzene	5	5.0	19954	7.7		0.84	0.19	1
m,p-Xylene	10	10.	19954	24		2.7	0.61	1
o-Xylene	5	5.0	19954	9.5		1.0	0.24	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 12-FEB-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 21-JAN-26
Date Received : 06-FEB-26

Account No.: 41031
Login No. : L686026
Date Analyzed : 09-FEB-26 - 10-FEB-26
Report ID : 1546972

Client ID : FLM 11
Date Sampled : 01/21/26

Lab ID : L686026-11
Date Analyzed : 02/09/26

Time : 19953 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	19953	14		1.1	0.34	1
Toluene	5	5.0	19953	34		3.3	0.87	1
Ethylbenzene	5	5.0	19953	5.7		0.62	0.14	1
m,p-Xylene	10	10.	19953	16		1.8	0.41	1
o-Xylene	5	5.0	19953	6.4		0.69	0.16	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 12-FEB-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 21-JAN-26
Date Received : 06-FEB-26

Account No.: 41031
Login No. : L686026
Date Analyzed : 09-FEB-26 - 10-FEB-26
Report ID : 1546972

Client ID : FLM 12
Date Sampled : 01/21/26

Lab ID : L686026-12
Date Analyzed : 02/09/26

Time : 19953 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	19953	15		1.2	0.38	1
Toluene	5	5.0	19953	34		3.3	0.87	1
Ethylbenzene	5	5.0	19953	5.2		0.57	0.13	1
m,p-Xylene	10	10.	19953	16		1.8	0.41	1
o-Xylene	5	5.0	19953	6.3		0.68	0.16	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 12-FEB-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 21-JAN-26
Date Received : 06-FEB-26

Account No.: 41031
Login No. : L686026
Date Analyzed : 09-FEB-26 - 10-FEB-26
Report ID : 1546972

Client ID : FLM 13-DUP (8)
Date Sampled : 01/21/26

Lab ID : L686026-13
Date Analyzed : 02/10/26

Time : 19912 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	19912	11		0.90	0.28	1
Toluene	5	5.0	19912	20		1.9	0.50	1
Ethylbenzene	5	5.0	19912	ND	U	<0.55	<0.13	1
m,p-Xylene	10	10.	19912	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	19912	ND	U	<0.55	<0.13	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 12-FEB-26

Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 21-JAN-26
Date Received : 06-FEB-26

Account No.: 41031
Login No. : L686026
Date Analyzed : 09-FEB-26 - 10-FEB-26
Report ID : 1546972

Client ID : FLM 14-DUP (1)
Date Sampled : 01/21/26

Lab ID : L686026-14
Date Analyzed : 02/10/26

Time : 19958 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	19958	13		1.1	0.34	1
Toluene	5	5.0	19958	26		2.5	0.67	1
Ethylbenzene	5	5.0	19958	ND	U	<0.54	<0.13	1
m,p-Xylene	10	10.	19958	12		1.3	0.30	1
o-Xylene	5	5.0	19958	ND	U	<0.54	<0.13	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 12-FEB-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 21-JAN-26
Date Received : 06-FEB-26

Account No.: 41031
Login No. : L686026
Date Analyzed : 09-FEB-26 - 10-FEB-26
Report ID : 1546972

Client ID : FLM 15-BLANK (9)
Date Sampled : 01/21/26

Lab ID : L686026-15
Date Analyzed : 02/09/26

Time : 19960 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	19960	ND	U	<0.37	<0.12	1
Toluene	5	5.0	19960	ND	U	<0.48	<0.13	1
Ethylbenzene	5	5.0	19960	ND	U	<0.54	<0.13	1
m,p-Xylene	10	10.	19960	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	19960	ND	U	<0.54	<0.13	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 12-FEB-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 21-JAN-26
Date Received : 06-FEB-26

Account No.: 41031
Login No. : L686026
Date Analyzed : 09-FEB-26 - 10-FEB-26
Report ID : 1546972

Client ID : FLM 16-BLANK (12) Lab ID : L686026-16 Time : 19957 minutes
Date Sampled : 01/21/26 Date Analyzed : 02/10/26

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	19957	ND	U	<0.37	<0.12	1
Toluene	5	5.0	19957	ND	U	<0.48	<0.13	1
Ethylbenzene	5	5.0	19957	ND	U	<0.54	<0.13	1
m,p-Xylene	10	10.	19957	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	19957	ND	U	<0.54	<0.13	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS Submitted by: EEA Date : 12-FEB-26
Collection Media : Carbopack X Supervisor: TEM Approved by : BHB



GALSON

LABORATORY FOOTNOTE REPORT

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client Name : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008

Date Sampled : 21-JAN-26
Date Received: 06-FEB-26
Date Analyzed: 09-FEB-26 - 10-FEB-26

Account No.: 41031
Login No. : L686026

L686026 (Report ID: 1546972):

EPA qualifiers are as follows:

U - Compound was analyzed for, but not detected.

J - Compound was found greater than the MDL, but less than the LOQ.

B - Compound is found in the associated method blank as well as in the sample.

SOPs: MS-SOP-17(15)

L686026 (Report ID: 1546972):

Accuracy and mean recovery data presented below is based on a 95% confidence interval (k=2). The estimated accuracy applies to the media, technology, and SOP referenced in this report and does not account for the uncertainty associated with the sampling process. The accuracy is based solely on spike recovery data from internal quality control samples. Where N/A appears below, insufficient data is available to provide statistical accuracy and mean recovery values for the associated analyte.

Parameter	Accuracy	Mean Recovery
Benzene	+/-16.4%	99.9%
Ethylbenzene	+/-18.7%	101%
m,p-Xylenes	+/-21.6%	102%
o-Xylene	+/-22.8%	100%
Toluene	+/-16.1%	99.3%

Parameter	Method
Benzene	mod. EPA 325B; GCMS
Ethylbenzene	mod. EPA 325B; GCMS
Toluene	mod. EPA 325B; GCMS
m,p-Xylene	mod. EPA 325B; GCMS
o-Xylene	mod. EPA 325B; GCMS

SGS GALSON

Client Acct. No.

41031

EPA 325A Fenceline Monitoring

Chloe Desmond

Jason Patterson

Report To:

Company Name:

Haley Ward Inc.

Address 1:

1 Marchants Plaza

Address 2:

Suite 701

City, State, Zip:

Bangor, ME 04401

Cell No.:

207-214-0141

Email Report to:

cdesmond

jpatterson@haleyward.com

Invoice To:

Accounts Payable-Julie

Company Name:

Haley Ward Inc.

Address 1:

1 Marchants Plaza

Address 2:

Suite 701

City, State, Zip:

Bangor, ME 04401

Email Address:

joreskovich@haleyward.com

P.O. No:

Payment Info: ☐ Will Phone in Credit Card Information☐ Credit Card on File

Need Results By*:

(surcharge)

☒ 5 Business Days	0%
☐ 4 Business Days	35%
☐ 3 Business Days	50%
☐ 2 Business Days	75%

121043178742101708

Date: 02/06/26

Shipper: UPS

Initials: MMM



Prep: UNKNOWN

Complete shaded portions and return to the lab with the samples.*

Average Ambient Temperature:

9.42 °F

Average Barometric Pressure:

29.79 Hg

Site Name: Cold Brook Energy		Project: 10142.008			Sampled By: Chloe Desmond	
Sample Identification*	Manufacturer ID	Collection Medium	Date/Time Deployed (Military Time)	Date/Time Retrieved (Military Time)	Analysis Requested	Method
FLM 1	C41425	Carbopack X	1/21/26 1219	2/4/26 0851	BTEX	MOD. EPA325B: GCMS
FLM 2	C40212	Carbopack X	1223	0856	BTEX	MOD. EPA325B: GCMS
FLM 3	C41465	Carbopack X	1226	0900	BTEX	MOD. EPA325B: GCMS
FLM 4	C40255	Carbopack X	1229	0903	BTEX	MOD. EPA325B: GCMS
FLM 5	C41381	Carbopack X	1232	0907	BTEX	MOD. EPA325B: GCMS
FLM 6	C41410	Carbopack X	1236	0911	BTEX	MOD. EPA325B: GCMS
FLM 7	C41401	Carbopack X	1240	0915	BTEX	MOD. EPA325B: GCMS
FLM 8	C41419	Carbopack X	1155	0830	BTEX	MOD. EPA325B: GCMS
FLM 9	C40214	Carbopack X	1200	0835	BTEX	MOD. EPA325B: GCMS
FLM 10	C41422	Carbopack X	1205	0839	BTEX	MOD. EPA325B: GCMS
FLM 11	C54296	Carbopack X	1209	0842	BTEX	MOD. EPA325B: GCMS

Chain of Custody

Print Name

Signature

Date/Time

Relinquished by: Chloe Desmond

Received by LAB:

Chloe Desmond
Megan M. McGrath

2/4/26 0940

2/6/26 6 11:48 A

*Required fields, failure to complete these fields may result in a delay in your samples being processed.

Page 20 of 21

Report Reference: 1 Generated: 12-FEB-26 10:38

Samples received after 3pm will be considered as next day's business.

Comments

Complete shaded portions and return to the lab with the samples.*

[illegible]

Chain of Custody	Print Name	Signature	Date/Time
Relinquished by :	Chloe Desmond	Chloe & Desmond	2/4/26 0940
Received by LAB :		Megan M. McGrath <i>Megan M. McGrath</i>	2/6/26 6 11.48
*Required fields, failure to complete these fields may result in a delay in your samples being processed.		Page 1 of 1 Samples received after 3pm will be considered as next day's business.	

Chloe Desmond
Haley Ward Inc.
cdesmond@haleyward.com

February 26, 2026

Account# 41031

Login# L687276

Dear Chloe Desmond:

Enclosed are the analytical results for the samples received by our laboratory on February 20, 2026. All samples on the chain of custody were received in good condition unless otherwise noted. Any additional observations will be noted on the chain of custody.

Please contact client services at (888) 432-5227 if you would like any additional information regarding this report. Thank you for using SGS Galson.

Sincerely,

SGS Galson



Lisa Swab
Laboratory Director

Enclosure(s)

Terms and Conditions & General Disclaimers

- This document is issued by the Company under its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.
- Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Analytical Disclaimers

- Unless otherwise noted within the report, all quality control results associated with the samples were within established control limits or did not impact reported results.
- Note: The findings recorded within this report were drawn from analysis of the sample(s) provided to the laboratory by the Client (or a third party acting at the Client's direction). The laboratory does not have control over the sampling process, including but not limited to the use of field equipment and collection media, as well as the sampling duration, collection volume or any other collection parameter used by the Client. The findings herein constitute no warranty of the sample's representativeness of any sampled environment, and strictly relate to the samples as they were presented to the laboratory. For recommended sampling collection parameters, please refer to the Sampling and Analysis Guide at www.sgsgalson.com.
- Unrounded results are carried through the calculations that yield the final result and the final result is rounded to the number of significant figures appropriate to the accuracy of the analytical method. Please note that results appearing in the columns preceding the final result column may have been rounded and therefore, if carried through the calculations, may not yield an identical final result to the one reported.
- The stated LOQs for each analyte represent the demonstrated LOQ concentrations prior to correction for desorption efficiency (if applicable).
- Unless otherwise noted within the report, results have not been blank corrected for any field blank or method blank data.

Accreditations SGS Galson holds a variety of accreditations and recognitions. Our quality management system conforms with the requirements of ISO/IEC 17025. Where applicable, samples may also be analyzed in accordance with the requirements of ELAP, NELAC, or LELAP under one of the state accrediting bodies listed below. Current Scopes of Accreditation can be viewed at <http://www.sgsgalson.com> in the accreditations section of the "About" page. To determine if the analyte tested falls under our scope of accreditation, please visit our website or call Client Services at (888) 432-5227.

National/International	Accreditation/Recognition	Lab ID#	Program/Sector
AIHA-LAP, LLC - IHLAP, ELLAP, EMLAP	ISO/IEC 17025 and USEPA NLLAP	Lab ID 100324	Industrial Hygiene, Environmental Lead, Environmental Microbiology

State	Accreditation/Recognition	Lab ID#	Program/Sector
New York (NYSDOH)	ELAP and NELAC (TNI)	Lab ID: 11626	Air Analysis, Solid and Hazardous Waste
Louisiana (LDEQ)	LELAP	Lab ID: 04083	Air Analysis, Solid Chemical Materials

Legend

< - Less than	mg - Milligrams	MDL - Method Detection Limit	ppb - Parts per Billion
> - Greater than	ug - Micrograms	NA - Not Applicable	ppm - Parts per Million
l - Liters	m3 - Cubic Meters	NS - Not Specified	ppbv - ppb Volume
LOQ - Limit of Quantitation	kg - Kilograms	ND - Not Detected	ppmv - ppm Volume
ft2 - Square Feet	cm2 - Square Centimeters	in2 - Square Inches	ng - Nanograms



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 04-FEB-26
Date Received : 20-FEB-26

Account No.: 41031
Login No. : L687276
Date Analyzed : 23-FEB-26 - 24-FEB-26
Report ID : 1549840

Client ID : FLM 1
Date Sampled : 02/04/26

Lab ID : L687276-1
Date Analyzed : 02/23/26
Time : 20405 minutes

Parameter	MDL ng	LOQ ng	Time minutes	Total ng	Total Qual	Conc ug/m3	ppbv	Dil Fact
Benzene	5	5.0	20405	15		1.1	0.34	1
Toluene	5	5.0	20405	29		2.8	0.73	1
Ethylbenzene	5	5.0	20405	ND	U	<0.53	<0.12	1
m,p-Xylene	10	10.	20405	12		1.3	0.30	1
o-Xylene	5	5.0	20405	ND	U	<0.53	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 26-FEB-26

Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 04-FEB-26
Date Received : 20-FEB-26

Account No.: 41031
Login No. : L687276
Date Analyzed : 23-FEB-26 - 24-FEB-26
Report ID : 1549840

Client ID : FLM 2
Date Sampled : 02/04/26

Lab ID : L687276-2
Date Analyzed : 02/23/26

Time : 20403 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20403	13		0.99	0.31	1
Toluene	5	5.0	20403	23		2.1	0.57	1
Ethylbenzene	5	5.0	20403	ND	U	<0.53	<0.12	1
m,p-Xylene	10	10.	20403	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20403	ND	U	<0.53	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 26-FEB-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 04-FEB-26
Date Received : 20-FEB-26

Account No.: 41031
Login No. : L687276
Date Analyzed : 23-FEB-26 - 24-FEB-26
Report ID : 1549840

Client ID : FLM 3
Date Sampled : 02/04/26

Lab ID : L687276-3
Date Analyzed : 02/23/26

Time : 20402 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20402	13		1.0	0.31	1
Toluene	5	5.0	20402	24		2.3	0.61	1
Ethylbenzene	5	5.0	20402	ND	U	<0.53	<0.12	1
m,p-Xylene	10	10.	20402	10		1.1	0.25	1
o-Xylene	5	5.0	20402	ND	U	<0.53	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 26-FEB-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 04-FEB-26
Date Received : 20-FEB-26

Account No.: 41031
Login No. : L687276
Date Analyzed : 23-FEB-26 - 24-FEB-26
Report ID : 1549840

Client ID : FLM 4
Date Sampled : 02/04/26

Lab ID : L687276-4
Date Analyzed : 02/23/26
Time : 20405 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20405	12		0.96	0.30	1
Toluene	5	5.0	20405	22		2.1	0.55	1
Ethylbenzene	5	5.0	20405	ND	U	<0.53	<0.12	1
m,p-Xylene	10	10.	20405	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20405	ND	U	<0.53	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 26-FEB-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 04-FEB-26
Date Received : 20-FEB-26

Account No.: 41031
Login No. : L687276
Date Analyzed : 23-FEB-26 - 24-FEB-26
Report ID : 1549840

Client ID : FLM 5
Date Sampled : 02/04/26

Lab ID : L687276-5
Date Analyzed : 02/23/26

Time : 20403 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20403	11		0.82	0.26	1
Toluene	5	5.0	20403	16		1.5	0.40	1
Ethylbenzene	5	5.0	20403	ND	U	<0.53	<0.12	1
m,p-Xylene	10	10.	20403	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20403	ND	U	<0.53	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 26-FEB-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 04-FEB-26
Date Received : 20-FEB-26

Account No.: 41031
Login No. : L687276
Date Analyzed : 23-FEB-26 - 24-FEB-26
Report ID : 1549840

Client ID : FLM 6
Date Sampled : 02/04/26

Lab ID : L687276-6
Date Analyzed : 02/23/26

Time : 20402 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20402	9.9		0.76	0.24	1
Toluene	5	5.0	20402	13		1.2	0.33	1
Ethylbenzene	5	5.0	20402	ND	U	<0.53	<0.12	1
m,p-Xylene	10	10.	20402	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20402	ND	U	<0.53	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 26-FEB-26

Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 04-FEB-26
Date Received : 20-FEB-26

Account No.: 41031
Login No. : L687276
Date Analyzed : 23-FEB-26 - 24-FEB-26
Report ID : 1549840

Client ID : FLM 7
Date Sampled : 02/04/26

Lab ID : L687276-7
Date Analyzed : 02/23/26
Time : 20400 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20400	10		0.80	0.25	1
Toluene	5	5.0	20400	13		1.2	0.32	1
Ethylbenzene	5	5.0	20400	ND	U	<0.53	<0.12	1
m,p-Xylene	10	10.	20400	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20400	ND	U	<0.53	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 26-FEB-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 04-FEB-26
Date Received : 20-FEB-26

Account No.: 41031
Login No. : L687276
Date Analyzed : 23-FEB-26 - 24-FEB-26
Report ID : 1549840

Client ID : FLM 8
Date Sampled : 02/04/26

Lab ID : L687276-8
Date Analyzed : 02/23/26
Time : 20409 minutes

Parameter	MDL ng	LOQ ng	Time minutes	Total ng	Total Qual	Conc ug/m3	ppbv	Dil Fact
Benzene	5	5.0	20409	11		0.88	0.28	1
Toluene	5	5.0	20409	20		1.9	0.51	1
Ethylbenzene	5	5.0	20409	ND	U	<0.53	<0.12	1
m,p-Xylene	10	10.	20409	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20409	ND	U	<0.53	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 26-FEB-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 04-FEB-26
Date Received : 20-FEB-26

Account No.: 41031
Login No. : L687276
Date Analyzed : 23-FEB-26 - 24-FEB-26
Report ID : 1549840

Client ID : FLM 9
Date Sampled : 02/04/26

Lab ID : L687276-9
Date Analyzed : 02/23/26
Time : 20407 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20407	14		1.1	0.31	1
Toluene	5	5.0	20407	34		3.2	0.84	1
Ethylbenzene	5	5.0	20407	5.6		0.60	0.14	1
m,p-Xylene	10	10.	20407	20		2.1	0.48	1
o-Xylene	5	5.0	20407	8.5		0.90	0.21	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 26-FEB-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 04-FEB-26
Date Received : 20-FEB-26

Account No.: 41031
Login No. : L687276
Date Analyzed : 23-FEB-26 - 24-FEB-26
Report ID : 1549840

Client ID : FLM 10
Date Sampled : 02/04/26

Lab ID : L687276-10
Date Analyzed : 02/23/26

Time : 20286 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20286	20		1.6	0.50	1
Toluene	5	5.0	20286	62		5.9	1.6	1
Ethylbenzene	5	5.0	20286	9.7		1.0	0.24	1
m,p-Xylene	10	10.	20286	35		3.7	0.86	1
o-Xylene	5	5.0	20286	14		1.5	0.35	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 26-FEB-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 04-FEB-26
Date Received : 20-FEB-26

Account No.: 41031
Login No. : L687276
Date Analyzed : 23-FEB-26 - 24-FEB-26
Report ID : 1549840

Client ID : FLM 11
Date Sampled : 02/04/26

Lab ID : L687276-11
Date Analyzed : 02/23/26
Time : 20406 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20406	14		1.1	0.34	1
Toluene	5	5.0	20406	32		3.0	0.81	1
Ethylbenzene	5	5.0	20406	ND	U	<0.53	<0.12	1
m,p-Xylene	10	10.	20406	17		1.8	0.42	1
o-Xylene	5	5.0	20406	7.0		0.75	0.17	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 26-FEB-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 04-FEB-26
Date Received : 20-FEB-26

Account No.: 41031
Login No. : L687276
Date Analyzed : 23-FEB-26 - 24-FEB-26
Report ID : 1549840

Client ID : FLM 12
Date Sampled : 02/04/26

Lab ID : L687276-12
Date Analyzed : 02/23/26
Time : 20406 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20406	15		1.1	0.34	1
Toluene	5	5.0	20406	35		3.3	0.87	1
Ethylbenzene	5	5.0	20406	ND	U	<0.53	<0.12	1
m,p-Xylene	10	10.	20406	16		1.8	0.40	1
o-Xylene	5	5.0	20406	6.5		0.70	0.16	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 26-FEB-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 04-FEB-26
Date Received : 20-FEB-26

Account No.: 41031
Login No. : L687276
Date Analyzed : 23-FEB-26 - 24-FEB-26
Report ID : 1549840

Client ID : FLM 13- DUP (9)
Date Sampled : 02/04/26

Lab ID : L687276-13
Date Analyzed : 02/23/26

Time : 20412 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20412	14		1.0	0.31	1
Toluene	5	5.0	20412	32		3.0	0.81	1
Ethylbenzene	5	5.0	20412	5.4		0.57	0.13	1
m,p-Xylene	10	10.	20412	19		2.0	0.47	1
o-Xylene	5	5.0	20412	8.1		0.87	0.20	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 26-FEB-26

Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 04-FEB-26
Date Received : 20-FEB-26

Account No.: 41031
Login No. : L687276
Date Analyzed : 23-FEB-26 - 24-FEB-26
Report ID : 1549840

Client ID : FLM 14- DUP (2)
Date Sampled : 02/04/26

Lab ID : L687276-14
Date Analyzed : 02/23/26

Time : 20408 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20408	13		0.99	0.31	1
Toluene	5	5.0	20408	21		2.0	0.53	1
Ethylbenzene	5	5.0	20408	ND	U	<0.53	<0.12	1
m,p-Xylene	10	10.	20408	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20408	ND	U	<0.53	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 26-FEB-26

Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 04-FEB-26
Date Received : 20-FEB-26

Account No.: 41031
Login No. : L687276
Date Analyzed : 23-FEB-26 - 24-FEB-26
Report ID : 1549840

Client ID : FLM 15- BLANK (10) Lab ID : L687276-15 Time : 20410 minutes
Date Sampled : 02/04/26 Date Analyzed : 02/23/26

Parameter	MDL ng	LOQ ng	Time minutes	Total ng	Total Qual	Conc ug/m3	ppbv	Dil Fact
Benzene	5	5.0	20410	ND	U	<0.37	<0.11	1
Toluene	5	5.0	20410	ND	U	<0.47	<0.13	1
Ethylbenzene	5	5.0	20410	ND	U	<0.53	<0.12	1
m,p-Xylene	10	10.	20410	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20410	ND	U	<0.53	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carboxpack X

Submitted by: EEA
Supervisor: TEM

Date : 26-FEB-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 04-FEB-26
Date Received : 20-FEB-26

Account No.: 41031
Login No. : L687276
Date Analyzed : 23-FEB-26 - 24-FEB-26
Report ID : 1549840

Client ID : FLM 16- BLANK (1) Lab ID : L687276-16 Time : 20410 minutes
Date Sampled : 02/04/26 Date Analyzed : 02/24/26

Parameter	MDL ng	LOQ ng	Time minutes	Total ng	Total Qual	Conc ug/m3	ppbv	Dil Fact
Benzene	5	5.0	20410	ND	U	<0.37	<0.11	1
Toluene	5	5.0	20410	ND	U	<0.47	<0.13	1
Ethylbenzene	5	5.0	20410	ND	U	<0.53	<0.12	1
m,p-Xylene	10	10.	20410	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20410	ND	U	<0.53	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 26-FEB-26
Approved by : BHB



GALSON

LABORATORY FOOTNOTE REPORT

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client Name : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008

Date Sampled : 04-FEB-26
Date Received: 20-FEB-26
Date Analyzed: 23-FEB-26 - 24-FEB-26

Account No.: 41031
Login No. : L687276

L687276 (Report ID: 1549840):

EPA qualifiers are as follows:

U - Compound was analyzed for, but not detected.

J - Compound was found greater than the MDL, but less than the LOQ.

B - Compound is found in the associated method blank as well as in the sample.

SOPs: MS-SOP-17(15)

L687276 (Report ID: 1549840):

Accuracy and mean recovery data presented below is based on a 95% confidence interval (k=2). The estimated accuracy applies to the media, technology, and SOP referenced in this report and does not account for the uncertainty associated with the sampling process. The accuracy is based solely on spike recovery data from internal quality control samples. Where N/A appears below, insufficient data is available to provide statistical accuracy and mean recovery values for the associated analyte.

Parameter	Accuracy	Mean Recovery
Benzene	+/-16.4%	99.9%
Ethylbenzene	+/-18.7%	101%
m,p-Xylenes	+/-21.6%	102%
o-Xylene	+/-22.8%	100%
Toluene	+/-16.1%	99.3%

Parameter	Method
Benzene	mod. EPA 325B; GCMS
Ethylbenzene	mod. EPA 325B; GCMS
Toluene	mod. EPA 325B; GCMS
m,p-Xylene	mod. EPA 325B; GCMS
o-Xylene	mod. EPA 325B; GCMS

SGS GALSON

110872710

Client Acct. No. 41031

EPA 325A Fenceline Monitoring

Chloe Desmond

Jason Patterson

Report To:
Company Name: Haley Ward Inc.
Address 1: 1 Marchants Plaza
Address 2: Suite 701
City, State, Zip: Bangor, ME 04401
Cell No.: 207-214-0141
Email Report to: cdesmond
jpatterson@haleyward.com

Invoice To: Accounts Payable-Julie
Company Name: Haley Ward Inc.
Address 1: 1 Marchants Plaza
Address 2: Suite 701
City, State, Zip: Bangor, ME 04401
Email Address: joreskovich@haleyward.com

P.O. No:
Payment Info: ☐ Will Phone in Credit Card Information
☐ Credit Card on File

Need Results By* (surcharge)

☒ 5 Business Days 0%
☐ 4 Business Days 35%
☐ 3 Business Days 50%
☐ 2 Business Days 75%
☐ Next Day by 6pm 100%
☐ Next Day by Noon 150%
☐ Same day 200%

121043178442615981

Date: 02/20/26

Shipper: UPS

Initials: BCF



Prep: UNKNOWN

PSY788297

Comments:

portions and return to the lab with the samples.*

Average Ambient Temperature: 18.08 °F
Average Barometric Pressure: 29.70 Hg

Site Name: Cold Brook Energy Project: 10142.008 Sampled By: Chloe Desmond

Sample Identification*	Manufacturer ID	Collection Medium	Date/Time Deployed (Military Time)	Date/Time Retrieved (Military Time)	Analysis Requested	Method
FLM 1	C41439	Carbopack X	2/4/26 0853	2/18/26 1258	BTEX	MOD. EPA325B: GCMS
FLM 2	C41461	Carbopack X	0858	1301	BTEX	MOD. EPA325B: GCMS
FLM 3	C41382	Carbopack X	0902	1304	BTEX	MOD. EPA325B: GCMS
FLM 4	C41392	Carbopack X	0905	1310	BTEX	MOD. EPA325B: GCMS
FLM 5	C41398	Carbopack X	0909	1312	BTEX	MOD. EPA325B: GCMS
FLM 6	C41446	Carbopack X	0913	1315	BTEX	MOD. EPA325B: GCMS
FLM 7	C54140	Carbopack X	0917	1317	BTEX	MOD. EPA325B: GCMS
FLM 8	C41411	Carbopack X	0832	1241	BTEX	MOD. EPA325B: GCMS
FLM 9	C41462	Carbopack X	0837	1244	BTEX	MOD. EPA325B: GCMS
FLM 10	C41399	Carbopack X	1041	1247	BTEX	MOD. EPA325B: GCMS
FLM 11	C41417	Carbopack X	✓ 0844	✓ 1250	BTEX	MOD. EPA325B: GCMS

Chain of Custody	Print Name	Signature	Date/Time
Relinquished by:	Chloe Desmond	Chloe Desmond	2/18/26 1509
Received by LAB:	Bill Fischer	Bill Fischer	20 Feb 26 / 1053

*Required fields, failure to complete these fields may result in a delay in your samples being processed.

Complete shaded portions and return to the lab with the samples.*

Page 21 of 21 Report Reference:1 Generated:26-FEB-26 12:06



Jason Patterson
Haley Ward Inc.

March 11, 2026

Account# 41031

Login# L688425

Dear Jason Patterson:

Enclosed are the analytical results for the samples received by our laboratory on March 05, 2026. All samples on the chain of custody were received in good condition unless otherwise noted. Any additional observations will be noted on the chain of custody.

Please contact client services at (888) 432-5227 if you would like any additional information regarding this report. Thank you for using SGS Galson.

Sincerely,

SGS Galson

A handwritten signature in black ink that reads "Lisa Swab". The signature is written in a cursive, flowing style.

Lisa Swab
Laboratory Director

Enclosure(s)

Terms and Conditions & General Disclaimers

- This document is issued by the Company under its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.
- Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Analytical Disclaimers

- Unless otherwise noted within the report, all quality control results associated with the samples were within established control limits or did not impact reported results.
- Note: The findings recorded within this report were drawn from analysis of the sample(s) provided to the laboratory by the Client (or a third party acting at the Client's direction). The laboratory does not have control over the sampling process, including but not limited to the use of field equipment and collection media, as well as the sampling duration, collection volume or any other collection parameter used by the Client. The findings herein constitute no warranty of the sample's representativeness of any sampled environment, and strictly relate to the samples as they were presented to the laboratory. For recommended sampling collection parameters, please refer to the Sampling and Analysis Guide at www.sgsgalson.com.
- Unrounded results are carried through the calculations that yield the final result and the final result is rounded to the number of significant figures appropriate to the accuracy of the analytical method. Please note that results appearing in the columns preceding the final result column may have been rounded and therefore, if carried through the calculations, may not yield an identical final result to the one reported.
- The stated LOQs for each analyte represent the demonstrated LOQ concentrations prior to correction for desorption efficiency (if applicable).
- Unless otherwise noted within the report, results have not been blank corrected for any field blank or method blank data.

Accreditations SGS Galson holds a variety of accreditations and recognitions. Our quality management system conforms with the requirements of ISO/IEC 17025. Where applicable, samples may also be analyzed in accordance with the requirements of ELAP, NELAC, or LELAP under one of the state accrediting bodies listed below. Current Scopes of Accreditation can be viewed at <http://www.sgsgalson.com> in the accreditations section of the "About" page. To determine if the analyte tested falls under our scope of accreditation, please visit our website or call Client Services at (888) 432-5227.

National/International	Accreditation/Recognition	Lab ID#	Program/Sector
AIHA-LAP, LLC - IHLAP, ELLAP, EMLAP	ISO/IEC 17025 and USEPA NLLAP	Lab ID 100324	Industrial Hygiene, Environmental Lead, Environmental Microbiology

State	Accreditation/Recognition	Lab ID#	Program/Sector
New York (NYSDOH)	ELAP and NELAC (TNI)	Lab ID: 11626	Air Analysis, Solid and Hazardous Waste
Louisiana (LDEQ)	LELAP	Lab ID: 04083	Air Analysis, Solid Chemical Materials

Legend

< - Less than	mg - Milligrams	MDL - Method Detection Limit	ppb - Parts per Billion
> - Greater than	ug - Micrograms	NA - Not Applicable	ppm - Parts per Million
l - Liters	m3 - Cubic Meters	NS - Not Specified	ppbv - ppb Volume
LOQ - Limit of Quantitation	kg - Kilograms	ND - Not Detected	ppmv - ppm Volume
ft2 - Square Feet	cm2 - Square Centimeters	in2 - Square Inches	ng - Nanograms



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 18-FEB-26
Date Received : 05-MAR-26

Account No.: 41031
Login No. : L688425
Date Analyzed : 06-MAR-26 - 07-MAR-26
Report ID : 1551739

Client ID : FLM 1
Date Sampled : 02/18/26

Lab ID : L688425-1
Date Analyzed : 03/06/26
Time : 20165 minutes

Parameter	MDL ng	LOQ ng	Time minutes	Total ng	Total Qual	Conc ug/m3	ppbv	Dil Fact
Benzene	5	5.0	20165	16		1.2	0.38	1
Toluene	5	5.0	20165	50		4.8	1.3	1
Ethylbenzene	5	5.0	20165	7.1		0.76	0.18	1
m,p-Xylene	10	10.	20165	26		2.8	0.65	1
o-Xylene	5	5.0	20165	11		1.2	0.27	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA/NKP
Supervisor: TEM
Approved by : BHB

Date : 11-MAR-26



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 18-FEB-26
Date Received : 05-MAR-26

Account No.: 41031
Login No. : L688425
Date Analyzed : 06-MAR-26 - 07-MAR-26
Report ID : 1551739

Client ID : FLM 2
Date Sampled : 02/18/26

Lab ID : L688425-2
Date Analyzed : 03/06/26

Time : 20165 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20165	12		0.91	0.29	1
Toluene	5	5.0	20165	29		2.8	0.74	1
Ethylbenzene	5	5.0	20165	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20165	16		1.7	0.39	1
o-Xylene	5	5.0	20165	6.5		0.70	0.16	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA/NKP
Supervisor: TEM
Approved by : BHB

Date : 11-MAR-26



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 18-FEB-26
Date Received : 05-MAR-26

Account No.: 41031
Login No. : L688425
Date Analyzed : 06-MAR-26 - 07-MAR-26
Report ID : 1551739

Client ID : FLM 3
Date Sampled : 02/18/26

Lab ID : L688425-3
Date Analyzed : 03/06/26

Time : 20166 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20166	9.1		0.71	0.22	1
Toluene	5	5.0	20166	18		1.7	0.46	1
Ethylbenzene	5	5.0	20166	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20166	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20166	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA/NKP
Supervisor: TEM
Approved by : BHB

Date : 11-MAR-26



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 18-FEB-26
Date Received : 05-MAR-26

Account No.: 41031
Login No. : L688425
Date Analyzed : 06-MAR-26 - 07-MAR-26
Report ID : 1551739

Client ID : FLM 4
Date Sampled : 02/18/26

Lab ID : L688425-4
Date Analyzed : 03/06/26

Time : 20166 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20166	7.9		0.62	0.19	1
Toluene	5	5.0	20166	12		1.1	0.30	1
Ethylbenzene	5	5.0	20166	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20166	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20166	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA/NKP
Supervisor: TEM
Approved by : BHB

Date : 11-MAR-26



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 18-FEB-26
Date Received : 05-MAR-26

Account No.: 41031
Login No. : L688425
Date Analyzed : 06-MAR-26 - 07-MAR-26
Report ID : 1551739

Client ID : FLM 5
Date Sampled : 02/18/26

Lab ID : L688425-5
Date Analyzed : 03/06/26

Time : 20170 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20170	7.5		0.59	0.18	1
Toluene	5	5.0	20170	11		1.1	0.28	1
Ethylbenzene	5	5.0	20170	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20170	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20170	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA/NKP
Supervisor: TEM
Approved by : BHB

Date : 11-MAR-26



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 18-FEB-26
Date Received : 05-MAR-26

Account No.: 41031
Login No. : L688425
Date Analyzed : 06-MAR-26 - 07-MAR-26
Report ID : 1551739

Client ID : FLM 6
Date Sampled : 02/18/26

Lab ID : L688425-6
Date Analyzed : 03/06/26

Time : 20174 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20174	8.0		0.62	0.19	1
Toluene	5	5.0	20174	10		0.97	0.26	1
Ethylbenzene	5	5.0	20174	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20174	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20174	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA/NKP
Supervisor: TEM
Approved by : BHB

Date : 11-MAR-26



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 18-FEB-26
Date Received : 05-MAR-26

Account No.: 41031
Login No. : L688425
Date Analyzed : 06-MAR-26 - 07-MAR-26
Report ID : 1551739

Client ID : FLM 7
Date Sampled : 02/18/26

Lab ID : L688425-7
Date Analyzed : 03/06/26

Time : 20178 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20178	9.2		0.72	0.23	1
Toluene	5	5.0	20178	15		1.4	0.37	1
Ethylbenzene	5	5.0	20178	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20178	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20178	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA/NKP
Supervisor: TEM
Approved by : BHB

Date : 11-MAR-26



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 18-FEB-26
Date Received : 05-MAR-26

Account No.: 41031
Login No. : L688425
Date Analyzed : 06-MAR-26 - 07-MAR-26
Report ID : 1551739

Client ID : FLM 8
Date Sampled : 02/18/26

Lab ID : L688425-8
Date Analyzed : 03/06/26

Time : 20157 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20157	9.8		0.76	0.24	1
Toluene	5	5.0	20157	18		1.7	0.45	1
Ethylbenzene	5	5.0	20157	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20157	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20157	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA/NKP
Supervisor: TEM
Approved by : BHB

Date : 11-MAR-26



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 18-FEB-26
Date Received : 05-MAR-26

Account No.: 41031
Login No. : L688425
Date Analyzed : 06-MAR-26 - 07-MAR-26
Report ID : 1551739

Client ID : FLM 9
Date Sampled : 02/18/26

Lab ID : L688425-9
Date Analyzed : 03/06/26

Time : 20159 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20159	9.5		0.74	0.23	1
Toluene	5	5.0	20159	17		1.6	0.43	1
Ethylbenzene	5	5.0	20159	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20159	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20159	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA/NKP
Supervisor: TEM
Approved by : BHB

Date : 11-MAR-26



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 18-FEB-26
Date Received : 05-MAR-26

Account No.: 41031
Login No. : L688425
Date Analyzed : 06-MAR-26 - 07-MAR-26
Report ID : 1551739

Client ID : FLM 10
Date Sampled : 02/18/26

Lab ID : L688425-10
Date Analyzed : 03/06/26

Time : 20162 minutes

Parameter	MDL ng	LOQ ng	Time minutes	Total ng	Total Qual	Conc ug/m3	ppbv	Dil Fact
Benzene	5	5.0	20162	11		0.84	0.26	1
Toluene	5	5.0	20162	22		2.1	0.54	1
Ethylbenzene	5	5.0	20162	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20162	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20162	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA/NKP
Supervisor: TEM
Approved by : BHB

Date : 11-MAR-26



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 18-FEB-26
Date Received : 05-MAR-26

Account No.: 41031
Login No. : L688425
Date Analyzed : 06-MAR-26 - 07-MAR-26
Report ID : 1551739

Client ID : FLM 11
Date Sampled : 02/18/26

Lab ID : L688425-11
Date Analyzed : 03/06/26

Time : 20164 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20164	11		0.89	0.28	1
Toluene	5	5.0	20164	35		3.4	0.90	1
Ethylbenzene	5	5.0	20164	6.0		0.65	0.15	1
m,p-Xylene	10	10.	20164	23		2.5	0.57	1
o-Xylene	5	5.0	20164	9.1		0.98	0.23	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA/NKP
Supervisor: TEM
Approved by : BHB

Date : 11-MAR-26



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 18-FEB-26
Date Received : 05-MAR-26

Account No.: 41031
Login No. : L688425
Date Analyzed : 06-MAR-26 - 07-MAR-26
Report ID : 1551739

Client ID : FLM 12
Date Sampled : 02/18/26

Lab ID : L688425-12
Date Analyzed : 03/06/26
Time : 20166 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20166	12		0.91	0.29	1
Toluene	5	5.0	20166	30		2.9	0.77	1
Ethylbenzene	5	5.0	20166	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20166	15		1.6	0.37	1
o-Xylene	5	5.0	20166	5.8		0.63	0.15	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA/NKP
Supervisor: TEM
Approved by : BHB

Date : 11-MAR-26



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 18-FEB-26
Date Received : 05-MAR-26

Account No.: 41031
Login No. : L688425
Date Analyzed : 06-MAR-26 - 07-MAR-26
Report ID : 1551739

Client ID : FLM 13-DUP (10)
Date Sampled : 02/18/26

Lab ID : L688425-13
Date Analyzed : 03/06/26

Time : 20165 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20165	15		1.2	0.38	1
Toluene	5	5.0	20165	49		4.7	1.2	1
Ethylbenzene	5	5.0	20165	6.8		0.73	0.17	1
m,p-Xylene	10	10.	20165	25		2.7	0.62	1
o-Xylene	5	5.0	20165	9.6		1.0	0.24	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA/NKP
Supervisor: TEM
Approved by : BHB

Date : 11-MAR-26



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 18-FEB-26
Date Received : 05-MAR-26

Account No.: 41031
Login No. : L688425
Date Analyzed : 06-MAR-26 - 07-MAR-26
Report ID : 1551739

Client ID : FLM 14-DUP (3)
Date Sampled : 02/18/26

Lab ID : L688425-14
Date Analyzed : 03/06/26

Time : 20169 minutes

Parameter	MDL ng	LOQ ng	Time minutes	Total ng	Total Qual	Conc ug/m3	ppbv	Dil Fact
Benzene	5	5.0	20169	9.5		0.74	0.23	1
Toluene	5	5.0	20169	16		1.6	0.41	1
Ethylbenzene	5	5.0	20169	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20169	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20169	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA/NKP
Supervisor: TEM
Approved by : BHB

Date : 11-MAR-26



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 18-FEB-26
Date Received : 05-MAR-26

Account No.: 41031
Login No. : L688425
Date Analyzed : 06-MAR-26 - 07-MAR-26
Report ID : 1551739

Client ID : FLM 15-BLANK (11) Lab ID : L688425-15 Time : 20167 minutes
Date Sampled : 02/18/26 Date Analyzed : 03/06/26

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20167	ND	U	<0.37	<0.12	1
Toluene	5	5.0	20167	ND	U	<0.48	<0.13	1
Ethylbenzene	5	5.0	20167	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20167	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20167	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS Submitted by: EEA/NKP Date : 11-MAR-26
Collection Media : Carbopack X Supervisor: TEM Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 18-FEB-26
Date Received : 05-MAR-26

Account No.: 41031
Login No. : L688425
Date Analyzed : 06-MAR-26 - 07-MAR-26
Report ID : 1551739

Client ID : FLM 16-BLANK (2)
Date Sampled : 02/18/26

Lab ID : L688425-16
Date Analyzed : 03/07/26

Time : 20168 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20168	ND	U	<0.37	<0.12	1
Toluene	5	5.0	20168	ND	U	<0.48	<0.13	1
Ethylbenzene	5	5.0	20168	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20168	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20168	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA/NKP
Supervisor: TEM
Approved by : BHB

Date : 11-MAR-26



GALSON

LABORATORY FOOTNOTE REPORT

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.ssgsgalson.com

Client Name : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008

Date Sampled : 18-FEB-26
Date Received: 05-MAR-26
Date Analyzed: 06-MAR-26 - 07-MAR-26

Account No.: 41031
Login No. : L688425

L688425 (Report ID: 1551739):

EPA qualifiers are as follows:
U - Compound was analyzed for, but not detected.
J - Compound was found greater than the MDL, but less than the LOQ.
B - Compound is found in the associated method blank as well as in the sample.
SOPs: MS-SOP-17(15)

L688425-10,13 (Report ID: 1551739):

Sample and Duplicate Relative Percent Difference(RPD) exceeded 30% for Benzene,Toluene,Ethylbenzene, m&p xylene and o-xylene at 33%,77%,88%,95% and 91% respectively.

L688425-3,14 (Report ID: 1551739):

Sample and Duplicate Relative Percent Difference(RPD) exceeded 30% for Ethylbenzene, m&p xylene

L688425 (Report ID: 1551739):

and o-xylene at 31%,41% and 40% respectively.

L688425 (Report ID: 1551739):

Accuracy and mean recovery data presented below is based on a 95% confidence interval (k=2). The estimated accuracy applies to the media, technology, and SOP referenced in this report and does not account for the uncertainty associated with the sampling process. The accuracy is based solely on spike recovery data from internal quality control samples. Where N/A appears below, insufficient data is available to provide statistical accuracy and mean recovery values for the associated analyte.

Parameter	Accuracy	Mean Recovery
Benzene	+/-16.4%	99.9%
Ethylbenzene	+/-18.7%	101%
m,p-Xylenes	+/-21.6%	102%
o-Xylene	+/-22.8%	100%
Toluene	+/-16.1%	99.3%

Parameter	Method
Benzene	mod. EPA 325B; GCMS
Ethylbenzene	mod. EPA 325B; GCMS
Toluene	mod. EPA 325B; GCMS
m,p-Xylene	mod. EPA 325B; GCMS
o-Xylene	mod. EPA 325B; GCMS

SGS

GALSON

Client Acct. No.

41031

EPA 325A Fenceline Monitoring

116

Report To:

Jason Patterson

Company Name:

Haley Ward Inc.

Address 1:

1 Marchants Plaza

Address 2:

Suite 701

City, State, Zip:

Bangor, ME 04401

Cell No.:

207-214-0141

Email Report to:

jpatterson@haleyward.com

Invoice To:

Accounts Payable-Julie

Company Name:

Haley Ward Inc.

Address 1:

1 Marchants Plaza

Address 2:

Suite 701

City, State, Zip:

Bangor, ME 04401

Email Address:

joreskovich@haleyward.com

P.O. No:

Payment Info:

☐ Will Phone in Credit Card Information☐ Credit Card on File

Prep No.:

PSY788299

121043178441686844

Date: 03/05/26

Shipper: UPS

Initials: MMM



Prep: UNKNOWN

Complete shaded portions and return to the lab with the samples.*

Average Ambient Temperature:

22.49°F

Average Barometric Pressure:

29.80 in Hg

Site Name: Cold Brook Energy		Project: 10142.008			Sampled By: CGD/JWP	
Sample Identification*	Manufacturer ID	Collection Medium	Date/Time Deployed (Military Time)	Date/Time Retrieved (Military Time)	Analysis Requested	Method
FLM 1	C53928	Carbopack X	2/18/26 1300	3/4/26 1305	BTEX	MOD. EPA325B: GCMS
FLM 2	C55843	Carbopack X	1303	1308	BTEX	MOD. EPA325B: GCMS
FLM 3	C60069	Carbopack X	1306	1312	BTEX	MOD. EPA325B: GCMS
FLM 4	C56968	Carbopack X	1312	1318	BTEX	MOD. EPA325B: GCMS
FLM 5	C66740	Carbopack X	1314	1324	BTEX	MOD. EPA325B: GCMS
FLM 6	C56962	Carbopack X	1317	1331	BTEX	MOD. EPA325B: GCMS
FLM 7	C56910	Carbopack X	1319	1337	BTEX	MOD. EPA325B: GCMS
FLM 8	C57013	Carbopack X	1243	1240	BTEX	MOD. EPA325B: GCMS
FLM 9	C53703	Carbopack X	1246	1245	BTEX	MOD. EPA325B: GCMS
FLM 10	C60057	Carbopack X	1249	1251	BTEX	MOD. EPA325B: GCMS
FLM 11	C60325	Carbopack X	1252	1256	BTEX	MOD. EPA325B: GCMS

Chain of Custody

Print Name

Signature

Date/Time

Relinquished by:

JASON PATTERSON

Received by LAB:

Megan M. McGrath

3/4/26 1500

3/5/26 @ 10:41A

*Required fields, failure to complete these fields may result in a delay in your samples being processed.

Page 20 of 21

Report Reference: 1 Generated: 11-MAR-26 10:08

Samples received after 3pm will be considered as next day's business.

Page 1 of 2

Complete shaded portions and return to the lab with the samples.*

Page 21 of 21 Report Reference:1 Generated:11-MAR-26 10:08

Chloe Desmond
Haley Ward Inc.
cdesmond@haleyward.com

March 27, 2026

Account# 41031

Login# L689829

Dear Chloe Desmond:

Enclosed are the analytical results for the samples received by our laboratory on March 20, 2026. All samples on the chain of custody were received in good condition unless otherwise noted. Any additional observations will be noted on the chain of custody.

Please contact client services at (888) 432-5227 if you would like any additional information regarding this report. Thank you for using SGS Galson.

Sincerely,

SGS Galson



Lisa Swab
Laboratory Director

Enclosure(s)

Terms and Conditions & General Disclaimers

- This document is issued by the Company under its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.
- Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Analytical Disclaimers

- Unless otherwise noted within the report, all quality control results associated with the samples were within established control limits or did not impact reported results.
- Note: The findings recorded within this report were drawn from analysis of the sample(s) provided to the laboratory by the Client (or a third party acting at the Client's direction). The laboratory does not have control over the sampling process, including but not limited to the use of field equipment and collection media, as well as the sampling duration, collection volume or any other collection parameter used by the Client. The findings herein constitute no warranty of the sample's representativeness of any sampled environment, and strictly relate to the samples as they were presented to the laboratory. For recommended sampling collection parameters, please refer to the Sampling and Analysis Guide at www.sgsgalson.com.
- Unrounded results are carried through the calculations that yield the final result and the final result is rounded to the number of significant figures appropriate to the accuracy of the analytical method. Please note that results appearing in the columns preceding the final result column may have been rounded and therefore, if carried through the calculations, may not yield an identical final result to the one reported.
- The stated LOQs for each analyte represent the demonstrated LOQ concentrations prior to correction for desorption efficiency (if applicable).
- Unless otherwise noted within the report, results have not been blank corrected for any field blank or method blank data.

Accreditations SGS Galson holds a variety of accreditations and recognitions. Our quality management system conforms with the requirements of ISO/IEC 17025. Where applicable, samples may also be analyzed in accordance with the requirements of ELAP, NELAC, or LELAP under one of the state accrediting bodies listed below. Current Scopes of Accreditation can be viewed at <http://www.sgsgalson.com> in the accreditations section of the "About" page. To determine if the analyte tested falls under our scope of accreditation, please visit our website or call Client Services at (888) 432-5227.

National/International	Accreditation/Recognition	Lab ID#	Program/Sector
AIHA-LAP, LLC - IHLAP, ELLAP, EMLAP	ISO/IEC 17025 and USEPA NLLAP	Lab ID 100324	Industrial Hygiene, Environmental Lead, Environmental Microbiology

State	Accreditation/Recognition	Lab ID#	Program/Sector
New York (NYSDOH)	ELAP and NELAC (TNI)	Lab ID: 11626	Air Analysis, Solid and Hazardous Waste
Louisiana (LDEQ)	LELAP	Lab ID: 04083	Air Analysis, Solid Chemical Materials

Legend

< - Less than	mg - Milligrams	MDL - Method Detection Limit	ppb - Parts per Billion
> - Greater than	ug - Micrograms	NA - Not Applicable	ppm - Parts per Million
l - Liters	m3 - Cubic Meters	NS - Not Specified	ppbv - ppb Volume
LOQ - Limit of Quantitation	kg - Kilograms	ND - Not Detected	ppmv - ppm Volume
ft2 - Square Feet	cm2 - Square Centimeters	in2 - Square Inches	ng - Nanograms



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 04-MAR-26
Date Received : 20-MAR-26

Account No.: 41031
Login No. : L689829
Date Analyzed : 26-MAR-26 - 27-MAR-26
Report ID : 1555523

Client ID : FLM 1
Date Sampled : 03/04/26

Lab ID : L689829-1
Date Analyzed : 03/26/26
Time : 20134 minutes

Parameter	MDL ng	LOQ ng	Time minutes	Total ng	Total Qual	Conc ug/m3	ppbv	Dil Fact
Benzene	5	5.0	20134	11		0.83	0.26	1
Toluene	5	5.0	20134	22		2.1	0.57	1
Ethylbenzene	5	5.0	20134	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20134	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20134	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: NKP
Supervisor: TEM

Date : 27-MAR-26

Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 04-MAR-26
Date Received : 20-MAR-26

Account No.: 41031
Login No. : L689829
Date Analyzed : 26-MAR-26 - 27-MAR-26
Report ID : 1555523

Client ID : FLM 2
Date Sampled : 03/04/26

Lab ID : L689829-2
Date Analyzed : 03/26/26

Time : 20133 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20133	9.7		0.75	0.24	1
Toluene	5	5.0	20133	18		1.7	0.45	1
Ethylbenzene	5	5.0	20133	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20133	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20133	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS

Submitted by: NKP

Date : 27-MAR-26

Collection Media : Carbopack X

Supervisor: TEM

Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 04-MAR-26
Date Received : 20-MAR-26

Account No.: 41031
Login No. : L689829
Date Analyzed : 26-MAR-26 - 27-MAR-26
Report ID : 1555523

Client ID : FLM 3
Date Sampled : 03/04/26

Lab ID : L689829-3
Date Analyzed : 03/26/26

Time : 20133 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20133	7.9		0.61	0.19	1
Toluene	5	5.0	20133	13		1.2	0.32	1
Ethylbenzene	5	5.0	20133	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20133	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20133	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: NKP
Supervisor: TEM

Date : 27-MAR-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 04-MAR-26
Date Received : 20-MAR-26

Account No.: 41031
Login No. : L689829
Date Analyzed : 26-MAR-26 - 27-MAR-26
Report ID : 1555523

Client ID : FLM 4
Date Sampled : 03/04/26

Lab ID : L689829-4
Date Analyzed : 03/26/26

Time : 20130 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20130	9.3		0.71	0.22	1
Toluene	5	5.0	20130	14		1.3	0.35	1
Ethylbenzene	5	5.0	20130	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20130	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20130	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: NKP
Supervisor: TEM

Date : 27-MAR-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 04-MAR-26
Date Received : 20-MAR-26

Account No.: 41031
Login No. : L689829
Date Analyzed : 26-MAR-26 - 27-MAR-26
Report ID : 1555523

Client ID : FLM 5
Date Sampled : 03/04/26

Lab ID : L689829-5
Date Analyzed : 03/26/26

Time : 20127 minutes

Parameter	MDL ng	LOQ ng	Time minutes	Total ng	Total Qual	Conc ug/m3	ppbv	Dil Fact
Benzene	5	5.0	20127	8.2		0.63	0.20	1
Toluene	5	5.0	20127	10		0.98	0.26	1
Ethylbenzene	5	5.0	20127	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20127	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20127	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: NKP
Supervisor: TEM

Date : 27-MAR-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 04-MAR-26
Date Received : 20-MAR-26

Account No.: 41031
Login No. : L689829
Date Analyzed : 26-MAR-26 - 27-MAR-26
Report ID : 1555523

Client ID : FLM 6
Date Sampled : 03/04/26

Lab ID : L689829-6
Date Analyzed : 03/26/26

Time : 20124 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20124	7.9		0.61	0.19	1
Toluene	5	5.0	20124	12		1.1	0.29	1
Ethylbenzene	5	5.0	20124	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20124	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20124	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: NKP
Supervisor: TEM

Date : 27-MAR-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 04-MAR-26
Date Received : 20-MAR-26

Account No.: 41031
Login No. : L689829
Date Analyzed : 26-MAR-26 - 27-MAR-26
Report ID : 1555523

Client ID : FLM 7
Date Sampled : 03/04/26

Lab ID : L689829-7
Date Analyzed : 03/26/26
Time : 20121 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20121	8.7		0.67	0.21	1
Toluene	5	5.0	20121	13		1.3	0.34	1
Ethylbenzene	5	5.0	20121	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20121	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20121	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: NKP
Supervisor: TEM

Date : 27-MAR-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 04-MAR-26
Date Received : 20-MAR-26

Account No.: 41031
Login No. : L689829
Date Analyzed : 26-MAR-26 - 27-MAR-26
Report ID : 1555523

Client ID : FLM 8
Date Sampled : 03/04/26

Lab ID : L689829-8
Date Analyzed : 03/26/26

Time : 20141 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20141	10		0.77	0.24	1
Toluene	5	5.0	20141	21		2.0	0.52	1
Ethylbenzene	5	5.0	20141	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20141	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20141	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: NKP
Supervisor: TEM

Date : 27-MAR-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 04-MAR-26
Date Received : 20-MAR-26

Account No.: 41031
Login No. : L689829
Date Analyzed : 26-MAR-26 - 27-MAR-26
Report ID : 1555523

Client ID : FLM 9
Date Sampled : 03/04/26

Lab ID : L689829-9
Date Analyzed : 03/26/26

Time : 20139 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20139	11		0.86	0.27	1
Toluene	5	5.0	20139	30		2.9	0.77	1
Ethylbenzene	5	5.0	20139	6.3		0.68	0.16	1
m,p-Xylene	10	10.	20139	24		2.5	0.58	1
o-Xylene	5	5.0	20139	8.3		0.90	0.21	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: NKP
Supervisor: TEM

Date : 27-MAR-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 04-MAR-26
Date Received : 20-MAR-26

Account No.: 41031
Login No. : L689829
Date Analyzed : 26-MAR-26 - 27-MAR-26
Report ID : 1555523

Client ID : FLM 10
Date Sampled : 03/04/26

Lab ID : L689829-10
Date Analyzed : 03/26/26

Time : 20136 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20136	20		1.5	0.47	1
Toluene	5	5.0	20136	69		6.6	1.7	1
Ethylbenzene	5	5.0	20136	8.8		0.95	0.22	1
m,p-Xylene	10	10.	20136	30		3.3	0.75	1
o-Xylene	5	5.0	20136	12		1.3	0.30	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: NKP
Supervisor: TEM

Date : 27-MAR-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 04-MAR-26
Date Received : 20-MAR-26

Account No.: 41031
Login No. : L689829
Date Analyzed : 26-MAR-26 - 27-MAR-26
Report ID : 1555523

Client ID : FLM 11
Date Sampled : 03/04/26

Lab ID : L689829-11
Date Analyzed : 03/26/26

Time : 20135 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20135	14		1.1	0.31	1
Toluene	5	5.0	20135	48		4.6	1.2	1
Ethylbenzene	5	5.0	20135	6.6		0.72	0.16	1
m,p-Xylene	10	10.	20135	22		2.4	0.56	1
o-Xylene	5	5.0	20135	9.1		0.98	0.23	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: NKP
Supervisor: TEM

Date : 27-MAR-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 04-MAR-26
Date Received : 20-MAR-26

Account No.: 41031
Login No. : L689829
Date Analyzed : 26-MAR-26 - 27-MAR-26
Report ID : 1555523

Client ID : FLM 12
Date Sampled : 03/04/26

Lab ID : L689829-12
Date Analyzed : 03/26/26

Time : 20132 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20132	12		0.93	0.29	1
Toluene	5	5.0	20132	40		3.8	1.0	1
Ethylbenzene	5	5.0	20132	5.7		0.62	0.14	1
m,p-Xylene	10	10.	20132	20		2.1	0.49	1
o-Xylene	5	5.0	20132	7.6		0.82	0.19	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: NKP
Supervisor: TEM

Date : 27-MAR-26

Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 04-MAR-26
Date Received : 20-MAR-26

Account No.: 41031
Login No. : L689829
Date Analyzed : 26-MAR-26 - 27-MAR-26
Report ID : 1555523

Client ID : FLM 13-DUP (11)
Date Sampled : 03/04/26

Lab ID : L689829-13
Date Analyzed : 03/27/26

Time : 20135 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20135	13		1.0	0.31	1
Toluene	5	5.0	20135	46		4.4	1.2	1
Ethylbenzene	5	5.0	20135	6.3		0.68	0.16	1
m,p-Xylene	10	10.	20135	22		2.4	0.55	1
o-Xylene	5	5.0	20135	8.5		0.92	0.21	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: NKP
Supervisor: TEM

Date : 27-MAR-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 04-MAR-26
Date Received : 20-MAR-26

Account No.: 41031
Login No. : L689829
Date Analyzed : 26-MAR-26 - 27-MAR-26
Report ID : 1555523

Client ID : FLM 14-DUP (4)
Date Sampled : 03/04/26

Lab ID : L689829-14
Date Analyzed : 03/27/26

Time : 20130 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20130	7.9		0.61	0.19	1
Toluene	5	5.0	20130	12		1.1	0.29	1
Ethylbenzene	5	5.0	20130	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20130	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20130	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: NKP
Supervisor: TEM

Date : 27-MAR-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 04-MAR-26
Date Received : 20-MAR-26

Account No.: 41031
Login No. : L689829
Date Analyzed : 26-MAR-26 - 27-MAR-26
Report ID : 1555523

Client ID : FLM 15-BLANK (12) Lab ID : L689829-15 Time : 20132 minutes
Date Sampled : 03/04/26 Date Analyzed : 03/26/26

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20132	ND	U	<0.37	<0.12	1
Toluene	5	5.0	20132	ND	U	<0.48	<0.13	1
Ethylbenzene	5	5.0	20132	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20132	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20132	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS Submitted by: NKP Date : 27-MAR-26
Collection Media : Carbopack X Supervisor: TEM Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008
Date Sampled : 04-MAR-26
Date Received : 20-MAR-26

Account No.: 41031
Login No. : L689829
Date Analyzed : 26-MAR-26 - 27-MAR-26
Report ID : 1555523

Client ID : FLM 16-BLANK (3)
Date Sampled : 03/04/26

Lab ID : L689829-16
Date Analyzed : 03/27/26

Time : 20133 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20133	ND	U	<0.37	<0.12	1
Toluene	5	5.0	20133	ND	U	<0.48	<0.13	1
Ethylbenzene	5	5.0	20133	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20133	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20133	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: NKP
Supervisor: TEM

Date : 27-MAR-26
Approved by : BHB



GALSON

LABORATORY FOOTNOTE REPORT

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client Name : Haley Ward Inc.
Site : COLDBROOK ENERGY
Project No. : 10142.008

Date Sampled : 04-MAR-26
Date Received: 20-MAR-26
Date Analyzed: 26-MAR-26 - 27-MAR-26

Account No.: 41031
Login No. : L689829

L689829 (Report ID: 1555523):

EPA qualifiers are as follows:

U - Compound was analyzed for, but not detected.

J - Compound was found greater than the MDL, but less than the LOQ.

B - Compound is found in the associated method blank as well as in the sample.

SOPs: MS-SOP-17(16)

L689829 (Report ID: 1555523):

Accuracy and mean recovery data presented below is based on a 95% confidence interval (k=2). The estimated accuracy applies to the media, technology, and SOP referenced in this report and does not account for the uncertainty associated with the sampling process. The accuracy is based solely on spike recovery data from internal quality control samples. Where N/A appears below, insufficient data is available to provide statistical accuracy and mean recovery values for the associated analyte.

Parameter	Accuracy	Mean Recovery
Benzene	+/-16.4%	99.9%
Ethylbenzene	+/-18.7%	101%
Toluene	+/-16.1%	99.3%
m,p-Xylenes	+/-21.6%	102%
o-Xylene	+/-22.8%	100%

Parameter	Method
Benzene	mod. EPA 325B; GCMS
Ethylbenzene	mod. EPA 325B; GCMS
Toluene	mod. EPA 325B; GCMS
m,p-Xylene	mod. EPA 325B; GCMS
o-Xylene	mod. EPA 325B; GCMS

SGS GALSON

LL69829

Client Acct. No.

41031

EPA 325A Fenceline Monitoring

Report To:

Chloe Desmond

Company Name:

Haley Ward Inc.

Address 1:

1 Marchants Plaza

Address 2:

Suite 701

City, State, Zip:

Bangor, ME 04401

Cell No.:

207-214-0141

Email Report to:

cdesmond@haleyward.com

Invoice To:

Accounts Payable-Julie

Company Name:

Haley Ward Inc.

Address 1:

1 Marchants Plaza

Address 2:

Suite 701

City, State, Zip:

Bangor, ME 04401

Email Address:

joreskovich@haleyward.com

P.O. No:

Payment Info:

☐ Will Phone in Credit Card Information☐ Credit Card on File

Need Results By*:

(surcharge)

☒	5 Business Days	0%
☐	4 Business Days	35%
☐	3 Business Days	50%
☐	2 Business Days	75%
☐	Next Day by 6pm	100%
☐	Next Day by Noon	150%
☐	Same day	200%

121043178742068077

Date: 03/20/26

Shipper: UPS

Initials: BCF



Prep: UNKNOWN

Comments:

Portions and return to the lab with the samples.*

Average Ambient Temperature:

36.33 °F

Average Barometric Pressure:

29.77 Hg

Site Name:

Cold Brook Energy

Project:

10/42.008

Sampled By:

JNP/CGD

Sample Identification*	Manufacturer ID	Collection Medium	Date/Time Deployed (Military Time)	Date/Time Retrieved (Military Time)	Analysis Requested	Method
FLM 1	C54296	Carbopack X	3/9/26 1306	3/18/26 1240	BTEX	MOD. EPA325B: GCMS
FLM 2	C40214	Carbopack X	1310	1243	BTEX	MOD. EPA325B: GCMS
FLM 3	C41401	Carbopack X	1314	1247	BTEX	MOD. EPA325B: GCMS
FLM 4	C41419	Carbopack X	1320	1250	BTEX	MOD. EPA325B: GCMS
FLM 5	C41456	Carbopack X	1326	1253	BTEX	MOD. EPA325B: GCMS
FLM 6	C41465	Carbopack X	1333	1257	BTEX	MOD. EPA325B: GCMS
FLM 7	C40275	Carbopack X	1339	1300	BTEX	MOD. EPA325B: GCMS
FLM 8	C66777	Carbopack X	1242	1223	BTEX	MOD. EPA325B: GCMS
FLM 9	C41410	Carbopack X	1247	1226	BTEX	MOD. EPA325B: GCMS
FLM 10	C60312	Carbopack X	1253	1229	BTEX	MOD. EPA325B: GCMS
FLM 11	C40255	Carbopack X	1258	1233	BTEX	MOD. EPA325B: GCMS

Chain of Custody

Print Name

Signature

Date/Time

Relinquished by:

Chloe Desmond

Chloe Desmond

3/18/26 1357

Received by LAB:

Bill Fischer

Bill Fischer

20 Mar 26 / 1058

*Required fields, failure to complete these fields may result in a delay in your samples being processed.

Page 1 of 2

Samples received after 3pm will be considered as next day's business.

Complete shaded portions and return to the lab with the samples.*

[illegible]

Chain of Custody	Print Name	Signature	Date/Time
Relinquished by :	Chloe Desmond	<i>[Signature]</i>	3/18/26 1357
Received by LAB :		Bill Fischer <i>[Signature]</i>	80mar26/1058
*Required fields; failure to complete these fields may result in a delay in your samples being processed.		Page <u>2</u> of <u>2</u> Samples received after 3pm will be considered as next day's business.	



GALSON

Chloe Desmond
Haley Ward Inc.
1 Merchants Plaza
Suite 701
Bangor, ME 04401

January 13, 2026

Account# 41031

Login# L683859

Dear Chloe Desmond:

Enclosed are the analytical results for the samples received by our laboratory on January 09, 2026. All samples on the chain of custody were received in good condition unless otherwise noted. Any additional observations will be noted on the chain of custody.

Please contact client services at (888) 432-5227 if you would like any additional information regarding this report. Thank you for using SGS Galson.

Sincerely,

SGS Galson

A handwritten signature in black ink that reads 'Lisa Swab'. The signature is written in a cursive, flowing style.

Lisa Swab
Laboratory Director

Enclosure(s)

Terms and Conditions & General Disclaimers

- This document is issued by the Company under its General Conditions of Service accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein.
- Any holder of this document is advised that information contained herein reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Analytical Disclaimers

- Unless otherwise noted within the report, all quality control results associated with the samples were within established control limits or did not impact reported results.
- Note: The findings recorded within this report were drawn from analysis of the sample(s) provided to the laboratory by the Client (or a third party acting at the Client's direction). The laboratory does not have control over the sampling process, including but not limited to the use of field equipment and collection media, as well as the sampling duration, collection volume or any other collection parameter used by the Client. The findings herein constitute no warranty of the sample's representativeness of any sampled environment, and strictly relate to the samples as they were presented to the laboratory. For recommended sampling collection parameters, please refer to the Sampling and Analysis Guide at www.sgsgalson.com.
- Unrounded results are carried through the calculations that yield the final result and the final result is rounded to the number of significant figures appropriate to the accuracy of the analytical method. Please note that results appearing in the columns preceding the final result column may have been rounded and therefore, if carried through the calculations, may not yield an identical final result to the one reported.
- The stated LOQs for each analyte represent the demonstrated LOQ concentrations prior to correction for desorption efficiency (if applicable).
- Unless otherwise noted within the report, results have not been blank corrected for any field blank or method blank data.

Accreditations SGS Galson holds a variety of accreditations and recognitions. Our quality management system conforms with the requirements of ISO/IEC 17025. Where applicable, samples may also be analyzed in accordance with the requirements of ELAP, NELAC, or LELAP under one of the state accrediting bodies listed below. Current Scopes of Accreditation can be viewed at <http://www.sgsgalson.com> in the accreditations section of the "About" page. To determine if the analyte tested falls under our scope of accreditation, please visit our website or call Client Services at (888) 432-5227.

National/International	Accreditation/Recognition	Lab ID#	Program/Sector
AIHA-LAP, LLC - IHLAP, ELLAP, EMLAP	ISO/IEC 17025 and USEPA NLLAP	Lab ID 100324	Industrial Hygiene, Environmental Lead, Environmental Microbiology

State	Accreditation/Recognition	Lab ID#	Program/Sector
New York (NYSDOH)	ELAP and NELAC (TNI)	Lab ID: 11626	Air Analysis, Solid and Hazardous Waste
Louisiana (LDEQ)	LELAP	Lab ID: 04083	Air Analysis, Solid Chemical Materials

Legend

< - Less than	mg - Milligrams	MDL - Method Detection Limit	ppb - Parts per Billion
> - Greater than	ug - Micrograms	NA - Not Applicable	ppm - Parts per Million
l - Liters	m3 - Cubic Meters	NS - Not Specified	ppbv - ppb Volume
LOQ - Limit of Quantitation	kg - Kilograms	ND - Not Detected	ppmv - ppm Volume
ft2 - Square Feet	cm2 - Square Centimeters	in2 - Square Inches	ng - Nanograms



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 24-DEC-25
Date Received : 09-JAN-26

Account No.: 41031
Login No. : L683859
Date Analyzed : 12-JAN-26 - 13-JAN-26
Report ID : 1542926

Client ID : FLM 1
Date Sampled : 12/24/25

Lab ID : L683859-1
Date Analyzed : 01/12/26
Time : 20122 minutes

Parameter	MDL ng	LOQ ng	Time minutes	Total ng	Total Qual	Conc ug/m3	ppbv	Dil Fact
Benzene	5	5.0	20122	13		1.0	0.31	1
Toluene	5	5.0	20122	21		2.0	0.54	1
Ethylbenzene	5	5.0	20122	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20122	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20122	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 13-JAN-26

Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 24-DEC-25
Date Received : 09-JAN-26

Account No.: 41031
Login No. : L683859
Date Analyzed : 12-JAN-26 - 13-JAN-26
Report ID : 1542926

Client ID : FLM 2
Date Sampled : 12/24/25

Lab ID : L683859-2
Date Analyzed : 01/12/26

Time : 20121 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20121	13		1.0	0.31	1
Toluene	5	5.0	20121	19		1.9	0.49	1
Ethylbenzene	5	5.0	20121	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20121	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20121	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 13-JAN-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 24-DEC-25
Date Received : 09-JAN-26

Account No.: 41031
Login No. : L683859
Date Analyzed : 12-JAN-26 - 13-JAN-26
Report ID : 1542926

Client ID : FLM 3
Date Sampled : 12/24/25

Lab ID : L683859-3
Date Analyzed : 01/12/26
Time : 20121 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20121	13		1.1	0.34	1
Toluene	5	5.0	20121	22		2.1	0.56	1
Ethylbenzene	5	5.0	20121	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20121	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20121	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 13-JAN-26

Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 24-DEC-25
Date Received : 09-JAN-26

Account No.: 41031
Login No. : L683859
Date Analyzed : 12-JAN-26 - 13-JAN-26
Report ID : 1542926

Client ID : FLM 4
Date Sampled : 12/24/25

Lab ID : L683859-4
Date Analyzed : 01/12/26
Time : 20120 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20120	11		0.83	0.26	1
Toluene	5	5.0	20120	16		1.6	0.41	1
Ethylbenzene	5	5.0	20120	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20120	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20120	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 13-JAN-26

Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 24-DEC-25
Date Received : 09-JAN-26

Account No.: 41031
Login No. : L683859
Date Analyzed : 12-JAN-26 - 13-JAN-26
Report ID : 1542926

Client ID : FLM 5
Date Sampled : 12/24/25

Lab ID : L683859-5
Date Analyzed : 01/12/26

Time : 20120 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20120	12		0.92	0.29	1
Toluene	5	5.0	20120	16		1.5	0.40	1
Ethylbenzene	5	5.0	20120	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20120	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20120	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 13-JAN-26

Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 24-DEC-25
Date Received : 09-JAN-26

Account No.: 41031
Login No. : L683859
Date Analyzed : 12-JAN-26 - 13-JAN-26
Report ID : 1542926

Client ID : FLM 6
Date Sampled : 12/24/25

Lab ID : L683859-6
Date Analyzed : 01/12/26
Time : 20119 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20119	11		0.89	0.28	1
Toluene	5	5.0	20119	17		1.7	0.44	1
Ethylbenzene	5	5.0	20119	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20119	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20119	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 13-JAN-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 24-DEC-25
Date Received : 09-JAN-26

Account No.: 41031
Login No. : L683859
Date Analyzed : 12-JAN-26 - 13-JAN-26
Report ID : 1542926

Client ID : FLM 7
Date Sampled : 12/24/25

Lab ID : L683859-7
Date Analyzed : 01/12/26
Time : 20119 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20119	12		0.92	0.29	1
Toluene	5	5.0	20119	18		1.7	0.46	1
Ethylbenzene	5	5.0	20119	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20119	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20119	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 13-JAN-26

Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 24-DEC-25
Date Received : 09-JAN-26

Account No.: 41031
Login No. : L683859
Date Analyzed : 12-JAN-26 - 13-JAN-26
Report ID : 1542926

Client ID : FLM 8
Date Sampled : 12/24/25

Lab ID : L683859-8
Date Analyzed : 01/12/26

Time : 20118 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20118	14		1.1	0.34	1
Toluene	5	5.0	20118	29		2.8	0.75	1
Ethylbenzene	5	5.0	20118	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20118	10		1.1	0.26	1
o-Xylene	5	5.0	20118	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 13-JAN-26

Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 24-DEC-25
Date Received : 09-JAN-26

Account No.: 41031
Login No. : L683859
Date Analyzed : 12-JAN-26 - 13-JAN-26
Report ID : 1542926

Client ID : FLM 9
Date Sampled : 12/24/25

Lab ID : L683859-9
Date Analyzed : 01/12/26

Time : 20119 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20119	24		1.9	0.60	1
Toluene	5	5.0	20119	98		9.4	2.5	1
Ethylbenzene	5	5.0	20119	14		1.5	0.34	1
m,p-Xylene	10	10.	20119	40		4.3	1.0	1
o-Xylene	5	5.0	20119	15		1.6	0.37	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 13-JAN-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 24-DEC-25
Date Received : 09-JAN-26

Account No.: 41031
Login No. : L683859
Date Analyzed : 12-JAN-26 - 13-JAN-26
Report ID : 1542926

Client ID : FLM 10
Date Sampled : 12/24/25

Lab ID : L683859-10
Date Analyzed : 01/12/26

Time : 20119 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20119	17		1.3	0.41	1
Toluene	5	5.0	20119	36		3.4	0.91	1
Ethylbenzene	5	5.0	20119	5.2		0.56	0.13	1
m,p-Xylene	10	10.	20119	14		1.5	0.34	1
o-Xylene	5	5.0	20119	5.6		0.60	0.14	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 13-JAN-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 24-DEC-25
Date Received : 09-JAN-26

Account No.: 41031
Login No. : L683859
Date Analyzed : 12-JAN-26 - 13-JAN-26
Report ID : 1542926

Client ID : FLM 11
Date Sampled : 12/24/25

Lab ID : L683859-11
Date Analyzed : 01/12/26

Time : 20120 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20120	13		1.0	0.31	1
Toluene	5	5.0	20120	27		2.5	0.67	1
Ethylbenzene	5	5.0	20120	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20120	12		1.3	0.30	1
o-Xylene	5	5.0	20120	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 13-JAN-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 24-DEC-25
Date Received : 09-JAN-26

Account No.: 41031
Login No. : L683859
Date Analyzed : 12-JAN-26 - 13-JAN-26
Report ID : 1542926

Client ID : FLM 12
Date Sampled : 12/24/25

Lab ID : L683859-12
Date Analyzed : 01/12/26

Time : 20120 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20120	13		1.1	0.31	1
Toluene	5	5.0	20120	26		2.5	0.67	1
Ethylbenzene	5	5.0	20120	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20120	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20120	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 13-JAN-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 24-DEC-25
Date Received : 09-JAN-26

Account No.: 41031
Login No. : L683859
Date Analyzed : 12-JAN-26 - 13-JAN-26
Report ID : 1542926

Client ID : FLM 13- DUP 6
Date Sampled : 12/24/25

Lab ID : L683859-13
Date Analyzed : 01/13/26
Time : 20124 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20124	11		0.88	0.28	1
Toluene	5	5.0	20124	17		1.6	0.43	1
Ethylbenzene	5	5.0	20124	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20124	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20124	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 13-JAN-26

Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 24-DEC-25
Date Received : 09-JAN-26

Account No.: 41031
Login No. : L683859
Date Analyzed : 12-JAN-26 - 13-JAN-26
Report ID : 1542926

Client ID : FLM 14- DUP 11
Date Sampled : 12/24/25

Lab ID : L683859-14
Date Analyzed : 01/13/26
Time : 20124 minutes

Parameter	MDL ng	LOQ ng	Time minutes	Total ng	Total Qual	Conc ug/m3	ppbv	Dil Fact
Benzene	5	5.0	20124	13		1.0	0.31	1
Toluene	5	5.0	20124	26		2.5	0.65	1
Ethylbenzene	5	5.0	20124	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20124	11		1.2	0.27	1
o-Xylene	5	5.0	20124	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 13-JAN-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 24-DEC-25
Date Received : 09-JAN-26

Account No.: 41031
Login No. : L683859
Date Analyzed : 12-JAN-26 - 13-JAN-26
Report ID : 1542926

Client ID : FLM 15-BLANK 7
Date Sampled : 12/24/25

Lab ID : L683859-15
Date Analyzed : 01/13/26

Time : 20123 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20123	ND	U	<0.37	<0.12	1
Toluene	5	5.0	20123	ND	U	<0.48	<0.13	1
Ethylbenzene	5	5.0	20123	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20123	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20123	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 13-JAN-26
Approved by : BHB



GALSON

LABORATORY ANALYSIS REPORT

LELAP Lab ID #04083

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008
Date Sampled : 24-DEC-25
Date Received : 09-JAN-26

Account No.: 41031
Login No. : L683859
Date Analyzed : 12-JAN-26 - 13-JAN-26
Report ID : 1542926

Client ID : FLM 16- BLANK 10
Date Sampled : 12/24/25

Lab ID : L683859-16
Date Analyzed : 01/13/26
Time : 20123 minutes

<u>Parameter</u>	<u>MDL</u> <u>ng</u>	<u>LOQ</u> <u>ng</u>	<u>Time</u> <u>minutes</u>	<u>Total</u> <u>ng</u>	<u>Total</u> <u>Qual</u>	<u>Conc</u> <u>ug/m3</u>	<u>ppbv</u>	<u>Dil</u> <u>Fact</u>
Benzene	5	5.0	20123	ND	U	<0.37	<0.12	1
Toluene	5	5.0	20123	ND	U	<0.48	<0.13	1
Ethylbenzene	5	5.0	20123	ND	U	<0.54	<0.12	1
m,p-Xylene	10	10.	20123	ND	U	<1.1	<0.25	1
o-Xylene	5	5.0	20123	ND	U	<0.54	<0.12	1

COMMENTS: Please see attached lab footnote report for any applicable footnotes.

Analytical Method : mod. EPA 325B; GCMS
Collection Media : Carbopack X

Submitted by: EEA
Supervisor: TEM

Date : 13-JAN-26
Approved by : BHB



GALSON

LABORATORY FOOTNOTE REPORT

6601 Kirkville Road
East Syracuse, NY 13057
(315) 432-5227
FAX: (315) 437-0571
www.sgsgalson.com

Client Name : Haley Ward Inc.
Site : COLD BROOK ENERGY
Project No. : 10142.008

Date Sampled : 24-DEC-25
Date Received: 09-JAN-26
Date Analyzed: 12-JAN-26 - 13-JAN-26

Account No.: 41031
Login No. : L683859

L683859 (Report ID: 1542926):

EPA qualifiers are as follows:

U - Compound was analyzed for, but not detected.

J - Compound was found greater than the MDL, but less than the LOQ.

B - Compound is found in the associated method blank as well as in the sample.

SOPs: MS-SOP-17(14)

L683859 (Report ID: 1542926):

Accuracy and mean recovery data presented below is based on a 95% confidence interval (k=2). The estimated accuracy applies to the media, technology, and SOP referenced in this report and does not account for the uncertainty associated with the sampling process. The accuracy is based solely on spike recovery data from internal quality control samples. Where N/A appears below, insufficient data is available to provide statistical accuracy and mean recovery values for the associated analyte.

Parameter	Accuracy	Mean Recovery
Benzene	+/-16.4%	99.9%
Ethylbenzene	+/-18.7%	101%
m,p-Xylenes	+/-21.6%	102%
o-Xylene	+/-22.8%	100%
Toluene	+/-16.1%	99.3%

Parameter	Method
Benzene	mod. EPA 325B; GCMS
Ethylbenzene	mod. EPA 325B; GCMS
Toluene	mod. EPA 325B; GCMS
m,p-Xylene	mod. EPA 325B; GCMS
o-Xylene	mod. EPA 325B; GCMS

L1083859

SGS	GALSON	Client Acct. No. 41031	EPA 325A Fenceline Monitoring	
		Report To: <u>Chloe Desmond</u> <u>Jason Patterson</u>	Invoice To: <u>Accounts Payable-Julie</u>	
		Company Name: <u>Haley Ward Inc.</u>	Company Name: <u>Haley Ward Inc.</u>	
		Address 1: <u>1 Marchants Plaza</u>	Address 1: <u>1 Marchants Plaza</u>	
		Address 2: <u>Suite 701</u>	Address 2: <u>Suite 701</u>	
		City, State, Zip: <u>Bangor, ME 04401</u>	City, State, Zip: <u>Bangor, ME 04401</u>	
		Cell No.: <u>207-214-0141</u>	Email Address: <u>joreskovich@haleyward.com</u>	
		Email Report to: <u>chdesmond@haleyward.com</u> <u>jpatterson@haleyward.com</u>	P.O. No: _____	
		Prep No.: _____	Payment Info: ☐ Will Phone in Credit Card Information ☐ Credit Card on File	

49

Comments: <u>Rec'd additional tube C41411, not in unused bag</u> <u>7/5/1/9/26</u>	Average Ambient Temperature: <u>13.22</u>	Average Barometric Pressure: <u>29.61</u>
---	---	---

Site Name: <u>Cold Brook Energy</u>		Project: <u>10142.008</u>			Sampled By: <u>Chloe Desmond</u>	
Sample Identification*	Manufacturer ID	Collection Medium	Date/Time Deployed (Military Time)	Date/Time Retrieved (Military Time)	Analysis Requested	Method
FLM 1	C41392	Carbopack X	<u>12/24/25 1051</u>	<u>1/7/26 1013</u>	BTEX	MOD. EPA325B: GCMS
FLM 2	C41467	Carbopack X	<u>1055</u>	<u>1016</u>	BTEX	MOD. EPA325B: GCMS
FLM 3	C41382	Carbopack X	<u>1058</u>	<u>1019</u>	BTEX	MOD. EPA325B: GCMS
FLM 4	C41439	Carbopack X	<u>1102</u>	<u>1022</u>	BTEX	MOD. EPA325B: GCMS
FLM 5	C41411	Carbopack X	<u>1106</u>	<u>1026</u>	BTEX	MOD. EPA325B: GCMS
FLM 6	C41461	Carbopack X	<u>1111</u>	<u>1030</u>	BTEX	MOD. EPA325B: GCMS
FLM 7	C41462	Carbopack X	<u>1115</u>	<u>1034</u>	BTEX	MOD. EPA325B: GCMS
FLM 8	C41446	Carbopack X	<u>1032</u>	<u>0950</u>	BTEX	MOD. EPA325B: GCMS
FLM 9	C41405	Carbopack X	<u>1036</u>	<u>0955</u>	BTEX	MOD. EPA325B: GCMS
FLM 10	C41398	Carbopack X	<u>1040</u>	<u>0959</u>	BTEX	MOD. EPA325B: GCMS
FLM 11	C41399	Carbopack X	<u>✓ 1044</u>	<u>✓ 1004</u>	BTEX	MOD. EPA325B: GCMS

Chain of Custody	Print Name	Signature	Date/Time
Relinquished by:	<u>Chloe Desmond</u>	<u>Chloe Desmond</u>	<u>1/7/26 1149</u>
Received by LAB:		<u>Olivia T. Silver</u>	<u>1/9/26 1037</u>

[illegible]

Chain of Custody	Print Name	Signature	Date/Time
Relinquished by :	Chloe Desmond	Chloe Desmond	11/7/26 1149
Received by LAB :		Olivia T. Silver Olivia T. Silver	11/9/26 1037
*Required fields, failure to complete these fields may result in a delay in your samples being processed.		Page 1 of _____ Samples received after 3pm will be considered as next day's business.	