Fenceline Monitoring Report
Dead River (Webber) Terminal Bucksport Maine

Quarter Data Report

Prepared for:
Dead River Company
82 Running Hill Road, Suite 400
South Portland, ME 04106

Prepared By:
Onterris
45 U.S. Hwy. 46 East
Suite 601
Pine Brook, NJ 07058

Facility:
Penobscot Bay Terminals, Inc., d/b/a Webber Tanks
93 River Road
Bucksport, ME 04116

Reporting Period: Quarter 2, 2026
Report Date: August 13, 2026
Revision 1 Date: August 19, 2026
Report Number: 047AA-031333-RT-1284

45 U.S. Hwy. 46 East, Suite 601
Pine Brook, NJ 07058
T: +1.973.575.2555
Onterris.com

For Planet & Progress

Deadriver Bucksport Maine Terminal Fenceline Monitoring - Summary

Flags:	ND	The analyte was not present above the Method Detection Limit
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
	Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near reporting limit

Sample Code	Tube ID	Benzene		Ethylbenzene		m-/p-Xylene		o-Xylene		Toluene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
DRPNB-1-S-20260325	C16075	0.675		0.280	ND	0.280	ND	0.280	ND	1.08	
DRPNB-2-S-20260325	B20172	0.830		0.280	ND	0.404	J	0.280	ND	1.82	
DRPNB-2-D-20260325	C37428	0.836		0.280	ND	0.385	J	0.280	ND	1.40	
DRPNB-2-B-20260325	B48558	0.192	ND	0.280	ND	0.280	ND	0.280	ND	0.423	J
DRPNB-3-S-20260325	C00591	0.734		0.280	ND	0.653	J	0.280	ND	1.56	
DRPNB-4-S-20260325	B48659	0.504		0.280	ND	0.280	ND	0.280	ND	0.604	
DRPNB-5-S-20260325	C71632	0.483		0.280	ND	0.280	ND	0.280	ND	0.793	
DRPNB-6-S-20260325	B43721	0.429	J	0.280	ND	0.280	ND	0.280	ND	0.805	
DRPNB-7-S-20260325	C55521	0.401	J	0.280	ND	0.280	ND	0.280	ND	0.593	
DRPNB-8-S-20260325	C60269	0.427	J	0.280	ND	0.280	ND	0.280	ND	0.846	
DRPNB-9-S-20260325	C57584	0.578		0.280	ND	0.402	J	0.280	ND	1.02	
DRPNB-10-S-20260325	C39201	0.517		0.280	ND	0.280	ND	0.280	ND	0.918	
DRPNB-11-S-20260325	B14152	0.700		0.280	ND	0.523	J	0.280	ND	1.18	
DRPNB-12-S-20260325	C35901	0.392	J	0.280	ND	0.280	ND	0.280	ND	0.620	
DRPNB-13-S-20260325	C73571	0.475		0.280	ND	0.280	ND	0.280	ND	0.697	
DRPNB-14-S-20260325	C69504	0.636		0.280	ND	0.415	J	0.280	ND	1.14	
DRPNB-15-S-20260325	C34142	1.51		0.343	J	0.963		0.342	J	3.57	
DRPNB-15-D-20260325	B35596	1.48		0.337	J	0.864		0.309	J	3.70	
DRPNB-15-B-20260325	B45012	0.192	ND	0.28	ND	0.280	ND	0.280	ND	0.486	J
DRPNB-1-S-20260408	C73558	1.21		0.279	ND	0.505	J,Pc	0.279	ND	2.24	
DRPNB-2-S-20260408	C56783	0.696		0.279	ND	0.462	J,Pc	0.279	ND	1.36	
DRPNB-2-D-20260408	C33009	0.712		0.279	ND	0.330	J,Pc	0.279	ND	1.16	
DRPNB-2-B-20260408	C01656	0.192	ND	0.279	ND	0.279	ND,Pc	0.279	ND	0.336	J
DRPNB-3-S-20260408	B48545	0.989		0.318	J	0.649	J,Pc	0.279	ND	2.28	
DRPNB-4-S-20260408	C36885	0.425	J	0.279	ND	0.279	ND,Pc	0.279	ND	0.767	
DRPNB-5-S-20260408	C55374	0.369	J	0.279	ND	0.290	J,Pc	0.279	ND	0.640	
DRPNB-6-S-20260408	C69463	0.407	J	0.279	ND	0.284	J,Pc	0.279	ND	0.718	
DRPNB-7-S-20260408	C59959	0.352	J	0.279	ND	0.279	ND,Pc	0.279	ND	0.590	
DRPNB-8-S-20260408	C43589	0.419	J	0.279	ND	0.289	J,Pc	0.279	ND	0.867	
DRPNB-9-S-20260408	C33425	0.613		0.279	ND	0.435	J,Pc	0.279	ND	1.15	
DRPNB-10-S-20260408	C01393	0.522		0.279	ND	0.279	ND,Pc	0.279	ND	0.783	

Deadriver Bucksport Maine Terminal Fenceline Monitoring - Summary

Flags:	ND	The analyte was not present above the Method Detection Limit
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
	Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near reporting limit

Sample Code	Tube ID	Benzene		Ethylbenzene		m-/p-Xylene		o-Xylene		Toluene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
DRPNB-11-S-20260408	B44229	0.607		0.279	ND	0.471	J,Pc	0.279	ND	1.34	
DRPNB-12-S-20260408	C60267	0.390	J	0.279	ND	0.279	ND,Pc	0.279	ND	0.687	
DRPNB-13-S-20260408	C38590	0.361	J	0.279	ND	0.279	ND,Pc	0.279	ND	0.561	
DRPNB-14-S-20260408	B21009	0.609		0.279	ND	0.329	J,Pc	0.279	ND	1.36	
DRPNB-15-S-20260408	C01608	2.04		0.400	J	1.02	Pc	0.362	J	4.58	
DRPNB-15-D-20260408	C39127	2.100		0.429	J	1.07	Pc	0.375	J	4.73	
DRPNB-15-B-20260408	C56969	0.192	ND	0.279	ND	0.279	ND,Pc	0.279	ND	0.289	J
DRPNB-1-S-20260422	C55434	0.655		0.278	ND	0.304	J	0.278	ND	1.30	
DRPNB-2-S-20260422	C59973	0.609		0.278	ND	0.332	J	0.278	ND	1.14	
DRPNB-2-D-20260422	C34280	0.593		0.278	ND	0.337	J	0.278	ND	1.17	
DRPNB-2-B-20260422	C53645	0.191	ND	0.278	ND	0.278	ND	0.278	ND	0.246	ND
DRPNB-3-S-20260422	C57155	0.757		0.277	ND	0.781		0.277	ND	1.89	
DRPNB-4-S-20260422	C16094	0.447	J	0.277	ND	0.277	ND	0.277	ND	0.607	
DRPNB-5-S-20260422	C56797	0.447	J	0.277	ND	0.277	ND	0.277	ND	0.740	
DRPNB-6-S-20260422	C61786	0.385	J	0.277	ND	0.277	ND	0.277	ND	0.67	
DRPNB-7-S-20260422	C71737	0.446	J	0.277	ND	0.277	ND	0.277	ND	0.509	J
DRPNB-8-S-20260422	C70198	0.459		0.277	ND	0.366	J	0.277	ND	0.754	
DRPNB-9-S-20260422	C65270	0.668		0.277	ND	0.532	J	0.277	ND	1.26	
DRPNB-10-S-20260422	B48568	0.720		0.277	ND	0.277	ND	0.277	ND	0.852	
DRPNB-11-S-20260422	C01761	0.587		0.317	J	0.614	J	0.277	ND	1.57	
DRPNB-12-S-20260422	C40151	0.336	J	0.277	ND	0.277	ND	0.277	ND	0.524	
DRPNB-13-S-20260422	C57101	0.33	J	0.277	ND	0.277	ND	0.277	ND	0.535	
DRPNB-14-S-20260422	C38970	0.516		0.277	ND	0.361	J	0.277	ND	1.14	
DRPNB-15-S-20260422	C69539	1.700		0.332	J	0.974		0.339	J	3.86	
DRPNB-15-D-20260422	C60219	1.56		0.310	J	0.981		0.353	J	3.73	
DRPNB-15-B-20260422	C55578	0.19	ND	0.277	ND	0.277	ND	0.277	ND	0.245	ND
DRPNB-1-S-20260506	C71517	1.57		0.276	ND	0.796		0.277	J	3.06	
DRPNB-2-S-20260506	C00597	0.938		0.276	ND	0.626	J	0.276	ND	2.05	
DRPNB-2-D-20260506	C34135	0.942		0.276	ND	0.636	J	0.276	ND	2.00	
DRPNB-2-B-20260506	C32887	0.189	ND	0.276	ND	0.276	ND	0.276	ND	0.244	ND
DRPNB-3-S-20260506	C70580	1.07		0.322	J	1.01		0.355	J	2.36	

Deadriver Bucksport Maine Terminal Fenceline Monitoring - Summary

Flags:	ND	The analyte was not present above the Method Detection Limit
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
	Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near reporting limit

Sample Code	Tube ID	Benzene		Ethylbenzene		m-/p-Xylene		o-Xylene		Toluene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
DRPNB-4-S-20260506	C70537	0.596		0.276	ND	0.614	J	0.276	ND	1.23	
DRPNB-5-S-20260506	C43377	0.462		0.276	ND	0.615	J	0.276	ND	1.10	
DRPNB-6-S-20260506	C69680	0.56		0.276	ND	0.603	J	0.276	ND	1.09	
DRPNB-7-S-20260506	C00728	0.418	J	0.276	ND	0.366	J	0.276	ND	0.875	
DRPNB-8-S-20260506	C20490	0.473		0.276	ND	0.42	J	0.276	ND	1.05	
DRPNB-9-S-20260506	C43645	0.554		0.276	ND	0.61	J	0.276	ND	1.33	
DRPNB-10-S-20260506	C01413	0.443	J	0.276	ND	0.276	ND	0.276	ND	0.836	
DRPNB-11-S-20260506	C69551	0.439	J	0.276	ND	0.787		0.28	J	1.29	
DRPNB-12-S-20260506	B44208	0.443	J	0.276	ND	0.276	ND	0.276	ND	0.558	
DRPNB-13-S-20260506	C68642	0.346	J	0.276	ND	0.276	ND	0.276	ND	0.629	
DRPNB-14-S-20260506	C71612	0.795		0.276	ND	0.509	J	0.276	ND	1.44	
DRPNB-15-S-20260506	C67313	4.15		0.749		2.28		0.736		8.94	
DRPNB-15-D-20260506	C57706	4.16		0.772		2.36		0.784		9.13	
DRPNB-15-B-20260506	C67273	0.190	ND	0.276	ND	0.276	ND	0.276	ND	0.244	ND
DRPNB-1-S-20260520	C67417	1.00		0.357	J	0.92		0.326	J	2.49	
DRPNB-2-S-20260520	B48545	0.966		0.352	J	0.732		0.275	ND	2.44	
DRPNB-2-D-20260520	B48053	0.922		0.295	J	0.598	J	0.275	ND	2.24	
DRPNB-2-B-20260520	C20589	0.189	ND	0.275	ND	0.275	ND	0.275	ND	0.243	ND
DRPNB-3-S-20260520	C40584	0.443	J	0.275	ND	0.497	J	0.275	ND	1.30	
DRPNB-4-S-20260520	C01393	0.394	J	0.275	ND	0.426	J	0.275	ND	1.03	
DRPNB-5-S-20260520	C71481	0.409	J	0.275	ND	0.498	J	0.275	ND	1.05	
DRPNB-6-S-20260520	C01360	0.654		0.360	J	0.776		0.313	J	1.66	
DRPNB-7-S-20260520	C37007	0.343	J	0.275	ND	0.365	J	0.275	ND	0.874	
DRPNB-8-S-20260520	C55440	0.315	J	0.275	ND	0.368	J	0.275	ND	0.814	
DRPNB-9-S-20260520	B44385	0.584		0.275	ND	0.378	J	0.275	ND	1.14	
DRPNB-10-S-20260520	C56835	0.510		0.301	J	0.681		0.279	J	1.39	
DRPNB-11-S-20260520	C57824	0.599		0.594	J	1.72		0.619	J	2.46	
DRPNB-12-S-20260520	C39127	0.322	J	0.275	ND	0.420	J	0.275	ND	0.912	
DRPNB-13-S-20260520	C39232	0.346	J	0.275	ND	0.442	J	0.275	ND	0.932	
DRPNB-14-S-20260520	C40657	0.515		0.318	J	0.777		0.275	ND	1.57	
DRPNB-15-S-20260520	B17469	2.71		0.798		2.18		0.761		7.16	

Deadriver Bucksport Maine Terminal Fenceline Monitoring - Summary

Flags:	ND	The analyte was not present above the Method Detection Limit
	J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
	Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near reporting limit

Sample Code	Tube ID	Benzene		Ethylbenzene		m-/p-Xylene		o-Xylene		Toluene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
DRPNB-15-D-20260520	C67311	2.68		0.691		2.01		0.688		6.85	
DRPNB-15-B-20260520	C43613	0.189	ND	0.275	ND	0.275	ND	0.275	ND	0.243	ND
DRPNB-1-S-20260603	C01605	0.656		0.311	J	0.664	J	0.274	ND	1.59	
DRPNB-2-S-20260603	C37009	0.504		0.356	J	0.816		0.295	J	1.40	
DRPNB-2-D-20260603	C16101	0.509		0.302	J	0.737		0.277	J	1.34	
DRPNB-2-B-20260603	C00787	0.188	ND	0.274	ND	0.274	ND	0.274	ND	0.319	J
DRPNB-3-S-20260603	C57461	0.745		0.496	J	1.55		0.556	J	2.29	
DRPNB-4-S-20260603	C00713	0.614		0.571	J	1.41		0.612	J	2.00	
DRPNB-5-S-20260603	C20548	0.715		0.632		1.51		0.679		2.22	
DRPNB-6-S-20260603	C70833	0.614		1.02		3.14		1.46		2.86	
DRPNB-7-S-20260603	C20547	0.523		0.426	J	0.852		0.382	J	1.46	
DRPNB-8-S-20260603	B44260	0.665		0.366	J	0.85		0.348	J	1.57	
DRPNB-9-S-20260603	C37429	0.800		0.492	J	1.21		0.490	J	2.19	
DRPNB-10-S-20260603	C70770	0.598		0.346	J	1.07		0.421	J	1.49	
DRPNB-11-S-20260603	C57489	0.420	J	0.340	J	1.06		0.408	J	1.45	
DRPNB-12-S-20260603	C16073	0.350	J	0.274	ND	0.384	J	0.274	ND	0.763	
DRPNB-13-S-20260603	B48031	0.583		0.274	ND	0.337	J	0.274	ND	0.850	
DRPNB-14-S-20260603	C32853	0.421	J	0.390	J	0.898		0.327	J	1.61	
DRPNB-15-S-20260603	C65296	1.11		0.452	J	1.44		0.533	J	3.00	
DRPNB-15-D-20260603	C38996	1.12		0.439	J	1.22		0.442	J	2.90	
DRPNB-15-B-20260603	C40192	0.188	ND	0.274	ND	0.274	ND	0.274	ND	0.242	ND
Quarter 2, 2026 Maximum		4.15		1.02		3.14		1.46		8.94	
Quarter 2, 2026 Average		0.68		0.33		0.63		0.33		1.51	
Rolling Annual Maximum		9.59		3.46		6.88		2.38		17.9	
Rolling Annual Average		1.01		0.484		1.10		0.488		2.10	

Deadriver Bucksport Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE
DRPNB-1-S-20260325	1	Benzene	Sample	0.675	ug/m3	0.192	ug/m3		Y	3/25/2026	10:03	4/8/2026
DRPNB-1-S-20260325	1	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:03	4/8/2026
DRPNB-1-S-20260325	1	m-/p-Xylenes	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:03	4/8/2026
DRPNB-1-S-20260325	1	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:03	4/8/2026
DRPNB-1-S-20260325	1	Toluene	Sample	1.08	ug/m3	0.248	ug/m3		Y	3/25/2026	10:03	4/8/2026
DRPNB-2-S-20260325	2	Benzene	Sample	0.83	ug/m3	0.192	ug/m3		Y	3/25/2026	10:06	4/8/2026
DRPNB-2-S-20260325	2	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:06	4/8/2026
DRPNB-2-S-20260325	2	m-/p-Xylenes	Sample	0.404	ug/m3	0.28	ug/m3	J	Y	3/25/2026	10:06	4/8/2026
DRPNB-2-S-20260325	2	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:06	4/8/2026
DRPNB-2-S-20260325	2	Toluene	Sample	1.82	ug/m3	0.248	ug/m3		Y	3/25/2026	10:06	4/8/2026
DRPNB-2-D-20260325	2	Benzene	Duplicate	0.836	ug/m3	0.192	ug/m3		Y	3/25/2026	10:06	4/8/2026
DRPNB-2-D-20260325	2	Ethylbenzene	Duplicate	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:06	4/8/2026
DRPNB-2-D-20260325	2	m-/p-Xylenes	Duplicate	0.385	ug/m3	0.28	ug/m3	J	Y	3/25/2026	10:06	4/8/2026
DRPNB-2-D-20260325	2	o-Xylene	Duplicate	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:06	4/8/2026
DRPNB-2-D-20260325	2	Toluene	Duplicate	1.4	ug/m3	0.248	ug/m3		Y	3/25/2026	10:06	4/8/2026
DRPNB-2-B-20260325	2	Benzene	Blank	<0.192	ug/m3	0.192	ug/m3	ND	N	3/25/2026	10:06	4/8/2026
DRPNB-2-B-20260325	2	Ethylbenzene	Blank	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:06	4/8/2026
DRPNB-2-B-20260325	2	m-/p-Xylenes	Blank	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:06	4/8/2026
DRPNB-2-B-20260325	2	o-Xylene	Blank	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:06	4/8/2026
DRPNB-2-B-20260325	2	Toluene	Blank	0.423	ug/m3	0.248	ug/m3	J	Y	3/25/2026	10:06	4/8/2026
DRPNB-3-S-20260325	3	Benzene	Sample	0.734	ug/m3	0.192	ug/m3		Y	3/25/2026	10:10	4/8/2026
DRPNB-3-S-20260325	3	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:10	4/8/2026
DRPNB-3-S-20260325	3	m-/p-Xylenes	Sample	0.653	ug/m3	0.28	ug/m3	J	Y	3/25/2026	10:10	4/8/2026
DRPNB-3-S-20260325	3	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:10	4/8/2026
DRPNB-3-S-20260325	3	Toluene	Sample	1.56	ug/m3	0.248	ug/m3		Y	3/25/2026	10:10	4/8/2026
DRPNB-4-S-20260325	4	Benzene	Sample	0.504	ug/m3	0.192	ug/m3		Y	3/25/2026	10:18	4/8/2026
DRPNB-4-S-20260325	4	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:18	4/8/2026
DRPNB-4-S-20260325	4	m-/p-Xylenes	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:18	4/8/2026
DRPNB-4-S-20260325	4	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:18	4/8/2026
DRPNB-4-S-20260325	4	Toluene	Sample	0.604	ug/m3	0.248	ug/m3		Y	3/25/2026	10:18	4/8/2026

Deadriver Bucksport Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE
DRPNB-5-S-20260325	4	Benzene	Sample	0.483	ug/m3	0.192	ug/m3		Y	3/25/2026	10:17	4/8/2026
DRPNB-5-S-20260325	5	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:17	4/8/2026
DRPNB-5-S-20260325	5	m-/p-Xylenes	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:17	4/8/2026
DRPNB-5-S-20260325	5	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:17	4/8/2026
DRPNB-5-S-20260325	5	Toluene	Sample	0.793	ug/m3	0.248	ug/m3		Y	3/25/2026	10:17	4/8/2026
DRPNB-6-S-20260325	6	Benzene	Sample	0.429	ug/m3	0.192	ug/m3	J	Y	3/25/2026	10:16	4/8/2026
DRPNB-6-S-20260325	6	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:16	4/8/2026
DRPNB-6-S-20260325	6	m-/p-Xylenes	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:16	4/8/2026
DRPNB-6-S-20260325	6	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:16	4/8/2026
DRPNB-6-S-20260325	6	Toluene	Sample	0.805	ug/m3	0.248	ug/m3		Y	3/25/2026	10:16	4/8/2026
DRPNB-7-S-20260325	7	Benzene	Sample	0.401	ug/m3	0.192	ug/m3	J	Y	3/25/2026	10:15	4/8/2026
DRPNB-7-S-20260325	7	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:15	4/8/2026
DRPNB-7-S-20260325	7	m-/p-Xylenes	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:15	4/8/2026
DRPNB-7-S-20260325	7	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:15	4/8/2026
DRPNB-7-S-20260325	7	Toluene	Sample	0.593	ug/m3	0.247	ug/m3		Y	3/25/2026	10:15	4/8/2026
DRPNB-8-S-20260325	8	Benzene	Sample	0.427	ug/m3	0.192	ug/m3	J	Y	3/25/2026	10:13	4/8/2026
DRPNB-8-S-20260325	8	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:13	4/8/2026
DRPNB-8-S-20260325	8	m-/p-Xylenes	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:13	4/8/2026
DRPNB-8-S-20260325	8	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:13	4/8/2026
DRPNB-8-S-20260325	8	Toluene	Sample	0.846	ug/m3	0.247	ug/m3		Y	3/25/2026	10:13	4/8/2026
DRPNB-9-S-20260325	8	Benzene	Sample	0.578	ug/m3	0.192	ug/m3		Y	3/25/2026	10:24	4/8/2026
DRPNB-9-S-20260325	9	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:24	4/8/2026
DRPNB-9-S-20260325	9	m-/p-Xylenes	Sample	0.402	ug/m3	0.28	ug/m3	J	Y	3/25/2026	10:24	4/8/2026
DRPNB-9-S-20260325	9	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:24	4/8/2026
DRPNB-9-S-20260325	9	Toluene	Sample	1.02	ug/m3	0.248	ug/m3		Y	3/25/2026	10:24	4/8/2026
DRPNB-10-S-20260325	10	Benzene	Sample	0.517	ug/m3	0.192	ug/m3		Y	3/25/2026	10:26	4/8/2026
DRPNB-10-S-20260325	10	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:26	4/8/2026
DRPNB-10-S-20260325	10	m-/p-Xylenes	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:26	4/8/2026
DRPNB-10-S-20260325	10	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:26	4/8/2026
DRPNB-10-S-20260325	10	Toluene	Sample	0.918	ug/m3	0.248	ug/m3		Y	3/25/2026	10:26	4/8/2026

Deadriver Bucksport Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE
DRPNB-11-S-20260325	11	Benzene	Sample	0.7	ug/m3	0.192	ug/m3		Y	3/25/2026	10:28	4/8/2026
DRPNB-11-S-20260325	11	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:28	4/8/2026
DRPNB-11-S-20260325	11	m-/p-Xylenes	Sample	0.523	ug/m3	0.28	ug/m3	J	Y	3/25/2026	10:28	4/8/2026
DRPNB-11-S-20260325	11	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:28	4/8/2026
DRPNB-11-S-20260325	11	Toluene	Sample	1.18	ug/m3	0.248	ug/m3		Y	3/25/2026	10:28	4/8/2026
DRPNB-12-S-20260325	12	Benzene	Sample	0.392	ug/m3	0.192	ug/m3	J	Y	3/25/2026	10:30	4/8/2026
DRPNB-12-S-20260325	12	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:30	4/8/2026
DRPNB-12-S-20260325	12	m-/p-Xylenes	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:30	4/8/2026
DRPNB-12-S-20260325	12	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:30	4/8/2026
DRPNB-12-S-20260325	12	Toluene	Sample	0.62	ug/m3	0.248	ug/m3		Y	3/25/2026	10:30	4/8/2026
DRPNB-13-S-20260325	12	Benzene	Sample	0.475	ug/m3	0.192	ug/m3		Y	3/25/2026	10:31	4/8/2026
DRPNB-13-S-20260325	13	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:31	4/8/2026
DRPNB-13-S-20260325	13	m-/p-Xylenes	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:31	4/8/2026
DRPNB-13-S-20260325	13	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:31	4/8/2026
DRPNB-13-S-20260325	13	Toluene	Sample	0.697	ug/m3	0.248	ug/m3		Y	3/25/2026	10:31	4/8/2026
DRPNB-14-S-20260325	14	Benzene	Sample	0.636	ug/m3	0.192	ug/m3		Y	3/25/2026	10:33	4/8/2026
DRPNB-14-S-20260325	14	Ethylbenzene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:33	4/8/2026
DRPNB-14-S-20260325	14	m-/p-Xylenes	Sample	0.415	ug/m3	0.28	ug/m3	J	Y	3/25/2026	10:33	4/8/2026
DRPNB-14-S-20260325	14	o-Xylene	Sample	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:33	4/8/2026
DRPNB-14-S-20260325	14	Toluene	Sample	1.14	ug/m3	0.248	ug/m3		Y	3/25/2026	10:33	4/8/2026
DRPNB-15-S-20260325	15	Benzene	Sample	1.51	ug/m3	0.192	ug/m3		Y	3/25/2026	10:36	4/8/2026
DRPNB-15-S-20260325	15	Ethylbenzene	Sample	0.343	ug/m3	0.28	ug/m3	J	Y	3/25/2026	10:36	4/8/2026
DRPNB-15-S-20260325	15	m-/p-Xylenes	Sample	0.963	ug/m3	0.28	ug/m3		Y	3/25/2026	10:36	4/8/2026
DRPNB-15-S-20260325	15	o-Xylene	Sample	0.342	ug/m3	0.28	ug/m3	J	Y	3/25/2026	10:36	4/8/2026
DRPNB-15-S-20260325	15	Toluene	Sample	3.57	ug/m3	0.247	ug/m3		Y	3/25/2026	10:36	4/8/2026
DRPNB-15-D-20260325	15	Benzene	Duplicate	1.48	ug/m3	0.192	ug/m3		Y	3/25/2026	10:36	4/8/2026
DRPNB-15-D-20260325	15	Ethylbenzene	Duplicate	0.337	ug/m3	0.28	ug/m3	J	Y	3/25/2026	10:36	4/8/2026
DRPNB-15-D-20260325	15	m-/p-Xylenes	Duplicate	0.864	ug/m3	0.28	ug/m3		Y	3/25/2026	10:36	4/8/2026
DRPNB-15-D-20260325	15	o-Xylene	Duplicate	0.309	ug/m3	0.28	ug/m3	J	Y	3/25/2026	10:36	4/8/2026
DRPNB-15-D-20260325	15	Toluene	Duplicate	3.7	ug/m3	0.247	ug/m3		Y	3/25/2026	10:36	4/8/2026

Deadriver Bucksport Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE
DRPNB-15-B-20260325	15	Benzene	Blank	<0.192	ug/m3	0.192	ug/m3	ND	N	3/25/2026	10:36	4/8/2026
DRPNB-15-B-20260325	15	Ethylbenzene	Blank	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:36	4/8/2026
DRPNB-15-B-20260325	15	m-/p-Xylenes	Blank	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:36	4/8/2026
DRPNB-15-B-20260325	15	o-Xylene	Blank	<0.28	ug/m3	0.28	ug/m3	ND	N	3/25/2026	10:36	4/8/2026
DRPNB-15-B-20260325	15	Toluene	Blank	0.486	ug/m3	0.247	ug/m3	J	Y	3/25/2026	10:36	4/8/2026
DRPNB-1-S-20260408	1	Benzene	Sample	1.21	ug/m3	0.192	ug/m3		Y	4/8/2026	10:37	4/22/2026
DRPNB-1-S-20260408	1	Ethylbenzene	Sample	<0.279	ug/m3	0.279	ug/m3	ND	N	4/8/2026	10:37	4/22/2026
DRPNB-1-S-20260408	1	m-/p-Xylenes	Sample	0.505	ug/m3	0.279	ug/m3	J,Pc	Y	4/8/2026	10:37	4/22/2026
DRPNB-1-S-20260408	1	o-Xylene	Sample	<0.279	ug/m3	0.279	ug/m3	ND	N	4/8/2026	10:37	4/22/2026
DRPNB-1-S-20260408	1	Toluene	Sample	2.24	ug/m3	0.247	ug/m3		Y	4/8/2026	10:37	4/22/2026
DRPNB-2-S-20260408	2	Benzene	Sample	0.696	ug/m3	0.192	ug/m3		Y	4/8/2026	10:40	4/22/2026
DRPNB-2-S-20260408	2	Ethylbenzene	Sample	<0.279	ug/m3	0.279	ug/m3	ND	N	4/8/2026	10:40	4/22/2026
DRPNB-2-S-20260408	2	m-/p-Xylenes	Sample	0.462	ug/m3	0.279	ug/m3	J,Pc	Y	4/8/2026	10:40	4/22/2026
DRPNB-2-S-20260408	2	o-Xylene	Sample	<0.279	ug/m3	0.279	ug/m3	ND	N	4/8/2026	10:40	4/22/2026
DRPNB-2-S-20260408	2	Toluene	Sample	1.36	ug/m3	0.247	ug/m3		Y	4/8/2026	10:40	4/22/2026
DRPNB-2-D-20260408	2	Benzene	Duplicate	0.712	ug/m3	0.192	ug/m3		Y	4/8/2026	10:40	4/22/2026
DRPNB-2-D-20260408	2	Ethylbenzene	Duplicate	<0.279	ug/m3	0.279	ug/m3	ND	N	4/8/2026	10:40	4/22/2026
DRPNB-2-D-20260408	2	m-/p-Xylenes	Duplicate	0.33	ug/m3	0.279	ug/m3	J,Pc	Y	4/8/2026	10:40	4/22/2026
DRPNB-2-D-20260408	2	o-Xylene	Duplicate	<0.279	ug/m3	0.279	ug/m3	ND	N	4/8/2026	10:40	4/22/2026
DRPNB-2-D-20260408	2	Toluene	Duplicate	1.16	ug/m3	0.247	ug/m3		Y	4/8/2026	10:40	4/22/2026
DRPNB-2-B-20260408	2	Benzene	Blank	<0.192	ug/m3	0.192	ug/m3	ND	N	4/8/2026	10:40	4/22/2026
DRPNB-2-B-20260408	2	Ethylbenzene	Blank	<0.279	ug/m3	0.279	ug/m3	ND	N	4/8/2026	10:40	4/22/2026
DRPNB-2-B-20260408	2	m-/p-Xylenes	Blank	<0.279	ug/m3	0.279	ug/m3	ND,Pc	N	4/8/2026	10:40	4/22/2026
DRPNB-2-B-20260408	2	o-Xylene	Blank	<0.279	ug/m3	0.279	ug/m3	ND	N	4/8/2026	10:40	4/22/2026
DRPNB-2-B-20260408	2	Toluene	Blank	0.336	ug/m3	0.247	ug/m3	J	Y	4/8/2026	10:40	4/22/2026
DRPNB-3-S-20260408	3	Benzene	Sample	0.989	ug/m3	0.192	ug/m3		Y	4/8/2026	10:44	4/22/2026
DRPNB-3-S-20260408	3	Ethylbenzene	Sample	0.318	ug/m3	0.279	ug/m3	J	Y	4/8/2026	10:44	4/22/2026
DRPNB-3-S-20260408	3	m-/p-Xylenes	Sample	0.649	ug/m3	0.279	ug/m3	J,Pc	Y	4/8/2026	10:44	4/22/2026
DRPNB-3-S-20260408	3	o-Xylene	Sample	<0.279	ug/m3	0.279	ug/m3	ND	N	4/8/2026	10:44	4/22/2026
DRPNB-3-S-20260408	3	Toluene	Sample	2.28	ug/m3	0.247	ug/m3		Y	4/8/2026	10:44	4/22/2026

Deadriver Bucksport Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE
DRPNB-4-S-20260408	4	Benzene	Sample	0.425	ug/m3	0.192	ug/m3	J	Y	4/8/2026	10:50	4/22/2026
DRPNB-4-S-20260408	4	Ethylbenzene	Sample	<0.279	ug/m3	0.279	ug/m3	ND	N	4/8/2026	10:50	4/22/2026
DRPNB-4-S-20260408	4	m-/p-Xylenes	Sample	<0.279	ug/m3	0.279	ug/m3	ND,Pc	N	4/8/2026	10:50	4/22/2026
DRPNB-4-S-20260408	4	o-Xylene	Sample	<0.279	ug/m3	0.279	ug/m3	ND	N	4/8/2026	10:50	4/22/2026
DRPNB-4-S-20260408	4	Toluene	Sample	0.767	ug/m3	0.247	ug/m3		Y	4/8/2026	10:50	4/22/2026
DRPNB-5-S-20260408	5	Benzene	Sample	0.369	ug/m3	0.192	ug/m3	J	Y	4/8/2026	10:53	4/22/2026
DRPNB-5-S-20260408	5	Ethylbenzene	Sample	<0.279	ug/m3	0.279	ug/m3	ND	N	4/8/2026	10:53	4/22/2026
DRPNB-5-S-20260408	5	m-/p-Xylenes	Sample	0.29	ug/m3	0.279	ug/m3	J,Pc	Y	4/8/2026	10:53	4/22/2026
DRPNB-5-S-20260408	5	o-Xylene	Sample	<0.279	ug/m3	0.279	ug/m3	ND	N	4/8/2026	10:53	4/22/2026
DRPNB-5-S-20260408	5	Toluene	Sample	0.64	ug/m3	0.247	ug/m3		Y	4/8/2026	10:53	4/22/2026
DRPNB-6-S-20260408	6	Benzene	Sample	0.407	ug/m3	0.192	ug/m3	J	Y	4/8/2026	10:56	4/22/2026
DRPNB-6-S-20260408	6	Ethylbenzene	Sample	<0.279	ug/m3	0.279	ug/m3	ND	N	4/8/2026	10:56	4/22/2026
DRPNB-6-S-20260408	6	m-/p-Xylenes	Sample	0.284	ug/m3	0.279	ug/m3	J,Pc	Y	4/8/2026	10:56	4/22/2026
DRPNB-6-S-20260408	6	o-Xylene	Sample	<0.279	ug/m3	0.279	ug/m3	ND	N	4/8/2026	10:56	4/22/2026
DRPNB-6-S-20260408	6	Toluene	Sample	0.718	ug/m3	0.247	ug/m3		Y	4/8/2026	10:56	4/22/2026
DRPNB-7-S-20260408	7	Benzene	Sample	0.352	ug/m3	0.192	ug/m3	J	Y	4/8/2026	11:00	4/22/2026
DRPNB-7-S-20260408	7	Ethylbenzene	Sample	<0.279	ug/m3	0.279	ug/m3	ND	N	4/8/2026	11:00	4/22/2026
DRPNB-7-S-20260408	7	m-/p-Xylenes	Sample	<0.279	ug/m3	0.279	ug/m3	ND,Pc	N	4/8/2026	11:00	4/22/2026
DRPNB-7-S-20260408	7	o-Xylene	Sample	<0.279	ug/m3	0.279	ug/m3	ND	N	4/8/2026	11:00	4/22/2026
DRPNB-7-S-20260408	7	Toluene	Sample	0.59	ug/m3	0.247	ug/m3		Y	4/8/2026	11:00	4/22/2026
DRPNB-8-S-20260408	8	Benzene	Sample	0.419	ug/m3	0.192	ug/m3	J	Y	4/8/2026	11:02	4/22/2026
DRPNB-8-S-20260408	8	Ethylbenzene	Sample	<0.279	ug/m3	0.279	ug/m3	ND	N	4/8/2026	11:02	4/22/2026
DRPNB-8-S-20260408	8	m-/p-Xylenes	Sample	0.289	ug/m3	0.279	ug/m3	J,Pc	Y	4/8/2026	11:02	4/22/2026
DRPNB-8-S-20260408	8	o-Xylene	Sample	<0.279	ug/m3	0.279	ug/m3	ND	N	4/8/2026	11:02	4/22/2026
DRPNB-8-S-20260408	8	Toluene	Sample	0.867	ug/m3	0.247	ug/m3		Y	4/8/2026	11:02	4/22/2026
DRPNB-9-S-20260408	9	Benzene	Sample	0.613	ug/m3	0.192	ug/m3		Y	4/8/2026	11:04	4/22/2026
DRPNB-9-S-20260408	9	Ethylbenzene	Sample	<0.279	ug/m3	0.279	ug/m3	ND	N	4/8/2026	11:04	4/22/2026
DRPNB-9-S-20260408	9	m-/p-Xylenes	Sample	0.435	ug/m3	0.279	ug/m3	J,Pc	Y	4/8/2026	11:04	4/22/2026
DRPNB-9-S-20260408	9	o-Xylene	Sample	<0.279	ug/m3	0.279	ug/m3	ND	N	4/8/2026	11:04	4/22/2026
DRPNB-9-S-20260408	9	Toluene	Sample	1.15	ug/m3	0.247	ug/m3		Y	4/8/2026	11:04	4/22/2026

Deadriver Bucksport Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE
DRPNB-10-S-20260408	10	Benzene	Sample	0.522	ug/m3	0.192	ug/m3		Y	4/8/2026	11:07	4/22/2026
DRPNB-10-S-20260408	10	Ethylbenzene	Sample	<0.279	ug/m3	0.279	ug/m3	ND	N	4/8/2026	11:07	4/22/2026
DRPNB-10-S-20260408	10	m-/p-Xylenes	Sample	<0.279	ug/m3	0.279	ug/m3	ND,Pc	N	4/8/2026	11:07	4/22/2026
DRPNB-10-S-20260408	10	o-Xylene	Sample	<0.279	ug/m3	0.279	ug/m3	ND	N	4/8/2026	11:07	4/22/2026
DRPNB-10-S-20260408	10	Toluene	Sample	0.783	ug/m3	0.247	ug/m3		Y	4/8/2026	11:07	4/22/2026
DRPNB-11-S-20260408	11	Benzene	Sample	0.607	ug/m3	0.192	ug/m3		Y	4/8/2026	11:09	4/22/2026
DRPNB-11-S-20260408	11	Ethylbenzene	Sample	<0.279	ug/m3	0.279	ug/m3	ND	N	4/8/2026	11:09	4/22/2026
DRPNB-11-S-20260408	11	m-/p-Xylenes	Sample	0.471	ug/m3	0.279	ug/m3	J,Pc	Y	4/8/2026	11:09	4/22/2026
DRPNB-11-S-20260408	11	o-Xylene	Sample	<0.279	ug/m3	0.279	ug/m3	ND	N	4/8/2026	11:09	4/22/2026
DRPNB-11-S-20260408	11	Toluene	Sample	1.34	ug/m3	0.247	ug/m3		Y	4/8/2026	11:09	4/22/2026
DRPNB-12-S-20260408	12	Benzene	Sample	0.39	ug/m3	0.192	ug/m3	J	Y	4/8/2026	11:11	4/22/2026
DRPNB-12-S-20260408	12	Ethylbenzene	Sample	<0.279	ug/m3	0.279	ug/m3	ND	N	4/8/2026	11:11	4/22/2026
DRPNB-12-S-20260408	12	m-/p-Xylenes	Sample	<0.279	ug/m3	0.279	ug/m3	ND,Pc	N	4/8/2026	11:11	4/22/2026
DRPNB-12-S-20260408	12	o-Xylene	Sample	<0.279	ug/m3	0.279	ug/m3	ND	N	4/8/2026	11:11	4/22/2026
DRPNB-12-S-20260408	12	Toluene	Sample	0.687	ug/m3	0.247	ug/m3		Y	4/8/2026	11:11	4/22/2026
DRPNB-13-S-20260408	13	Benzene	Sample	0.361	ug/m3	0.192	ug/m3	J	Y	4/8/2026	11:13	4/22/2026
DRPNB-13-S-20260408	13	Ethylbenzene	Sample	<0.279	ug/m3	0.279	ug/m3	ND	N	4/8/2026	11:13	4/22/2026
DRPNB-13-S-20260408	13	m-/p-Xylenes	Sample	<0.279	ug/m3	0.279	ug/m3	ND,Pc	N	4/8/2026	11:13	4/22/2026
DRPNB-13-S-20260408	13	o-Xylene	Sample	<0.279	ug/m3	0.279	ug/m3	ND	N	4/8/2026	11:13	4/22/2026
DRPNB-13-S-20260408	13	Toluene	Sample	0.561	ug/m3	0.247	ug/m3		Y	4/8/2026	11:13	4/22/2026
DRPNB-14-S-20260408	14	Benzene	Sample	0.609	ug/m3	0.192	ug/m3		Y	4/8/2026	11:15	4/22/2026
DRPNB-14-S-20260408	14	Ethylbenzene	Sample	<0.279	ug/m3	0.279	ug/m3	ND	N	4/8/2026	11:15	4/22/2026
DRPNB-14-S-20260408	14	m-/p-Xylenes	Sample	0.329	ug/m3	0.279	ug/m3	J,Pc	Y	4/8/2026	11:15	4/22/2026
DRPNB-14-S-20260408	14	o-Xylene	Sample	<0.279	ug/m3	0.279	ug/m3	ND	N	4/8/2026	11:15	4/22/2026
DRPNB-14-S-20260408	14	Toluene	Sample	1.36	ug/m3	0.247	ug/m3		Y	4/8/2026	11:15	4/22/2026
DRPNB-15-S-20260408	15	Benzene	Sample	2.04	ug/m3	0.192	ug/m3		Y	4/8/2026	11:21	4/22/2026
DRPNB-15-S-20260408	15	Ethylbenzene	Sample	0.4	ug/m3	0.279	ug/m3	J	Y	4/8/2026	11:21	4/22/2026
DRPNB-15-S-20260408	15	m-/p-Xylenes	Sample	1.02	ug/m3	0.279	ug/m3	Pc	Y	4/8/2026	11:21	4/22/2026
DRPNB-15-S-20260408	15	o-Xylene	Sample	0.362	ug/m3	0.279	ug/m3	J	Y	4/8/2026	11:21	4/22/2026
DRPNB-15-S-20260408	15	Toluene	Sample	4.58	ug/m3	0.247	ug/m3		Y	4/8/2026	11:21	4/22/2026

Deadriver Bucksport Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE
DRPNB-15-D-20260408	15	Benzene	Duplicate	2.1	ug/m3	0.192	ug/m3		Y	4/8/2026	11:21	4/22/2026
DRPNB-15-D-20260408	15	Ethylbenzene	Duplicate	0.429	ug/m3	0.279	ug/m3	J	Y	4/8/2026	11:21	4/22/2026
DRPNB-15-D-20260408	15	m-/p-Xylenes	Duplicate	1.07	ug/m3	0.279	ug/m3	Pc	Y	4/8/2026	11:21	4/22/2026
DRPNB-15-D-20260408	15	o-Xylene	Duplicate	0.375	ug/m3	0.279	ug/m3	J	Y	4/8/2026	11:21	4/22/2026
DRPNB-15-D-20260408	15	Toluene	Duplicate	4.73	ug/m3	0.247	ug/m3		Y	4/8/2026	11:21	4/22/2026
DRPNB-15-B-20260408	15	Benzene	Blank	<0.192	ug/m3	0.192	ug/m3	ND	N	4/8/2026	11:21	4/22/2026
DRPNB-15-B-20260408	15	Ethylbenzene	Blank	<0.279	ug/m3	0.279	ug/m3	ND	N	4/8/2026	11:21	4/22/2026
DRPNB-15-B-20260408	15	m-/p-Xylenes	Blank	<0.279	ug/m3	0.279	ug/m3	ND,Pc	N	4/8/2026	11:21	4/22/2026
DRPNB-15-B-20260408	15	o-Xylene	Blank	<0.279	ug/m3	0.279	ug/m3	ND	N	4/8/2026	11:21	4/22/2026
DRPNB-15-B-20260408	15	Toluene	Blank	0.289	ug/m3	0.247	ug/m3	J	Y	4/8/2026	11:21	4/22/2026
DRPNB-1-S-20260422	1	Benzene	Sample	0.655	ug/m3	0.191	ug/m3		Y	4/22/2026	09:49	5/6/2026
DRPNB-1-S-20260422	1	Ethylbenzene	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/22/2026	09:49	5/6/2026
DRPNB-1-S-20260422	1	m-/p-Xylenes	Sample	0.304	ug/m3	0.278	ug/m3	J	Y	4/22/2026	09:49	5/6/2026
DRPNB-1-S-20260422	1	o-Xylene	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/22/2026	09:49	5/6/2026
DRPNB-1-S-20260422	1	Toluene	Sample	1.3	ug/m3	0.246	ug/m3		Y	4/22/2026	09:49	5/6/2026
DRPNB-2-S-20260422	2	Benzene	Sample	0.609	ug/m3	0.191	ug/m3		Y	4/22/2026	09:54	5/6/2026
DRPNB-2-S-20260422	2	Ethylbenzene	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/22/2026	09:54	5/6/2026
DRPNB-2-S-20260422	2	m-/p-Xylenes	Sample	0.332	ug/m3	0.278	ug/m3	J	Y	4/22/2026	09:54	5/6/2026
DRPNB-2-S-20260422	2	o-Xylene	Sample	<0.278	ug/m3	0.278	ug/m3	ND	N	4/22/2026	09:54	5/6/2026
DRPNB-2-S-20260422	2	Toluene	Sample	1.14	ug/m3	0.246	ug/m3		Y	4/22/2026	09:54	5/6/2026
DRPNB-2-D-20260422	2	Benzene	Duplicate	0.593	ug/m3	0.191	ug/m3		Y	4/22/2026	09:54	5/6/2026
DRPNB-2-D-20260422	2	Ethylbenzene	Duplicate	<0.278	ug/m3	0.278	ug/m3	ND	N	4/22/2026	09:54	5/6/2026
DRPNB-2-D-20260422	2	m-/p-Xylenes	Duplicate	0.337	ug/m3	0.278	ug/m3	J	Y	4/22/2026	09:54	5/6/2026
DRPNB-2-D-20260422	2	o-Xylene	Duplicate	<0.278	ug/m3	0.278	ug/m3	ND	N	4/22/2026	09:54	5/6/2026
DRPNB-2-D-20260422	2	Toluene	Duplicate	1.17	ug/m3	0.246	ug/m3		Y	4/22/2026	09:54	5/6/2026
DRPNB-2-B-20260422	2	Benzene	Blank	<0.191	ug/m3	0.191	ug/m3	ND	N	4/22/2026	09:54	5/6/2026
DRPNB-2-B-20260422	2	Ethylbenzene	Blank	<0.278	ug/m3	0.278	ug/m3	ND	N	4/22/2026	09:54	5/6/2026
DRPNB-2-B-20260422	2	m-/p-Xylenes	Blank	<0.278	ug/m3	0.278	ug/m3	ND	N	4/22/2026	09:54	5/6/2026
DRPNB-2-B-20260422	2	o-Xylene	Blank	<0.278	ug/m3	0.278	ug/m3	ND	N	4/22/2026	09:54	5/6/2026
DRPNB-2-B-20260422	2	Toluene	Blank	<0.246	ug/m3	0.246	ug/m3	ND	N	4/22/2026	09:54	5/6/2026

Deadriver Bucksport Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE
DRPNB-3-S-20260422	3	Benzene	Sample	0.757	ug/m3	0.191	ug/m3		Y	4/22/2026	09:56	5/6/2026
DRPNB-3-S-20260422	3	Ethylbenzene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/22/2026	09:56	5/6/2026
DRPNB-3-S-20260422	3	m-/p-Xylenes	Sample	0.781	ug/m3	0.277	ug/m3		Y	4/22/2026	09:56	5/6/2026
DRPNB-3-S-20260422	3	o-Xylene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/22/2026	09:56	5/6/2026
DRPNB-3-S-20260422	3	Toluene	Sample	1.89	ug/m3	0.245	ug/m3		Y	4/22/2026	09:56	5/6/2026
DRPNB-4-S-20260422	4	Benzene	Sample	0.447	ug/m3	0.19	ug/m3	J	Y	4/22/2026	10:05	5/6/2026
DRPNB-4-S-20260422	4	Ethylbenzene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/22/2026	10:05	5/6/2026
DRPNB-4-S-20260422	4	m-/p-Xylenes	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/22/2026	10:05	5/6/2026
DRPNB-4-S-20260422	4	o-Xylene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/22/2026	10:05	5/6/2026
DRPNB-4-S-20260422	4	Toluene	Sample	0.607	ug/m3	0.245	ug/m3		Y	4/22/2026	10:05	5/6/2026
DRPNB-5-S-20260422	5	Benzene	Sample	0.447	ug/m3	0.19	ug/m3	J	Y	4/22/2026	10:04	5/6/2026
DRPNB-5-S-20260422	5	Ethylbenzene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/22/2026	10:04	5/6/2026
DRPNB-5-S-20260422	5	m-/p-Xylenes	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/22/2026	10:04	5/6/2026
DRPNB-5-S-20260422	5	o-Xylene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/22/2026	10:04	5/6/2026
DRPNB-5-S-20260422	5	Toluene	Sample	0.74	ug/m3	0.245	ug/m3		Y	4/22/2026	10:04	5/6/2026
DRPNB-6-S-20260422	6	Benzene	Sample	0.385	ug/m3	0.19	ug/m3	J	Y	4/22/2026	10:03	5/6/2026
DRPNB-6-S-20260422	6	Ethylbenzene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/22/2026	10:03	5/6/2026
DRPNB-6-S-20260422	6	m-/p-Xylenes	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/22/2026	10:03	5/6/2026
DRPNB-6-S-20260422	6	o-Xylene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/22/2026	10:03	5/6/2026
DRPNB-6-S-20260422	6	Toluene	Sample	0.67	ug/m3	0.245	ug/m3		Y	4/22/2026	10:03	5/6/2026
DRPNB-7-S-20260422	7	Benzene	Sample	0.446	ug/m3	0.19	ug/m3	J	Y	4/22/2026	10:02	5/6/2026
DRPNB-7-S-20260422	7	Ethylbenzene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/22/2026	10:02	5/6/2026
DRPNB-7-S-20260422	7	m-/p-Xylenes	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/22/2026	10:02	5/6/2026
DRPNB-7-S-20260422	7	o-Xylene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/22/2026	10:02	5/6/2026
DRPNB-7-S-20260422	7	Toluene	Sample	0.509	ug/m3	0.245	ug/m3	J	Y	4/22/2026	10:02	5/6/2026
DRPNB-8-S-20260422	8	Benzene	Sample	0.459	ug/m3	0.191	ug/m3		Y	4/22/2026	10:00	5/6/2026
DRPNB-8-S-20260422	8	Ethylbenzene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/22/2026	10:00	5/6/2026
DRPNB-8-S-20260422	8	m-/p-Xylenes	Sample	0.366	ug/m3	0.277	ug/m3	J	Y	4/22/2026	10:00	5/6/2026
DRPNB-8-S-20260422	8	o-Xylene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/22/2026	10:00	5/6/2026
DRPNB-8-S-20260422	8	Toluene	Sample	0.754	ug/m3	0.245	ug/m3		Y	4/22/2026	10:00	5/6/2026

Deadriver Bucksport Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE
DRPNB-9-S-20260422	9	Benzene	Sample	0.668	ug/m3	0.19	ug/m3		Y	4/22/2026	10:10	5/6/2026
DRPNB-9-S-20260422	9	Ethylbenzene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/22/2026	10:10	5/6/2026
DRPNB-9-S-20260422	9	m-/p-Xylenes	Sample	0.532	ug/m3	0.277	ug/m3	J	Y	4/22/2026	10:10	5/6/2026
DRPNB-9-S-20260422	9	o-Xylene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/22/2026	10:10	5/6/2026
DRPNB-9-S-20260422	9	Toluene	Sample	1.26	ug/m3	0.245	ug/m3		Y	4/22/2026	10:10	5/6/2026
DRPNB-10-S-20260422	10	Benzene	Sample	0.72	ug/m3	0.19	ug/m3		Y	4/22/2026	10:13	5/6/2026
DRPNB-10-S-20260422	10	Ethylbenzene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/22/2026	10:13	5/6/2026
DRPNB-10-S-20260422	10	m-/p-Xylenes	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/22/2026	10:13	5/6/2026
DRPNB-10-S-20260422	10	o-Xylene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/22/2026	10:13	5/6/2026
DRPNB-10-S-20260422	10	Toluene	Sample	0.852	ug/m3	0.245	ug/m3		Y	4/22/2026	10:13	5/6/2026
DRPNB-11-S-20260422	11	Benzene	Sample	0.587	ug/m3	0.19	ug/m3		Y	4/22/2026	10:15	5/6/2026
DRPNB-11-S-20260422	11	Ethylbenzene	Sample	0.317	ug/m3	0.277	ug/m3	J	Y	4/22/2026	10:15	5/6/2026
DRPNB-11-S-20260422	11	m-/p-Xylenes	Sample	0.614	ug/m3	0.277	ug/m3	J	Y	4/22/2026	10:15	5/6/2026
DRPNB-11-S-20260422	11	o-Xylene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/22/2026	10:15	5/6/2026
DRPNB-11-S-20260422	11	Toluene	Sample	1.57	ug/m3	0.245	ug/m3		Y	4/22/2026	10:15	5/6/2026
DRPNB-12-S-20260422	12	Benzene	Sample	0.336	ug/m3	0.19	ug/m3	J	Y	4/22/2026	10:17	5/6/2026
DRPNB-12-S-20260422	12	Ethylbenzene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/22/2026	10:17	5/6/2026
DRPNB-12-S-20260422	12	m-/p-Xylenes	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/22/2026	10:17	5/6/2026
DRPNB-12-S-20260422	12	o-Xylene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/22/2026	10:17	5/6/2026
DRPNB-12-S-20260422	12	Toluene	Sample	0.524	ug/m3	0.245	ug/m3		Y	4/22/2026	10:17	5/6/2026
DRPNB-13-S-20260422	13	Benzene	Sample	0.33	ug/m3	0.19	ug/m3	J	Y	4/22/2026	10:19	5/6/2026
DRPNB-13-S-20260422	13	Ethylbenzene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/22/2026	10:19	5/6/2026
DRPNB-13-S-20260422	13	m-/p-Xylenes	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/22/2026	10:19	5/6/2026
DRPNB-13-S-20260422	13	o-Xylene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/22/2026	10:19	5/6/2026
DRPNB-13-S-20260422	13	Toluene	Sample	0.535	ug/m3	0.245	ug/m3		Y	4/22/2026	10:19	5/6/2026
DRPNB-14-S-20260422	14	Benzene	Sample	0.516	ug/m3	0.19	ug/m3		Y	4/22/2026	10:22	5/6/2026
DRPNB-14-S-20260422	14	Ethylbenzene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/22/2026	10:22	5/6/2026
DRPNB-14-S-20260422	14	m-/p-Xylenes	Sample	0.361	ug/m3	0.277	ug/m3	J	Y	4/22/2026	10:22	5/6/2026
DRPNB-14-S-20260422	14	o-Xylene	Sample	<0.277	ug/m3	0.277	ug/m3	ND	N	4/22/2026	10:22	5/6/2026
DRPNB-14-S-20260422	14	Toluene	Sample	1.14	ug/m3	0.245	ug/m3		Y	4/22/2026	10:22	5/6/2026

Deadriver Bucksport Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE
DRPNB-15-S-20260422	15	Benzene	Sample	1.7	ug/m3	0.19	ug/m3		Y	4/22/2026	10:25	5/6/2026
DRPNB-15-S-20260422	15	Ethylbenzene	Sample	0.332	ug/m3	0.277	ug/m3	J	Y	4/22/2026	10:25	5/6/2026
DRPNB-15-S-20260422	15	m-/p-Xylenes	Sample	0.974	ug/m3	0.277	ug/m3		Y	4/22/2026	10:25	5/6/2026
DRPNB-15-S-20260422	15	o-Xylene	Sample	0.339	ug/m3	0.277	ug/m3	J	Y	4/22/2026	10:25	5/6/2026
DRPNB-15-S-20260422	15	Toluene	Sample	3.86	ug/m3	0.245	ug/m3		Y	4/22/2026	10:25	5/6/2026
DRPNB-15-D-20260422	15	Benzene	Duplicate	1.56	ug/m3	0.19	ug/m3		Y	4/22/2026	10:25	5/6/2026
DRPNB-15-D-20260422	15	Ethylbenzene	Duplicate	0.31	ug/m3	0.277	ug/m3	J	Y	4/22/2026	10:25	5/6/2026
DRPNB-15-D-20260422	15	m-/p-Xylenes	Duplicate	0.981	ug/m3	0.277	ug/m3		Y	4/22/2026	10:25	5/6/2026
DRPNB-15-D-20260422	15	o-Xylene	Duplicate	0.353	ug/m3	0.277	ug/m3	J	Y	4/22/2026	10:25	5/6/2026
DRPNB-15-D-20260422	15	Toluene	Duplicate	3.73	ug/m3	0.245	ug/m3		Y	4/22/2026	10:25	5/6/2026
DRPNB-15-B-20260422	15	Benzene	Blank	<0.19	ug/m3	0.19	ug/m3	ND	N	4/22/2026	10:25	5/6/2026
DRPNB-15-B-20260422	15	Ethylbenzene	Blank	<0.277	ug/m3	0.277	ug/m3	ND	N	4/22/2026	10:25	5/6/2026
DRPNB-15-B-20260422	15	m-/p-Xylenes	Blank	<0.277	ug/m3	0.277	ug/m3	ND	N	4/22/2026	10:25	5/6/2026
DRPNB-15-B-20260422	15	o-Xylene	Blank	<0.277	ug/m3	0.277	ug/m3	ND	N	4/22/2026	10:25	5/6/2026
DRPNB-15-B-20260422	15	Toluene	Blank	<0.245	ug/m3	0.245	ug/m3	ND	N	4/22/2026	10:25	5/6/2026
DRPNB-1-S-20260506	1	Benzene	Sample	1.57	ug/m3	0.189	ug/m3		Y	5/6/2026	10:20	5/20/2026
DRPNB-1-S-20260506	1	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/6/2026	10:20	5/20/2026
DRPNB-1-S-20260506	1	m-/p-Xylenes	Sample	0.796	ug/m3	0.276	ug/m3		Y	5/6/2026	10:20	5/20/2026
DRPNB-1-S-20260506	1	o-Xylene	Sample	0.277	ug/m3	0.276	ug/m3	J	Y	5/6/2026	10:20	5/20/2026
DRPNB-1-S-20260506	1	Toluene	Sample	3.06	ug/m3	0.244	ug/m3		Y	5/6/2026	10:20	5/20/2026
DRPNB-2-S-20260506	2	Benzene	Sample	0.938	ug/m3	0.189	ug/m3		Y	5/6/2026	10:29	5/20/2026
DRPNB-2-S-20260506	2	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/6/2026	10:29	5/20/2026
DRPNB-2-S-20260506	2	m-/p-Xylenes	Sample	0.626	ug/m3	0.276	ug/m3	J	Y	5/6/2026	10:29	5/20/2026
DRPNB-2-S-20260506	2	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/6/2026	10:29	5/20/2026
DRPNB-2-S-20260506	2	Toluene	Sample	2.05	ug/m3	0.244	ug/m3		Y	5/6/2026	10:29	5/20/2026
DRPNB-2-D-20260506	2	Benzene	Duplicate	0.942	ug/m3	0.189	ug/m3		Y	5/6/2026	10:29	5/20/2026
DRPNB-2-D-20260506	2	Ethylbenzene	Duplicate	<0.276	ug/m3	0.276	ug/m3	ND	N	5/6/2026	10:29	5/20/2026
DRPNB-2-D-20260506	2	m-/p-Xylenes	Duplicate	0.636	ug/m3	0.276	ug/m3	J	Y	5/6/2026	10:29	5/20/2026
DRPNB-2-D-20260506	2	o-Xylene	Duplicate	<0.276	ug/m3	0.276	ug/m3	ND	N	5/6/2026	10:29	5/20/2026
DRPNB-2-D-20260506	2	Toluene	Duplicate	2	ug/m3	0.244	ug/m3		Y	5/6/2026	10:29	5/20/2026

Deadriver Bucksport Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE
DRPNB-2-B-20260506	2	Benzene	Blank	<0.189	ug/m3	0.189	ug/m3	ND	N	5/6/2026	10:29	5/20/2026
DRPNB-2-B-20260506	2	Ethylbenzene	Blank	<0.276	ug/m3	0.276	ug/m3	ND	N	5/6/2026	10:29	5/20/2026
DRPNB-2-B-20260506	2	m-/p-Xylenes	Blank	<0.276	ug/m3	0.276	ug/m3	ND	N	5/6/2026	10:29	5/20/2026
DRPNB-2-B-20260506	2	o-Xylene	Blank	<0.276	ug/m3	0.276	ug/m3	ND	N	5/6/2026	10:29	5/20/2026
DRPNB-2-B-20260506	2	Toluene	Blank	<0.244	ug/m3	0.244	ug/m3	ND	N	5/6/2026	10:29	5/20/2026
DRPNB-3-S-20260506	3	Benzene	Sample	1.07	ug/m3	0.189	ug/m3		Y	5/6/2026	10:33	5/20/2026
DRPNB-3-S-20260506	3	Ethylbenzene	Sample	0.322	ug/m3	0.276	ug/m3	J	Y	5/6/2026	10:33	5/20/2026
DRPNB-3-S-20260506	3	m-/p-Xylenes	Sample	1.01	ug/m3	0.276	ug/m3		Y	5/6/2026	10:33	5/20/2026
DRPNB-3-S-20260506	3	o-Xylene	Sample	0.355	ug/m3	0.276	ug/m3	J	Y	5/6/2026	10:33	5/20/2026
DRPNB-3-S-20260506	3	Toluene	Sample	2.36	ug/m3	0.244	ug/m3		Y	5/6/2026	10:33	5/20/2026
DRPNB-4-S-20260506	4	Benzene	Sample	0.596	ug/m3	0.189	ug/m3		Y	5/6/2026	10:53	5/20/2026
DRPNB-4-S-20260506	4	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/6/2026	10:53	5/20/2026
DRPNB-4-S-20260506	4	m-/p-Xylenes	Sample	0.614	ug/m3	0.276	ug/m3	J	Y	5/6/2026	10:53	5/20/2026
DRPNB-4-S-20260506	4	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/6/2026	10:53	5/20/2026
DRPNB-4-S-20260506	4	Toluene	Sample	1.23	ug/m3	0.244	ug/m3		Y	5/6/2026	10:53	5/20/2026
DRPNB-5-S-20260506	5	Benzene	Sample	0.462	ug/m3	0.189	ug/m3		Y	5/6/2026	10:50	5/20/2026
DRPNB-5-S-20260506	5	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/6/2026	10:50	5/20/2026
DRPNB-5-S-20260506	5	m-/p-Xylenes	Sample	0.615	ug/m3	0.276	ug/m3	J	Y	5/6/2026	10:50	5/20/2026
DRPNB-5-S-20260506	5	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/6/2026	10:50	5/20/2026
DRPNB-5-S-20260506	5	Toluene	Sample	1.1	ug/m3	0.244	ug/m3		Y	5/6/2026	10:50	5/20/2026
DRPNB-6-S-20260506	6	Benzene	Sample	0.56	ug/m3	0.189	ug/m3		Y	5/6/2026	10:47	5/20/2026
DRPNB-6-S-20260506	6	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/6/2026	10:47	5/20/2026
DRPNB-6-S-20260506	6	m-/p-Xylenes	Sample	0.603	ug/m3	0.276	ug/m3	J	Y	5/6/2026	10:47	5/20/2026
DRPNB-6-S-20260506	6	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/6/2026	10:47	5/20/2026
DRPNB-6-S-20260506	6	Toluene	Sample	1.09	ug/m3	0.244	ug/m3		Y	5/6/2026	10:47	5/20/2026
DRPNB-7-S-20260506	7	Benzene	Sample	0.418	ug/m3	0.189	ug/m3	J	Y	5/6/2026	10:42	5/20/2026
DRPNB-7-S-20260506	7	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/6/2026	10:42	5/20/2026
DRPNB-7-S-20260506	7	m-/p-Xylenes	Sample	0.366	ug/m3	0.276	ug/m3	J	Y	5/6/2026	10:42	5/20/2026
DRPNB-7-S-20260506	7	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/6/2026	10:42	5/20/2026
DRPNB-7-S-20260506	7	Toluene	Sample	0.875	ug/m3	0.244	ug/m3		Y	5/6/2026	10:42	5/20/2026

Deadriver Bucksport Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE
DRPNB-8-S-20260506	8	Benzene	Sample	0.473	ug/m3	0.189	ug/m3		Y	5/6/2026	10:38	5/20/2026
DRPNB-8-S-20260506	8	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/6/2026	10:38	5/20/2026
DRPNB-8-S-20260506	8	m-/p-Xylenes	Sample	0.42	ug/m3	0.276	ug/m3	J	Y	5/6/2026	10:38	5/20/2026
DRPNB-8-S-20260506	8	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/6/2026	10:38	5/20/2026
DRPNB-8-S-20260506	8	Toluene	Sample	1.05	ug/m3	0.244	ug/m3		Y	5/6/2026	10:38	5/20/2026
DRPNB-9-S-20260506	9	Benzene	Sample	0.554	ug/m3	0.189	ug/m3		Y	5/6/2026	11:00	5/20/2026
DRPNB-9-S-20260506	9	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/6/2026	11:00	5/20/2026
DRPNB-9-S-20260506	9	m-/p-Xylenes	Sample	0.61	ug/m3	0.276	ug/m3	J	Y	5/6/2026	11:00	5/20/2026
DRPNB-9-S-20260506	9	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/6/2026	11:00	5/20/2026
DRPNB-9-S-20260506	9	Toluene	Sample	1.33	ug/m3	0.244	ug/m3		Y	5/6/2026	11:00	5/20/2026
DRPNB-10-S-20260506	10	Benzene	Sample	0.443	ug/m3	0.19	ug/m3	J	Y	5/6/2026	11:04	5/20/2026
DRPNB-10-S-20260506	10	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/6/2026	11:04	5/20/2026
DRPNB-10-S-20260506	10	m-/p-Xylenes	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/6/2026	11:04	5/20/2026
DRPNB-10-S-20260506	10	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/6/2026	11:04	5/20/2026
DRPNB-10-S-20260506	10	Toluene	Sample	0.836	ug/m3	0.244	ug/m3		Y	5/6/2026	11:04	5/20/2026
DRPNB-11-S-20260506	11	Benzene	Sample	0.439	ug/m3	0.19	ug/m3	J	Y	5/6/2026	11:07	5/20/2026
DRPNB-11-S-20260506	11	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/6/2026	11:07	5/20/2026
DRPNB-11-S-20260506	11	m-/p-Xylenes	Sample	0.787	ug/m3	0.276	ug/m3		Y	5/6/2026	11:07	5/20/2026
DRPNB-11-S-20260506	11	o-Xylene	Sample	0.28	ug/m3	0.276	ug/m3	J	Y	5/6/2026	11:07	5/20/2026
DRPNB-11-S-20260506	11	Toluene	Sample	1.29	ug/m3	0.244	ug/m3		Y	5/6/2026	11:07	5/20/2026
DRPNB-12-S-20260506	12	Benzene	Sample	0.443	ug/m3	0.19	ug/m3	J	Y	5/6/2026	11:10	5/20/2026
DRPNB-12-S-20260506	12	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/6/2026	11:10	5/20/2026
DRPNB-12-S-20260506	12	m-/p-Xylenes	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/6/2026	11:10	5/20/2026
DRPNB-12-S-20260506	12	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/6/2026	11:10	5/20/2026
DRPNB-12-S-20260506	12	Toluene	Sample	0.558	ug/m3	0.244	ug/m3		Y	5/6/2026	11:10	5/20/2026
DRPNB-13-S-20260506	13	Benzene	Sample	0.346	ug/m3	0.19	ug/m3	J	Y	5/6/2026	11:13	5/20/2026
DRPNB-13-S-20260506	13	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/6/2026	11:13	5/20/2026
DRPNB-13-S-20260506	13	m-/p-Xylenes	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/6/2026	11:13	5/20/2026
DRPNB-13-S-20260506	13	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/6/2026	11:13	5/20/2026
DRPNB-13-S-20260506	13	Toluene	Sample	0.629	ug/m3	0.244	ug/m3		Y	5/6/2026	11:13	5/20/2026

Deadriver Bucksport Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE
DRPNB-14-S-20260506	14	Benzene	Sample	0.795	ug/m3	0.19	ug/m3		Y	5/6/2026	11:17	5/20/2026
DRPNB-14-S-20260506	14	Ethylbenzene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/6/2026	11:17	5/20/2026
DRPNB-14-S-20260506	14	m-/p-Xylenes	Sample	0.509	ug/m3	0.276	ug/m3	J	Y	5/6/2026	11:17	5/20/2026
DRPNB-14-S-20260506	14	o-Xylene	Sample	<0.276	ug/m3	0.276	ug/m3	ND	N	5/6/2026	11:17	5/20/2026
DRPNB-14-S-20260506	14	Toluene	Sample	1.44	ug/m3	0.244	ug/m3		Y	5/6/2026	11:17	5/20/2026
DRPNB-15-S-20260506	15	Benzene	Sample	4.15	ug/m3	0.19	ug/m3		Y	5/6/2026	11:24	5/20/2026
DRPNB-15-S-20260506	15	Ethylbenzene	Sample	0.749	ug/m3	0.276	ug/m3		Y	5/6/2026	11:24	5/20/2026
DRPNB-15-S-20260506	15	m-/p-Xylenes	Sample	2.28	ug/m3	0.276	ug/m3		Y	5/6/2026	11:24	5/20/2026
DRPNB-15-S-20260506	15	o-Xylene	Sample	0.736	ug/m3	0.276	ug/m3		Y	5/6/2026	11:24	5/20/2026
DRPNB-15-S-20260506	15	Toluene	Sample	8.94	ug/m3	0.244	ug/m3		Y	5/6/2026	11:24	5/20/2026
DRPNB-15-D-20260506	15	Benzene	Duplicate	4.16	ug/m3	0.19	ug/m3		Y	5/6/2026	11:24	5/20/2026
DRPNB-15-D-20260506	15	Ethylbenzene	Duplicate	0.772	ug/m3	0.276	ug/m3		Y	5/6/2026	11:24	5/20/2026
DRPNB-15-D-20260506	15	m-/p-Xylenes	Duplicate	2.36	ug/m3	0.276	ug/m3		Y	5/6/2026	11:24	5/20/2026
DRPNB-15-D-20260506	15	o-Xylene	Duplicate	0.784	ug/m3	0.276	ug/m3		Y	5/6/2026	11:24	5/20/2026
DRPNB-15-D-20260506	15	Toluene	Duplicate	9.13	ug/m3	0.244	ug/m3		Y	5/6/2026	11:24	5/20/2026
DRPNB-15-B-20260506	15	Benzene	Blank	<0.19	ug/m3	0.19	ug/m3	ND	N	5/6/2026	11:24	5/20/2026
DRPNB-15-B-20260506	15	Ethylbenzene	Blank	<0.276	ug/m3	0.276	ug/m3	ND	N	5/6/2026	11:24	5/20/2026
DRPNB-15-B-20260506	15	m-/p-Xylenes	Blank	<0.276	ug/m3	0.276	ug/m3	ND	N	5/6/2026	11:24	5/20/2026
DRPNB-15-B-20260506	15	o-Xylene	Blank	<0.276	ug/m3	0.276	ug/m3	ND	N	5/6/2026	11:24	5/20/2026
DRPNB-15-B-20260506	15	Toluene	Blank	<0.244	ug/m3	0.244	ug/m3	ND	N	5/6/2026	11:24	5/20/2026
DRPNB-1-S-20260520	1	Benzene	Sample	1	ug/m3	0.189	ug/m3		Y	5/20/2026	10:12	6/3/2026
DRPNB-1-S-20260520	1	Ethylbenzene	Sample	0.357	ug/m3	0.275	ug/m3	J	Y	5/20/2026	10:12	6/3/2026
DRPNB-1-S-20260520	1	m-/p-Xylenes	Sample	0.92	ug/m3	0.275	ug/m3		Y	5/20/2026	10:12	6/3/2026
DRPNB-1-S-20260520	1	o-Xylene	Sample	0.326	ug/m3	0.275	ug/m3	J	Y	5/20/2026	10:12	6/3/2026
DRPNB-1-S-20260520	1	Toluene	Sample	2.49	ug/m3	0.243	ug/m3		Y	5/20/2026	10:12	6/3/2026
DRPNB-2-S-20260520	2	Benzene	Sample	0.966	ug/m3	0.189	ug/m3		Y	5/20/2026	10:16	6/3/2026
DRPNB-2-S-20260520	2	Ethylbenzene	Sample	0.352	ug/m3	0.275	ug/m3	J	Y	5/20/2026	10:16	6/3/2026
DRPNB-2-S-20260520	2	m-/p-Xylenes	Sample	0.732	ug/m3	0.275	ug/m3		Y	5/20/2026	10:16	6/3/2026
DRPNB-2-S-20260520	2	o-Xylene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	5/20/2026	10:16	6/3/2026
DRPNB-2-S-20260520	2	Toluene	Sample	2.44	ug/m3	0.243	ug/m3		Y	5/20/2026	10:16	6/3/2026

Deadriver Bucksport Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE
DRPNB-2-D-20260520	2	Benzene	Duplicate	0.922	ug/m3	0.189	ug/m3		Y	5/20/2026	10:16	6/3/2026
DRPNB-2-D-20260520	2	Ethylbenzene	Duplicate	0.295	ug/m3	0.275	ug/m3	J	Y	5/20/2026	10:16	6/3/2026
DRPNB-2-D-20260520	2	m-/p-Xylenes	Duplicate	0.598	ug/m3	0.275	ug/m3	J	Y	5/20/2026	10:16	6/3/2026
DRPNB-2-D-20260520	2	o-Xylene	Duplicate	<0.275	ug/m3	0.275	ug/m3	ND	N	5/20/2026	10:16	6/3/2026
DRPNB-2-D-20260520	2	Toluene	Duplicate	2.24	ug/m3	0.243	ug/m3		Y	5/20/2026	10:16	6/3/2026
DRPNB-2-B-20260520	2	Benzene	Blank	<0.189	ug/m3	0.189	ug/m3	ND	N	5/20/2026	10:16	6/3/2026
DRPNB-2-B-20260520	2	Ethylbenzene	Blank	<0.275	ug/m3	0.275	ug/m3	ND	N	5/20/2026	10:16	6/3/2026
DRPNB-2-B-20260520	2	m-/p-Xylenes	Blank	<0.275	ug/m3	0.275	ug/m3	ND	N	5/20/2026	10:16	6/3/2026
DRPNB-2-B-20260520	2	o-Xylene	Blank	<0.275	ug/m3	0.275	ug/m3	ND	N	5/20/2026	10:16	6/3/2026
DRPNB-2-B-20260520	2	Toluene	Blank	<0.243	ug/m3	0.243	ug/m3	ND	N	5/20/2026	10:16	6/3/2026
DRPNB-3-S-20260520	3	Benzene	Sample	0.443	ug/m3	0.189	ug/m3	J	Y	5/20/2026	10:19	6/3/2026
DRPNB-3-S-20260520	3	Ethylbenzene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	5/20/2026	10:19	6/3/2026
DRPNB-3-S-20260520	3	m-/p-Xylenes	Sample	0.497	ug/m3	0.275	ug/m3	J	Y	5/20/2026	10:19	6/3/2026
DRPNB-3-S-20260520	3	o-Xylene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	5/20/2026	10:19	6/3/2026
DRPNB-3-S-20260520	3	Toluene	Sample	1.3	ug/m3	0.243	ug/m3		Y	5/20/2026	10:19	6/3/2026
DRPNB-4-S-20260520	4	Benzene	Sample	0.394	ug/m3	0.189	ug/m3	J	Y	5/20/2026	10:27	6/3/2026
DRPNB-4-S-20260520	4	Ethylbenzene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	5/20/2026	10:27	6/3/2026
DRPNB-4-S-20260520	4	m-/p-Xylenes	Sample	0.426	ug/m3	0.275	ug/m3	J	Y	5/20/2026	10:27	6/3/2026
DRPNB-4-S-20260520	4	o-Xylene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	5/20/2026	10:27	6/3/2026
DRPNB-4-S-20260520	4	Toluene	Sample	1.03	ug/m3	0.243	ug/m3		Y	5/20/2026	10:27	6/3/2026
DRPNB-5-S-20260520	5	Benzene	Sample	0.409	ug/m3	0.189	ug/m3	J	Y	5/20/2026	10:26	6/3/2026
DRPNB-5-S-20260520	5	Ethylbenzene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	5/20/2026	10:26	6/3/2026
DRPNB-5-S-20260520	5	m-/p-Xylenes	Sample	0.498	ug/m3	0.275	ug/m3	J	Y	5/20/2026	10:26	6/3/2026
DRPNB-5-S-20260520	5	o-Xylene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	5/20/2026	10:26	6/3/2026
DRPNB-5-S-20260520	5	Toluene	Sample	1.05	ug/m3	0.243	ug/m3		Y	5/20/2026	10:26	6/3/2026
DRPNB-6-S-20260520	6	Benzene	Sample	0.654	ug/m3	0.189	ug/m3		Y	5/20/2026	10:25	6/3/2026
DRPNB-6-S-20260520	6	Ethylbenzene	Sample	0.36	ug/m3	0.275	ug/m3	J	Y	5/20/2026	10:25	6/3/2026
DRPNB-6-S-20260520	6	m-/p-Xylenes	Sample	0.776	ug/m3	0.275	ug/m3		Y	5/20/2026	10:25	6/3/2026
DRPNB-6-S-20260520	6	o-Xylene	Sample	0.313	ug/m3	0.275	ug/m3	J	Y	5/20/2026	10:25	6/3/2026
DRPNB-6-S-20260520	6	Toluene	Sample	1.66	ug/m3	0.243	ug/m3		Y	5/20/2026	10:25	6/3/2026

Deadriver Bucksport Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE
DRPNB-7-S-20260520	7	Benzene	Sample	0.343	ug/m3	0.189	ug/m3	J	Y	5/20/2026	10:24	6/3/2026
DRPNB-7-S-20260520	7	Ethylbenzene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	5/20/2026	10:24	6/3/2026
DRPNB-7-S-20260520	7	m-/p-Xylenes	Sample	0.365	ug/m3	0.275	ug/m3	J	Y	5/20/2026	10:24	6/3/2026
DRPNB-7-S-20260520	7	o-Xylene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	5/20/2026	10:24	6/3/2026
DRPNB-7-S-20260520	7	Toluene	Sample	0.874	ug/m3	0.243	ug/m3		Y	5/20/2026	10:24	6/3/2026
DRPNB-8-S-20260520	8	Benzene	Sample	0.315	ug/m3	0.189	ug/m3	J	Y	5/20/2026	10:22	6/3/2026
DRPNB-8-S-20260520	8	Ethylbenzene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	5/20/2026	10:22	6/3/2026
DRPNB-8-S-20260520	8	m-/p-Xylenes	Sample	0.368	ug/m3	0.275	ug/m3	J	Y	5/20/2026	10:22	6/3/2026
DRPNB-8-S-20260520	8	o-Xylene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	5/20/2026	10:22	6/3/2026
DRPNB-8-S-20260520	8	Toluene	Sample	0.814	ug/m3	0.243	ug/m3		Y	5/20/2026	10:22	6/3/2026
DRPNB-9-S-20260520	9	Benzene	Sample	0.584	ug/m3	0.189	ug/m3		Y	5/20/2026	10:32	6/3/2026
DRPNB-9-S-20260520	9	Ethylbenzene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	5/20/2026	10:32	6/3/2026
DRPNB-9-S-20260520	9	m-/p-Xylenes	Sample	0.378	ug/m3	0.275	ug/m3	J	Y	5/20/2026	10:32	6/3/2026
DRPNB-9-S-20260520	9	o-Xylene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	5/20/2026	10:32	6/3/2026
DRPNB-9-S-20260520	9	Toluene	Sample	1.14	ug/m3	0.243	ug/m3		Y	5/20/2026	10:32	6/3/2026
DRPNB-10-S-20260520	10	Benzene	Sample	0.51	ug/m3	0.189	ug/m3		Y	5/20/2026	10:34	6/3/2026
DRPNB-10-S-20260520	10	Ethylbenzene	Sample	0.301	ug/m3	0.275	ug/m3	J	Y	5/20/2026	10:34	6/3/2026
DRPNB-10-S-20260520	10	m-/p-Xylenes	Sample	0.681	ug/m3	0.275	ug/m3		Y	5/20/2026	10:34	6/3/2026
DRPNB-10-S-20260520	10	o-Xylene	Sample	0.279	ug/m3	0.275	ug/m3	J	Y	5/20/2026	10:34	6/3/2026
DRPNB-10-S-20260520	10	Toluene	Sample	1.39	ug/m3	0.243	ug/m3		Y	5/20/2026	10:34	6/3/2026
DRPNB-11-S-20260520	11	Benzene	Sample	0.599	ug/m3	0.189	ug/m3		Y	5/20/2026	10:36	6/3/2026
DRPNB-11-S-20260520	11	Ethylbenzene	Sample	0.594	ug/m3	0.275	ug/m3	J	Y	5/20/2026	10:36	6/3/2026
DRPNB-11-S-20260520	11	m-/p-Xylenes	Sample	1.72	ug/m3	0.275	ug/m3		Y	5/20/2026	10:36	6/3/2026
DRPNB-11-S-20260520	11	o-Xylene	Sample	0.619	ug/m3	0.275	ug/m3	J	Y	5/20/2026	10:36	6/3/2026
DRPNB-11-S-20260520	11	Toluene	Sample	2.46	ug/m3	0.243	ug/m3		Y	5/20/2026	10:36	6/3/2026
DRPNB-12-S-20260520	12	Benzene	Sample	0.322	ug/m3	0.189	ug/m3	J	Y	5/20/2026	10:37	6/3/2026
DRPNB-12-S-20260520	12	Ethylbenzene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	5/20/2026	10:37	6/3/2026
DRPNB-12-S-20260520	12	m-/p-Xylenes	Sample	0.42	ug/m3	0.275	ug/m3	J	Y	5/20/2026	10:37	6/3/2026
DRPNB-12-S-20260520	12	o-Xylene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	5/20/2026	10:37	6/3/2026
DRPNB-12-S-20260520	12	Toluene	Sample	0.912	ug/m3	0.243	ug/m3		Y	5/20/2026	10:37	6/3/2026

Deadriver Bucksport Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE
DRPNB-13-S-20260520	13	Benzene	Sample	0.346	ug/m3	0.189	ug/m3	J	Y	5/20/2026	10:39	6/3/2026
DRPNB-13-S-20260520	13	Ethylbenzene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	5/20/2026	10:39	6/3/2026
DRPNB-13-S-20260520	13	m-/p-Xylenes	Sample	0.442	ug/m3	0.275	ug/m3	J	Y	5/20/2026	10:39	6/3/2026
DRPNB-13-S-20260520	13	o-Xylene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	5/20/2026	10:39	6/3/2026
DRPNB-13-S-20260520	13	Toluene	Sample	0.932	ug/m3	0.243	ug/m3		Y	5/20/2026	10:39	6/3/2026
DRPNB-14-S-20260520	14	Benzene	Sample	0.515	ug/m3	0.189	ug/m3		Y	5/20/2026	10:43	6/3/2026
DRPNB-14-S-20260520	14	Ethylbenzene	Sample	0.318	ug/m3	0.275	ug/m3	J	Y	5/20/2026	10:43	6/3/2026
DRPNB-14-S-20260520	14	m-/p-Xylenes	Sample	0.777	ug/m3	0.275	ug/m3		Y	5/20/2026	10:43	6/3/2026
DRPNB-14-S-20260520	14	o-Xylene	Sample	<0.275	ug/m3	0.275	ug/m3	ND	N	5/20/2026	10:43	6/3/2026
DRPNB-14-S-20260520	14	Toluene	Sample	1.57	ug/m3	0.243	ug/m3		Y	5/20/2026	10:43	6/3/2026
DRPNB-15-S-20260520	15	Benzene	Sample	2.71	ug/m3	0.189	ug/m3		Y	5/20/2026	10:45	6/3/2026
DRPNB-15-S-20260520	15	Ethylbenzene	Sample	0.798	ug/m3	0.275	ug/m3		Y	5/20/2026	10:45	6/3/2026
DRPNB-15-S-20260520	15	m-/p-Xylenes	Sample	2.18	ug/m3	0.275	ug/m3		Y	5/20/2026	10:45	6/3/2026
DRPNB-15-S-20260520	15	o-Xylene	Sample	0.761	ug/m3	0.275	ug/m3		Y	5/20/2026	10:45	6/3/2026
DRPNB-15-S-20260520	15	Toluene	Sample	7.16	ug/m3	0.243	ug/m3		Y	5/20/2026	10:45	6/3/2026
DRPNB-15-D-20260520	15	Benzene	Duplicate	2.68	ug/m3	0.189	ug/m3		Y	5/20/2026	10:45	6/3/2026
DRPNB-15-D-20260520	15	Ethylbenzene	Duplicate	0.691	ug/m3	0.275	ug/m3		Y	5/20/2026	10:45	6/3/2026
DRPNB-15-D-20260520	15	m-/p-Xylenes	Duplicate	2.01	ug/m3	0.275	ug/m3		Y	5/20/2026	10:45	6/3/2026
DRPNB-15-D-20260520	15	o-Xylene	Duplicate	0.688	ug/m3	0.275	ug/m3		Y	5/20/2026	10:45	6/3/2026
DRPNB-15-D-20260520	15	Toluene	Duplicate	6.85	ug/m3	0.243	ug/m3		Y	5/20/2026	10:45	6/3/2026
DRPNB-15-B-20260520	15	Benzene	Blank	<0.189	ug/m3	0.189	ug/m3	ND	N	5/20/2026	10:45	6/3/2026
DRPNB-15-B-20260520	15	Ethylbenzene	Blank	<0.275	ug/m3	0.275	ug/m3	ND	N	5/20/2026	10:45	6/3/2026
DRPNB-15-B-20260520	15	m-/p-Xylenes	Blank	<0.275	ug/m3	0.275	ug/m3	ND	N	5/20/2026	10:45	6/3/2026
DRPNB-15-B-20260520	15	o-Xylene	Blank	<0.275	ug/m3	0.275	ug/m3	ND	N	5/20/2026	10:45	6/3/2026
DRPNB-15-B-20260520	15	Toluene	Blank	<0.243	ug/m3	0.243	ug/m3	ND	N	5/20/2026	10:45	6/3/2026
DRPNB-1-S-20260603	1	Benzene	Sample	0.656	ug/m3	0.188	ug/m3		Y	6/3/2026	10:34	6/17/2026
DRPNB-1-S-20260603	1	Ethylbenzene	Sample	0.311	ug/m3	0.274	ug/m3	J	Y	6/3/2026	10:34	6/17/2026
DRPNB-1-S-20260603	1	m-/p-Xylenes	Sample	0.664	ug/m3	0.274	ug/m3	J	Y	6/3/2026	10:34	6/17/2026
DRPNB-1-S-20260603	1	o-Xylene	Sample	<0.274	ug/m3	0.274	ug/m3	ND	N	6/3/2026	10:34	6/17/2026
DRPNB-1-S-20260603	1	Toluene	Sample	1.59	ug/m3	0.242	ug/m3		Y	6/3/2026	10:34	6/17/2026

Deadriver Bucksport Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE
DRPNB-2-S-20260603	2	Benzene	Sample	0.504	ug/m3	0.188	ug/m3		Y	6/3/2026	10:39	6/17/2026
DRPNB-2-S-20260603	2	Ethylbenzene	Sample	0.356	ug/m3	0.274	ug/m3	J	Y	6/3/2026	10:39	6/17/2026
DRPNB-2-S-20260603	2	m-/p-Xylenes	Sample	0.816	ug/m3	0.274	ug/m3		Y	6/3/2026	10:39	6/17/2026
DRPNB-2-S-20260603	2	o-Xylene	Sample	0.295	ug/m3	0.274	ug/m3	J	Y	6/3/2026	10:39	6/17/2026
DRPNB-2-S-20260603	2	Toluene	Sample	1.4	ug/m3	0.242	ug/m3		Y	6/3/2026	10:39	6/17/2026
DRPNB-2-D-20260603	2	Benzene	Duplicate	0.509	ug/m3	0.188	ug/m3		Y	6/3/2026	10:39	6/17/2026
DRPNB-2-D-20260603	2	Ethylbenzene	Duplicate	0.302	ug/m3	0.274	ug/m3	J	Y	6/3/2026	10:39	6/17/2026
DRPNB-2-D-20260603	2	m-/p-Xylenes	Duplicate	0.737	ug/m3	0.274	ug/m3		Y	6/3/2026	10:39	6/17/2026
DRPNB-2-D-20260603	2	o-Xylene	Duplicate	0.277	ug/m3	0.274	ug/m3	J	Y	6/3/2026	10:39	6/17/2026
DRPNB-2-D-20260603	2	Toluene	Duplicate	1.34	ug/m3	0.242	ug/m3		Y	6/3/2026	10:39	6/17/2026
DRPNB-2-B-20260603	2	Benzene	Blank	<0.188	ug/m3	0.188	ug/m3	ND	N	6/3/2026	10:39	6/17/2026
DRPNB-2-B-20260603	2	Ethylbenzene	Blank	<0.274	ug/m3	0.274	ug/m3	ND	N	6/3/2026	10:39	6/17/2026
DRPNB-2-B-20260603	2	m-/p-Xylenes	Blank	<0.274	ug/m3	0.274	ug/m3	ND	N	6/3/2026	10:39	6/17/2026
DRPNB-2-B-20260603	2	o-Xylene	Blank	<0.274	ug/m3	0.274	ug/m3	ND	N	6/3/2026	10:39	6/17/2026
DRPNB-2-B-20260603	2	Toluene	Blank	0.319	ug/m3	0.242	ug/m3	J	Y	6/3/2026	10:39	6/17/2026
DRPNB-3-S-20260603	3	Benzene	Sample	0.745	ug/m3	0.188	ug/m3		Y	6/3/2026	10:41	6/17/2026
DRPNB-3-S-20260603	3	Ethylbenzene	Sample	0.496	ug/m3	0.274	ug/m3	J	Y	6/3/2026	10:41	6/17/2026
DRPNB-3-S-20260603	3	m-/p-Xylenes	Sample	1.55	ug/m3	0.274	ug/m3		Y	6/3/2026	10:41	6/17/2026
DRPNB-3-S-20260603	3	o-Xylene	Sample	0.556	ug/m3	0.274	ug/m3	J	Y	6/3/2026	10:41	6/17/2026
DRPNB-3-S-20260603	3	Toluene	Sample	2.29	ug/m3	0.242	ug/m3		Y	6/3/2026	10:41	6/17/2026
DRPNB-4-S-20260603	4	Benzene	Sample	0.614	ug/m3	0.188	ug/m3		Y	6/3/2026	10:48	6/17/2026
DRPNB-4-S-20260603	4	Ethylbenzene	Sample	0.571	ug/m3	0.274	ug/m3	J	Y	6/3/2026	10:48	6/17/2026
DRPNB-4-S-20260603	4	m-/p-Xylenes	Sample	1.41	ug/m3	0.274	ug/m3		Y	6/3/2026	10:48	6/17/2026
DRPNB-4-S-20260603	4	o-Xylene	Sample	0.612	ug/m3	0.274	ug/m3	J	Y	6/3/2026	10:48	6/17/2026
DRPNB-4-S-20260603	4	Toluene	Sample	2	ug/m3	0.242	ug/m3		Y	6/3/2026	10:48	6/17/2026
DRPNB-5-S-20260603	5	Benzene	Sample	0.715	ug/m3	0.188	ug/m3		Y	6/3/2026	10:47	6/17/2026
DRPNB-5-S-20260603	5	Ethylbenzene	Sample	0.632	ug/m3	0.274	ug/m3		Y	6/3/2026	10:47	6/17/2026
DRPNB-5-S-20260603	5	m-/p-Xylenes	Sample	1.51	ug/m3	0.274	ug/m3		Y	6/3/2026	10:47	6/17/2026
DRPNB-5-S-20260603	5	o-Xylene	Sample	0.679	ug/m3	0.274	ug/m3		Y	6/3/2026	10:47	6/17/2026
DRPNB-5-S-20260603	5	Toluene	Sample	2.22	ug/m3	0.242	ug/m3		Y	6/3/2026	10:47	6/17/2026

Deadriver Bucksport Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE
DRPNB-6-S-20260603	6	Benzene	Sample	0.614	ug/m3	0.188	ug/m3		Y	6/3/2026	10:46	6/17/2026
DRPNB-6-S-20260603	6	Ethylbenzene	Sample	1.02	ug/m3	0.274	ug/m3		Y	6/3/2026	10:46	6/17/2026
DRPNB-6-S-20260603	6	m-/p-Xylenes	Sample	3.14	ug/m3	0.274	ug/m3		Y	6/3/2026	10:46	6/17/2026
DRPNB-6-S-20260603	6	o-Xylene	Sample	1.46	ug/m3	0.274	ug/m3		Y	6/3/2026	10:46	6/17/2026
DRPNB-6-S-20260603	6	Toluene	Sample	2.86	ug/m3	0.242	ug/m3		Y	6/3/2026	10:46	6/17/2026
DRPNB-7-S-20260603	7	Benzene	Sample	0.523	ug/m3	0.188	ug/m3		Y	6/3/2026	10:45	6/17/2026
DRPNB-7-S-20260603	7	Ethylbenzene	Sample	0.426	ug/m3	0.274	ug/m3	J	Y	6/3/2026	10:45	6/17/2026
DRPNB-7-S-20260603	7	m-/p-Xylenes	Sample	0.852	ug/m3	0.274	ug/m3		Y	6/3/2026	10:45	6/17/2026
DRPNB-7-S-20260603	7	o-Xylene	Sample	0.382	ug/m3	0.274	ug/m3	J	Y	6/3/2026	10:45	6/17/2026
DRPNB-7-S-20260603	7	Toluene	Sample	1.46	ug/m3	0.242	ug/m3		Y	6/3/2026	10:45	6/17/2026
DRPNB-8-S-20260603	8	Benzene	Sample	0.665	ug/m3	0.188	ug/m3		Y	6/3/2026	10:44	6/17/2026
DRPNB-8-S-20260603	8	Ethylbenzene	Sample	0.366	ug/m3	0.274	ug/m3	J	Y	6/3/2026	10:44	6/17/2026
DRPNB-8-S-20260603	8	m-/p-Xylenes	Sample	0.85	ug/m3	0.274	ug/m3		Y	6/3/2026	10:44	6/17/2026
DRPNB-8-S-20260603	8	o-Xylene	Sample	0.348	ug/m3	0.274	ug/m3	J	Y	6/3/2026	10:44	6/17/2026
DRPNB-8-S-20260603	8	Toluene	Sample	1.57	ug/m3	0.242	ug/m3		Y	6/3/2026	10:44	6/17/2026
DRPNB-9-S-20260603	9	Benzene	Sample	0.8	ug/m3	0.188	ug/m3		Y	6/3/2026	10:54	6/17/2026
DRPNB-9-S-20260603	9	Ethylbenzene	Sample	0.492	ug/m3	0.274	ug/m3	J	Y	6/3/2026	10:54	6/17/2026
DRPNB-9-S-20260603	9	m-/p-Xylenes	Sample	1.21	ug/m3	0.274	ug/m3		Y	6/3/2026	10:54	6/17/2026
DRPNB-9-S-20260603	9	o-Xylene	Sample	0.49	ug/m3	0.274	ug/m3	J	Y	6/3/2026	10:54	6/17/2026
DRPNB-9-S-20260603	9	Toluene	Sample	2.19	ug/m3	0.242	ug/m3		Y	6/3/2026	10:54	6/17/2026
DRPNB-10-S-20260603	10	Benzene	Sample	0.598	ug/m3	0.188	ug/m3		Y	6/3/2026	10:56	6/17/2026
DRPNB-10-S-20260603	10	Ethylbenzene	Sample	0.346	ug/m3	0.274	ug/m3	J	Y	6/3/2026	10:56	6/17/2026
DRPNB-10-S-20260603	10	m-/p-Xylenes	Sample	1.07	ug/m3	0.274	ug/m3		Y	6/3/2026	10:56	6/17/2026
DRPNB-10-S-20260603	10	o-Xylene	Sample	0.421	ug/m3	0.274	ug/m3	J	Y	6/3/2026	10:56	6/17/2026
DRPNB-10-S-20260603	10	Toluene	Sample	1.49	ug/m3	0.242	ug/m3		Y	6/3/2026	10:56	6/17/2026
DRPNB-11-S-20260603	11	Benzene	Sample	0.42	ug/m3	0.188	ug/m3	J	Y	6/3/2026	10:58	6/17/2026
DRPNB-11-S-20260603	11	Ethylbenzene	Sample	0.34	ug/m3	0.274	ug/m3	J	Y	6/3/2026	10:58	6/17/2026
DRPNB-11-S-20260603	11	m-/p-Xylenes	Sample	1.06	ug/m3	0.274	ug/m3		Y	6/3/2026	10:58	6/17/2026
DRPNB-11-S-20260603	11	o-Xylene	Sample	0.408	ug/m3	0.274	ug/m3	J	Y	6/3/2026	10:58	6/17/2026
DRPNB-11-S-20260603	11	Toluene	Sample	1.45	ug/m3	0.242	ug/m3		Y	6/3/2026	10:58	6/17/2026

Deadriver Bucksport Maine Terminal Fenceline Monitoring

SAMPLE ID	SAMPLE LOC.	COMPOUND NAME	SAMPLE TYPE	RESULT 3	RESULT UNITS3	MDL3	MDL UNITS3	LAB FLAGS	DETECT FLAG	SAMPLE START DATE	SAMPLE START TIME	SAMPLE END DATE
DRPNB-12-S-20260603	12	Benzene	Sample	0.35	ug/m3	0.188	ug/m3	J	Y	6/3/2026	10:59	6/17/2026
DRPNB-12-S-20260603	12	Ethylbenzene	Sample	<0.274	ug/m3	0.274	ug/m3	ND	N	6/3/2026	10:59	6/17/2026
DRPNB-12-S-20260603	12	m-/p-Xylenes	Sample	0.384	ug/m3	0.274	ug/m3	J	Y	6/3/2026	10:59	6/17/2026
DRPNB-12-S-20260603	12	o-Xylene	Sample	<0.274	ug/m3	0.274	ug/m3	ND	N	6/3/2026	10:59	6/17/2026
DRPNB-12-S-20260603	12	Toluene	Sample	0.763	ug/m3	0.242	ug/m3		Y	6/3/2026	10:59	6/17/2026
DRPNB-13-S-20260603	13	Benzene	Sample	0.583	ug/m3	0.188	ug/m3		Y	6/3/2026	11:01	6/17/2026
DRPNB-13-S-20260603	13	Ethylbenzene	Sample	<0.274	ug/m3	0.274	ug/m3	ND	N	6/3/2026	11:01	6/17/2026
DRPNB-13-S-20260603	13	m-/p-Xylenes	Sample	0.337	ug/m3	0.274	ug/m3	J	Y	6/3/2026	11:01	6/17/2026
DRPNB-13-S-20260603	13	o-Xylene	Sample	<0.274	ug/m3	0.274	ug/m3	ND	N	6/3/2026	11:01	6/17/2026
DRPNB-13-S-20260603	13	Toluene	Sample	0.85	ug/m3	0.242	ug/m3		Y	6/3/2026	11:01	6/17/2026
DRPNB-14-S-20260603	14	Benzene	Sample	0.421	ug/m3	0.188	ug/m3	J	Y	6/3/2026	11:03	6/17/2026
DRPNB-14-S-20260603	14	Ethylbenzene	Sample	0.39	ug/m3	0.274	ug/m3	J	Y	6/3/2026	11:03	6/17/2026
DRPNB-14-S-20260603	14	m-/p-Xylenes	Sample	0.898	ug/m3	0.274	ug/m3		Y	6/3/2026	11:03	6/17/2026
DRPNB-14-S-20260603	14	o-Xylene	Sample	0.327	ug/m3	0.274	ug/m3	J	Y	6/3/2026	11:03	6/17/2026
DRPNB-14-S-20260603	14	Toluene	Sample	1.61	ug/m3	0.242	ug/m3		Y	6/3/2026	11:03	6/17/2026
DRPNB-15-S-20260603	15	Benzene	Sample	1.11	ug/m3	0.188	ug/m3		Y	6/3/2026	11:05	6/17/2026
DRPNB-15-S-20260603	15	Ethylbenzene	Sample	0.452	ug/m3	0.274	ug/m3	J	Y	6/3/2026	11:05	6/17/2026
DRPNB-15-S-20260603	15	m-/p-Xylenes	Sample	1.44	ug/m3	0.274	ug/m3		Y	6/3/2026	11:05	6/17/2026
DRPNB-15-S-20260603	15	o-Xylene	Sample	0.533	ug/m3	0.274	ug/m3	J	Y	6/3/2026	11:05	6/17/2026
DRPNB-15-S-20260603	15	Toluene	Sample	3	ug/m3	0.242	ug/m3		Y	6/3/2026	11:05	6/17/2026
DRPNB-15-D-20260603	15	Benzene	Duplicate	1.12	ug/m3	0.188	ug/m3		Y	6/3/2026	11:05	6/17/2026
DRPNB-15-D-20260603	15	Ethylbenzene	Duplicate	0.439	ug/m3	0.274	ug/m3	J	Y	6/3/2026	11:05	6/17/2026
DRPNB-15-D-20260603	15	m-/p-Xylenes	Duplicate	1.22	ug/m3	0.274	ug/m3		Y	6/3/2026	11:05	6/17/2026
DRPNB-15-D-20260603	15	o-Xylene	Duplicate	0.442	ug/m3	0.274	ug/m3	J	Y	6/3/2026	11:05	6/17/2026
DRPNB-15-D-20260603	15	Toluene	Duplicate	2.9	ug/m3	0.242	ug/m3		Y	6/3/2026	11:05	6/17/2026
DRPNB-15-B-20260603	15	Benzene	Blank	<0.188	ug/m3	0.188	ug/m3	ND	N	6/3/2026	11:05	6/17/2026
DRPNB-15-B-20260603	15	Ethylbenzene	Blank	<0.274	ug/m3	0.274	ug/m3	ND	N	6/3/2026	11:05	6/17/2026
DRPNB-15-B-20260603	15	m-/p-Xylenes	Blank	<0.274	ug/m3	0.274	ug/m3	ND	N	6/3/2026	11:05	6/17/2026
DRPNB-15-B-20260603	15	o-Xylene	Blank	<0.274	ug/m3	0.274	ug/m3	ND	N	6/3/2026	11:05	6/17/2026
DRPNB-15-B-20260603	15	Toluene	Blank	<0.242	ug/m3	0.242	ug/m3	ND	N	6/3/2026	11:05	6/17/2026

FLM DATA FLAG ABBREVIATIONS - EPA METHOD 325B	
FLAG	**EXPLANATION**
ND	The analyte was not present above the Method Detection Limit
J	Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
Pc	Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit
Note: Meteorological data flagged ND was not available from the airport. Missing data can be due to instrument maintenance, instrument malfunction, data transmission issues, or other factors resulting in missing data.	

Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (3/25/26 10:00 to 4/8/26 10:00)

Date & Time	Wind Speed m/s	Wind Direction Deg.	Temperature °C	Barometric Pressure mb
3/25/26 10:00	6.9	296	3.0	1016
3/25/26 11:00	7.5	301	3.0	1016
3/25/26 12:00	7.0	304	3.5	1017
3/25/26 13:00	6.0	300	4.1	1017
3/25/26 14:00	5.3	299	4.5	1017
3/25/26 15:00	5.0	287	5.5	1016
3/25/26 16:00	3.9	274	5.7	1016
3/25/26 17:00	3.3	264	5.2	1016
3/25/26 18:00	2.3	281	3.9	1016
3/25/26 19:00	1.8	150	0.2	1016
3/25/26 20:00	3.0	147	0.2	1016
3/25/26 21:00	2.0	147	-0.4	1016
3/25/26 22:00	2.0	148	-0.2	1015
3/25/26 23:00	3.4	173	1.6	1014
3/26/26 0:00	4.5	171	2.8	1014
3/26/26 1:00	3.3	154	1.3	1013
3/26/26 2:00	3.9	159	1.6	1011
3/26/26 3:00	5.0	182	2.0	1010
3/26/26 4:00	4.3	194	2.0	1009
3/26/26 5:00	5.1	186	2.0	1008
3/26/26 6:00	4.0	189	2.0	1007
3/26/26 7:00	4.0	187	2.3	1007
3/26/26 8:00	3.5	189	3.0	1006
3/26/26 9:00	4.0	183	3.6	1005
3/26/26 10:00	3.1	202	4.5	1004
3/26/26 11:00	4.5	197	6.8	1003
3/26/26 12:00	4.3	210	8.6	1002
3/26/26 13:00	3.4	202	10.5	1001
3/26/26 14:00	3.8	215	11.8	1000
3/26/26 15:00	4.7	188	11.2	999
3/26/26 16:00	4.8	181	8.7	999
3/26/26 17:00	4.2	183	7.6	998
3/26/26 18:00	2.8	182	7.0	998
3/26/26 19:00	2.6	181	6.9	997
3/26/26 20:00	1.7	209	6.5	997
3/26/26 21:00	1.7	191	5.9	997
3/26/26 22:00	1.7	158	5.8	996
3/26/26 23:00	1.5	186	5.9	995
3/27/26 0:00	1.5	210	5.7	995
3/27/26 1:00	3.2	355	5.6	994
3/27/26 2:00	6.7	342	5.3	994
3/27/26 3:00	5.5	332	3.9	995
3/27/26 4:00	6.0	352	3.1	997
3/27/26 5:00	6.0	358	1.6	998
3/27/26 6:00	5.1	10	0.7	1001
3/27/26 7:00	5.9	355	-0.7	1003
3/27/26 8:00	7.6	339	-0.8	1004

Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (3/25/26 10:00 to 4/8/26 10:00)

3/27/26 9:00	6.2	340	0.6	1006
3/27/26 10:00	6.1	333	1.0	1007
3/27/26 11:00	7.4	310	1.0	1008
3/27/26 12:00	9.0	312	1.0	1008
3/27/26 13:00	11.3	327	1.0	1009
3/27/26 14:00	10.0	331	1.1	1009
3/27/26 15:00	7.3	336	1.3	1009
3/27/26 16:00	7.5	325	1.0	1010
3/27/26 17:00	7.8	318	0.6	1010
3/27/26 18:00	6.4	318	-1.2	1011
3/27/26 19:00	4.6	316	-2.4	1013
3/27/26 20:00	5.4	329	-3.3	1014
3/27/26 21:00	6.6	337	-4.2	1015
3/27/26 22:00	5.7	341	-5.5	1016
3/27/26 23:00	5.5	327	-6.4	1016
3/28/26 0:00	4.1	330	-7.5	1017
3/28/26 1:00	3.6	331	-7.8	1017
3/28/26 2:00	3.4	343	-7.3	1017
3/28/26 3:00	3.9	13	-7.8	1017
3/28/26 4:00	3.0	11	-8.2	1018
3/28/26 5:00	4.0	28	-9.0	1019
3/28/26 6:00	2.6	30	-9.7	1020
3/28/26 7:00	3.9	13	-9.0	1021
3/28/26 8:00	3.3	13	-8.2	1021
3/28/26 9:00	2.9	2	-7.6	1022
3/28/26 10:00	2.4	359	-6.8	1022
3/28/26 11:00	3.1	339	-5.7	1021
3/28/26 12:00	3.5	334	-4.2	1021
3/28/26 13:00	3.9	321	-3.2	1020
3/28/26 14:00	4.0	304	-2.2	1020
3/28/26 15:00	4.5	334	-1.7	1019
3/28/26 16:00	2.7	2	-1.8	1019
3/28/26 17:00	2.4	334	-1.5	1019
3/28/26 18:00	2.4	53	-2.3	1019
3/28/26 19:00	1.6	111	-3.3	1020
3/28/26 20:00	1.4	144	-4.4	1021
3/28/26 21:00	1.5	152	-5.4	1021
3/28/26 22:00	1.3	209	-4.6	1022
3/28/26 23:00	1.9	210	-4.1	1022
3/29/26 0:00	1.7	229	-4.1	1022
3/29/26 1:00	1.5	210	-5.9	1023
3/29/26 2:00	0.8	230	-6.3	1023
3/29/26 3:00	1.5	190	-7.1	1022
3/29/26 4:00	1.5	180	-7.4	1023
3/29/26 5:00	1.5	ND	-8.0	1023
3/29/26 6:00	1.6	197	-7.8	1024
3/29/26 7:00	2.0	209	-4.9	1024
3/29/26 8:00	2.7	215	-2.1	1024
3/29/26 9:00	5.2	248	0.5	1024

Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (3/25/26 10:00 to 4/8/26 10:00)

3/29/26 10:00	5.2	239	1.6	1024
3/29/26 11:00	5.5	235	2.3	1023
3/29/26 12:00	5.5	225	3.6	1022
3/29/26 13:00	5.4	217	4.0	1021
3/29/26 14:00	5.6	240	4.6	1020
3/29/26 15:00	5.6	239	5.5	1020
3/29/26 16:00	4.5	243	5.9	1019
3/29/26 17:00	4.2	248	5.9	1019
3/29/26 18:00	3.4	229	5.4	1019
3/29/26 19:00	3.5	193	3.8	1020
3/29/26 20:00	4.3	188	2.0	1020
3/29/26 21:00	3.7	192	1.4	1019
3/29/26 22:00	2.4	173	0.1	1019
3/29/26 23:00	1.8	160	-1.4	1019
3/30/26 0:00	2.4	195	-1.7	1018
3/30/26 1:00	1.9	210	-0.5	1018
3/30/26 2:00	2.0	204	0.4	1017
3/30/26 3:00	2.0	205	0.7	1016
3/30/26 4:00	1.5	200	0.9	1016
3/30/26 5:00	1.5	187	0.7	1015
3/30/26 6:00	3.6	182	1.9	1014
3/30/26 7:00	3.5	174	2.6	1013
3/30/26 8:00	5.3	176	3.3	1012
3/30/26 9:00	5.8	184	4.4	1011
3/30/26 10:00	5.8	178	6.4	1009
3/30/26 11:00	4.7	184	8.7	1008
3/30/26 12:00	4.1	215	11.5	1006
3/30/26 13:00	4.7	209	13.5	1005
3/30/26 14:00	5.2	223	15.8	1004
3/30/26 15:00	6.0	234	15.9	1003
3/30/26 16:00	5.4	210	15.0	1003
3/30/26 17:00	4.9	186	13.5	1003
3/30/26 18:00	3.9	179	12.8	1003
3/30/26 19:00	3.4	187	11.9	1004
3/30/26 20:00	2.8	206	11.4	1005
3/30/26 21:00	1.9	233	10.1	1006
3/30/26 22:00	1.8	217	9.1	1006
3/30/26 23:00	1.7	273	9.0	1007
3/31/26 0:00	3.0	336	8.5	1008
3/31/26 1:00	4.0	16	8.3	1009
3/31/26 2:00	2.8	22	7.2	1010
3/31/26 3:00	3.0	23	6.9	1010
3/31/26 4:00	4.1	21	6.6	1010
3/31/26 5:00	4.9	45	5.8	1010
3/31/26 6:00	3.9	46	5.0	1011
3/31/26 7:00	3.4	54	5.0	1011
3/31/26 8:00	3.1	60	4.2	1011
3/31/26 9:00	3.2	51	3.3	1012
3/31/26 10:00	4.6	52	2.2	1012

Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (3/25/26 10:00 to 4/8/26 10:00)

3/31/26 11:00	4.7	47	1.8	1011
3/31/26 12:00	4.1	41	2.0	1010
3/31/26 13:00	4.2	38	2.3	1009
3/31/26 14:00	4.7	33	2.5	1009
3/31/26 15:00	4.4	35	3.0	1009
3/31/26 16:00	4.0	39	3.0	1009
3/31/26 17:00	3.5	46	2.9	1009
3/31/26 18:00	3.0	44	2.5	1009
3/31/26 19:00	2.4	40	1.9	1009
3/31/26 20:00	2.3	63	1.9	1009
3/31/26 21:00	2.3	72	1.9	1008
3/31/26 22:00	2.2	116	1.9	1007
3/31/26 23:00	2.0	126	1.9	1006
4/1/26 0:00	2.3	165	1.9	1005
4/1/26 1:00	2.0	135	1.9	1004
4/1/26 2:00	1.9	41	1.9	1003
4/1/26 3:00	2.1	24	1.9	1003
4/1/26 4:00	2.9	26	1.9	1003
4/1/26 5:00	2.7	33	1.0	1004
4/1/26 6:00	1.8	45	1.1	1004
4/1/26 7:00	2.3	349	1.6	1005
4/1/26 8:00	1.8	345	2.0	1006
4/1/26 9:00	3.2	353	2.2	1008
4/1/26 10:00	2.8	344	3.4	1009
4/1/26 11:00	3.3	332	4.0	1010
4/1/26 12:00	4.0	360	5.8	1011
4/1/26 13:00	5.0	346	7.7	1012
4/1/26 14:00	3.1	4	8.3	1012
4/1/26 15:00	6.1	2	8.9	1014
4/1/26 16:00	5.2	14	8.0	1015
4/1/26 17:00	6.2	12	6.5	1016
4/1/26 18:00	5.6	355	5.3	1018
4/1/26 19:00	6.1	354	4.0	1019
4/1/26 20:00	5.3	358	3.1	1020
4/1/26 21:00	4.9	355	2.1	1022
4/1/26 22:00	4.1	9	1.9	1023
4/1/26 23:00	3.3	26	1.2	1024
4/2/26 0:00	3.4	49	0.8	1024
4/2/26 1:00	4.9	30	0.9	1024
4/2/26 2:00	3.0	38	0.8	1025
4/2/26 3:00	4.0	24	0.8	1026
4/2/26 4:00	3.8	24	0.0	1027
4/2/26 5:00	3.5	34	-0.3	1027
4/2/26 6:00	3.4	45	-1.0	1027
4/2/26 7:00	5.1	58	-1.1	1028
4/2/26 8:00	5.1	60	-0.8	1029
4/2/26 9:00	5.1	55	-0.4	1030
4/2/26 10:00	4.5	31	0.4	1030
4/2/26 11:00	3.4	62	2.1	1030

Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (3/25/26 10:00 to 4/8/26 10:00)

4/2/26 12:00	3.0	74	3.0	1030
4/2/26 13:00	2.9	77	4.1	1029
4/2/26 14:00	3.1	130	5.5	1029
4/2/26 15:00	2.3	134	6.0	1028
4/2/26 16:00	3.1	77	6.9	1028
4/2/26 17:00	3.2	105	6.3	1028
4/2/26 18:00	5.1	173	4.1	1028
4/2/26 19:00	3.9	178	2.6	1028
4/2/26 20:00	3.4	140	2.3	1029
4/2/26 21:00	3.4	141	2.0	1028
4/2/26 22:00	2.9	152	1.9	1029
4/2/26 23:00	2.4	147	1.9	1028
4/3/26 0:00	2.3	136	1.1	1027
4/3/26 1:00	1.9	127	0.9	1027
4/3/26 2:00	1.9	126	0.2	1026
4/3/26 3:00	2.9	145	0.9	1025
4/3/26 4:00	5.2	146	0.4	1024
4/3/26 5:00	4.1	141	-0.4	1023
4/3/26 6:00	1.9	129	0.0	1023
4/3/26 7:00	2.6	127	0.0	1022
4/3/26 8:00	2.5	144	1.0	1021
4/3/26 9:00	3.3	148	1.5	1020
4/3/26 10:00	4.1	165	2.2	1019
4/3/26 11:00	4.7	168	3.0	1017
4/3/26 12:00	5.2	169	3.0	1015
4/3/26 13:00	5.0	172	4.0	1013
4/3/26 14:00	5.0	184	4.3	1012
4/3/26 15:00	5.8	184	5.0	1010
4/3/26 16:00	4.7	182	4.5	1009
4/3/26 17:00	3.3	178	4.1	1008
4/3/26 18:00	4.0	177	4.2	1007
4/3/26 19:00	2.6	182	4.9	1007
4/3/26 20:00	2.3	182	4.9	1006
4/3/26 21:00	2.6	176	5.6	1005
4/3/26 22:00	3.0	176	5.9	1004
4/3/26 23:00	2.1	193	5.9	1004
4/4/26 0:00	2.3	321	5.9	1004
4/4/26 1:00	2.4	288	6.2	1005
4/4/26 2:00	2.0	275	6.6	1006
4/4/26 3:00	5.2	323	7.3	1008
4/4/26 4:00	8.7	354	7.2	1010
4/4/26 5:00	8.6	358	4.0	1013
4/4/26 6:00	7.4	360	3.1	1015
4/4/26 7:00	8.0	14	2.2	1018
4/4/26 8:00	9.1	11	2.0	1019
4/4/26 9:00	9.6	7	2.1	1020
4/4/26 10:00	7.8	10	4.0	1021
4/4/26 11:00	7.7	9	4.9	1021
4/4/26 12:00	7.1	15	6.0	1022

Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (3/25/26 10:00 to 4/8/26 10:00)

4/4/26 13:00	6.3	37	7.2	1022
4/4/26 14:00	4.9	48	8.0	1022
4/4/26 15:00	4.4	71	7.9	1022
4/4/26 16:00	3.7	80	8.1	1022
4/4/26 17:00	5.1	91	7.7	1022
4/4/26 18:00	5.3	115	6.5	1022
4/4/26 19:00	4.6	142	3.7	1023
4/4/26 20:00	4.1	127	2.8	1023
4/4/26 21:00	4.9	118	2.4	1023
4/4/26 22:00	4.7	123	2.0	1023
4/4/26 23:00	5.4	137	1.5	1022
4/5/26 0:00	4.6	134	1.0	1020
4/5/26 1:00	4.4	148	2.0	1019
4/5/26 2:00	5.4	156	2.0	1017
4/5/26 3:00	7.0	158	2.0	1016
4/5/26 4:00	6.1	161	1.9	1014
4/5/26 5:00	5.5	154	1.7	1012
4/5/26 6:00	4.7	155	1.9	1011
4/5/26 7:00	4.0	158	2.0	1009
4/5/26 8:00	4.5	154	2.8	1007
4/5/26 9:00	3.7	168	3.4	1006
4/5/26 10:00	1.6	313	4.0	1005
4/5/26 11:00	1.9	76	4.0	1003
4/5/26 12:00	1.9	44	4.0	1000
4/5/26 13:00	1.7	16	5.0	999
4/5/26 14:00	2.1	237	5.4	999
4/5/26 15:00	2.8	134	6.0	996
4/5/26 16:00	2.0	263	6.0	997
4/5/26 17:00	2.2	226	5.9	996
4/5/26 18:00	2.0	246	5.9	997
4/5/26 19:00	2.1	245	5.9	997
4/5/26 20:00	2.0	279	5.8	997
4/5/26 21:00	2.3	318	5.0	998
4/5/26 22:00	1.5	230	5.0	998
4/5/26 23:00	1.5	204	5.0	997
4/6/26 0:00	1.8	242	5.4	997
4/6/26 1:00	2.1	276	5.1	997
4/6/26 2:00	2.1	254	4.7	996
4/6/26 3:00	2.3	259	4.0	996
4/6/26 4:00	2.8	255	3.6	997
4/6/26 5:00	3.2	249	3.0	997
4/6/26 6:00	3.7	262	3.0	997
4/6/26 7:00	3.6	262	3.0	998
4/6/26 8:00	4.9	258	3.8	998
4/6/26 9:00	5.5	268	5.1	998
4/6/26 10:00	4.9	280	4.1	999
4/6/26 11:00	6.3	291	5.0	999
4/6/26 12:00	5.7	293	6.0	999
4/6/26 13:00	5.7	290	5.9	1000

Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (3/25/26 10:00 to 4/8/26 10:00)

4/6/26 14:00	6.9	291	5.2	1000
4/6/26 15:00	7.0	294	5.6	1001
4/6/26 16:00	6.3	298	4.5	1002
4/6/26 17:00	6.4	307	4.0	1003
4/6/26 18:00	5.7	311	3.4	1004
4/6/26 19:00	5.4	316	1.8	1005
4/6/26 20:00	2.9	297	1.2	1007
4/6/26 21:00	1.5	242	-0.3	1008
4/6/26 22:00	2.4	262	-0.2	1009
4/6/26 23:00	1.8	257	-1.0	1009
4/7/26 0:00	1.8	249	-1.1	1010
4/7/26 1:00	1.8	243	-1.8	1010
4/7/26 2:00	1.5	246	-2.0	1010
4/7/26 3:00	1.5	236	-2.5	1011
4/7/26 4:00	1.9	290	-3.0	1012
4/7/26 5:00	2.4	269	-2.6	1013
4/7/26 6:00	1.7	276	-4.3	1013
4/7/26 7:00	2.1	324	-1.4	1014
4/7/26 8:00	2.2	343	0.8	1015
4/7/26 9:00	1.8	22	2.1	1015
4/7/26 10:00	1.8	199	2.9	1015
4/7/26 11:00	2.3	157	3.5	1015
4/7/26 12:00	2.1	246	4.0	1014
4/7/26 13:00	2.5	197	4.8	1014
4/7/26 14:00	4.7	192	4.5	1014
4/7/26 15:00	5.0	195	2.9	1015
4/7/26 16:00	3.2	177	2.1	1015
4/7/26 17:00	2.3	179	1.1	1015
4/7/26 18:00	1.5	166	0.9	1016
4/7/26 19:00	ND	ND	0.8	1016
4/7/26 20:00	ND	ND	0.5	1017
4/7/26 21:00	1.5	287	0.0	1018
4/7/26 22:00	1.5	264	-0.8	1019
4/7/26 23:00	2.0	298	-1.3	1020
4/8/26 0:00	3.5	313	-0.5	1021
4/8/26 1:00	4.9	317	-0.9	1022
4/8/26 2:00	4.3	306	-1.1	1023
4/8/26 3:00	3.8	309	-2.1	1024

Deadriver Bucksport Maine Terminal Fenceline Monitoring


Bangor International Airport (BGR) Meteorological Data (3/25/26 10:00 to 4/8/26 10:00)

4/8/26 4:00	4.1	314	-2.8	1025
4/8/26 5:00	3.7	307	-3.1	1026
4/8/26 6:00	3.4	296	-3.7	1027
4/8/26 7:00	3.4	314	-2.5	1028
4/8/26 8:00	2.7	325	-1.6	1028
4/8/26 9:00	3.1	335	-0.2	1029
4/8/26 10:00	2.9	344	1.0	1029

Deadriver Bucksport Maine Terminal Fenceline Monitoring
Bangor International Airport (BGR) Meteorological Data (3/25/26 10:00 to 4/8/26 10:00)

BGR Wind Rose 3/25/26 10:00 - 4/8/26 10:00

Wind Speed (m/s)(MaineVC - KBGR | MaineVC)



Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (4/8/26 11:00 to 4/22/26 9:00)

Date & Time	Wind Speed m/s	Wind Direction Deg.	Temperature °C	Barometric Pressure mb
4/8/26 13:00	3.1	289	4.0	1027
4/8/26 14:00	2.9	257	5.5	1027
4/8/26 15:00	3.0	268	6.0	1026
4/8/26 16:00	3.6	234	6.0	1026
4/8/26 17:00	3.3	247	6.0	1026
4/8/26 18:00	3.7	199	5.2	1026
4/8/26 19:00	3.7	179	2.5	1027
4/8/26 20:00	3.5	171	0.9	1027
4/8/26 21:00	2.9	177	0.3	1027
4/8/26 22:00	2.5	200	-0.3	1027
4/8/26 23:00	1.6	189	-1.2	1028
4/9/26 0:00	2.1	185	-1.9	1028
4/9/26 1:00	2.2	193	-1.4	1028
4/9/26 2:00	2.6	197	-1.9	1028
4/9/26 3:00	2.0	178	-2.1	1028
4/9/26 4:00	1.8	177	-2.2	1028
4/9/26 5:00	2.6	177	-2.1	1028
4/9/26 6:00	1.8	175	-2.4	1028
4/9/26 7:00	3.1	180	0.5	1029
4/9/26 8:00	5.3	191	3.0	1029
4/9/26 9:00	5.4	182	5.7	1028
4/9/26 10:00	6.8	184	7.5	1028
4/9/26 11:00	7.1	181	8.8	1027
4/9/26 12:00	8.7	165	9.5	1026
4/9/26 13:00	8.8	171	9.9	1026
4/9/26 14:00	9.5	174	9.5	1025
4/9/26 15:00	10.2	172	8.9	1024
4/9/26 16:00	9.8	171	7.9	1024
4/9/26 17:00	9.3	182	6.4	1024
4/9/26 18:00	8.6	175	4.9	1023
4/9/26 19:00	7.1	173	3.3	1023
4/9/26 20:00	7.1	176	3.0	1023
4/9/26 21:00	7.2	182	3.0	1023
4/9/26 22:00	5.0	189	3.0	1023
4/9/26 23:00	4.3	190	2.9	1023
4/10/26 0:00	5.7	185	3.0	1022
4/10/26 1:00	6.4	180	3.0	1020
4/10/26 2:00	5.1	186	3.0	1020
4/10/26 3:00	4.6	191	3.2	1020
4/10/26 4:00	3.7	181	3.0	1020
4/10/26 5:00	3.3	179	3.0	1020
4/10/26 6:00	3.3	182	3.0	1019
4/10/26 7:00	4.4	187	4.6	1019
4/10/26 8:00	4.5	200	6.4	1019
4/10/26 9:00	3.2	173	8.0	1018
4/10/26 10:00	4.4	170	10.1	1017
4/10/26 11:00	4.3	175	11.4	1016

Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (4/8/26 11:00 to 4/22/26 9:00)

4/10/26 12:00	6.1	185	12.9	1015
4/10/26 13:00	6.2	186	13.7	1014
4/10/26 14:00	6.9	189	12.3	1013
4/10/26 15:00	7.1	175	10.7	1013
4/10/26 16:00	7.0	179	10.8	1012
4/10/26 17:00	6.5	180	9.9	1011
4/10/26 18:00	5.7	182	8.4	1011
4/10/26 19:00	4.2	178	7.6	1010
4/10/26 20:00	4.3	172	7.0	1010
4/10/26 21:00	4.4	173	7.0	1010
4/10/26 22:00	3.2	188	7.0	1010
4/10/26 23:00	2.5	152	7.0	1009
4/11/26 0:00	1.7	166	6.8	1008
4/11/26 1:00	1.6	166	6.6	1007
4/11/26 2:00	1.6	213	6.3	1007
4/11/26 3:00	1.4	319	5.9	1007
4/11/26 4:00	2.2	292	5.9	1008
4/11/26 5:00	3.3	310	6.2	1008
4/11/26 6:00	6.7	319	6.5	1009
4/11/26 7:00	4.6	310	6.5	1010
4/11/26 8:00	7.2	313	7.2	1010
4/11/26 9:00	9.0	313	8.0	1010
4/11/26 10:00	8.7	318	8.3	1010
4/11/26 11:00	8.8	311	8.1	1011
4/11/26 12:00	9.9	314	8.4	1011
4/11/26 13:00	9.2	311	8.5	1011
4/11/26 14:00	8.9	304	9.0	1011
4/11/26 15:00	8.6	305	8.7	1011
4/11/26 16:00	9.2	321	8.0	1012
4/11/26 17:00	8.6	314	7.5	1013
4/11/26 18:00	6.4	306	6.9	1014
4/11/26 19:00	4.5	300	6.0	1014
4/11/26 20:00	2.6	283	5.5	1016
4/11/26 21:00	2.5	277	4.6	1017
4/11/26 22:00	2.1	271	3.7	1017
4/11/26 23:00	2.3	277	2.8	1018
4/12/26 0:00	2.8	274	1.9	1018
4/12/26 1:00	2.5	281	1.9	1019
4/12/26 2:00	2.7	286	1.5	1019
4/12/26 3:00	3.1	265	1.0	1020
4/12/26 4:00	3.4	272	0.7	1020
4/12/26 5:00	3.4	276	0.5	1021
4/12/26 6:00	2.8	271	0.3	1022
4/12/26 7:00	4.0	296	2.5	1023
4/12/26 8:00	5.2	316	4.9	1023
4/12/26 9:00	5.0	322	6.7	1024
4/12/26 10:00	5.1	331	7.7	1024
4/12/26 11:00	4.0	314	8.5	1023
4/12/26 12:00	4.1	340	9.9	1023

Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (4/8/26 11:00 to 4/22/26 9:00)

4/12/26 13:00	4.5	328	11.5	1022
4/12/26 14:00	3.1	326	12.0	1021
4/12/26 15:00	3.0	278	12.6	1021
4/12/26 16:00	3.4	216	11.8	1020
4/12/26 17:00	5.9	192	9.5	1021
4/12/26 18:00	4.8	186	8.4	1020
4/12/26 19:00	4.4	179	7.6	1020
4/12/26 20:00	4.1	184	6.9	1020
4/12/26 21:00	3.8	195	6.3	1020
4/12/26 22:00	3.9	193	5.9	1020
4/12/26 23:00	4.1	198	5.9	1020
4/13/26 0:00	4.3	197	5.9	1020
4/13/26 1:00	5.3	188	4.8	1019
4/13/26 2:00	6.6	181	4.1	1018
4/13/26 3:00	5.8	181	3.8	1016
4/13/26 4:00	6.1	173	3.9	1015
4/13/26 5:00	5.9	179	4.0	1013
4/13/26 6:00	6.5	183	4.2	1012
4/13/26 7:00	8.4	187	5.2	1011
4/13/26 8:00	6.9	191	5.9	1010
4/13/26 9:00	4.9	188	6.0	1009
4/13/26 10:00	5.1	192	6.1	1008
4/13/26 11:00	4.6	183	7.0	1006
4/13/26 12:00	3.9	182	7.3	1005
4/13/26 13:00	4.2	156	8.3	1003
4/13/26 14:00	4.2	185	8.9	1002
4/13/26 15:00	4.1	190	8.9	1001
4/13/26 16:00	3.4	176	8.5	1000
4/13/26 17:00	3.1	183	8.0	1000
4/13/26 18:00	2.8	184	8.0	999
4/13/26 19:00	2.1	196	8.1	999
4/13/26 20:00	2.1	194	8.0	1000
4/13/26 21:00	2.0	210	7.9	1000
4/13/26 22:00	1.9	236	7.8	1001
4/13/26 23:00	1.7	261	10.1	1002
4/14/26 0:00	1.7	243	10.9	1002
4/14/26 1:00	2.1	255	10.1	1003
4/14/26 2:00	2.3	275	8.9	1003
4/14/26 3:00	2.1	308	7.9	1003
4/14/26 4:00	2.6	302	9.2	1004
4/14/26 5:00	2.2	318	7.4	1005
4/14/26 6:00	4.0	357	8.5	1006
4/14/26 7:00	3.8	343	11.1	1007
4/14/26 8:00	4.4	351	12.5	1008
4/14/26 9:00	4.4	1	13.3	1008
4/14/26 10:00	2.6	347	14.0	1009
4/14/26 11:00	2.2	339	15.5	1008
4/14/26 12:00	2.2	20	16.9	1007
4/14/26 13:00	2.1	81	17.8	1006

Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (4/8/26 11:00 to 4/22/26 9:00)

4/14/26 14:00	2.6	142	18.3	1006
4/14/26 15:00	5.3	172	17.7	1005
4/14/26 16:00	6.6	184	15.4	1005
4/14/26 17:00	4.1	179	13.9	1005
4/14/26 18:00	4.0	169	13.5	1005
4/14/26 19:00	3.8	168	11.4	1005
4/14/26 20:00	3.3	127	10.9	1005
4/14/26 21:00	2.5	84	10.9	1004
4/14/26 22:00	3.1	87	10.9	1004
4/14/26 23:00	3.6	111	10.8	1003
4/15/26 0:00	3.5	134	10.7	1003
4/15/26 1:00	2.4	150	10.0	1003
4/15/26 2:00	1.7	98	9.9	1003
4/15/26 3:00	2.5	39	9.7	1002
4/15/26 4:00	2.5	22	8.9	1003
4/15/26 5:00	2.7	26	9.0	1003
4/15/26 6:00	2.7	21	9.1	1004
4/15/26 7:00	3.9	16	9.0	1006
4/15/26 8:00	3.4	4	9.5	1006
4/15/26 9:00	3.6	340	10.3	1006
4/15/26 10:00	3.7	353	11.7	1006
4/15/26 11:00	3.4	0	12.2	1007
4/15/26 12:00	3.2	26	12.9	1007
4/15/26 13:00	3.5	32	13.0	1006
4/15/26 14:00	2.3	41	13.0	1006
4/15/26 15:00	1.5	116	13.2	1006
4/15/26 16:00	2.5	91	13.9	1006
4/15/26 17:00	1.9	108	13.5	1006
4/15/26 18:00	1.8	112	12.9	1007
4/15/26 19:00	1.8	105	12.2	1007
4/15/26 20:00	2.5	92	11.9	1007
4/15/26 21:00	2.2	177	11.9	1007
4/15/26 22:00	3.0	196	11.2	1008
4/15/26 23:00	1.5	201	10.0	1007
4/16/26 0:00	1.4	186	9.7	1007
4/16/26 1:00	2.8	185	9.0	1007
4/16/26 2:00	2.4	172	9.0	1007
4/16/26 3:00	1.2	147	8.9	1007
4/16/26 4:00	1.3	154	8.9	1007
4/16/26 5:00	2.0	135	8.9	1006
4/16/26 6:00	1.8	158	8.9	1006
4/16/26 7:00	2.3	133	8.9	1007
4/16/26 8:00	1.5	60	8.9	1007
4/16/26 9:00	1.7	71	9.2	1007
4/16/26 10:00	1.5	101	9.9	1006
4/16/26 11:00	2.2	133	10.1	1006
4/16/26 12:00	1.8	146	10.9	1006
4/16/26 13:00	3.3	146	10.9	1005
4/16/26 14:00	4.5	138	10.5	1004

Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (4/8/26 11:00 to 4/22/26 9:00)

4/16/26 15:00	3.8	170	10.0	1003
4/16/26 16:00	3.9	168	9.9	1002
4/16/26 17:00	4.4	186	9.2	1002
4/16/26 18:00	4.3	177	8.4	1002
4/16/26 19:00	3.7	175	7.5	1001
4/16/26 20:00	3.9	173	6.9	1000
4/16/26 21:00	3.2	201	6.6	1001
4/16/26 22:00	4.1	173	6.1	1000
4/16/26 23:00	2.9	217	6.5	1000
4/17/26 0:00	2.8	187	6.9	1000
4/17/26 1:00	2.9	258	6.9	1000
4/17/26 2:00	2.3	190	7.0	1000
4/17/26 3:00	1.7	123	6.9	999
4/17/26 4:00	2.1	8	7.0	1000
4/17/26 5:00	2.1	14	7.1	1000
4/17/26 6:00	1.8	358	7.8	1002
4/17/26 7:00	1.9	356	8.3	1003
4/17/26 8:00	2.2	357	9.1	1004
4/17/26 9:00	4.3	356	10.8	1004
4/17/26 10:00	5.6	353	12.2	1005
4/17/26 11:00	5.9	7	13.7	1006
4/17/26 12:00	5.8	2	15.7	1006
4/17/26 13:00	5.3	358	17.2	1006
4/17/26 14:00	5.0	20	18.3	1006
4/17/26 15:00	4.4	4	19.4	1006
4/17/26 16:00	4.6	1	20.3	1006
4/17/26 17:00	5.0	20	20.1	1007
4/17/26 18:00	3.0	34	18.7	1007
4/17/26 19:00	2.3	15	15.4	1008
4/17/26 20:00	1.6	7	11.7	1009
4/17/26 21:00	1.5	351	9.4	1010
4/17/26 22:00	2.5	55	11.3	1011
4/17/26 23:00	2.1	12	9.8	1012
4/18/26 0:00	2.1	13	8.3	1012
4/18/26 1:00	3.8	10	7.7	1012
4/18/26 2:00	3.7	15	7.4	1013
4/18/26 3:00	2.0	20	6.4	1013
4/18/26 4:00	1.8	315	4.8	1012
4/18/26 5:00	2.3	2	4.1	1014
4/18/26 6:00	1.6	7	6.0	1016
4/18/26 7:00	2.0	92	7.6	1016
4/18/26 8:00	2.2	110	9.8	1016
4/18/26 9:00	4.5	131	12.5	1016
4/18/26 10:00	4.9	139	13.6	1016
4/18/26 11:00	3.7	125	14.1	1015
4/18/26 12:00	5.3	161	16.0	1015
4/18/26 13:00	6.4	150	16.8	1014
4/18/26 14:00	6.5	166	16.9	1013
4/18/26 15:00	6.9	171	16.0	1013

Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (4/8/26 11:00 to 4/22/26 9:00)

4/18/26 16:00	7.9	166	14.4	1013
4/18/26 17:00	5.4	155	13.0	1012
4/18/26 18:00	5.3	144	12.5	1011
4/18/26 19:00	4.5	148	11.1	1011
4/18/26 20:00	4.9	150	9.9	1010
4/18/26 21:00	5.2	171	9.1	1010
4/18/26 22:00	5.3	150	8.3	1009
4/18/26 23:00	3.8	166	6.8	1009
4/19/26 0:00	3.6	173	5.9	1008
4/19/26 1:00	3.9	179	5.9	1008
4/19/26 2:00	3.3	171	5.9	1007
4/19/26 3:00	2.5	181	5.9	1006
4/19/26 4:00	2.9	156	5.8	1005
4/19/26 5:00	3.9	158	5.8	1004
4/19/26 6:00	3.0	168	5.9	1004
4/19/26 7:00	3.6	154	6.1	1002
4/19/26 8:00	3.2	183	6.9	1002
4/19/26 9:00	3.3	185	6.9	1001
4/19/26 10:00	3.3	177	6.9	1001
4/19/26 11:00	2.9	177	7.0	1000
4/19/26 12:00	1.8	224	7.0	1000
4/19/26 13:00	1.5	253	7.0	999
4/19/26 14:00	2.1	325	7.0	999
4/19/26 15:00	3.9	322	7.5	998
4/19/26 16:00	5.9	317	6.6	998
4/19/26 17:00	6.6	318	5.7	998
4/19/26 18:00	6.3	302	4.1	999
4/19/26 19:00	5.1	307	3.0	1000
4/19/26 20:00	4.0	306	2.2	1000
4/19/26 21:00	3.8	293	2.1	1001
4/19/26 22:00	3.5	292	2.0	1002
4/19/26 23:00	3.7	301	1.9	1003
4/20/26 0:00	3.0	282	1.3	1004
4/20/26 1:00	3.1	269	0.6	1005
4/20/26 2:00	2.2	265	-0.2	1006
4/20/26 3:00	2.3	249	-0.8	1006
4/20/26 4:00	1.7	249	-0.9	1007
4/20/26 5:00	1.5	230	-1.8	1007
4/20/26 6:00	1.5	230	-1.5	1008
4/20/26 7:00	1.7	248	1.4	1009
4/20/26 8:00	2.2	208	3.5	1009
4/20/26 9:00	3.5	268	5.1	1009
4/20/26 10:00	5.1	298	4.9	1010
4/20/26 11:00	3.8	309	1.8	1011
4/20/26 12:00	3.3	297	4.1	1011
4/20/26 13:00	4.4	304	6.0	1011
4/20/26 14:00	5.3	307	6.0	1011
4/20/26 15:00	5.3	313	6.1	1012
4/20/26 16:00	5.3	314	5.9	1012

Deadriver Bucksport Maine Terminal Fenceline Monitoring


Bangor International Airport (BGR) Meteorological Data (4/8/26 11:00 to 4/22/26 9:00)

4/20/26 17:00	6.8	332	4.2	1013
4/20/26 18:00	5.8	344	3.8	1014
4/20/26 19:00	6.6	341	2.2	1015
4/20/26 20:00	3.7	349	0.6	1017
4/20/26 21:00	2.5	345	-1.2	1017
4/20/26 22:00	1.6	309	-2.0	1018
4/20/26 23:00	1.5	330	-3.0	1019
4/21/26 0:00	1.5	ND	-3.7	1019
4/21/26 1:00	1.5	8	-3.2	1019
4/21/26 2:00	1.5	10	-3.7	1019
4/21/26 3:00	1.5	ND	-4.9	1020
4/21/26 4:00	ND	ND	-6.1	1020
4/21/26 5:00	ND	ND	-6.2	1020
4/21/26 6:00	ND	ND	-4.8	1021
4/21/26 7:00	ND	ND	-2.3	1021
4/21/26 8:00	1.8	147	0.0	1021
4/21/26 9:00	2.0	109	1.4	1021
4/21/26 10:00	1.9	17	2.6	1020
4/21/26 11:00	2.7	276	4.0	1020
4/21/26 12:00	3.2	332	4.5	1019
4/21/26 13:00	3.6	327	5.5	1018
4/21/26 14:00	3.5	308	6.4	1018
4/21/26 15:00	2.8	284	7.0	1017
4/21/26 16:00	4.6	207	7.0	1016
4/21/26 17:00	4.6	184	6.1	1016
4/21/26 18:00	5.9	183	4.6	1016
4/21/26 19:00	4.8	182	2.8	1017
4/21/26 20:00	3.4	189	1.9	1017
4/21/26 21:00	2.8	202	1.3	1018
4/21/26 22:00	1.6	199	0.1	1017
4/21/26 23:00	2.2	194	-0.3	1018
4/22/26 0:00	1.9	198	-0.6	1018
4/22/26 1:00	1.5	150	-2.3	1017
4/22/26 2:00	ND	ND	-3.1	1017
4/22/26 3:00	1.5	170	-2.7	1016
4/22/26 4:00	1.8	150	-2.5	1016
4/22/26 5:00	1.8	149	-2.6	1016
4/22/26 6:00	1.8	148	-1.4	1016
4/22/26 7:00	2.3	181	1.7	1016
4/22/26 8:00	4.3	178	3.7	1015
4/22/26 9:00	5.6	187	5.2	1015

Deadriver Bucksport Maine Terminal Fenceline Monitoring
Bangor International Airport (BGR) Meteorological Data (4/8/26 11:00 to 4/22/26 9:00)

BGR Wind Rose 4/8/26 11:00 - 4/22/26 9:00

Wind Speed (m/s)(MaineVC - KBGR | MaineVC)



Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (4/22/26 10:00 to 5/6/26 10:00)

Date & Time	Wind Speed m/s	Wind Direction Deg.	Temperature °C	Barometric Pressure mb
4/22/26 10:00	5.2	182	6.0	1015
4/22/26 11:00	6.1	188	6.6	1015
4/22/26 12:00	6.0	182	7.1	1014
4/22/26 13:00	6.1	176	6.4	1013
4/22/26 14:00	5.7	175	5.8	1013
4/22/26 15:00	6.5	175	5.2	1012
4/22/26 16:00	5.6	178	4.7	1011
4/22/26 17:00	4.5	177	4.0	1011
4/22/26 18:00	4.2	178	4.0	1011
4/22/26 19:00	3.8	176	3.9	1010
4/22/26 20:00	3.0	169	3.8	1010
4/22/26 21:00	2.8	155	3.9	1010
4/22/26 22:00	2.9	159	3.9	1010
4/22/26 23:00	3.4	165	3.8	1009
4/23/26 0:00	3.2	161	3.9	1008
4/23/26 1:00	2.3	163	4.0	1007
4/23/26 2:00	1.6	157	3.9	1006
4/23/26 3:00	2.0	138	4.0	1006
4/23/26 4:00	2.1	144	4.0	1005
4/23/26 5:00	1.5	160	3.9	1005
4/23/26 6:00	0.9	ND	4.0	1005
4/23/26 7:00	1.8	143	4.0	1004
4/23/26 8:00	1.5	ND	4.6	1003
4/23/26 9:00	2.4	307	5.0	1003
4/23/26 10:00	2.5	300	4.3	1003
4/23/26 11:00	2.7	337	6.0	1002
4/23/26 12:00	5.5	332	6.9	1002
4/23/26 13:00	8.5	327	7.6	1002
4/23/26 14:00	7.3	330	7.8	1002
4/23/26 15:00	7.4	339	7.2	1002
4/23/26 16:00	7.1	323	6.8	1002
4/23/26 17:00	9.2	322	6.6	1002
4/23/26 18:00	9.1	323	6.1	1003
4/23/26 19:00	6.5	325	5.9	1003
4/23/26 20:00	4.6	314	5.5	1003
4/23/26 21:00	4.9	316	4.3	1003
4/23/26 22:00	3.6	314	3.4	1003
4/23/26 23:00	2.4	304	2.5	1003
4/24/26 0:00	1.8	286	0.9	1002
4/24/26 1:00	2.4	291	0.9	1002
4/24/26 2:00	2.4	273	0.0	1001
4/24/26 3:00	2.3	271	-0.6	1001
4/24/26 4:00	2.8	276	0.2	1002
4/24/26 5:00	2.5	270	0.6	1002
4/24/26 6:00	2.0	287	1.2	1003
4/24/26 7:00	3.9	319	2.8	1003
4/24/26 8:00	5.1	339	4.6	1003

Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (4/22/26 10:00 to 5/6/26 10:00)

4/24/26 9:00	6.2	343	5.9	1003
4/24/26 10:00	5.8	357	6.1	1003
4/24/26 11:00	5.1	351	6.4	1003
4/24/26 12:00	5.9	359	6.8	1003
4/24/26 13:00	6.6	339	6.8	1003
4/24/26 14:00	5.7	5	6.5	1004
4/24/26 15:00	7.5	7	5.7	1004
4/24/26 16:00	7.7	10	5.9	1005
4/24/26 17:00	5.9	10	6.0	1005
4/24/26 18:00	6.1	352	5.8	1006
4/24/26 19:00	5.4	358	5.1	1007
4/24/26 20:00	3.7	345	4.0	1008
4/24/26 21:00	1.4	308	2.3	1009
4/24/26 22:00	2.0	310	1.1	1009
4/24/26 23:00	2.9	314	1.4	1009
4/25/26 0:00	3.1	312	2.6	1009
4/25/26 1:00	3.1	330	1.9	1009
4/25/26 2:00	3.0	341	0.6	1009
4/25/26 3:00	3.3	328	0.0	1009
4/25/26 4:00	1.8	326	1.4	1009
4/25/26 5:00	1.5	321	1.9	1010
4/25/26 6:00	1.4	288	2.6	1010
4/25/26 7:00	3.5	3	5.2	1011
4/25/26 8:00	5.2	9	7.3	1011
4/25/26 9:00	4.7	5	8.6	1010
4/25/26 10:00	5.3	9	10.3	1010
4/25/26 11:00	4.5	357	11.0	1010
4/25/26 12:00	4.4	345	11.8	1009
4/25/26 13:00	4.2	333	12.8	1009
4/25/26 14:00	3.3	352	14.0	1008
4/25/26 15:00	3.9	345	14.5	1008
4/25/26 16:00	4.3	353	15.0	1008
4/25/26 17:00	3.6	9	14.3	1008
4/25/26 18:00	3.7	19	13.7	1008
4/25/26 19:00	2.4	20	11.0	1009
4/25/26 20:00	1.5	330	7.5	1009
4/25/26 21:00	2.1	210	7.0	1010
4/25/26 22:00	1.6	219	6.0	1010
4/25/26 23:00	1.5	217	3.6	1010
4/26/26 0:00	ND	ND	2.4	1010
4/26/26 1:00	ND	ND	2.1	1011
4/26/26 2:00	ND	ND	1.9	1010
4/26/26 3:00	ND	ND	1.7	1011
4/26/26 4:00	ND	ND	0.9	1011
4/26/26 5:00	ND	ND	0.4	1012
4/26/26 6:00	ND	ND	2.1	1012
4/26/26 7:00	2.5	9	5.9	1013
4/26/26 8:00	2.5	358	8.1	1013
4/26/26 9:00	1.9	329	9.2	1013

Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (4/22/26 10:00 to 5/6/26 10:00)

4/26/26 10:00	2.0	17	11.6	1013
4/26/26 11:00	1.7	336	13.3	1013
4/26/26 12:00	1.9	51	15.1	1013
4/26/26 13:00	2.6	120	16.3	1013
4/26/26 14:00	2.7	316	17.9	1012
4/26/26 15:00	2.4	74	18.0	1012
4/26/26 16:00	2.8	66	18.9	1012
4/26/26 17:00	2.8	84	18.9	1012
4/26/26 18:00	3.7	178	17.3	1012
4/26/26 19:00	4.3	175	12.9	1013
4/26/26 20:00	3.2	167	11.0	1014
4/26/26 21:00	2.7	192	9.4	1015
4/26/26 22:00	1.9	211	8.6	1015
4/26/26 23:00	1.6	192	7.5	1015
4/27/26 0:00	1.5	ND	5.5	1015
4/27/26 1:00	ND	ND	4.3	1015
4/27/26 2:00	ND	ND	3.2	1015
4/27/26 3:00	ND	ND	2.7	1016
4/27/26 4:00	1.8	327	2.4	1016
4/27/26 5:00	0.4	ND	2.3	1016
4/27/26 6:00	ND	ND	4.1	1017
4/27/26 7:00	1.7	343	8.0	1018
4/27/26 8:00	1.7	324	11.9	1018
4/27/26 9:00	1.8	270	14.8	1018
4/27/26 10:00	1.4	349	17.0	1018
4/27/26 11:00	2.4	16	18.6	1017
4/27/26 12:00	2.1	46	20.3	1017
4/27/26 13:00	2.5	77	20.9	1016
4/27/26 14:00	2.3	66	21.4	1016
4/27/26 15:00	1.5	243	21.9	1015
4/27/26 16:00	3.3	186	20.3	1016
4/27/26 17:00	6.4	187	17.5	1016
4/27/26 18:00	5.3	180	14.7	1016
4/27/26 19:00	4.2	186	12.3	1017
4/27/26 20:00	4.4	179	10.2	1018
4/27/26 21:00	4.4	166	8.3	1018
4/27/26 22:00	4.1	178	7.4	1018
4/27/26 23:00	2.2	169	6.0	1019
4/28/26 0:00	1.5	183	4.8	1019
4/28/26 1:00	1.5	133	3.6	1018
4/28/26 2:00	1.5	140	2.8	1018
4/28/26 3:00	ND	ND	2.1	1018
4/28/26 4:00	2.1	ND	1.8	1017
4/28/26 5:00	ND	ND	1.1	1018
4/28/26 6:00	1.5	340	2.7	1018
4/28/26 7:00	1.5	170	6.0	1018
4/28/26 8:00	2.1	100	7.8	1018
4/28/26 9:00	1.7	56	10.1	1018
4/28/26 10:00	1.9	121	12.3	1017

Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (4/22/26 10:00 to 5/6/26 10:00)

4/28/26 11:00	2.5	91	14.8	1016
4/28/26 12:00	3.4	127	16.7	1016
4/28/26 13:00	3.4	122	17.3	1015
4/28/26 14:00	4.4	156	17.5	1014
4/28/26 15:00	4.3	162	17.1	1014
4/28/26 16:00	4.4	153	17.4	1013
4/28/26 17:00	5.3	156	16.6	1014
4/28/26 18:00	5.8	192	13.8	1014
4/28/26 19:00	4.0	192	11.5	1014
4/28/26 20:00	3.3	174	9.6	1014
4/28/26 21:00	2.8	145	6.9	1014
4/28/26 22:00	1.9	183	6.8	1014
4/28/26 23:00	1.5	180	5.3	1013
4/29/26 0:00	1.6	130	4.4	1013
4/29/26 1:00	1.9	143	4.1	1012
4/29/26 2:00	1.5	295	3.6	1012
4/29/26 3:00	ND	ND	5.6	1012
4/29/26 4:00	2.4	129	6.0	1013
4/29/26 5:00	3.3	112	5.6	1012
4/29/26 6:00	2.7	100	5.6	1012
4/29/26 7:00	2.4	113	6.0	1012
4/29/26 8:00	2.7	145	6.7	1012
4/29/26 9:00	3.1	150	7.8	1012
4/29/26 10:00	2.3	133	8.1	1012
4/29/26 11:00	2.6	131	8.7	1011
4/29/26 12:00	3.5	152	10.2	1010
4/29/26 13:00	4.2	130	11.1	1009
4/29/26 14:00	4.3	135	10.9	1009
4/29/26 15:00	4.6	141	9.7	1009
4/29/26 16:00	4.5	137	8.9	1009
4/29/26 17:00	4.2	127	8.8	1009
4/29/26 18:00	4.8	137	8.3	1009
4/29/26 19:00	3.4	142	7.6	1009
4/29/26 20:00	2.9	143	6.9	1009
4/29/26 21:00	4.1	132	6.9	1008
4/29/26 22:00	4.1	138	7.0	1008
4/29/26 23:00	4.8	126	6.9	1008
4/30/26 0:00	5.2	128	6.9	1007
4/30/26 1:00	3.7	128	6.9	1006
4/30/26 2:00	4.3	118	6.1	1006
4/30/26 3:00	5.0	119	6.0	1005
4/30/26 4:00	4.2	117	6.0	1005
4/30/26 5:00	4.8	117	6.0	1004
4/30/26 6:00	5.0	118	5.9	1004
4/30/26 7:00	4.6	112	6.1	1004
4/30/26 8:00	4.5	106	6.9	1004
4/30/26 9:00	5.2	107	6.9	1003
4/30/26 10:00	3.2	134	7.0	1003
4/30/26 11:00	4.0	135	7.1	1003

Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (4/22/26 10:00 to 5/6/26 10:00)

4/30/26 12:00	3.5	132	7.2	1003
4/30/26 13:00	3.5	124	7.9	1002
4/30/26 14:00	3.5	124	8.1	1001
4/30/26 15:00	2.7	142	8.6	1000
4/30/26 16:00	1.5	220	7.9	1000
4/30/26 17:00	1.7	15	8.0	1000
4/30/26 18:00	2.1	52	8.8	999
4/30/26 19:00	2.6	94	8.9	999
4/30/26 20:00	3.0	134	8.8	999
4/30/26 21:00	1.8	136	8.0	999
4/30/26 22:00	1.6	148	8.0	999
4/30/26 23:00	1.5	300	7.9	998
5/1/26 0:00	1.5	300	7.9	998
5/1/26 1:00	1.5	ND	7.9	997
5/1/26 2:00	2.3	298	7.9	997
5/1/26 3:00	3.1	312	7.9	997
5/1/26 4:00	2.4	294	7.9	997
5/1/26 5:00	3.3	300	7.9	998
5/1/26 6:00	3.4	301	7.8	998
5/1/26 7:00	3.2	313	7.6	999
5/1/26 8:00	4.4	306	8.2	999
5/1/26 9:00	4.7	314	9.9	999
5/1/26 10:00	4.6	313	11.3	999
5/1/26 11:00	4.4	293	12.2	999
5/1/26 12:00	5.4	294	13.2	999
5/1/26 13:00	4.7	297	13.4	999
5/1/26 14:00	4.9	301	14.0	999
5/1/26 15:00	5.2	319	14.2	999
5/1/26 16:00	4.7	323	14.0	999
5/1/26 17:00	6.0	334	13.7	1000
5/1/26 18:00	6.9	330	12.4	1001
5/1/26 19:00	5.4	340	10.3	1001
5/1/26 20:00	5.0	338	8.3	1003
5/1/26 21:00	4.0	331	6.7	1004
5/1/26 22:00	2.2	328	4.9	1004
5/1/26 23:00	ND	ND	2.9	1004
5/2/26 0:00	1.5	220	2.1	1005
5/2/26 1:00	1.3	ND	0.7	1005
5/2/26 2:00	1.8	245	0.2	1005
5/2/26 3:00	ND	ND	0.4	1005
5/2/26 4:00	1.9	216	0.0	1006
5/2/26 5:00	ND	ND	0.0	1006
5/2/26 6:00	ND	ND	2.0	1006
5/2/26 7:00	ND	ND	4.2	1007
5/2/26 8:00	1.9	251	6.2	1007
5/2/26 9:00	2.4	305	6.9	1007
5/2/26 10:00	1.6	296	7.0	1008
5/2/26 11:00	1.5	51	7.2	1007
5/2/26 12:00	2.6	172	7.1	1007

Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (4/22/26 10:00 to 5/6/26 10:00)

5/2/26 13:00	3.5	148	6.9	1006
5/2/26 14:00	2.2	138	7.0	1006
5/2/26 15:00	3.7	155	7.8	1005
5/2/26 16:00	4.4	153	8.0	1005
5/2/26 17:00	3.3	160	7.9	1005
5/2/26 18:00	2.2	156	7.9	1005
5/2/26 19:00	2.1	129	7.9	1005
5/2/26 20:00	2.0	134	7.1	1005
5/2/26 21:00	1.2	156	6.9	1005
5/2/26 22:00	2.2	139	6.9	1004
5/2/26 23:00	1.9	113	6.7	1004
5/3/26 0:00	2.1	138	6.2	1003
5/3/26 1:00	1.5	123	6.0	1002
5/3/26 2:00	1.5	53	6.0	1002
5/3/26 3:00	1.2	47	5.9	1001
5/3/26 4:00	2.1	18	5.8	1001
5/3/26 5:00	2.4	24	5.9	1000
5/3/26 6:00	3.1	3	5.9	1000
5/3/26 7:00	3.9	358	5.9	1000
5/3/26 8:00	4.5	359	5.9	999
5/3/26 9:00	5.9	359	5.9	999
5/3/26 10:00	6.3	353	5.9	998
5/3/26 11:00	6.2	349	5.9	997
5/3/26 12:00	6.9	348	5.2	997
5/3/26 13:00	6.0	2	5.2	997
5/3/26 14:00	5.8	350	6.0	996
5/3/26 15:00	5.7	342	6.4	996
5/3/26 16:00	6.9	337	7.2	995
5/3/26 17:00	6.6	344	8.0	995
5/3/26 18:00	4.8	342	8.0	995
5/3/26 19:00	2.3	303	7.8	995
5/3/26 20:00	5.4	302	7.4	996
5/3/26 21:00	3.9	298	6.4	997
5/3/26 22:00	3.2	285	5.7	997
5/3/26 23:00	2.7	285	4.9	998
5/4/26 0:00	3.4	274	4.1	998
5/4/26 1:00	2.6	277	3.9	998
5/4/26 2:00	2.2	250	3.1	999
5/4/26 3:00	3.3	249	2.9	999
5/4/26 4:00	2.4	255	2.2	999
5/4/26 5:00	1.6	235	1.1	999
5/4/26 6:00	2.1	245	3.9	1000
5/4/26 7:00	2.7	261	7.3	1000
5/4/26 8:00	3.5	264	9.9	1000
5/4/26 9:00	4.3	261	11.9	999
5/4/26 10:00	4.6	252	12.6	999
5/4/26 11:00	4.8	240	13.4	998
5/4/26 12:00	4.6	221	13.1	997
5/4/26 13:00	4.5	237	12.9	998


Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (4/22/26 10:00 to 5/6/26 10:00)

5/4/26 14:00	6.1	247	13.9	998
5/4/26 15:00	5.2	247	15.7	997
5/4/26 16:00	5.8	270	15.9	998
5/4/26 17:00	4.5	272	15.8	998
5/4/26 18:00	2.2	297	15.0	998
5/4/26 19:00	1.8	138	12.8	999
5/4/26 20:00	1.5	150	10.9	999
5/4/26 21:00	2.7	146	10.7	1000
5/4/26 22:00	1.8	154	8.8	1000
5/4/26 23:00	0.9	187	7.7	1000
5/5/26 0:00	1.9	174	7.3	1000
5/5/26 1:00	1.5	194	6.3	1001
5/5/26 2:00	3.4	184	7.8	1000
5/5/26 3:00	3.3	179	8.0	1001
5/5/26 4:00	3.6	188	8.0	1001
5/5/26 5:00	3.6	187	8.5	1000
5/5/26 6:00	4.2	186	9.8	1001
5/5/26 7:00	4.8	187	11.7	1001
5/5/26 8:00	4.6	189	14.0	1001
5/5/26 9:00	5.4	185	16.5	1000
5/5/26 10:00	6.6	182	17.5	1000
5/5/26 11:00	7.7	182	17.7	1000
5/5/26 12:00	7.8	181	18.3	999
5/5/26 13:00	8.0	173	18.9	998
5/5/26 14:00	8.7	178	18.8	997
5/5/26 15:00	9.6	175	18.3	997
5/5/26 16:00	9.1	178	18.0	997
5/5/26 17:00	7.2	182	17.1	997
5/5/26 18:00	8.2	180	15.6	997
5/5/26 19:00	4.9	187	14.2	999
5/5/26 20:00	2.9	164	14.0	1000
5/5/26 21:00	4.3	161	13.4	1000
5/5/26 22:00	5.5	181	12.9	1001
5/5/26 23:00	3.5	178	12.8	1001
5/6/26 0:00	3.8	168	11.9	1001
5/6/26 1:00	3.9	178	11.3	1001
5/6/26 2:00	5.0	177	10.9	1001
5/6/26 3:00	3.3	189	10.9	1002
5/6/26 4:00	2.9	176	10.8	1003
5/6/26 5:00	3.4	150	10.1	1003
5/6/26 6:00	2.3	177	10.9	1003
5/6/26 7:00	2.6	159	11.6	1003
5/6/26 8:00	3.7	153	12.9	1003
5/6/26 9:00	3.4	156	14.3	1002
5/6/26 10:00	5.4	158	15.1	1002

Deadriver Bucksport Maine Terminal Fenceline Monitoring
Bangor International Airport (BGR) Meteorological Data (4/22/26 10:00 to 5/6/26 10:00)

BGR Wind Rose 4/22/26 10:00 - 5/6/26 10:00



Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (5/6/26 11:00 to 5/20/26 10:00)

Date & Time	Wind Speed m/s	Wind Direction Deg.	Temperature °C	Barometric Pressure mb
5/6/26 11:00	5.0	167	14.2	1002
5/6/26 12:00	6.5	177	13.9	1002
5/6/26 13:00	5.8	175	13.9	1001
5/6/26 14:00	6.8	170	13.8	1000
5/6/26 15:00	6.4	172	12.7	1000
5/6/26 16:00	5.8	167	11.9	1000
5/6/26 17:00	6.2	171	11.6	999
5/6/26 18:00	6.2	174	11.3	999
5/6/26 19:00	7.4	178	11.0	999
5/6/26 20:00	6.5	175	11.0	998
5/6/26 21:00	6.6	170	11.4	997
5/6/26 22:00	6.6	178	11.0	996
5/6/26 23:00	5.8	185	10.9	996
5/7/26 0:00	3.8	270	10.7	996
5/7/26 1:00	4.3	307	9.1	997
5/7/26 2:00	4.7	309	8.8	997
5/7/26 3:00	4.2	306	8.0	997
5/7/26 4:00	2.5	295	7.8	997
5/7/26 5:00	2.9	280	7.0	998
5/7/26 6:00	3.0	300	7.7	998
5/7/26 7:00	2.7	292	8.6	999
5/7/26 8:00	4.6	315	10.4	998
5/7/26 9:00	2.9	312	11.5	998
5/7/26 10:00	2.3	353	12.8	998
5/7/26 11:00	1.8	356	13.7	997
5/7/26 12:00	2.7	282	14.7	997
5/7/26 13:00	3.8	257	16.0	996
5/7/26 14:00	4.9	239	16.6	995
5/7/26 15:00	4.5	234	16.3	995
5/7/26 16:00	4.0	283	15.9	995
5/7/26 17:00	4.2	296	16.0	996
5/7/26 18:00	7.0	311	14.7	996
5/7/26 19:00	5.9	307	12.0	998
5/7/26 20:00	4.2	316	9.5	999
5/7/26 21:00	2.7	302	8.4	999
5/7/26 22:00	2.2	285	7.3	999
5/7/26 23:00	1.7	238	6.4	999
5/8/26 0:00	2.7	293	6.0	999
5/8/26 1:00	2.7	275	5.9	998
5/8/26 2:00	2.5	266	5.6	998
5/8/26 3:00	1.9	263	4.4	998
5/8/26 4:00	1.6	246	3.5	998
5/8/26 5:00	1.5	70	1.5	998
5/8/26 6:00	2.3	263	4.2	999
5/8/26 7:00	3.7	274	6.6	1000
5/8/26 8:00	4.6	300	8.1	1000
5/8/26 9:00	3.7	306	9.7	1000

Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (5/6/26 11:00 to 5/20/26 10:00)

5/8/26 10:00	4.7	305	11.2	999
5/8/26 11:00	5.1	325	11.6	999
5/8/26 12:00	3.7	343	11.2	999
5/8/26 13:00	3.9	325	12.2	999
5/8/26 14:00	5.6	313	13.0	999
5/8/26 15:00	4.4	298	13.0	999
5/8/26 16:00	4.8	277	13.0	999
5/8/26 17:00	4.2	259	12.4	1000
5/8/26 18:00	3.9	268	11.3	1001
5/8/26 19:00	3.2	295	10.9	1002
5/8/26 20:00	2.0	292	9.3	1002
5/8/26 21:00	1.3	248	8.0	1003
5/8/26 22:00	2.0	255	6.6	1004
5/8/26 23:00	2.3	254	6.0	1004
5/9/26 0:00	1.9	250	4.6	1005
5/9/26 1:00	2.2	246	3.6	1005
5/9/26 2:00	1.3	232	2.0	1006
5/9/26 3:00	1.0	225	1.2	1006
5/9/26 4:00	1.5	170	0.5	1006
5/9/26 5:00	0.3		0.3	1006
5/9/26 6:00	1.3	197	3.2	1007
5/9/26 7:00	3.1	186	6.8	1008
5/9/26 8:00	3.5	191	10.0	1008
5/9/26 9:00	4.3	181	12.5	1008
5/9/26 10:00	5.0	167	13.6	1008
5/9/26 11:00	5.6	170	14.4	1008
5/9/26 12:00	6.1	184	15.1	1007
5/9/26 13:00	7.5	189	14.4	1007
5/9/26 14:00	7.5	185	13.4	1007
5/9/26 15:00	7.6	179	11.5	1008
5/9/26 16:00	6.6	184	9.3	1008
5/9/26 17:00	4.1	168	7.9	1008
5/9/26 18:00	4.1	148	7.1	1008
5/9/26 19:00	3.7	150	7.0	1008
5/9/26 20:00	3.1	131	6.9	1008
5/9/26 21:00	3.0	125	7.0	1008
5/9/26 22:00	1.7	115	7.0	1007
5/9/26 23:00	2.8	165	7.5	1006
5/10/26 0:00	6.1	169	8.9	1006
5/10/26 1:00	4.5	168	8.9	1006
5/10/26 2:00	4.9	173	9.0	1006
5/10/26 3:00	3.4	173	9.2	1006
5/10/26 4:00	3.0	160	9.9	1005
5/10/26 5:00	3.8	152	10.3	1005
5/10/26 6:00	5.2	174	10.8	1005
5/10/26 7:00	4.6	175	10.4	1005
5/10/26 8:00	4.6	176	10.5	1005
5/10/26 9:00	4.8	185	10.7	1006
5/10/26 10:00	4.6	188	11.9	1006

Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (5/6/26 11:00 to 5/20/26 10:00)

5/10/26 11:00	4.6	184	12.8	1006
5/10/26 12:00	4.5	176	13.4	1006
5/10/26 13:00	4.5	165	15.1	1005
5/10/26 14:00	5.9	174	16.3	1004
5/10/26 15:00	6.3	187	16.8	1004
5/10/26 16:00	4.8	170	16.7	1004
5/10/26 17:00	5.0	175	15.8	1004
5/10/26 18:00	5.9	175	13.2	1004
5/10/26 19:00	4.5	173	12.3	1005
5/10/26 20:00	2.8	178	11.5	1006
5/10/26 21:00	2.1	213	10.9	1006
5/10/26 22:00	2.1	186	10.8	1007
5/10/26 23:00	ND	ND	10.9	1007
5/11/26 0:00	1.5	320	10.2	1008
5/11/26 1:00	1.4	304	8.9	1008
5/11/26 2:00	1.6	306	7.7	1008
5/11/26 3:00	ND	ND	5.5	1008
5/11/26 4:00	1.9	315	5.0	1008
5/11/26 5:00	2.4	272	5.5	1009
5/11/26 6:00	1.7	276	7.9	1009
5/11/26 7:00	3.1	304	9.6	1010
5/11/26 8:00	3.4	309	11.1	1010
5/11/26 9:00	2.7	319	12.2	1010
5/11/26 10:00	3.3	323	13.5	1010
5/11/26 11:00	3.4	318	14.4	1009
5/11/26 12:00	3.2	272	14.4	1008
5/11/26 13:00	3.8	294	15.7	1008
5/11/26 14:00	3.9	293	14.5	1008
5/11/26 15:00	4.4	306	14.2	1008
5/11/26 16:00	6.3	317	13.4	1008
5/11/26 17:00	6.1	319	13.0	1008
5/11/26 18:00	4.9	323	12.4	1009
5/11/26 19:00	3.2	325	11.4	1009
5/11/26 20:00	2.6	310	10.6	1009
5/11/26 21:00	2.1	306	8.9	1010
5/11/26 22:00	3.6	312	8.1	1010
5/11/26 23:00	4.1	320	7.4	1010
5/12/26 0:00	4.3	332	6.0	1010
5/12/26 1:00	4.1	340	5.0	1010
5/12/26 2:00	4.2	339	4.8	1010
5/12/26 3:00	2.6	331	3.3	1010
5/12/26 4:00	2.1	328	2.0	1010
5/12/26 5:00	1.5	305	1.5	1011
5/12/26 6:00	3.1	316	4.6	1011
5/12/26 7:00	4.3	334	7.0	1011
5/12/26 8:00	3.7	342	8.7	1011
5/12/26 9:00	6.1	330	10.3	1011
5/12/26 10:00	6.5	333	10.8	1010
5/12/26 11:00	7.8	326	11.4	1010

Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (5/6/26 11:00 to 5/20/26 10:00)

5/12/26 12:00	6.9	319	11.6	1009
5/12/26 13:00	5.6	313	12.0	1009
5/12/26 14:00	6.5	321	12.5	1008
5/12/26 15:00	7.1	319	12.5	1008
5/12/26 16:00	7.0	334	12.0	1008
5/12/26 17:00	6.2	328	12.0	1009
5/12/26 18:00	6.4	328	11.1	1009
5/12/26 19:00	5.0	328	10.6	1010
5/12/26 20:00	2.4	303	10.0	1010
5/12/26 21:00	2.2	292	9.0	1011
5/12/26 22:00	2.4	302	9.0	1011
5/12/26 23:00	2.4	310	8.5	1011
5/13/26 0:00	2.0	290	7.0	1011
5/13/26 1:00	2.3	287	5.7	1011
5/13/26 2:00	2.8	274	5.5	1011
5/13/26 3:00	2.4	273	4.0	1011
5/13/26 4:00	2.1	263	1.9	1011
5/13/26 5:00	ND	ND	2.1	1012
5/13/26 6:00	ND	ND	3.9	1012
5/13/26 7:00	ND	ND	6.7	1012
5/13/26 8:00	1.5	45	8.9	1012
5/13/26 9:00	1.8	46	10.9	1012
5/13/26 10:00	2.1	5	11.9	1011
5/13/26 11:00	2.0	129	13.0	1011
5/13/26 12:00	4.0	172	13.1	1010
5/13/26 13:00	7.0	191	12.4	1010
5/13/26 14:00	6.9	191	11.6	1010
5/13/26 15:00	5.7	179	10.9	1009
5/13/26 16:00	4.2	155	8.5	1009
5/13/26 17:00	3.0	147	8.0	1009
5/13/26 18:00	2.3	110	7.2	1009
5/13/26 19:00	2.0	86	7.5	1008
5/13/26 20:00	2.5	114	7.9	1009
5/13/26 21:00	3.6	140	7.9	1008
5/13/26 22:00	2.8	152	7.9	1008
5/13/26 23:00	3.6	162	8.0	1008
5/14/26 0:00	3.7	162	8.0	1008
5/14/26 1:00	3.8	162	8.1	1007
5/14/26 2:00	3.5	158	8.0	1007
5/14/26 3:00	3.3	166	8.0	1006
5/14/26 4:00	2.9	167	8.1	1007
5/14/26 5:00	2.9	157	8.9	1007
5/14/26 6:00	3.1	146	9.1	1007
5/14/26 7:00	3.4	145	10.3	1007
5/14/26 8:00	4.2	142	11.9	1007
5/14/26 9:00	4.3	144	13.6	1007
5/14/26 10:00	4.7	132	15.7	1007
5/14/26 11:00	6.2	148	16.5	1006
5/14/26 12:00	5.7	143	17.5	1006

Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (5/6/26 11:00 to 5/20/26 10:00)

5/14/26 13:00	5.9	134	17.3	1005
5/14/26 14:00	5.3	145	17.2	1005
5/14/26 15:00	6.7	118	16.7	1004
5/14/26 16:00	8.1	120	16.0	1004
5/14/26 17:00	6.6	136	14.8	1004
5/14/26 18:00	4.7	118	12.9	1004
5/14/26 19:00	5.6	97	12.2	1003
5/14/26 20:00	4.0	55	12.2	1003
5/14/26 21:00	3.8	49	13.6	1003
5/14/26 22:00	3.4	55	13.9	1003
5/14/26 23:00	3.5	57	13.9	1003
5/15/26 0:00	4.1	50	12.9	1003
5/15/26 1:00	3.5	67	12.9	1003
5/15/26 2:00	3.2	72	12.7	1003
5/15/26 3:00	5.0	77	11.9	1003
5/15/26 4:00	3.5	62	11.0	1003
5/15/26 5:00	2.9	30	11.0	1003
5/15/26 6:00	3.4	26	11.0	1004
5/15/26 7:00	3.4	26	11.9	1004
5/15/26 8:00	3.9	29	12.5	1005
5/15/26 9:00	4.2	52	13.2	1005
5/15/26 10:00	3.9	55	14.1	1005
5/15/26 11:00	4.0	63	14.9	1005
5/15/26 12:00	2.1	57	15.8	1005
5/15/26 13:00	1.9	356	16.6	1005
5/15/26 14:00	1.9	340	17.0	1004
5/15/26 15:00	2.1	10	17.6	1004
5/15/26 16:00	2.1	4	18.0	1004
5/15/26 17:00	2.3	35	17.8	1004
5/15/26 18:00	2.8	60	15.0	1005
5/15/26 19:00	2.7	262	13.1	1005
5/15/26 20:00	1.5	181	12.9	1005
5/15/26 21:00	1.8	190	11.9	1005
5/15/26 22:00	2.0	206	11.9	1006
5/15/26 23:00	1.7	191	11.9	1006
5/16/26 0:00	2.0	201	11.5	1006
5/16/26 1:00	2.0	198	10.8	1006
5/16/26 2:00	1.6	195	9.8	1006
5/16/26 3:00	1.7	202	9.2	1006
5/16/26 4:00	1.5	209	8.9	1005
5/16/26 5:00	1.5	220	9.0	1006
5/16/26 6:00	1.5	200	10.5	1007
5/16/26 7:00	2.1	238	12.9	1007
5/16/26 8:00	2.4	228	15.7	1007
5/16/26 9:00	3.6	258	18.2	1006
5/16/26 10:00	3.7	256	20.0	1006
5/16/26 11:00	4.0	265	21.7	1006
5/16/26 12:00	4.4	263	22.9	1005
5/16/26 13:00	5.0	265	23.4	1004

Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (5/6/26 11:00 to 5/20/26 10:00)

5/16/26 14:00	4.2	267	24.0	1003
5/16/26 15:00	4.7	213	24.1	1002
5/16/26 16:00	5.3	180	23.6	1001
5/16/26 17:00	4.8	178	22.2	1001
5/16/26 18:00	5.7	186	21.9	1002
5/16/26 19:00	6.2	188	20.4	1001
5/16/26 20:00	5.7	185	17.8	1002
5/16/26 21:00	4.6	188	16.0	1002
5/16/26 22:00	4.7	189	14.8	1001
5/16/26 23:00	3.7	197	13.9	1001
5/17/26 0:00	3.4	175	13.1	1001
5/17/26 1:00	3.4	190	13.0	1000
5/17/26 2:00	4.3	194	12.9	1000
5/17/26 3:00	3.1	189	12.9	1000
5/17/26 4:00	2.2	200	12.3	1000
5/17/26 5:00	1.6	293	11.9	1001
5/17/26 6:00	1.9	244	15.0	1002
5/17/26 7:00	2.1	234	17.7	1002
5/17/26 8:00	4.2	268	20.3	1002
5/17/26 9:00	5.0	283	22.2	1002
5/17/26 10:00	5.6	293	22.7	1003
5/17/26 11:00	7.3	294	24.0	1003
5/17/26 12:00	7.1	295	24.3	1004
5/17/26 13:00	8.3	302	24.8	1004
5/17/26 14:00	7.1	307	24.2	1004
5/17/26 15:00	8.1	307	24.4	1004
5/17/26 16:00	6.8	301	24.9	1005
5/17/26 17:00	7.8	306	24.0	1006
5/17/26 18:00	8.4	316	22.8	1007
5/17/26 19:00	7.5	331	21.0	1008
5/17/26 20:00	6.5	340	18.9	1009
5/17/26 21:00	4.3	343	17.4	1010
5/17/26 22:00	4.4	338	16.1	1011
5/17/26 23:00	3.0	332	14.6	1011
5/18/26 0:00	2.9	286	14.3	1012
5/18/26 1:00	2.0	298	12.2	1013
5/18/26 2:00	2.7	274	12.2	1013
5/18/26 3:00	2.3	303	11.5	1014
5/18/26 4:00	2.5	15	11.0	1015
5/18/26 5:00	1.7	1	9.0	1016
5/18/26 6:00	2.3	42	10.4	1016
5/18/26 7:00	2.5	58	12.5	1017
5/18/26 8:00	2.7	75	14.2	1018
5/18/26 9:00	2.1	144	15.0	1018
5/18/26 10:00	1.5	164	15.8	1018
5/18/26 11:00	2.2	162	16.6	1017
5/18/26 12:00	3.5	182	17.3	1016
5/18/26 13:00	5.1	179	16.8	1015
5/18/26 14:00	4.4	181	15.9	1015


Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (5/6/26 11:00 to 5/20/26 10:00)

5/18/26 15:00	5.7	176	15.3	1015
5/18/26 16:00	5.2	176	14.0	1015
5/18/26 17:00	5.1	161	14.0	1014
5/18/26 18:00	5.6	175	14.6	1014
5/18/26 19:00	4.3	175	13.7	1013
5/18/26 20:00	4.0	174	13.0	1013
5/18/26 21:00	2.2	183	11.9	1013
5/18/26 22:00	1.5	190	10.8	1013
5/18/26 23:00	1.7	165	10.1	1012
5/19/26 0:00	ND	ND	9.1	1011
5/19/26 1:00	ND	ND	8.6	1010
5/19/26 2:00	2.3	188	8.9	1010
5/19/26 3:00	1.8	190	8.9	1009
5/19/26 4:00	1.9	198	8.9	1008
5/19/26 5:00	2.1	220	9.0	1008
5/19/26 6:00	1.7	187	10.6	1008
5/19/26 7:00	1.9	175	13.1	1008
5/19/26 8:00	1.5	152	16.1	1007
5/19/26 9:00	2.2	199	19.9	1007
5/19/26 10:00	2.3	167	23.9	1006
5/19/26 11:00	2.5	130	28.2	1005
5/19/26 12:00	5.2	257	30.6	1004
5/19/26 13:00	3.5	244	29.1	1003
5/19/26 14:00	3.5	202	29.4	1003
5/19/26 15:00	4.9	181	26.8	1002
5/19/26 16:00	2.9	194	24.6	1003
5/19/26 17:00	2.7	188	26.3	1002
5/19/26 18:00	3.6	190	24.5	1002
5/19/26 19:00	3.0	199	23.2	1002
5/19/26 20:00	2.6	194	21.8	1003
5/19/26 21:00	3.2	194	21.2	1003
5/19/26 22:00	2.0	190	19.1	1003
5/19/26 23:00	2.0	184	18.3	1002
5/20/26 0:00	1.9	201	17.7	1002
5/20/26 1:00	1.6	201	16.7	1002
5/20/26 2:00	3.1	203	17.4	1001
5/20/26 3:00	2.7	190	17.3	1001
5/20/26 4:00	1.7	204	16.4	1000
5/20/26 5:00	2.0	193	17.0	1001
5/20/26 6:00	3.1	190	18.6	1001
5/20/26 7:00	2.4	200	21.3	1001
5/20/26 8:00	3.1	193	22.3	1000
5/20/26 9:00	3.3	217	24.7	1000
5/20/26 10:00	4.7	254	28.0	1000

Deadriver Bucksport Maine Terminal Fenceline Monitoring
Bangor International Airport (BGR) Meteorological Data (5/6/26 11:00 to 5/20/26 10:00)

BGR Wind Rose 5/6/26 11:00 - 5/20/26 10:00



Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (5/20/26 10:00 to 6/3/26 10:00)

Date & Time	Wind Speed m/s	Wind Direction Deg.	Temperature °C	Barometric Pressure mb
5/20/26 10:00	4.7	254	28.0	1000
5/20/26 11:00	4.4	255	29.3	1000
5/20/26 12:00	5.8	270	29.0	999
5/20/26 13:00	6.8	257	29.0	999
5/20/26 14:00	6.5	285	29.2	999
5/20/26 15:00	5.6	266	29.3	998
5/20/26 16:00	6.3	270	30.0	998
5/20/26 17:00	6.8	295	29.3	999
5/20/26 18:00	5.2	294	27.9	1000
5/20/26 19:00	5.8	307	25.3	1001
5/20/26 20:00	5.2	307	23.0	1003
5/20/26 21:00	6.2	310	22.0	1004
5/20/26 22:00	6.7	320	20.3	1005
5/20/26 23:00	7.9	334	17.5	1006
5/21/26 0:00	8.1	338	15.8	1008
5/21/26 1:00	5.6	327	13.8	1008
5/21/26 2:00	5.0	324	12.6	1009
5/21/26 3:00	6.6	325	11.9	1010
5/21/26 4:00	4.9	319	10.7	1011
5/21/26 5:00	4.3	326	9.5	1012
5/21/26 6:00	5.8	314	9.1	1013
5/21/26 7:00	5.9	313	10.3	1014
5/21/26 8:00	5.6	322	11.0	1014
5/21/26 9:00	5.1	325	11.8	1014
5/21/26 10:00	4.3	309	12.2	1014
5/21/26 11:00	5.2	320	12.9	1014
5/21/26 12:00	5.0	329	14.0	1014
5/21/26 13:00	5.8	339	15.5	1014
5/21/26 14:00	4.9	332	16.1	1014
5/21/26 15:00	4.6	338	16.6	1013
5/21/26 16:00	5.0	340	16.5	1014
5/21/26 17:00	5.9	345	16.3	1014
5/21/26 18:00	6.3	341	15.6	1015
5/21/26 19:00	5.4	340	13.5	1015
5/21/26 20:00	5.0	331	11.9	1016
5/21/26 21:00	4.5	321	9.9	1017
5/21/26 22:00	4.4	318	9.2	1018
5/21/26 23:00	3.6	305	8.9	1018
5/22/26 0:00	2.7	295	7.7	1019
5/22/26 1:00	2.2	336	5.9	1019
5/22/26 2:00	ND	ND	3.7	1019
5/22/26 3:00	1.5	ND	3.2	1020
5/22/26 4:00	ND	ND	1.7	1020
5/22/26 5:00	1.5	325	2.4	1021
5/22/26 6:00	3.1	319	5.6	1022
5/22/26 7:00	4.2	328	8.3	1022
5/22/26 8:00	3.9	335	10.5	1022

Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (5/20/26 10:00 to 6/3/26 10:00)

5/22/26 9:00	4.6	342	11.8	1022
5/22/26 10:00	4.6	324	13.1	1021
5/22/26 11:00	6.4	325	15.1	1021
5/22/26 12:00	5.8	314	16.5	1020
5/22/26 13:00	5.1	323	17.9	1019
5/22/26 14:00	4.9	321	19.0	1018
5/22/26 15:00	5.4	322	19.3	1018
5/22/26 16:00	5.9	338	19.6	1017
5/22/26 17:00	6.1	330	19.1	1018
5/22/26 18:00	5.5	335	18.7	1018
5/22/26 19:00	4.9	336	17.2	1019
5/22/26 20:00	2.2	304	14.6	1020
5/22/26 21:00	2.1	296	12.3	1020
5/22/26 22:00	1.7	301	9.3	1021
5/22/26 23:00	ND	ND	8.4	1021
5/23/26 0:00	ND	ND	6.8	1022
5/23/26 1:00	ND	ND	6.1	1023
5/23/26 2:00	1.0	250	4.6	1023
5/23/26 3:00	ND	ND	3.8	1024
5/23/26 4:00	ND	ND	3.0	1024
5/23/26 5:00	ND	ND	3.0	1025
5/23/26 6:00	ND	ND	6.9	1026
5/23/26 7:00	2.1	353	10.9	1027
5/23/26 8:00	2.0	12	12.9	1027
5/23/26 9:00	1.9	36	14.9	1027
5/23/26 10:00	2.6	357	16.2	1027
5/23/26 11:00	2.5	8	17.0	1027
5/23/26 12:00	2.7	345	17.8	1026
5/23/26 13:00	2.4	327	18.3	1026
5/23/26 14:00	2.0	305	18.9	1026
5/23/26 15:00	1.9	327	18.9	1025
5/23/26 16:00	4.9	170	18.0	1025
5/23/26 17:00	6.5	189	15.3	1025
5/23/26 18:00	4.8	186	13.9	1026
5/23/26 19:00	3.9	176	12.6	1026
5/23/26 20:00	2.7	175	11.5	1026
5/23/26 21:00	2.0	177	10.5	1027
5/23/26 22:00	1.8	182	9.5	1027
5/23/26 23:00	2.2	185	8.9	1027
5/24/26 0:00	1.9	181	8.2	1027
5/24/26 1:00	1.7	194	7.5	1027
5/24/26 2:00	1.8	183	7.2	1027
5/24/26 3:00	1.9	183	6.9	1027
5/24/26 4:00	1.5	200	6.9	1027
5/24/26 5:00	1.5	190	6.7	1027
5/24/26 6:00	2.2	186	7.5	1028
5/24/26 7:00	1.8	193	9.4	1028
5/24/26 8:00	2.5	181	10.9	1028
5/24/26 9:00	2.9	169	11.5	1028

Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (5/20/26 10:00 to 6/3/26 10:00)

5/24/26 10:00	3.9	186	13.3	1028
5/24/26 11:00	3.8	187	14.0	1028
5/24/26 12:00	3.6	190	14.0	1028
5/24/26 13:00	3.6	198	14.0	1027
5/24/26 14:00	4.0	161	14.6	1026
5/24/26 15:00	5.7	177	15.6	1025
5/24/26 16:00	6.1	193	15.2	1025
5/24/26 17:00	4.8	186	13.4	1025
5/24/26 18:00	4.7	162	12.8	1024
5/24/26 19:00	2.8	151	11.3	1024
5/24/26 20:00	2.6	162	9.8	1024
5/24/26 21:00	1.5	114	7.8	1024
5/24/26 22:00	1.5	107	8.0	1023
5/24/26 23:00	1.6	107	8.0	1022
5/25/26 0:00	1.9	104	8.1	1021
5/25/26 1:00	1.5	117	8.4	1020
5/25/26 2:00	2.1	109	8.9	1019
5/25/26 3:00	2.7	115	9.0	1018
5/25/26 4:00	3.6	110	9.3	1016
5/25/26 5:00	3.0	125	10.2	1016
5/25/26 6:00	4.3	139	11.0	1014
5/25/26 7:00	4.3	131	11.3	1013
5/25/26 8:00	4.0	131	11.8	1012
5/25/26 9:00	5.0	148	12.0	1010
5/25/26 10:00	2.5	182	12.0	1009
5/25/26 11:00	2.0	220	11.9	1009
5/25/26 12:00	1.3	239	12.0	1007
5/25/26 13:00	1.9	295	13.4	1007
5/25/26 14:00	3.9	314	14.8	1006
5/25/26 15:00	4.1	319	16.4	1006
5/25/26 16:00	4.5	318	17.7	1005
5/25/26 17:00	3.4	311	18.4	1005
5/25/26 18:00	2.3	298	18.6	1005
5/25/26 19:00	2.0	283	17.5	1006
5/25/26 20:00	2.5	297	17.1	1007
5/25/26 21:00	3.0	297	16.7	1007
5/25/26 22:00	2.7	295	15.3	1008
5/25/26 23:00	2.3	268	14.1	1008
5/26/26 0:00	1.9	250	13.1	1008
5/26/26 1:00	1.9	263	12.8	1008
5/26/26 2:00	2.1	265	12.0	1008
5/26/26 3:00	2.5	250	12.0	1008
5/26/26 4:00	2.9	262	12.4	1008
5/26/26 5:00	3.3	261	12.3	1009
5/26/26 6:00	2.1	263	13.7	1009
5/26/26 7:00	3.0	270	16.6	1009
5/26/26 8:00	3.0	267	18.4	1009
5/26/26 9:00	3.9	272	20.6	1009
5/26/26 10:00	3.3	256	22.2	1008

Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (5/20/26 10:00 to 6/3/26 10:00)

5/26/26 11:00	3.3	267	23.4	1008
5/26/26 12:00	3.8	271	24.2	1007
5/26/26 13:00	3.3	263	25.8	1006
5/26/26 14:00	4.2	243	26.3	1005
5/26/26 15:00	4.6	229	26.9	1004
5/26/26 16:00	5.1	189	26.1	1003
5/26/26 17:00	6.1	171	24.0	1002
5/26/26 18:00	6.6	188	23.5	1002
5/26/26 19:00	5.0	187	22.2	1002
5/26/26 20:00	3.8	183	19.5	1002
5/26/26 21:00	3.8	189	18.0	1002
5/26/26 22:00	2.7	189	17.1	1002
5/26/26 23:00	3.7	183	16.9	1001
5/27/26 0:00	2.4	185	16.9	1001
5/27/26 1:00	1.7	184	15.8	1001
5/27/26 2:00	1.5	190	14.8	1000
5/27/26 3:00	1.5	350	14.5	1000
5/27/26 4:00	ND	ND	13.1	1000
5/27/26 5:00	1.5	200	13.2	1000
5/27/26 6:00	1.9	188	17.0	1000
5/27/26 7:00	2.0	192	19.2	1000
5/27/26 8:00	2.3	244	22.2	1001
5/27/26 9:00	2.4	243	23.8	1000
5/27/26 10:00	2.0	242	25.1	999
5/27/26 11:00	3.1	275	25.6	999
5/27/26 12:00	3.7	277	26.7	998
5/27/26 13:00	3.7	275	26.4	997
5/27/26 14:00	3.8	294	26.0	997
5/27/26 15:00	4.1	310	25.9	997
5/27/26 16:00	7.6	334	25.6	997
5/27/26 17:00	7.7	344	24.7	998
5/27/26 18:00	7.4	338	22.8	999
5/27/26 19:00	6.6	334	21.0	1000
5/27/26 20:00	5.6	357	19.5	1000
5/27/26 21:00	5.7	5	18.3	1001
5/27/26 22:00	4.1	13	16.8	1001
5/27/26 23:00	3.5	8	15.3	1001
5/28/26 0:00	2.7	357	14.1	1001
5/28/26 1:00	3.1	3	13.8	1000
5/28/26 2:00	3.7	4	13.2	1001
5/28/26 3:00	3.3	8	12.5	1001
5/28/26 4:00	3.4	12	13.0	1001
5/28/26 5:00	3.4	8	12.9	1001
5/28/26 6:00	4.2	18	13.1	1001
5/28/26 7:00	4.3	17	14.0	1002
5/28/26 8:00	4.4	3	13.8	1002
5/28/26 9:00	4.9	19	13.9	1002
5/28/26 10:00	6.0	7	14.0	1002
5/28/26 11:00	6.9	3	14.8	1002

Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (5/20/26 10:00 to 6/3/26 10:00)

5/28/26 12:00	7.1	13	15.7	1002
5/28/26 13:00	6.9	1	15.7	1002
5/28/26 14:00	6.4	4	14.8	1002
5/28/26 15:00	7.0	13	14.0	1002
5/28/26 16:00	7.6	7	14.6	1002
5/28/26 17:00	7.1	15	13.2	1003
5/28/26 18:00	6.6	2	13.0	1003
5/28/26 19:00	5.7	2	12.2	1004
5/28/26 20:00	5.5	1	11.6	1004
5/28/26 21:00	4.9	357	11.0	1005
5/28/26 22:00	4.3	358	10.7	1004
5/28/26 23:00	3.6	338	9.7	1004
5/29/26 0:00	4.7	338	8.9	1004
5/29/26 1:00	3.3	329	7.2	1004
5/29/26 2:00	3.7	347	7.2	1004
5/29/26 3:00	4.1	337	7.9	1003
5/29/26 4:00	3.3	344	7.9	1004
5/29/26 5:00	3.2	325	7.6	1004
5/29/26 6:00	3.5	330	8.0	1004
5/29/26 7:00	4.0	344	8.5	1004
5/29/26 8:00	3.2	349	10.0	1004
5/29/26 9:00	3.4	356	10.9	1003
5/29/26 10:00	2.1	347	12.1	1003
5/29/26 11:00	3.3	13	13.2	1002
5/29/26 12:00	3.1	22	13.4	1002
5/29/26 13:00	2.6	39	13.6	1002
5/29/26 14:00	3.3	13	14.6	1002
5/29/26 15:00	3.2	4	15.6	1001
5/29/26 16:00	2.2	44	15.4	1001
5/29/26 17:00	3.3	47	14.7	1001
5/29/26 18:00	3.7	66	14.0	1001
5/29/26 19:00	3.4	81	13.5	1002
5/29/26 20:00	3.9	107	12.4	1002
5/29/26 21:00	3.0	111	11.9	1003
5/29/26 22:00	4.4	116	10.7	1004
5/29/26 23:00	5.5	105	9.1	1004
5/30/26 0:00	5.1	75	8.6	1005
5/30/26 1:00	6.2	66	7.4	1006
5/30/26 2:00	5.4	61	6.8	1006
5/30/26 3:00	5.8	46	4.7	1006
5/30/26 4:00	4.4	31	4.1	1006
5/30/26 5:00	4.5	32	4.2	1007
5/30/26 6:00	4.2	32	4.6	1008
5/30/26 7:00	4.2	42	5.0	1009
5/30/26 8:00	4.3	26	5.7	1009
5/30/26 9:00	5.8	26	6.8	1010
5/30/26 10:00	6.4	29	7.9	1010
5/30/26 11:00	5.5	24	8.6	1010
5/30/26 12:00	6.1	19	9.2	1011

Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (5/20/26 10:00 to 6/3/26 10:00)

5/30/26 13:00	6.9	27	10.5	1010
5/30/26 14:00	7.1	23	10.3	1011
5/30/26 15:00	6.9	31	11.3	1010
5/30/26 16:00	6.8	22	11.8	1010
5/30/26 17:00	5.5	28	11.9	1010
5/30/26 18:00	3.5	40	11.9	1010
5/30/26 19:00	1.8	90	10.9	1010
5/30/26 20:00	1.7	137	8.0	1010
5/30/26 21:00	0.0	ND	6.8	1010
5/30/26 22:00	ND	ND	5.8	1010
5/30/26 23:00	1.5	250	5.0	1009
5/31/26 0:00	1.5	247	4.2	1009
5/31/26 1:00	1.8	142	3.0	1008
5/31/26 2:00	ND	ND	3.0	1008
5/31/26 3:00	ND	ND	2.7	1007
5/31/26 4:00	ND	ND	1.6	1007
5/31/26 5:00	ND	ND	2.0	1007
5/31/26 6:00	1.5	10	4.4	1007
5/31/26 7:00	1.9	21	7.6	1007
5/31/26 8:00	1.8	61	9.4	1006
5/31/26 9:00	1.5	33	11.5	1006
5/31/26 10:00	2.1	344	13.6	1005
5/31/26 11:00	1.8	61	15.6	1005
5/31/26 12:00	2.2	298	17.3	1004
5/31/26 13:00	3.4	340	17.0	1003
5/31/26 14:00	3.0	279	16.7	1003
5/31/26 15:00	5.9	194	13.2	1003
5/31/26 16:00	5.7	186	10.9	1004
5/31/26 17:00	4.2	179	10.3	1004
5/31/26 18:00	4.4	191	9.4	1005
5/31/26 19:00	3.6	180	8.6	1005
5/31/26 20:00	2.5	180	7.9	1006
5/31/26 21:00	2.4	159	7.7	1006
5/31/26 22:00	2.0	162	7.0	1006
5/31/26 23:00	1.8	248	6.6	1007
6/1/26 0:00	ND	ND	5.7	1007
6/1/26 1:00	1.0	ND	5.7	1007
6/1/26 2:00	2.0	64	6.0	1008
6/1/26 3:00	1.5	ND	5.5	1008
6/1/26 4:00	ND	ND	3.6	1008
6/1/26 5:00	1.7	349	3.2	1009
6/1/26 6:00	2.9	11	6.3	1010
6/1/26 7:00	3.3	34	8.0	1010
6/1/26 8:00	4.3	27	10.3	1010
6/1/26 9:00	4.3	6	12.1	1010
6/1/26 10:00	3.1	27	13.6	1011
6/1/26 11:00	3.6	352	15.5	1011
6/1/26 12:00	4.3	2	16.2	1011
6/1/26 13:00	4.0	357	17.3	1010


Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (5/20/26 10:00 to 6/3/26 10:00)

6/1/26 14:00	3.5	9	18.1	1010
6/1/26 15:00	3.2	31	18.5	1010
6/1/26 16:00	2.3	5	18.8	1010
6/1/26 17:00	3.3	133	18.2	1010
6/1/26 18:00	5.9	184	14.2	1010
6/1/26 19:00	4.8	181	11.8	1011
6/1/26 20:00	4.0	181	10.2	1012
6/1/26 21:00	4.2	183	8.8	1012
6/1/26 22:00	3.4	197	8.0	1012
6/1/26 23:00	4.1	194	7.9	1012
6/2/26 0:00	3.7	198	7.9	1012
6/2/26 1:00	3.8	201	7.6	1012
6/2/26 2:00	3.6	199	7.0	1012
6/2/26 3:00	3.1	200	6.9	1012
6/2/26 4:00	2.0	198	6.5	1012
6/2/26 5:00	1.8	203	6.3	1011
6/2/26 6:00	1.6	212	7.2	1012
6/2/26 7:00	3.0	211	8.8	1011
6/2/26 8:00	2.5	229	13.8	1011
6/2/26 9:00	3.2	262	18.1	1010
6/2/26 10:00	4.1	285	18.9	1010
6/2/26 11:00	4.5	320	19.4	1010
6/2/26 12:00	4.8	320	20.6	1010
6/2/26 13:00	4.8	8	20.9	1010
6/2/26 14:00	5.5	13	20.9	1010
6/2/26 15:00	5.0	12	20.9	1010
6/2/26 16:00	3.9	356	20.6	1010
6/2/26 17:00	2.9	5	19.8	1011
6/2/26 18:00	2.9	359	18.9	1011
6/2/26 19:00	2.6	336	17.7	1012
6/2/26 20:00	1.5	319	16.3	1012
6/2/26 21:00	2.1	316	16.2	1012
6/2/26 22:00	2.2	318	15.7	1012
6/2/26 23:00	1.5	250	14.0	1012
6/3/26 0:00	1.5	240	12.8	1012
6/3/26 1:00	ND	ND	11.0	1012
6/3/26 2:00	ND	ND	8.7	1012
6/3/26 3:00	ND	ND	8.1	1012
6/3/26 4:00	ND	ND	7.8	1012
6/3/26 5:00	ND	ND	7.9	1013
6/3/26 6:00	ND	ND	11.1	1013
6/3/26 7:00	ND	ND	14.0	1014
6/3/26 8:00	1.0	128	17.3	1014
6/3/26 9:00	1.5	178	20.0	1014
6/3/26 10:00	2.8	193	22.1	1013

Deadriver Bucksport Maine Terminal Fenceline Monitoring
Bangor International Airport (BGR) Meteorological Data (5/20/26 10:00 to 6/3/26 10:00)

BGR Wind Rose 5/20/26 10:00 - 6/3/26 10:00



Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (6/3/26 11:00 to 6/17/26 9:00)

Date & Time	Wind Speed m/s	Wind Direction Deg.	Temperature °C	Barometric Pressure mb
6/3/26 11:00	2.6	191	23.8	1013
6/3/26 12:00	1.6	124	25.2	1012
6/3/26 13:00	3.3	316	26.0	1012
6/3/26 14:00	4.4	206	25.6	1011
6/3/26 15:00	6.7	193	23.9	1011
6/3/26 16:00	7.0	195	21.7	1011
6/3/26 17:00	6.5	191	19.7	1011
6/3/26 18:00	6.4	184	18.1	1011
6/3/26 19:00	5.2	172	16.2	1012
6/3/26 20:00	4.3	178	15.1	1012
6/3/26 21:00	3.2	177	13.9	1012
6/3/26 22:00	2.3	194	13.3	1012
6/3/26 23:00	2.7	188	12.6	1012
6/4/26 0:00	2.1	191	11.9	1012
6/4/26 1:00	2.3	196	11.9	1012
6/4/26 2:00	2.0	191	11.5	1011
6/4/26 3:00	1.7	194	10.9	1011
6/4/26 4:00	1.8	186	10.3	1011
6/4/26 5:00	0.3	ND	9.4	1011
6/4/26 6:00	1.6	191	12.4	1011
6/4/26 7:00	2.1	200	15.5	1011
6/4/26 8:00	2.2	197	19.2	1011
6/4/26 9:00	1.9	202	23.2	1011
6/4/26 10:00	2.3	214	26.2	1010
6/4/26 11:00	3.1	225	28.3	1009
6/4/26 12:00	5.0	247	29.0	1008
6/4/26 13:00	4.5	246	29.3	1008
6/4/26 14:00	6.1	197	29.3	1007
6/4/26 15:00	6.4	179	27.8	1006
6/4/26 16:00	6.4	173	26.4	1006
6/4/26 17:00	6.2	175	25.9	1005
6/4/26 18:00	5.0	181	24.2	1005
6/4/26 19:00	4.8	182	21.9	1005
6/4/26 20:00	3.7	189	18.9	1005
6/4/26 21:00	3.4	195	17.3	1006
6/4/26 22:00	2.4	205	16.4	1006
6/4/26 23:00	1.3	212	14.7	1005
6/5/26 0:00	1.6	197	13.1	1005
6/5/26 1:00	1.5	200	12.8	1005
6/5/26 2:00	1.5	200	12.0	1005
6/5/26 3:00	1.5	10	11.6	1005
6/5/26 4:00	ND	ND	11.6	1005
6/5/26 5:00	1.9	330	12.5	1006
6/5/26 6:00	2.9	342	16.2	1006
6/5/26 7:00	3.8	15	18.2	1007
6/5/26 8:00	4.4	20	20.1	1006
6/5/26 9:00	4.1	9	21.5	1006

Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (6/3/26 11:00 to 6/17/26 9:00)

6/5/26 10:00	3.6	359	22.9	1006
6/5/26 11:00	3.8	353	23.8	1006
6/5/26 12:00	2.2	357	24.9	1006
6/5/26 13:00	2.2	346	26.0	1006
6/5/26 14:00	1.4	337	26.9	1005
6/5/26 15:00	2.0	340	27.2	1005
6/5/26 16:00	2.2	330	27.2	1005
6/5/26 17:00	2.9	43	26.0	1005
6/5/26 18:00	4.4	188	22.6	1006
6/5/26 19:00	4.1	192	20.3	1006
6/5/26 20:00	3.7	191	18.7	1007
6/5/26 21:00	2.7	182	17.7	1008
6/5/26 22:00	2.4	221	17.1	1008
6/5/26 23:00	3.2	181	15.9	1008
6/6/26 0:00	ND	ND	15.6	1008
6/6/26 1:00	1.9	179	15.1	1007
6/6/26 2:00	1.7	163	14.1	1007
6/6/26 3:00	ND	ND	12.9	1007
6/6/26 4:00	ND	ND	12.9	1006
6/6/26 5:00	ND	ND	13.9	1006
6/6/26 6:00	2.0	137	14.9	1006
6/6/26 7:00	2.0	216	15.9	1007
6/6/26 8:00	2.3	163	16.1	1007
6/6/26 9:00	3.7	189	16.9	1007
6/6/26 10:00	3.8	181	16.9	1006
6/6/26 11:00	3.6	148	18.3	1006
6/6/26 12:00	4.6	137	18.9	1004
6/6/26 13:00	4.1	134	18.0	1004
6/6/26 14:00	4.2	130	17.7	1003
6/6/26 15:00	3.8	119	15.9	1003
6/6/26 16:00	4.2	106	14.7	1002
6/6/26 17:00	3.1	128	13.8	1002
6/6/26 18:00	3.5	140	12.9	1001
6/6/26 19:00	3.4	148	12.8	1000
6/6/26 20:00	3.1	149	12.0	999
6/6/26 21:00	2.1	136	12.0	998
6/6/26 22:00	1.6	135	11.9	998
6/6/26 23:00	1.6	125	11.9	997
6/7/26 0:00	2.0	107	11.9	996
6/7/26 1:00	1.9	94	11.9	995
6/7/26 2:00	1.5	300	11.9	995
6/7/26 3:00	1.7	310	11.9	994
6/7/26 4:00	1.5	70	12.0	994
6/7/26 5:00	1.5	135	12.0	994
6/7/26 6:00	1.5	170	12.9	994
6/7/26 7:00	ND	ND	12.9	994
6/7/26 8:00	1.5	290	13.0	995
6/7/26 9:00	2.9	337	13.6	996
6/7/26 10:00	3.8	331	14.3	996

Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (6/3/26 11:00 to 6/17/26 9:00)

6/7/26 11:00	4.3	349	14.9	997
6/7/26 12:00	5.0	351	15.6	997
6/7/26 13:00	5.5	339	15.2	998
6/7/26 14:00	5.0	343	15.3	999
6/7/26 15:00	8.4	1	14.3	1001
6/7/26 16:00	7.4	3	13.0	1002
6/7/26 17:00	6.2	355	13.1	1004
6/7/26 18:00	6.4	356	13.9	1005
6/7/26 19:00	3.9	2	14.4	1007
6/7/26 20:00	1.9	310	12.4	1007
6/7/26 21:00	2.6	325	11.2	1008
6/7/26 22:00	1.8	355	11.0	1009
6/7/26 23:00	2.2	349	10.3	1010
6/8/26 0:00	1.8	350	9.0	1010
6/8/26 1:00	1.5	20	8.2	1010
6/8/26 2:00	1.5	330	7.3	1011
6/8/26 3:00	1.5	188	6.4	1012
6/8/26 4:00	ND	ND	6.2	1013
6/8/26 5:00	1.5	220	6.8	1014
6/8/26 6:00	ND	ND	8.9	1015
6/8/26 7:00	1.5	323	12.7	1015
6/8/26 8:00	1.9	333	15.6	1015
6/8/26 9:00	3.9	2	18.5	1015
6/8/26 10:00	4.1	14	20.2	1015
6/8/26 11:00	3.6	9	21.6	1015
6/8/26 12:00	3.2	317	22.7	1014
6/8/26 13:00	3.4	337	23.9	1014
6/8/26 14:00	4.6	1	25.4	1013
6/8/26 15:00	4.1	337	25.9	1013
6/8/26 16:00	3.0	322	26.0	1013
6/8/26 17:00	3.3	319	25.9	1012
6/8/26 18:00	2.4	340	24.9	1012
6/8/26 19:00	4.5	180	21.6	1012
6/8/26 20:00	2.8	178	19.0	1013
6/8/26 21:00	2.7	181	17.4	1013
6/8/26 22:00	2.4	191	16.6	1013
6/8/26 23:00	2.5	198	15.6	1013
6/9/26 0:00	1.6	183	13.1	1013
6/9/26 1:00	1.6	197	12.7	1013
6/9/26 2:00	1.7	194	11.9	1012
6/9/26 3:00	1.5	205	10.7	1012
6/9/26 4:00	1.5	207	9.7	1012
6/9/26 5:00	1.5	192	11.0	1012
6/9/26 6:00	1.6	200	12.8	1012
6/9/26 7:00	2.0	214	16.0	1012
6/9/26 8:00	2.5	240	20.2	1011
6/9/26 9:00	3.1	254	22.9	1010
6/9/26 10:00	3.6	269	25.0	1010
6/9/26 11:00	3.8	263	26.6	1009

Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (6/3/26 11:00 to 6/17/26 9:00)

6/9/26 12:00	3.2	262	27.6	1009
6/9/26 13:00	4.2	277	28.8	1008
6/9/26 14:00	4.2	260	28.9	1007
6/9/26 15:00	4.0	262	29.3	1006
6/9/26 16:00	3.9	244	29.1	1006
6/9/26 17:00	2.9	237	28.7	1005
6/9/26 18:00	2.5	218	27.9	1005
6/9/26 19:00	2.9	183	25.8	1005
6/9/26 20:00	2.5	173	22.5	1005
6/9/26 21:00	2.3	178	20.4	1006
6/9/26 22:00	2.8	187	19.8	1006
6/9/26 23:00	1.8	196	17.8	1006
6/10/26 0:00	ND	ND	15.9	1006
6/10/26 1:00	1.5	190	14.4	1006
6/10/26 2:00	ND	ND	14.0	1005
6/10/26 3:00	ND	ND	13.3	1005
6/10/26 4:00	ND	ND	13.4	1005
6/10/26 5:00	1.5	184	14.1	1005
6/10/26 6:00	ND	ND	16.7	1005
6/10/26 7:00	1.6	189	19.3	1005
6/10/26 8:00	1.9	178	22.5	1005
6/10/26 9:00	1.7	255	25.1	1004
6/10/26 10:00	2.6	240	27.1	1004
6/10/26 11:00	3.7	250	28.4	1003
6/10/26 12:00	3.2	255	28.9	1003
6/10/26 13:00	3.5	243	28.9	1002
6/10/26 14:00	2.9	248	29.1	1002
6/10/26 15:00	4.4	194	29.1	1001
6/10/26 16:00	5.3	182	28.3	1001
6/10/26 17:00	5.1	185	27.3	1001
6/10/26 18:00	3.8	169	25.4	1001
6/10/26 19:00	3.0	178	23.6	1001
6/10/26 20:00	2.4	183	22.5	1001
6/10/26 21:00	2.8	198	21.8	1001
6/10/26 22:00	3.2	183	20.7	1001
6/10/26 23:00	2.2	191	18.9	1001
6/11/26 0:00	1.7	160	18.9	1000
6/11/26 1:00	2.1	182	18.2	1000
6/11/26 2:00	1.9	163	17.9	999
6/11/26 3:00	2.1	202	17.0	999
6/11/26 4:00	2.5	196	16.9	999
6/11/26 5:00	2.0	174	16.9	999
6/11/26 6:00	2.2	202	17.5	999
6/11/26 7:00	2.2	215	18.0	999
6/11/26 8:00	2.3	137	18.9	999
6/11/26 9:00	2.0	133	20.7	999
6/11/26 10:00	1.9	250	23.0	999
6/11/26 11:00	2.0	227	24.8	998
6/11/26 12:00	1.9	218	27.1	997

Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (6/3/26 11:00 to 6/17/26 9:00)

6/11/26 13:00	2.2	27	28.6	997
6/11/26 14:00	0.2	244	30.7	997
6/11/26 15:00	0.8	216	30.2	997
6/11/26 16:00	1.6	217	31.7	996
6/11/26 17:00	2.4	195	29.4	996
6/11/26 18:00	1.8	175	27.9	996
6/11/26 19:00	0.9	179	25.2	997
6/11/26 20:00	1.0	173	23.6	997
6/11/26 21:00	0.4	180	21.3	998
6/11/26 22:00	1.1	184	19.6	998
6/11/26 23:00	1.0	166	19.2	998
6/12/26 0:00	0.7	149	18.6	998
6/12/26 1:00	0.3	180	18.1	997
6/12/26 2:00	0.4	154	18.0	998
6/12/26 3:00	0.0	200	17.6	998
6/12/26 4:00	0.0	190	17.3	998
6/12/26 5:00	0.5	168	17.4	998
6/12/26 6:00	0.2	103	18.7	998
6/12/26 7:00	0.6	192	19.7	999
6/12/26 8:00	0.8	179	21.8	998
6/12/26 9:00	1.5	168	24.7	998
6/12/26 10:00	1.6	160	26.7	998
6/12/26 11:00	1.6	157	28.0	997
6/12/26 12:00	1.9	175	28.4	997
6/12/26 13:00	2.2	163	27.2	997
6/12/26 14:00	5.7	181	27.7	997
6/12/26 15:00	5.8	188	27.9	996
6/12/26 16:00	7.2	186	27.2	996
6/12/26 17:00	5.0	194	25.9	997
6/12/26 18:00	4.6	170	24.1	997
6/12/26 19:00	2.6	145	23.2	998
6/12/26 20:00	2.9	121	21.9	999
6/12/26 21:00	4.7	129	21.0	998
6/12/26 22:00	4.5	147	18.6	998
6/12/26 23:00	4.3	131	17.9	999
6/13/26 0:00	3.3	176	17.3	999
6/13/26 1:00	2.8	161	17.0	999
6/13/26 2:00	2.3	143	16.9	999
6/13/26 3:00	1.8	157	16.9	999
6/13/26 4:00	1.6	142	16.9	999
6/13/26 5:00	1.9	160	16.9	999
6/13/26 6:00	2.1	187	16.9	999
6/13/26 7:00	1.7	214	16.9	1000
6/13/26 8:00	1.7	273	17.7	1000
6/13/26 9:00	2.5	299	21.3	1000
6/13/26 10:00	3.1	298	23.8	1000
6/13/26 11:00	3.8	321	25.8	1000
6/13/26 12:00	3.6	316	26.9	1000
6/13/26 13:00	5.3	324	28.2	1000

Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (6/3/26 11:00 to 6/17/26 9:00)

6/13/26 14:00	4.5	327	28.5	1000
6/13/26 15:00	3.3	293	28.4	1000
6/13/26 16:00	2.8	282	28.5	999
6/13/26 17:00	2.4	300	28.7	999
6/13/26 18:00	3.0	247	27.1	999
6/13/26 19:00	4.1	186	23.7	1000
6/13/26 20:00	3.0	191	22.1	1001
6/13/26 21:00	3.1	186	19.4	1001
6/13/26 22:00	2.7	190	17.4	1002
6/13/26 23:00	2.7	186	16.6	1002
6/14/26 0:00	2.0	184	15.9	1002
6/14/26 1:00	2.1	183	15.7	1002
6/14/26 2:00	2.1	189	15.4	1002
6/14/26 3:00	1.9	186	15.0	1002
6/14/26 4:00	2.0	181	14.0	1002
6/14/26 5:00	2.2	185	14.3	1002
6/14/26 6:00	2.4	164	16.3	1002
6/14/26 7:00	2.9	177	18.6	1002
6/14/26 8:00	3.9	170	21.2	1002
6/14/26 9:00	3.5	194	23.6	1002
6/14/26 10:00	4.7	187	25.7	1002
6/14/26 11:00	6.5	189	26.8	1002
6/14/26 12:00	6.4	178	27.8	1001
6/14/26 13:00	7.9	177	27.4	1001
6/14/26 14:00	7.4	180	26.8	1000
6/14/26 15:00	6.4	174	24.6	1000
6/14/26 16:00	6.6	175	23.1	1000
6/14/26 17:00	3.3	200	21.8	1000
6/14/26 18:00	2.7	107	19.5	1000
6/14/26 19:00	3.0	150	19.6	999
6/14/26 20:00	4.0	165	19.9	999
6/14/26 21:00	3.7	156	19.1	998
6/14/26 22:00	4.7	170	18.4	998
6/14/26 23:00	2.9	161	17.9	997
6/15/26 0:00	5.4	162	17.9	996
6/15/26 1:00	5.3	167	17.9	996
6/15/26 2:00	5.0	168	18.0	996
6/15/26 3:00	5.4	171	18.1	995
6/15/26 4:00	5.7	174	17.9	995
6/15/26 5:00	4.8	176	17.5	995
6/15/26 6:00	3.8	159	16.9	995
6/15/26 7:00	3.4	152	16.9	994
6/15/26 8:00	3.4	142	16.9	994
6/15/26 9:00	2.6	194	16.6	994
6/15/26 10:00	1.5	20	17.0	994
6/15/26 11:00	1.7	284	18.0	994
6/15/26 12:00	2.8	330	19.6	994
6/15/26 13:00	3.0	328	21.4	994
6/15/26 14:00	4.4	353	22.7	994


Deadriver Bucksport Maine Terminal Fenceline Monitoring

Bangor International Airport (BGR) Meteorological Data (6/3/26 11:00 to 6/17/26 9:00)

6/15/26 15:00	3.8	338	23.5	993
6/15/26 16:00	4.3	320	23.6	993
6/15/26 17:00	3.2	313	23.3	994
6/15/26 18:00	2.7	307	22.7	994
6/15/26 19:00	2.2	314	21.9	994
6/15/26 20:00	2.0	302	19.3	995
6/15/26 21:00	4.5	308	18.7	996
6/15/26 22:00	3.6	311	18.3	997
6/15/26 23:00	2.8	304	17.8	997
6/16/26 0:00	2.5	303	17.6	997
6/16/26 1:00	3.2	287	16.9	997
6/16/26 2:00	3.0	298	16.9	997
6/16/26 3:00	2.5	294	15.6	997
6/16/26 4:00	3.7	287	15.9	998
6/16/26 5:00	3.9	296	15.8	998
6/16/26 6:00	4.3	303	15.1	999
6/16/26 7:00	4.6	309	16.2	999
6/16/26 8:00	5.6	312	17.7	999
6/16/26 9:00	6.4	324	19.0	999
6/16/26 10:00	5.2	308	20.0	999
6/16/26 11:00	4.4	305	21.2	999
6/16/26 12:00	4.9	309	21.5	999
6/16/26 13:00	4.7	298	21.7	999
6/16/26 14:00	4.7	308	22.6	999
6/16/26 15:00	4.1	313	23.2	998
6/16/26 16:00	3.8	326	23.6	998
6/16/26 17:00	3.2	316	23.6	998
6/16/26 18:00	2.9	316	23.3	998
6/16/26 19:00	1.7	288	20.4	999
6/16/26 20:00	1.8	260	18.5	1000
6/16/26 21:00	2.6	255	16.5	1001
6/16/26 22:00	1.5	155	15.0	1001
6/16/26 23:00	1.7	177	14.0	1001
6/17/26 0:00	ND	ND	12.8	1002
6/17/26 1:00	ND	ND	12.2	1002
6/17/26 2:00	ND	ND	11.2	1002
6/17/26 3:00	ND	ND	10.8	1002
6/17/26 4:00	1.5	225	11.2	1002
6/17/26 5:00	1.5	205	11.6	1002
6/17/26 6:00	1.5	360	13.6	1003
6/17/26 7:00	ND	ND	16.0	1003
6/17/26 8:00	1.5	360	18.8	1003
6/17/26 9:00	1.5	190	21.6	1003

Deadriver Bucksport Maine Terminal Fenceline Monitoring
Bangor International Airport (BGR) Meteorological Data (6/3/26 11:00 to 6/17/26 9:00)

BGR Wind Rose 6/3/26 11:00 - 6/17/26 9:00



Deadriver Bucksport Maine Terminal Fenceline Monitoring

Terminal Fenceline Perimeter Length = 1,300 m
Terminal Fenceline Area = 19.7 Acres
Monitor Location Method: EPA Method 325A Option 2
Spacing Between Monitors: 108.3 m (± 10.8 m)

Sampling Station	Target Compounds	Latitude	Longitude	Distances To Adjacent Sites (m)	Notes
Site 1	BTEX	44.581447°	-68.806493°	to Site 12: 107.3 to Site 2: 109.0	Site 1 is located on the terminal fenceline boundary approximately 14.7 m east of the guard shack at the terminal entrance gate.
Site 2	BTEX	44.582050°	-68.806960°	to Site 1: 109.0 to Site 3: 108.4	Site 2 is located on the terminal's western fenceline boundary adjacent to River Rd. Site 2 is approximately 17 m southwest of licensed emission units Loading Racks A & B.
Site 3	BTEX	44.582968°	-68.806851°	to Site 2: 108.4 to Site 4: 108.4	Site 3 is located near the northwest corner of the terminal fenceline boundary approximately 20 m east of River Rd. and 30 m north-northwest of licensed emission unit Loading Rack D.
Site 4	BTEX	44.582845°	-68.805523°	to Site 3: 108.4 to Site 5: 108.2	Site 4 is located on the terminal's northern fenceline boundary approximately 38 m north of licensed emission unit Tank 3. Tank 3 is <50 m from the terminal northern fenceline boundary.
Site 5	BTEX	44.582737°	-68.804992°	to Site 4: 108.2 to Site 6:108.8	Additional FLM Site 5 is located on the terminal's northern fenceline boundary halfway between Sites 4 and 6 due to licensed emission unit Tank 1 being located between Sites 4 & 6. Tank 1 is <50 m from the terminal northern fenceline.
Site 6	BTEX	44.582612°	-68.804247°	to Site 5: 108.8 to Site 7: 108.3	Site 6 is located on the terminal's northern fenceline boundary. Site 6 is approximately 50 m northeast of licensed emission unit Tank 2 and 50 m northwest of licensed emission unit Tank 1. Both Tanks 1 & 2 are <50 m from the terminal northern fenceline boundary.
Site 7	BTEX	44.582453°	-68.803675°	to Site 6: 108.3 to Site 8: 108.4	Additional FLM Site 7 is located on the terminal northern fenceline boundary halfway between Sites 6 and 8 due to licensed emission units Tanks 1 and 2 being located between Sites 6 and 8. Tanks 1 and 2 are both <50 m from the terminal northern fenceline.
Site 8	BTEX	44.582313°	-68.803182°	to Site 7: 108.4 to Site 9:108.5	Site 8 is located on the terminal's northern fenceline boundary.
Site 9	BTEX	44.582002°	-68.801847°	to Site 8: 108.5 to Site 10: 108.3	Site 9 is located at the northeastern corner of the terminal fenceline boundary. Site 9 is approximately 30 m northeast of licensed emission unit Tank 6, which is <50 m from the facility's northeastern boundary.

Deadriver Bucksport Maine Terminal Fenceline Monitoring

Terminal Fenceline Perimeter Length = 1,300 m
Terminal Fenceline Area = 19.7 Acres
Monitor Location Method: EPA Method 325A Option 2
Spacing Between Monitors: 108.3 m (± 10.8 m)

Sampling Station	Target Compounds	Latitude	Longitude	Distances To Adjacent Sites (m)	Notes
Site 10	BTEX	44.581053°	-68.801965°	to Site 9: 108.3 to Site 11: 108.4	Site 10 is located on the fenceline on the east-southeast terminal boundary. Site 10 is approximately 48 m southeast of licensed emission unit Tank 6, which is <50 m from the eastern terminal fenceline boundary.
Site 11	BTEX	44.580398°	-68.802888°	to Site 10: 108.4 to Site 12: 108.3	Site 11 is located on the fenceline approximately 51 m northeast of the southeastern corner of the terminal boundary. Site 11 is approximately 29 m southeast of licensed emission unit Tank 7, which is <50 m from the southeastern terminal fenceline boundary.
Site 12	BTEX	44.580293°	-68.803890°	to Site 11: 108.3 to Site 1: 107.3	Site 12 is located on the terminal's southwestern fenceline boundary, approximately 57m northwest of the southeastern corner of the terminal boundary.
Site 13	BTEX	44.580778°	-68.482909°	to Site 4: 53.9 to Site 5: 54.3	Site 13 is located on the terminal's southwestern fenceline.
Site 14	BTEX	44.581588°	-68.805610°	to Site 5: 54.3 to Site 6: 54.5	Site 14 is located on the terminal's southwestern fenceline boundary and is approximately 21 m southeast of licensed emission unit Tank 4. Tank 4 is <50 m from the terminal's southwestern fenceline boundary.
Site 15	BTEX	44.581737°	-68.806240°	to Site 12: 53.7 to Site 1: 53.6	Additional FLM Site 15 is is located on the terminal's southwestern fenceline boundary halfway between Sites 1 and 12 due to licensed emission unit Tank 5 being located between Sites 1 & 12. Tank 5 is <50 m from the terminal's southwestern fenceline boundary.

Aerial View of the Fenceline Monitor Locations for the Penobscot Bay Terminal



ONTERRIS AIR QUALITY SERVICES			
MAINE CH. 171 FENCELINE MONITORING CORRECTIVE ACTION PLAN			
PURPOSE	To minimize field sampling errors possible during Maine DEP Ch. 171 petroleum storage terminal fenceline sampling for BTEX using EPA Method 325A sample process.		
REASON	Field sampling errors can occur including: a lost individual or multiple samples; a sample for a duration other than provided for in the sampling method; documentation errors; and low duplicate precision.		
ACTION PLAN SPONSOR	Kevin Ruggiero, Operations Manager	DATE	January 26, 2026
STRATEGIC ACTION	**MONTROSE PERSONNEL RESPONSIBLE**	**DATE DUE**	**COMMENTS**
Engage new field personnel	Operations Manager	Completed 3/31/26	New field personnel that are existing, local full-time Montrose staff will be fully trained and integrated into the monitoring program.
Provide formal video and written training	Project Manager	Completed 3/31/26	Montrose has a formal training program on EPA Method 325A field sampling techniques that all personnel involved in the project will be required to take.
Provide in the field training	Project Manager	Completed 3/31/26	A Montrose project manager experienced in EPA Method 325A field sampling will provide training in the field for new field personnel. The training will include a comprehensive overview of the sampling methodology as well as monitoring site-specific training needed. The trainer confirms mastery of associated tasks.
Check-ins between the field personnel and project manager to confirm completion of tasks	Field Technician, Project Manager	Each sample day.	Field personnel will be required to check-in with the project manager each sample day to review that all scheduled activities were conducted and identify any non-conformance or corrective actions needed.
Review of sample kit before released for shipping	Field Technician	Prior to release of every sample shipment.	Field personnel required to perform a secondary review of samples prior to shipping to identify any non-conformance prior to samples being released.
Tracking of outbound sample shipments to laboratory	Project Manager	As received.	Review of automated FedEx courier tracking notifications of sample shipments from the field to the analytical laboratory for confirmation of sample shipment and receipt.
Review of sample documentation	Project Manager	Within 3 business days of receipt.	
Review of fleet tracking data	Project Manager	Weekly.	Review of vehicle monitoring device to confirm field personnel movements.
Periodic on site field assessments	Project Manager	Completed Week of 6/22/26	Periodic in-person observation of field personnel by project manager.
Provide remedial training	Project Manager	As needed.	Review of field sampling activities to identify any additional training needed to remediate any non-conformance events.
Regular meetings with client to discuss recent sampling results	Operations Manager, Project Manager, Data Manager	Once per quarter, scheduled when draft report has been prepared.	Scheduled cadence of status update meetings between Montrose project personnel and client project personnel
Communication of any irregularities with client	Operations Manager, Project Manager, Data Manager	Within 3 business days of discovery.	Promptly notify client of any irregularities in sampling.

APPENDIX A – LAB RESULTS

Penobscot Bay Terminal - Bucksport

93 River Road
Bucksport, ME 04416

Sampling Event 43 Penobscot Bay Terminals - Bucksport

Client Project# PROJ-031826
Samples Received: 4/9/2026

Analytical Report
2026GE201

EPA Method 325B Analysis

Report Issue Date: 4/16/2026

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:



ENTHALPY
ANALYTICAL

Matt Cavanaugh
Matthew.Cavanaugh@enthalpy.com / www.enthalpy.com
O: (919) 850-4392
Enthalpy Analytical
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative . . . 3
Results . . . 6
    Summary of Results . . . 7
    Detailed Results . . . 8
QC Data . . . 11
Chromatograms . . . 14
Initial Calibration . . . 75
Sample Custody . . . 78
    Chain of Custody . . . 79

Narrative Summary

Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2026GE201-1
Client ID.	PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

1. Custody

The samples were received at Enthalpy Analytical on April 9, 2026 at 17.5 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Enthalpy Analytical, LLC

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
DRPNB-1-S-20260325	C16075	Sample
DRPNB-2-S-20260325	B20172	Sample
DRPNB-2-D-20260325	C37428	Duplicate
DRPNB-2-B-20260325	B48558	Blank
DRPNB-3-S-20260325	C00591	Sample
DRPNB-4-S-20260325	B48659	Sample
DRPNB-5-S-20260325	C71632	Sample
DRPNB-6-S-20260325	B43721	Sample
DRPNB-7-S-20260325	C55521	Sample
DRPNB-8-S-20260325	C60269	Sample
DRPNB-9-S-20260325	C57584	Sample
DRPNB-10-S-20260325	C39201	Sample
DRPNB-11-S-20260325	B14152	Sample
DRPNB-12-S-20260325	C35901	Sample
DRPNB-13-S-20260325	C73571	Sample
DRPNB-14-S-20260325	C69504	Sample
DRPNB-15-S-20260325	C34142	Sample
DRPNB-15-D-20260325	B35596	Duplicate
DRPNB-15-B-20260325	B45012	Blank

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-MTD is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (F121725A_CC185154) met all 30% RSD criteria. The initial calibration verification met ±30% recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

Enthalpy Analytical Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2026GE201-1
Client ID.	PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

4. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

Toluene was detected in method blank "2026GE201 Method Blank 1". The source of the contamination is not known but could be the result of artifacts on the tube, media/sample handling, analytical bias, or a combination thereof. However, since the field blanks met method criteria for toluene, the lab believes that the sample data is not affected by the detection in the method blank.

5. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in ug/m^3 and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Enthalpy Analytical, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GE201-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
DRPNB-1-S-20260325	C16075	0.675		1.08		0.280	ND	0.280	ND	0.280	ND
DRPNB-2-S-20260325	B20172	0.830		1.82		0.280	ND	0.404	J	0.280	ND
DRPNB-2-D-20260325	C37428	0.836		1.40		0.280	ND	0.385	J	0.280	ND
DRPNB-2-B-20260325	B48558	0.192	ND	0.423	J	0.280	ND	0.280	ND	0.280	ND
DRPNB-3-S-20260325	C00591	0.734		1.56		0.280	ND	0.653	J	0.280	ND
DRPNB-4-S-20260325	B48659	0.504		0.604		0.280	ND	0.280	ND	0.280	ND
DRPNB-5-S-20260325	C71632	0.483		0.793		0.280	ND	0.280	ND	0.280	ND
DRPNB-6-S-20260325	B43721	0.429	J	0.805		0.280	ND	0.280	ND	0.280	ND
DRPNB-7-S-20260325	C55521	0.401	J	0.593		0.280	ND	0.280	ND	0.280	ND
DRPNB-8-S-20260325	C60269	0.427	J	0.846		0.280	ND	0.280	ND	0.280	ND
DRPNB-9-S-20260325	C57584	0.578		1.02		0.280	ND	0.402	J	0.280	ND
DRPNB-10-S-20260325	C39201	0.517		0.918		0.280	ND	0.280	ND	0.280	ND
DRPNB-11-S-20260325	B14152	0.700		1.18		0.280	ND	0.523	J	0.280	ND
DRPNB-12-S-20260325	C35901	0.392	J	0.620		0.280	ND	0.280	ND	0.280	ND
DRPNB-13-S-20260325	C73571	0.475		0.697		0.280	ND	0.280	ND	0.280	ND
DRPNB-14-S-20260325	C69504	0.636		1.14		0.280	ND	0.415	J	0.280	ND
DRPNB-15-S-20260325	C34142	1.51		3.57		0.343	J	0.963		0.342	J
DRPNB-15-D-20260325	B35596	1.48		3.70		0.337	J	0.864		0.309	J
DRPNB-15-B-20260325	B45012	0.192	ND	0.486	J	0.280	ND	0.280	ND	0.280	ND

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey

Job No.: 2026GE201-1 EPA Method 325B Analysis

Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-1-S-20260325	C16075	0.675	0.211	8.78	36.5	0.644	20194	0.192	0.458	0.0602	0.144		F2602497.D	2026-04-09 17:04	0.945	7.932	73491	498966	56.3	7.877	-0.5%
DRPNB-2-S-20260325	B20172	0.830	0.260	10.8	36.5	0.644	20194	0.192	0.458	0.0602	0.144		F2602498.D	2026-04-09 17:29	0.945	7.932	89206	492508	56.3	7.877	-1.7%
DRPNB-2-D-20260325	C37428	0.836	0.262	10.9	36.5	0.644	20194	0.192	0.458	0.0602	0.144		F2602499.D	2026-04-09 17:54	0.945	7.932	89306	489303	56.3	7.877	-2.4%
DRPNB-2-B-20260325	B48558	0.192	0.0602		36.5	0.644	20194	0.192	0.458	0.0602	0.144	ND	F2602496.D	2026-04-09 16:38	0.945	7.932	10968	504173	56.3	7.877	0.6%
DRPNB-3-S-20260325	C00591	0.734	0.230	9.55	36.5	0.644	20194	0.192	0.458	0.0602	0.144		F2602500.D	2026-04-09 18:20	0.945	7.938	79538	496267	56.3	7.877	-1.0%
DRPNB-4-S-20260325	B48659	0.504	0.158	6.55	36.5	0.644	20192	0.192	0.458	0.0602	0.144		F2602501.D	2026-04-09 18:45	0.945	7.932	55109	501353	56.3	7.877	0.0%
DRPNB-5-S-20260325	C71632	0.483	0.151	6.29	36.5	0.644	20196	0.192	0.458	0.0602	0.144		F2602502.D	2026-04-09 19:11	0.945	7.932	51182	485468	56.3	7.877	-3.1%
DRPNB-6-S-20260325	B43721	0.429	0.134	5.58	36.5	0.644	20200	0.192	0.458	0.0602	0.144	J	F2602503.D	2026-04-09 19:37	0.945	7.932	45537	486840	56.3	7.877	-2.9%
DRPNB-7-S-20260325	C55521	0.401	0.126	5.22	36.5	0.644	20205	0.192	0.458	0.0602	0.143	J	F2602504.D	2026-04-09 20:02	0.945	7.938	42480	485268	56.3	7.877	-3.2%
DRPNB-8-S-20260325	C60269	0.427	0.134	5.56	36.5	0.644	20209	0.192	0.458	0.0601	0.143	J	F2602505.D	2026-04-09 20:28	0.945	7.932	46118	494320	56.3	7.877	-1.4%
DRPNB-9-S-20260325	C57584	0.578	0.181	7.52	36.5	0.644	20200	0.192	0.458	0.0602	0.144		F2602507.D	2026-04-09 21:18	0.945	7.938	62731	497569	56.3	7.877	-0.7%
DRPNB-10-S-20260325	C39201	0.517	0.162	6.73	36.5	0.644	20201	0.192	0.458	0.0602	0.144		F2602508.D	2026-04-09 21:44	0.945	7.932	56826	503543	56.3	7.877	0.5%
DRPNB-11-S-20260325	B14152	0.700	0.219	9.11	36.5	0.644	20201	0.192	0.458	0.0602	0.144		F2602509.D	2026-04-09 22:09	0.945	7.932	78132	511224	56.3	7.877	2.0%
DRPNB-12-S-20260325	C35901	0.392	0.123	5.10	36.5	0.644	20201	0.192	0.458	0.0602	0.144	J	F2602510.D	2026-04-09 22:34	0.945	7.932	43373	507463	56.3	7.877	1.2%
DRPNB-13-S-20260325	C73571	0.475	0.149	6.18	36.5	0.644	20202	0.192	0.458	0.0602	0.144		F2602511.D	2026-04-09 23:00	0.945	7.932	52738	508362	56.3	7.877	1.4%
DRPNB-14-S-20260325	C69504	0.636	0.199	8.28	36.5	0.644	20202	0.192	0.458	0.0602	0.144		F2602512.D	2026-04-09 23:25	0.945	7.932	70094	504666	56.3	7.877	0.7%
DRPNB-15-S-20260325	C34142	1.51	0.474	19.7	36.5	0.644	20205	0.192	0.458	0.0602	0.143		F2602513.D	2026-04-09 23:51	0.945	7.938	170754	516848	56.3	7.877	3.1%
DRPNB-15-D-20260325	B35596	1.48	0.464	19.3	36.5	0.644	20205	0.192	0.458	0.0602	0.143		F2602514.D	2026-04-10 00:17	0.945	7.939	163667	505852	56.3	7.877	0.9%
DRPNB-15-B-20260325	B45012	0.192	0.0602		36.5	0.644	20205	0.192	0.458	0.0602	0.143	ND	F2602515.D	2026-04-10 00:42	0.945	7.932	5077	509690	56.3	7.877	1.7%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-1-S-20260325	C16075	1.08	0.288	10.9	36.5	0.500	20194	0.248	0.519	0.0657	0.138		F2602497.D	2026-04-09 17:04	1.173	10.661	100330	516660	66.1	10.563	-1.1%
DRPNB-2-S-20260325	B20172	1.82	0.484	18.4	36.5	0.500	20194	0.248	0.519	0.0657	0.138		F2602498.D	2026-04-09 17:29	1.173	10.661	167016	510566	66.1	10.563	-2.3%
DRPNB-2-D-20260325	C37428	1.40	0.371	14.1	36.5	0.500	20194	0.248	0.519	0.0657	0.138		F2602499.D	2026-04-09 17:54	1.173	10.655	127915	510046	66.1	10.563	-2.4%
DRPNB-2-B-20260325	B48558	0.423	0.112	4.27	36.5	0.500	20194	0.248	0.519	0.0657	0.138	J	F2602496.D	2026-04-09 16:38	1.173	10.661	39699	523818	66.1	10.563	0.2%
DRPNB-3-S-20260325	C00591	1.56	0.414	15.7	36.5	0.500	20194	0.248	0.519	0.0657	0.138		F2602500.D	2026-04-09 18:20	1.173	10.654	143551	513869	66.1	10.563	-1.7%
DRPNB-4-S-20260325	B48659	0.604	0.160	6.10	36.5	0.500	20192	0.248	0.519	0.0658	0.138		F2602501.D	2026-04-09 18:45	1.173	10.661	55924	516614	66.1	10.563	-1.2%
DRPNB-5-S-20260325	C71632	0.793	0.211	8.01	36.5	0.500	20196	0.248	0.519	0.0657	0.138		F2602502.D	2026-04-09 19:11	1.173	10.661	70901	498347	66.1	10.563	-4.6%
DRPNB-6-S-20260325	B43721	0.805	0.214	8.13	36.5	0.500	20200	0.248	0.519	0.0657	0.138		F2602503.D	2026-04-09 19:37	1.173	10.655	72577	502639	66.1	10.563	-3.8%
DRPNB-7-S-20260325	C55521	0.593	0.158	5.99	36.5	0.500	20205	0.247	0.518	0.0657	0.138		F2602504.D	2026-04-09 20:02	1.173	10.661	52828	496311	66.1	10.563	-5.0%
DRPNB-8-S-20260325	C60269	0.846	0.225	8.55	36.5	0.500	20209	0.247	0.518	0.0657	0.138		F2602505.D	2026-04-09 20:28	1.173	10.655	77010	507452	66.1	10.563	-2.9%
DRPNB-9-S-20260325	C57584	1.02	0.270	10.3	36.5	0.500	20200	0.248	0.519	0.0657	0.138		F2602507.D	2026-04-09 21:18	1.173	10.661	93296	511075	66.1	10.563	-2.2%
DRPNB-10-S-20260325	C39201	0.918	0.244	9.28	36.5	0.500	20201	0.248	0.519	0.0657	0.138		F2602508.D	2026-04-09 21:44	1.173	10.655	84181	511005	66.1	10.563	-2.2%
DRPNB-11-S-20260325	B14152	1.18	0.313	11.9	36.5	0.500	20201	0.248	0.519	0.0657	0.138		F2602509.D	2026-04-09 22:09	1.173	10.661	108377	513153	66.1	10.563	-1.8%
DRPNB-12-S-20260325	C35901	0.620	0.165	6.26	36.5	0.500	20201	0.248	0.519	0.0657	0.138		F2602510.D	2026-04-09 22:34	1.173	10.661	57811	519946	66.1	10.563	-0.5%
DRPNB-13-S-20260325	C73571	0.697	0.185	7.04	36.5	0.500	20202	0.248	0.518	0.0657	0.138		F2602511.D	2026-04-09 23:00	1.173	10.661	65522	524281	66.1	10.563	0.3%
DRPNB-14-S-20260325	C69504	1.14	0.304	11.5	36.5	0.500	20202	0.248	0.518	0.0657	0.138		F2602512.D	2026-04-09 23:25	1.173	10.661	106656	520034	66.1	10.563	-0.5%
DRPNB-15-S-20260325	C34142	3.57	0.949	36.1	36.5	0.500	20205	0.247	0.518	0.0657	0.138		F2602513.D	2026-04-09 23:51	1.173	10.661	343906	536295	66.1	10.563	2.6%
DRPNB-15-D-20260325	B35596	3.70	0.982	37.4	36.5	0.500	20205	0.247	0.518	0.0657	0.138		F2602514.D	2026-04-10 00:17	1.173	10.655	345818	521212	66.1	10.563	-0.3%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GE201-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-15-B-20260325	B45012	0.486	0.129	4.91	36.5	0.500	20205	0.247	0.518	0.0657	0.138	J	F2602515.D	2026-04-10 00:42	1.173	10.661	46122	528728	66.1	10.563	1.2%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-1-S-20260325	C16075	0.280	0.0645		36.5	0.442	20194	0.280	0.609	0.0645	0.140	ND	F2602497.D	2026-04-09 17:04	1.285	12.845	11126	516660	66.1	10.563	-1.1%
DRPNB-2-S-20260325	B20172	0.280	0.0645		36.5	0.442	20194	0.280	0.609	0.0645	0.140	ND	F2602498.D	2026-04-09 17:29	1.285	12.845	16342	510566	66.1	10.563	-2.3%
DRPNB-2-D-20260325	C37428	0.280	0.0645		36.5	0.442	20194	0.280	0.609	0.0645	0.140	ND	F2602499.D	2026-04-09 17:54	1.285	12.845	20536	510046	66.1	10.563	-2.4%
DRPNB-2-B-20260325	B48558	0.280	0.0645		36.5	0.442	20194	0.280	0.609	0.0645	0.140	ND	F2602496.D	2026-04-09 16:38	1.285	12.839	998	523818	66.1	10.563	0.2%
DRPNB-3-S-20260325	C00591	0.280	0.0645		36.5	0.442	20194	0.280	0.609	0.0645	0.140	ND	F2602500.D	2026-04-09 18:20	1.285	12.845	24835	513869	66.1	10.563	-1.7%
DRPNB-4-S-20260325	B48659	0.280	0.0645		36.5	0.442	20192	0.280	0.609	0.0645	0.140	ND	F2602501.D	2026-04-09 18:45	1.285	12.845	4034	516614	66.1	10.563	-1.2%
DRPNB-5-S-20260325	C71632	0.280	0.0645		36.5	0.442	20196	0.280	0.609	0.0645	0.140	ND	F2602502.D	2026-04-09 19:11	1.285	12.839	6042	498347	66.1	10.563	-4.6%
DRPNB-6-S-20260325	B43721	0.280	0.0645		36.5	0.442	20200	0.280	0.609	0.0645	0.140	ND	F2602503.D	2026-04-09 19:37	1.285	12.845	5913	502639	66.1	10.563	-3.8%
DRPNB-7-S-20260325	C55521	0.280	0.0645		36.5	0.442	20205	0.280	0.609	0.0645	0.140	ND	F2602504.D	2026-04-09 20:02	1.285	12.845	5196	496311	66.1	10.563	-5.0%
DRPNB-8-S-20260325	C60269	0.280	0.0645		36.5	0.442	20209	0.280	0.609	0.0645	0.140	ND	F2602505.D	2026-04-09 20:28	1.285	12.845	7739	507452	66.1	10.563	-2.9%
DRPNB-9-S-20260325	C57584	0.280	0.0645		36.5	0.442	20200	0.280	0.609	0.0645	0.140	ND	F2602507.D	2026-04-09 21:18	1.285	12.845	13090	511075	66.1	10.563	-2.2%
DRPNB-10-S-20260325	C39201	0.280	0.0645		36.5	0.442	20201	0.280	0.609	0.0645	0.140	ND	F2602508.D	2026-04-09 21:44	1.285	12.845	10007	511005	66.1	10.563	-2.2%
DRPNB-11-S-20260325	B14152	0.280	0.0645		36.5	0.442	20201	0.280	0.609	0.0645	0.140	ND	F2602509.D	2026-04-09 22:09	1.285	12.845	21328	513153	66.1	10.563	-1.8%
DRPNB-12-S-20260325	C35901	0.280	0.0645		36.5	0.442	20201	0.280	0.609	0.0645	0.140	ND	F2602510.D	2026-04-09 22:34	1.285	12.845	6045	519946	66.1	10.563	-0.5%
DRPNB-13-S-20260325	C73571	0.280	0.0645		36.5	0.442	20202	0.280	0.609	0.0645	0.140	ND	F2602511.D	2026-04-09 23:00	1.285	12.845	5565	524281	66.1	10.563	0.3%
DRPNB-14-S-20260325	C69504	0.280	0.0645		36.5	0.442	20202	0.280	0.609	0.0645	0.140	ND	F2602512.D	2026-04-09 23:25	1.285	12.845	12770	520034	66.1	10.563	-0.5%
DRPNB-15-S-20260325	C34142	0.343	0.0790	3.06	36.5	0.442	20205	0.280	0.609	0.0645	0.140	J	F2602513.D	2026-04-09 23:51	1.285	12.845	31950	536295	66.1	10.563	2.6%
DRPNB-15-D-20260325	B35596	0.337	0.0776	3.01	36.5	0.442	20205	0.280	0.609	0.0645	0.140	J	F2602514.D	2026-04-10 00:17	1.285	12.845	30505	521212	66.1	10.563	-0.3%
DRPNB-15-B-20260325	B45012	0.280	0.0645		36.5	0.442	20205	0.280	0.609	0.0645	0.140	ND	F2602515.D	2026-04-10 00:42	1.285	12.845	1311	528728	66.1	10.563	1.2%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-1-S-20260325	C16075	0.280	0.0645		36.5	0.442	20194	0.280	0.683	0.0645	0.157	ND	F2602497.D	2026-04-09 17:04	1.021	13.022	17374	516660	66.1	10.563	-1.1%
DRPNB-2-S-20260325	B20172	0.404	0.0932	3.61	36.5	0.442	20194	0.280	0.683	0.0645	0.157	J	F2602498.D	2026-04-09 17:29	1.021	13.022	28496	510566	66.1	10.563	-2.3%
DRPNB-2-D-20260325	C37428	0.385	0.0888	3.44	36.5	0.442	20194	0.280	0.683	0.0645	0.157	J	F2602499.D	2026-04-09 17:54	1.021	13.022	27141	510046	66.1	10.563	-2.4%
DRPNB-2-B-20260325	B48558	0.280	0.0645		36.5	0.442	20194	0.280	0.683	0.0645	0.157	ND	F2602496.D	2026-04-09 16:38	1.021	13.022	982	523818	66.1	10.563	0.2%
DRPNB-3-S-20260325	C00591	0.653	0.150	5.83	36.5	0.442	20194	0.280	0.683	0.0645	0.157	J	F2602500.D	2026-04-09 18:20	1.021	13.022	46323	513869	66.1	10.563	-1.7%
DRPNB-4-S-20260325	B48659	0.280	0.0645		36.5	0.442	20192	0.280	0.683	0.0645	0.157	ND	F2602501.D	2026-04-09 18:45	1.021	13.022	5864	516614	66.1	10.563	-1.2%
DRPNB-5-S-20260325	C71632	0.280	0.0645		36.5	0.442	20196	0.280	0.683	0.0645	0.157	ND	F2602502.D	2026-04-09 19:11	1.021	13.016	12903	498347	66.1	10.563	-4.6%
DRPNB-6-S-20260325	B43721	0.280	0.0645		36.5	0.442	20200	0.280	0.683	0.0645	0.157	ND	F2602503.D	2026-04-09 19:37	1.021	13.016	8738	502639	66.1	10.563	-3.8%
DRPNB-7-S-20260325	C55521	0.280	0.0645		36.5	0.442	20205	0.280	0.683	0.0645	0.157	ND	F2602504.D	2026-04-09 20:02	1.021	13.022	9142	496311	66.1	10.563	-5.0%
DRPNB-8-S-20260325	C60269	0.280	0.0645		36.5	0.442	20209	0.280	0.682	0.0645	0.157	ND	F2602505.D	2026-04-09 20:28	1.021	13.022	16531	507452	66.1	10.563	-2.9%
DRPNB-9-S-20260325	C57584	0.402	0.0926	3.59	36.5	0.442	20200	0.280	0.683	0.0645	0.157	J	F2602507.D	2026-04-09 21:18	1.021	13.022	28348	511075	66.1	10.563	-2.2%
DRPNB-10-S-20260325	C39201	0.280	0.0645		36.5	0.442	20201	0.280	0.683	0.0645	0.157	ND	F2602508.D	2026-04-09 21:44	1.021	13.022	18294	511005	66.1	10.563	-2.2%

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GE201-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-11-S-20260325	B14152	0.523	0.121	4.67	36.5	0.442	20201	0.280	0.683	0.0645	0.157	J	F2602509.D	2026-04-09 22:09	1.021	13.022	37071	513153	66.1	10.563	-1.8%
DRPNB-12-S-20260325	C35901	0.280	0.0645		36.5	0.442	20201	0.280	0.683	0.0645	0.157	ND	F2602510.D	2026-04-09 22:34	1.021	13.022	9335	519946	66.1	10.563	-0.5%
DRPNB-13-S-20260325	C73571	0.280	0.0645		36.5	0.442	20202	0.280	0.683	0.0645	0.157	ND	F2602511.D	2026-04-09 23:00	1.021	13.022	10365	524281	66.1	10.563	0.3%
DRPNB-14-S-20260325	C69504	0.415	0.0956	3.71	36.5	0.442	20202	0.280	0.683	0.0645	0.157	J	F2602512.D	2026-04-09 23:25	1.021	13.016	29807	520034	66.1	10.563	-0.5%
DRPNB-15-S-20260325	C34142	0.963	0.222	8.61	36.5	0.442	20205	0.280	0.683	0.0645	0.157		F2602513.D	2026-04-09 23:51	1.021	13.022	71341	536295	66.1	10.563	2.6%
DRPNB-15-D-20260325	B35596	0.864	0.199	7.72	36.5	0.442	20205	0.280	0.683	0.0645	0.157		F2602514.D	2026-04-10 00:17	1.021	13.022	62220	521212	66.1	10.563	-0.3%
DRPNB-15-B-20260325	B45012	0.280	0.0645		36.5	0.442	20205	0.280	0.683	0.0645	0.157	ND	F2602515.D	2026-04-10 00:42	1.021	13.028	1024	528728	66.1	10.563	1.2%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-1-S-20260325	C16075	0.280	0.0645		36.5	0.442	20194	0.280	0.635	0.0645	0.146	ND	F2602497.D	2026-04-09 17:04	1.022	13.524	6657	516660	66.1	10.563	-1.1%
DRPNB-2-S-20260325	B20172	0.280	0.0645		36.5	0.442	20194	0.280	0.635	0.0645	0.146	ND	F2602498.D	2026-04-09 17:29	1.022	13.524	10354	510566	66.1	10.563	-2.3%
DRPNB-2-D-20260325	C37428	0.280	0.0645		36.5	0.442	20194	0.280	0.635	0.0645	0.146	ND	F2602499.D	2026-04-09 17:54	1.022	13.524	10259	510046	66.1	10.563	-2.4%
DRPNB-2-B-20260325	B48558	0.280	0.0645		36.5	0.442	20194	0.280	0.635	0.0645	0.146	ND	F2602496.D	2026-04-09 16:38	1.022	13.536	431	523818	66.1	10.563	0.2%
DRPNB-3-S-20260325	C00591	0.280	0.0645		36.5	0.442	20194	0.280	0.635	0.0645	0.146	ND	F2602500.D	2026-04-09 18:20	1.022	13.524	13521	513869	66.1	10.563	-1.7%
DRPNB-4-S-20260325	B48659	0.280	0.0645		36.5	0.442	20192	0.280	0.635	0.0645	0.146	ND	F2602501.D	2026-04-09 18:45	1.022	13.524	2405	516614	66.1	10.563	-1.2%
DRPNB-5-S-20260325	C71632	0.280	0.0645		36.5	0.442	20196	0.280	0.635	0.0645	0.146	ND	F2602502.D	2026-04-09 19:11	1.022	13.524	5272	498347	66.1	10.563	-4.6%
DRPNB-6-S-20260325	B43721	0.280	0.0645		36.5	0.442	20200	0.280	0.635	0.0645	0.146	ND	F2602503.D	2026-04-09 19:37	1.022	13.524	3702	502639	66.1	10.563	-3.8%
DRPNB-7-S-20260325	C55521	0.280	0.0645		36.5	0.442	20205	0.280	0.635	0.0645	0.146	ND	F2602504.D	2026-04-09 20:02	1.022	13.524	3656	496311	66.1	10.563	-5.0%
DRPNB-8-S-20260325	C60269	0.280	0.0645		36.5	0.442	20209	0.280	0.635	0.0645	0.146	ND	F2602505.D	2026-04-09 20:28	1.022	13.524	6774	507452	66.1	10.563	-2.9%
DRPNB-9-S-20260325	C57584	0.280	0.0645		36.5	0.442	20200	0.280	0.635	0.0645	0.146	ND	F2602507.D	2026-04-09 21:18	1.022	13.524	12610	511075	66.1	10.563	-2.2%
DRPNB-10-S-20260325	C39201	0.280	0.0645		36.5	0.442	20201	0.280	0.635	0.0645	0.146	ND	F2602508.D	2026-04-09 21:44	1.022	13.524	7385	511005	66.1	10.563	-2.2%
DRPNB-11-S-20260325	B14152	0.280	0.0645		36.5	0.442	20201	0.280	0.635	0.0645	0.146	ND	F2602509.D	2026-04-09 22:09	1.022	13.524	14752	513153	66.1	10.563	-1.8%
DRPNB-12-S-20260325	C35901	0.280	0.0645		36.5	0.442	20201	0.280	0.635	0.0645	0.146	ND	F2602510.D	2026-04-09 22:34	1.022	13.524	3408	519946	66.1	10.563	-0.5%
DRPNB-13-S-20260325	C73571	0.280	0.0645		36.5	0.442	20202	0.280	0.635	0.0645	0.146	ND	F2602511.D	2026-04-09 23:00	1.022	13.524	4352	524281	66.1	10.563	0.3%
DRPNB-14-S-20260325	C69504	0.280	0.0645		36.5	0.442	20202	0.280	0.635	0.0645	0.146	ND	F2602512.D	2026-04-09 23:25	1.022	13.524	11641	520034	66.1	10.563	-0.5%
DRPNB-15-S-20260325	C34142	0.342	0.0788	3.06	36.5	0.442	20205	0.280	0.635	0.0645	0.146	J	F2602513.D	2026-04-09 23:51	1.022	13.524	25362	536295	66.1	10.563	2.6%
DRPNB-15-D-20260325	B35596	0.309	0.0712	2.76	36.5	0.442	20205	0.280	0.635	0.0645	0.146	J	F2602514.D	2026-04-10 00:17	1.022	13.524	22262	521212	66.1	10.563	-0.3%
DRPNB-15-B-20260325	B45012	0.280	0.0645		36.5	0.442	20205	0.280	0.635	0.0645	0.146	ND	F2602515.D	2026-04-10 00:42	1.022	13.524	244	528728	66.1	10.563	1.2%

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit

QC Data

ENTHALPY ANALYTICAL

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GE201-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	DRPNB-2-B-20260325	ND	Pass	0.423	Pass	ND	Pass	ND	Pass	ND	Pass
	DRPNB-15-B-20260325	ND	Pass	0.486	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	DRPNB-2-D-20260325	0.77%	Pass	26%	Pass	ND	Pass	4.8%	Pass	ND	Pass
	DRPNB-15-D-20260325	2.1%	Pass	3.4%	Pass	1.8%	Pass	11%	Pass	10%	Pass

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GE201-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2602494.D	C70587	Cal	0.945	0.904	0.945	4.6%	-7.3%		Pass	
2026GE201 Method Blank 1	F2602495.D	C70827	Blank		0.904	0.945			2.2%	Pass	ND
M325B CCV 5	F2602506.D	C69586	Check	0.939	0.904	0.945	3.9%		-1.5%	Pass	
M325B CCV 5	F2602516.D	C33469	Check	0.938	0.904	0.945	3.8%		2.6%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2602494.D	C70587	Cal	1.173	1.091	1.173	7.5%	-16%		Pass	
2026GE201 Method Blank 1	F2602495.D	C70827	Blank		1.091	1.173			1.9%	Fail	
M325B CCV 5	F2602506.D	C69586	Check	1.166	1.091	1.173	6.9%		-1.6%	Pass	
M325B CCV 5	F2602516.D	C33469	Check	1.174	1.091	1.173	7.6%		2.2%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2602494.D	C70587	Cal	1.285	1.150	1.285	12%	-16%		Pass	
2026GE201 Method Blank 1	F2602495.D	C70827	Blank		1.150	1.285			1.9%	Pass	ND
M325B CCV 5	F2602506.D	C69586	Check	1.275	1.150	1.285	11%		-1.6%	Pass	
M325B CCV 5	F2602516.D	C33469	Check	1.219	1.150	1.285	6.0%		2.2%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2602494.D	C70587	Cal	1.021	0.940	1.021	8.7%	-16%		Pass	
2026GE201 Method Blank 1	F2602495.D	C70827	Blank		0.940	1.021			1.9%	Pass	ND
M325B CCV 5	F2602506.D	C69586	Check	1.031	0.940	1.021	9.7%		-1.6%	Pass	
M325B CCV 5	F2602516.D	C33469	Check	0.944	0.940	1.021	0.44%		2.2%	Pass	


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2602494.D	C70587	Cal	1.022	0.944	1.022	8.3%	-16%		Pass	
2026GE201 Method Blank 1	F2602495.D	C70827	Blank		0.944	1.022			1.9%	Pass	ND
M325B CCV 5	F2602506.D	C69586	Check	1.043	0.944	1.022	10%		-1.6%	Pass	
M325B CCV 5	F2602516.D	C33469	Check	0.949	0.944	1.022	0.62%		2.2%	Pass	

Chromatograms


Name	2026GE201 Method Blank 1
Comment	C70827
Data File	F2602495.D
Acq. Date-Time	4/9/2026 4:13:24 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	512,425	
Benzene	benzene-d6 (IS)	7.932	7.945	7,228	
Toluene-d8 (IS)		10.557	10.569	532,678	
Toluene	Toluene-d8 (IS)	10.655	10.667	82,041	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	2,102	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	1,556	
o-Xylene	Toluene-d8 (IS)	13.530	13.530	662	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602495.D
Counts
x10^2
13.530 min.
Acquisition Time (min)


+ Scan (13.493-13.553 min, 10 scans) F2602495.D
Lib Match Score=43.7
Counts
x10^3
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-2-B-20260325
Comment	B48558
Data File	F2602496.D
Acq. Date-Time	4/9/2026 4:38:46 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	504,173	
Benzene	benzene-d6 (IS)	7.932	7.945	10,968	
Toluene-d8 (IS)		10.563	10.569	523,818	
Toluene	Toluene-d8 (IS)	10.661	10.667	39,699	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.851	998	m
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	982	
o-Xylene	Toluene-d8 (IS)	13.536	13.530	431	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602496.D
Counts
x10^2
13.536 min.
Acquisition Time (min)


+ Scan (13.495-13.551 min, 9 scans) F2602496.D
Lib Match Score=41.0
Counts
x10^3
41.1
67.1
91.1
55.0
81.1
106.0
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-1-S-20260325
Comment	C16075
Data File	F2602497.D
Acq. Date-Time	4/9/2026 5:04:13 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	498,966	
Benzene	benzene-d6 (IS)	7.932	7.945	73,491	
Toluene-d8 (IS)		10.563	10.569	516,660	
Toluene	Toluene-d8 (IS)	10.661	10.667	100,330	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	11,126	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	17,374	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	6,657	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602497.D
Counts
x10^3
13.524 min.
Acquisition Time (min)


+ Scan (13.495-13.603 min, 18 scans) F2602497.D
Lib Match Score=51.7
Counts
x10^3
91.1
106.1
41.0
55.1
73.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-2-S-20260325
Comment	B20172
Data File	F2602498.D
Acq. Date-Time	4/9/2026 5:29:33 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	492,508	
Benzene	benzene-d6 (IS)	7.932	7.945	89,206	
Toluene-d8 (IS)		10.563	10.569	510,566	
Toluene	Toluene-d8 (IS)	10.661	10.667	167,016	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	16,342	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	28,496	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	10,354	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602498.D
Counts
x10^3
13.524 min.
Acquisition Time (min)


+ Scan (13.484-13.561 min, 13 scans) F2602498.D
Lib Match Score=59.0
Counts
x10^3
91.1
106.1
41.0
55.1
67.1
79.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-2-D-20260325
Comment	C37428
Data File	F2602499.D
Acq. Date-Time	4/9/2026 5:54:52 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	489,303	
Benzene	benzene-d6 (IS)	7.932	7.945	89,306	
Toluene-d8 (IS)		10.563	10.569	510,046	
Toluene	Toluene-d8 (IS)	10.655	10.667	127,915	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	20,536	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	27,141	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	10,259	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602499.D
Counts
x10^3
13.524 min.
Acquisition Time (min)


+ Scan (13.494-13.579 min, 13 scans) F2602499.D
Lib Match Score=60.4
Counts
x10^3
91.1
106.1
111.1
41.1
55.1
67.1
77.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-3-S-20260325
Comment	C00591
Data File	F2602500.D
Acq. Date-Time	4/9/2026 6:20:17 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	496,267	
Benzene	benzene-d6 (IS)	7.938	7.945	79,538	
Toluene-d8 (IS)		10.563	10.569	513,869	
Toluene	Toluene-d8 (IS)	10.654	10.667	143,551	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	24,835	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	46,323	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	13,521	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602500.D
Counts
x10^4
1
0.8
0.6
0.4
0.2
0
13.524 min.
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.482-13.566 min, 13 scans) F2602500.D
Lib Match Score=63.6
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
111.1
39.1
55.1
67.1
77.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-4-S-20260325
Comment	B48659
Data File	F2602501.D
Acq. Date-Time	4/9/2026 6:45:40 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	501,353	m
Benzene	benzene-d6 (IS)	7.932	7.945	55,109	
Toluene-d8 (IS)		10.563	10.569	516,614	
Toluene	Toluene-d8 (IS)	10.661	10.667	55,924	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	4,034	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	5,864	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	2,405	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602501.D
Counts
x10^3
13.524 min.
1.75
1.5
1.25
1
0.75
0.5
0.25
13.1
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
Acquisition Time (min)


+ Scan (13.488-13.563 min, 12 scans) F2602501.D
Counts
x10^3
Lib Match Score=46.5
91.1
41.0
67.1
55.1
77.1
106.1
119.1
0.5
0
-0.5
-1
-1.5
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	DRPNB-5-S-20260325
Comment	C71632
Data File	F2602502.D
Acq. Date-Time	4/9/2026 7:11:01 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	485,468	
Benzene	benzene-d6 (IS)	7.932	7.945	51,182	
Toluene-d8 (IS)		10.563	10.569	498,347	
Toluene	Toluene-d8 (IS)	10.661	10.667	70,901	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.851	6,042	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	12,903	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	5,272	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602502.D
Counts
x10^3
13.524 min.
3.5
3
2.5
2
1.5
1
0.5
0
13.1
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
Acquisition Time (min)


+ Scan (13.493-13.554 min, 10 scans) F2602502.D
Counts
x10^3
Lib Match Score=55.5
91.1
106.1
111.1
39.0
55.1
67.1
77.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	DRPNB-6-S-20260325
Comment	B43721
Data File	F2602503.D
Acq. Date-Time	4/9/2026 7:37:20 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	486,840	
Benzene	benzene-d6 (IS)	7.932	7.945	45,537	
Toluene-d8 (IS)		10.563	10.569	502,639	
Toluene	Toluene-d8 (IS)	10.655	10.667	72,577	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	5,913	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	8,738	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	3,702	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602503.D
Counts
x10^3
13.524 min.
2.5
2
1.5
1
0.5
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.500-13.571 min, 11 scans) F2602503.D
Counts
x10^3
Lib Match Score=50.5
91.1
41.1
55.1
73.1
106.1
111.2
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-7-S-20260325
Comment	C55521
Data File	F2602504.D
Acq. Date-Time	4/9/2026 8:02:42 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	485,268	
Benzene	benzene-d6 (IS)	7.938	7.945	42,480	
Toluene-d8 (IS)		10.563	10.569	496,311	
Toluene	Toluene-d8 (IS)	10.661	10.667	52,828	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	5,196	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	9,142	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	3,656	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602504.D
Counts
x10^3
13.524 min.
2.5
2
1.5
1
0.5
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.497-13.556 min, 10 scans) F2602504.D
Counts
x10^3
Lib Match Score=51.5
91.1
41.1
55.1
67.1
79.1
95.2
106.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-8-S-20260325
Comment	C60269
Data File	F2602505.D
Acq. Date-Time	4/9/2026 8:28:07 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	494,320	
Benzene	benzene-d6 (IS)	7.932	7.945	46,118	
Toluene-d8 (IS)		10.563	10.569	507,452	
Toluene	Toluene-d8 (IS)	10.655	10.667	77,010	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	7,739	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	16,531	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	6,774	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602505.D
Counts
x10^3
13.524 min.
4
3
2
1
0
13.1
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
Acquisition Time (min)


+ Scan (13.494-13.558 min, 10 scans) F2602505.D
Counts
x10^3
Lib Match Score=57.2
91.1
39.1
55.1
67.0
79.1
96.1
106.1
119.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	DRPNB-9-S-20260325
Comment	C57584
Data File	F2602507.D
Acq. Date-Time	4/9/2026 9:18:46 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	497,569	
Benzene	benzene-d6 (IS)	7.938	7.945	62,731	
Toluene-d8 (IS)		10.563	10.569	511,075	
Toluene	Toluene-d8 (IS)	10.661	10.667	93,296	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	13,090	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	28,348	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	12,610	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602507.D
Counts
x10^3
13.524 min.
Acquisition Time (min)


+ Scan (13.486-13.587 min, 17 scans) F2602507.D
Counts
x10^3
Lib Match Score=57.4
91.1
106.1
41.1
55.1
73.1
111.1
126.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-10-S-20260325
Comment	C39201
Data File	F2602508.D
Acq. Date-Time	4/9/2026 9:44:12 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	503,543	m
Benzene	benzene-d6 (IS)	7.932	7.945	56,826	
Toluene-d8 (IS)		10.563	10.569	511,005	
Toluene	Toluene-d8 (IS)	10.655	10.667	84,181	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	10,007	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	18,294	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	7,385	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602508.D
Counts
x10^3
13.524 min.
4
3
2
1
0
13.1
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
Acquisition Time (min)


+ Scan (13.491-13.555 min, 11 scans) F2602508.D
Counts
x10^3
Lib Match Score=59.2
91.1
106.1
39.1
55.1
67.0
77.1
111.2119.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	DRPNB-11-S-20260325
Comment	B14152
Data File	F2602509.D
Acq. Date-Time	4/9/2026 10:09:30 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	511,224	
Benzene	benzene-d6 (IS)	7.932	7.945	78,132	
Toluene-d8 (IS)		10.563	10.569	513,153	
Toluene	Toluene-d8 (IS)	10.661	10.667	108,377	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	21,328	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	37,071	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	14,752	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602509.D
Counts
x10^4
13.524 min.
0.8
0.6
0.4
0.2
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.492-13.573 min, 14 scans) F2602509.D
Counts
x10^3
Lib Match Score=62.5
91.1
106.1
41.1
55.0
67.1
77.1
111.1
126.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-12-S-20260325
Comment	C35901
Data File	F2602510.D
Acq. Date-Time	4/9/2026 10:34:48 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	507,463	
Benzene	benzene-d6 (IS)	7.932	7.945	43,373	
Toluene-d8 (IS)		10.563	10.569	519,946	
Toluene	Toluene-d8 (IS)	10.661	10.667	57,811	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	6,045	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	9,335	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	3,408	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602510.D
Counts
x10^3
13.524 min.
2.5
2
1.5
1
0.5
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.494-13.572 min, 12 scans) F2602510.D
Counts
x10^3
Lib Match Score=48.3
91.1
41.1
55.0
67.0
79.0
95.1
106.1
111.2119.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-13-S-20260325
Comment	C73571
Data File	F2602511.D
Acq. Date-Time	4/9/2026 11:00:08 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	508,362	
Benzene	benzene-d6 (IS)	7.932	7.945	52,738	
Toluene-d8 (IS)		10.563	10.569	524,281	
Toluene	Toluene-d8 (IS)	10.661	10.667	65,522	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	5,565	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	10,365	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	4,352	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602511.D
Counts
x10^3
13.524 min.
Acquisition Time (min)


+ Scan (13.491-13.559 min, 11 scans) F2602511.D
Lib Match Score=52.2
Counts
x10^3
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-14-S-20260325
Comment	C69504
Data File	F2602512.D
Acq. Date-Time	4/9/2026 11:25:30 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	504,666	
Benzene	benzene-d6 (IS)	7.932	7.945	70,094	
Toluene-d8 (IS)		10.563	10.569	520,034	
Toluene	Toluene-d8 (IS)	10.661	10.667	106,656	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	12,770	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	29,807	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	11,641	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602512.D
Counts
x10^3
13.524 min.
Acquisition Time (min)


+ Scan (13.491-13.573 min, 14 scans) F2602512.D
Counts
x10^3
Lib Match Score=60.0
91.1
106.1
41.1
55.0
67.1
79.1
111.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-15-S-20260325
Comment	C34142
Data File	F2602513.D
Acq. Date-Time	4/9/2026 11:51:39 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	516,848	
Benzene	benzene-d6 (IS)	7.938	7.945	170,754	
Toluene-d8 (IS)		10.563	10.569	536,295	
Toluene	Toluene-d8 (IS)	10.661	10.667	343,906	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	31,950	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	71,341	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	25,362	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602513.D
Counts
x10^4
1.75
1.5
1.25
1
0.75
0.5
0.25
0
13.524 min.
13.1
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
Acquisition Time (min)


+ Scan (13.488-13.591 min, 16 scans) F2602513.D
Counts
x10^3
Lib Match Score=67.5
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
39.1
55.0
69.1
77.1
97.1
111.2
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	DRPNB-15-D-20260325
Comment	B35596
Data File	F2602514.D
Acq. Date-Time	4/10/2026 12:17:01 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	505,852	
Benzene	benzene-d6 (IS)	7.939	7.945	163,667	
Toluene-d8 (IS)		10.563	10.569	521,212	
Toluene	Toluene-d8 (IS)	10.655	10.667	345,818	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	30,505	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	62,220	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	22,262	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602514.D
Counts
x10^4
13.524 min.
1.4
1.2
1
0.8
0.6
0.4
0.2
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.486-13.585 min, 17 scans) F2602514.D
Counts
x10^3
Lib Match Score=65.1
91.1
106.1
111.1
41.1
55.1
67.1
79.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-15-B-20260325
Comment	B45012
Data File	F2602515.D
Acq. Date-Time	4/10/2026 12:42:24 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	509,690	
Benzene	benzene-d6 (IS)	7.932	7.945	5,077	
Toluene-d8 (IS)		10.563	10.569	528,728	
Toluene	Toluene-d8 (IS)	10.661	10.667	46,122	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	1,311	m
m-/p-Xylenes	Toluene-d8 (IS)	13.028	13.028	1,024	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	244	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes





o-Xylene


+ EIC (91.1) Scan F2602515.D
Counts
x10^2
7
6
5
4
3
2
13.524 min.
13.1
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
Acquisition Time (min)


+ Scan (13.512-13.546 min, 5 scans) F2602515.D
Counts
x10^3
Lib Match Score=41.3
0.5
0.25
0
-0.25
-0.5
-0.75
-1
-1.25
-1.5
39.0
56.1
67.1
79.0
91.1
105.1
114.9
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)

Initial Calibration

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GE201-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
F121725A_CC185154	Benzene	1	F2508171.D	5.96	52606	56.3	529201	0.939	0.039
F121725A_CC185154	Benzene	2	F2508172.D	11.93	90306	56.3	525740	0.811	-0.1
F121725A_CC185154	Benzene	3	F2508173.D	23.85	205594	56.3	535697	0.906	0.0032
F121725A_CC185154	Benzene	4	F2508174.D	47.70	403557	56.3	539152	0.884	-0.022
F121725A_CC185154	Benzene	5	F2508175.D	119.26	1061108	56.3	547207	0.916	0.014
F121725A_CC185154	Benzene	6	F2508176.D	238.51	2220768	56.3	544872	0.963	0.065
F121725A_CC185154	Benzene	7	F2508177.D	715.53	6456657	56.3	561348	0.906	0.0022
						Avg:	540460	0.904	
						%RSD:	2.2%	5.3%	
F121725A_CC185154	Toluene	1	F2508171.D	5.24	53241	66.1	606147	1.108	0.016
F121725A_CC185154	Toluene	2	F2508172.D	10.47	110436	66.1	616680	1.130	0.035
F121725A_CC185154	Toluene	3	F2508173.D	20.95	215705	66.1	622459	1.093	0.0017
F121725A_CC185154	Toluene	4	F2508174.D	41.90	427518	66.1	627442	1.074	-0.015
F121725A_CC185154	Toluene	5	F2508175.D	104.74	1078346	66.1	633720	1.073	-0.016
F121725A_CC185154	Toluene	6	F2508176.D	209.48	2208644	66.1	634907	1.097	0.0055
F121725A_CC185154	Toluene	7	F2508177.D	628.45	6371104	66.1	630656	1.062	-0.027
						Avg:	624573	1.091	
						%RSD:	1.7%	2.1%	
F121725A_CC185154	Ethylbenzene	1	F2508171.D	5.44	52701	66.1	606147	1.055	-0.083
F121725A_CC185154	Ethylbenzene	2	F2508172.D	10.89	103364	66.1	616680	1.017	-0.12
F121725A_CC185154	Ethylbenzene	3	F2508173.D	21.77	249010	66.1	622459	1.214	0.055
F121725A_CC185154	Ethylbenzene	4	F2508174.D	43.54	510214	66.1	627442	1.234	0.073
F121725A_CC185154	Ethylbenzene	5	F2508175.D	108.86	1213007	66.1	633720	1.162	0.0099
F121725A_CC185154	Ethylbenzene	6	F2508176.D	217.72	2518155	66.1	634907	1.204	0.046
F121725A_CC185154	Ethylbenzene	7	F2508177.D	653.16	7272682	66.1	630656	1.166	0.014
						Avg:	624573	1.150	
						%RSD:	1.7%	7.2%	
F121725A_CC185154	m-/p-Xylenes	1	F2508171.D	6.10	45227	66.1	606147	0.808	-0.14
F121725A_CC185154	m-/p-Xylenes	2	F2508172.D	12.20	93766	66.1	616680	0.823	-0.12
F121725A_CC185154	m-/p-Xylenes	3	F2508173.D	24.40	229774	66.1	622459	0.999	0.064
F121725A_CC185154	m-/p-Xylenes	4	F2508174.D	48.80	467094	66.1	627442	1.008	0.072
F121725A_CC185154	m-/p-Xylenes	5	F2508175.D	122.00	1082720	66.1	633720	0.925	-0.015
F121725A_CC185154	m-/p-Xylenes	6	F2508176.D	244.00	2328036	66.1	634907	0.993	0.056
F121725A_CC185154	m-/p-Xylenes	7	F2508177.D	732.01	7137741	66.1	630656	1.021	0.087
						Avg:	624573	0.940	
						%RSD:	1.7%	9.6%	
F121725A_CC185154	o-Xylene	1	F2508171.D	5.67	42268	66.1	606147	0.812	-0.14
F121725A_CC185154	o-Xylene	2	F2508172.D	11.35	85951	66.1	616680	0.812	-0.14
F121725A_CC185154	o-Xylene	3	F2508173.D	22.69	217910	66.1	622459	1.019	0.08

Enthalpy Analytical

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GE201-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
F121725A_CC185154	o-Xylene	4	F2508174.D	45.38	446025	66.1	627442	1.035	0.097
F121725A_CC185154	o-Xylene	5	F2508175.D	113.46	1032192	66.1	633720	0.948	0.0051
F121725A_CC185154	o-Xylene	6	F2508176.D	226.92	2179717	66.1	634907	1.000	0.059
F121725A_CC185154	o-Xylene	7	F2508177.D	680.75	6366952	66.1	630656	0.980	0.038
						Avg:	624573	0.944	
						%RSD:	1.7%	10.0%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
F121725A_CC185154	Benzene	ICV	F2508178.D	443.46	3919944	56.3	563465	0.884	-2.2%
F121725A_CC185154	Toluene	ICV	F2508178.D	454.10	4554523	66.1	629158	1.053	-3.5%
F121725A_CC185154	Ethylbenzene	ICV	F2508178.D	448.99	4890504	66.1	629158	1.144	-0.6%
F121725A_CC185154	m-/p-Xylenes	ICV	F2508178.D	455.97	3870637	66.1	629158	0.891	-5.1%
F121725A_CC185154	o-Xylene	ICV	F2508178.D	456.85	3921714	66.1	629158	0.901	-4.5%

M325B PDF Report ver.20260203

Sample Custody

ENTHALPY
ANALYTICAL

2026GE201

EPA Method 325 A/B Field Test Data Sheet and Chain of Custody Record

Page #1 of #1

☐ Standard Turn Around Time (10 business days)
☐ Rush Turn Around Time
• All TATs Subject to Approval by Enthalpy Analytical, Inc.
• Unless otherwise specified, sample tubes will be conditioned for re-use 3 business days after submission of results

Site Name:	Webber Penobscot Terminal	**Client Name:**	Montrose Air Quality Services, LLC	**PO#:**	
Site Address:	93 River Road	**Project Number:**	PROJ-031826	**Sample Event #**	2026GE201
City:	Bucksport	**Project Manager:**	Sabarish Selvarajan	**Sorbent:**	Carbopak-X
State	Maine	**Email Address:**	sabarishselvarajan@montrose-env.com		
Zip:	04401	**Telephone #:**	973-722-7895		

Location	Sample ID (Tube ID)	Sample, Blank or Duplicate	Start Date	Start Time	Stop Date	Stop Time	Deployed/ Collected by	Ave. Pressure (inHg)	Avg. Ambient Temp. (°F)
1	C16075	S	3/25/26	10:03 AM	4/8/26	10:37 AM	KV/BC		
2	B20172	S	3/25/26	10:06 AM	4/8/26	10:40 AM	KV/BC		
2	C37428	D	3/25/26	10:06 AM	4/8/26	10:40 AM	KV/BC		
2	B48558	B	3/25/26	10:06 AM	4/8/26	10:40 AM	KV/BC		
3	C00591	S	3/25/26	10:10 AM	4/8/26	10:44 AM	KV/BC		
4	B48659	S	3/25/26	10:18 AM	4/8/26	10:50 AM	KV/BC		
5	C71632	S	3/25/26	10:17 AM	4/8/26	10:53 AM	KV/BC		
6	B43721	S	3/25/26	10:16 AM	4/8/26	10:56 AM	KV/BC		
7	C55521	S	3/25/26	10:15 AM	4/8/26	11:00 AM	KV/BC		
8	C60269	S	3/25/26	10:13 AM	4/8/26	11:02 AM	KV/BC		
9	C57584	S	3/25/26	10:24 AM	4/8/26	11:04 AM	KV/BC		
10	C39201	S	3/25/26	10:26 AM	4/8/26	11:07 AM	KV/BC		
11	B14152	S	3/25/26	10:28 AM	4/8/26	11:09 AM	KV/BC		
12	C35901	S	3/25/26	10:30 AM	4/8/26	11:11 AM	KV/BC		
13	C73571	S	3/25/26	10:31 AM	4/8/26	11:13 AM	KV/BC		
14	C69504	S	3/25/26	10:33 AM	4/8/26	11:15 AM	KV/BC		
15	C34142	S	3/25/26	10:36 AM	4/8/26	11:21 AM	KV/BC		
15	B35596	D	3/25/26	10:36 AM	4/8/26	11:21 AM	KV/BC		
15	B45012	B	3/25/26	10:36 AM	4/8/26	11:21 AM	KV/BC		

Relinquished By (printed):	Relinquished By (signature):	Relinquished Date:	Relinquished Time:
Benjamin Curry	BC		17:00
Recieved By (printed):	**Recieved By (signature):**	**Receipt Date:**	**Receipt Time:**
Ev Mauger		4/9/26	9:50 AM

Sample Condition Upon Receipt:			Compound List:	Custody Seal intact? Y/N:	Delivery tracking #
good			**Benzene** **Toluene** **Ethylbenzene** **O-xylenes, m-/p-xylenes**	Y	
Ice Temp:	Blank Temp: 17.5	Fluke 3		Add Custody Seal # below: 25E08650	

Comments:

This Is The Last Page Of This Report.

ENTHALPY ANALYTICAL

Penobscot Bay Terminal - Bucksport

93 River Road
Bucksport, ME 04416

Sampling Event 44 Penobscot Bay Terminals - Bucksport

Client Project# PROJ-031826
Samples Received: 4/23/2026

Analytical Report
2026GE202

EPA Method 325B Analysis

Report Issue Date: 5/1/2026

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:



Matt Cavanaugh
Matthew.Cavanaugh@onterris.com / www.onterris.com
O: (919) 850-4392
Onterris/Enthalpy
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative . . . 3
Results . . . 6
    Summary of Results . . . 7
    Detailed Results . . . 8
QC Data . . . 11
Chromatograms . . . 14
Initial Calibration . . . 75
Sample Custody . . . 78
    Chain of Custody . . . 79

Narrative Summary

Onterris/Enthalpy Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2026GE202-1
Client ID.	PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

1. Custody

The samples were received at Onterris/Enthalpy on April 23, 2026 at 20.1 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Onterris/Enthalpy.

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
DRPNB-1-S-20260408	C73558	Sample
DRPNB-2-S-20260408	C56783	Sample
DRPNB-2-D-20260408	C33009	Duplicate
DRPNB-2-B-20260408	C01656	Blank
DRPNB-3-S-20260408	B48545	Sample
DRPNB-4-S-20260408	C36885	Sample
DRPNB-5-S-20260408	C55374	Sample
DRPNB-6-S-20260408	C69463	Sample
DRPNB-7-S-20260408	C59959	Sample
DRPNB-8-S-20260408	C43589	Sample
DRPNB-9-S-20260408	C33425	Sample
DRPNB-10-S-20260408	C01393	Sample
DRPNB-11-S-20260408	B44229	Sample
DRPNB-12-S-20260408	C60267	Sample
DRPNB-13-S-20260408	C38590	Sample
DRPNB-14-S-20260408	B21009	Sample
DRPNB-15-S-20260408	C01608	Sample
DRPNB-15-D-20260408	C39127	Duplicate
DRPNB-15-B-20260408	C56969	Blank

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-MTD is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (F121725A_CC185154) met all 30% RSD criteria. The initial calibration verification met ±30% recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

Onterris/Enthalpy Narrative Summary

Company	Montrose Air Quality Services, LLC - New Jersey
Job No.	2026GE202-1
Client ID.	PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

4. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

The primary sample DRPNB-2-S-20260408 (tube ID C56783) and its corresponding duplicate DRPNB-2-D-20260408 (tube ID C33009) failed to meet the 30% difference criterion for m-/p-Xylenes as specified by the method. However, the concentrations of the analyte in both the sample and the duplicate were less than two times the reporting limit of the instrument's calibration curve. Therefore, the percent difference observed may not suggest the data set has been negatively affected. All samples in the data set have been flagged "Pc" for m-/p-Xylenes to denote this failure.

5. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in ug/m³ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Onterris/Enthalpy, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Onterris/Enthalpy

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GE202-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
DRPNB-1-S-20260408	C73558	1.21		2.24		0.279	ND	0.505	J,Pc	0.279	ND
DRPNB-2-S-20260408	C56783	0.696		1.36		0.279	ND	0.462	J,Pc	0.279	ND
DRPNB-2-D-20260408	C33009	0.712		1.16		0.279	ND	0.330	J,Pc	0.279	ND
DRPNB-2-B-20260408	C01656	0.192	ND	0.336	J	0.279	ND	0.279	ND,Pc	0.279	ND
DRPNB-3-S-20260408	B48545	0.989		2.28		0.318	J	0.649	J,Pc	0.279	ND
DRPNB-4-S-20260408	C36885	0.425	J	0.767		0.279	ND	0.279	ND,Pc	0.279	ND
DRPNB-5-S-20260408	C55374	0.369	J	0.640		0.279	ND	0.290	J,Pc	0.279	ND
DRPNB-6-S-20260408	C69463	0.407	J	0.718		0.279	ND	0.284	J,Pc	0.279	ND
DRPNB-7-S-20260408	C59959	0.352	J	0.590		0.279	ND	0.279	ND,Pc	0.279	ND
DRPNB-8-S-20260408	C43589	0.419	J	0.867		0.279	ND	0.289	J,Pc	0.279	ND
DRPNB-9-S-20260408	C33425	0.613		1.15		0.279	ND	0.435	J,Pc	0.279	ND
DRPNB-10-S-20260408	C01393	0.522		0.783		0.279	ND	0.279	ND,Pc	0.279	ND
DRPNB-11-S-20260408	B44229	0.607		1.34		0.279	ND	0.471	J,Pc	0.279	ND
DRPNB-12-S-20260408	C60267	0.390	J	0.687		0.279	ND	0.279	ND,Pc	0.279	ND
DRPNB-13-S-20260408	C38590	0.361	J	0.561		0.279	ND	0.279	ND,Pc	0.279	ND
DRPNB-14-S-20260408	B21009	0.609		1.36		0.279	ND	0.329	J,Pc	0.279	ND
DRPNB-15-S-20260408	C01608	2.04		4.58		0.400	J	1.02	Pc	0.362	J
DRPNB-15-D-20260408	C39127	2.10		4.73		0.429	J	1.07	Pc	0.375	J
DRPNB-15-B-20260408	C56969	0.192	ND	0.289	J	0.279	ND	0.279	ND,Pc	0.279	ND

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit
Pc: Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit

Onterris/Enthalpy

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GE202-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-1-S-20260408	C73558	1.21	0.377	15.7	43.0	0.648	20112	0.192	0.457	0.0600	0.143		F2602752.D	2026-04-23 18:06	0.944	7.932	112815	428168	56.3	7.877	-4.0%
DRPNB-2-S-20260408	C56783	0.696	0.218	9.07	43.0	0.648	20114	0.192	0.457	0.0600	0.143		F2602753.D	2026-04-23 18:31	0.944	7.932	64886	426604	56.3	7.877	-4.4%
DRPNB-2-D-20260408	C33009	0.712	0.223	9.28	43.0	0.648	20114	0.192	0.457	0.0600	0.143		F2602754.D	2026-04-23 18:57	0.944	7.932	66726	428887	56.3	7.877	-3.9%
DRPNB-2-B-20260408	C01656	0.192	0.0600		43.0	0.648	20114	0.192	0.457	0.0600	0.143	ND	F2602751.D	2026-04-23 17:41	0.944	7.932	6896	432051	56.3	7.877	-3.2%
DRPNB-3-S-20260408	B48545	0.989	0.310	12.9	43.0	0.648	20112	0.192	0.457	0.0600	0.143		F2602755.D	2026-04-23 19:22	0.944	7.932	92050	425561	56.3	7.877	-4.6%
DRPNB-4-S-20260408	C36885	0.425	0.133	5.54	43.0	0.648	20115	0.192	0.457	0.0600	0.143	J	F2602756.D	2026-04-23 19:47	0.944	7.932	39243	422609	56.3	7.877	-5.3%
DRPNB-5-S-20260408	C55374	0.369	0.116	4.82	43.0	0.648	20111	0.192	0.457	0.0600	0.143	J	F2602757.D	2026-04-23 20:13	0.944	7.932	34603	428545	56.3	7.877	-4.0%
DRPNB-6-S-20260408	C69463	0.407	0.127	5.31	43.0	0.648	20107	0.192	0.457	0.0601	0.143	J	F2602758.D	2026-04-23 20:39	0.944	7.932	38552	433403	56.3	7.871	-2.9%
DRPNB-7-S-20260408	C59959	0.352	0.110	4.58	43.0	0.648	20102	0.192	0.457	0.0601	0.143	J	F2602759.D	2026-04-23 21:04	0.944	7.932	33382	434557	56.3	7.877	-2.6%
DRPNB-8-S-20260408	C43589	0.419	0.131	5.45	43.0	0.648	20098	0.192	0.458	0.0601	0.143	J	F2602760.D	2026-04-23 21:30	0.944	7.932	41243	451030	56.3	7.877	1.1%
DRPNB-9-S-20260408	C33425	0.613	0.192	7.99	43.0	0.648	20106	0.192	0.457	0.0601	0.143		F2602762.D	2026-04-23 22:21	0.944	7.932	60299	450363	56.3	7.877	0.9%
DRPNB-10-S-20260408	C01393	0.522	0.164	6.81	43.0	0.648	20106	0.192	0.457	0.0601	0.143		F2602763.D	2026-04-23 22:46	0.944	7.932	51654	452407	56.3	7.877	1.4%
DRPNB-11-S-20260408	B44229	0.607	0.190	7.92	43.0	0.648	20106	0.192	0.457	0.0601	0.143		F2602764.D	2026-04-23 23:11	0.944	7.932	60434	455143	56.3	7.877	2.0%
DRPNB-12-S-20260408	C60267	0.390	0.122	5.08	43.0	0.648	20106	0.192	0.457	0.0601	0.143	J	F2602765.D	2026-04-23 23:37	0.944	7.932	39323	461392	56.3	7.877	3.4%
DRPNB-13-S-20260408	C38590	0.361	0.113	4.70	43.0	0.648	20106	0.192	0.457	0.0601	0.143	J	F2602766.D	2026-04-24 00:02	0.944	7.938	37145	471112	56.3	7.877	5.6%
DRPNB-14-S-20260408	B21009	0.609	0.191	7.95	43.0	0.648	20107	0.192	0.457	0.0601	0.143		F2602767.D	2026-04-24 00:27	0.944	7.932	63076	473495	56.3	7.877	6.1%
DRPNB-15-S-20260408	C01608	2.04	0.638	26.6	43.0	0.648	20104	0.192	0.457	0.0601	0.143		F2602768.D	2026-04-24 00:54	0.944	7.938	214036	480475	56.3	7.877	7.7%
DRPNB-15-D-20260408	C39127	2.10	0.657	27.3	43.0	0.648	20104	0.192	0.457	0.0601	0.143		F2602769.D	2026-04-24 01:19	0.944	7.938	220217	480346	56.3	7.877	7.7%
DRPNB-15-B-20260408	C56969	0.192	0.0601		43.0	0.648	20104	0.192	0.457	0.0601	0.143	ND	F2602770.D	2026-04-24 01:44	0.944	7.932	5446	490928	56.3	7.877	10.0%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-1-S-20260408	C73558	2.24	0.596	22.7	43.0	0.503	20112	0.247	0.517	0.0656	0.137		F2602752.D	2026-04-23 18:06	1.136	10.655	174806	447726	66.1	10.563	-4.1%
DRPNB-2-S-20260408	C56783	1.36	0.360	13.7	43.0	0.503	20114	0.247	0.517	0.0656	0.137		F2602753.D	2026-04-23 18:31	1.136	10.661	104301	441590	66.1	10.563	-5.4%
DRPNB-2-D-20260408	C33009	1.16	0.309	11.8	43.0	0.503	20114	0.247	0.517	0.0656	0.137		F2602754.D	2026-04-23 18:57	1.136	10.661	90501	447118	66.1	10.563	-4.2%
DRPNB-2-B-20260408	C01656	0.336	0.0892	3.40	43.0	0.503	20114	0.247	0.517	0.0656	0.137	J	F2602751.D	2026-04-23 17:41	1.136	10.655	26279	449291	66.1	10.563	-3.7%
DRPNB-3-S-20260408	B48545	2.28	0.605	23.1	43.0	0.503	20112	0.247	0.517	0.0656	0.137		F2602755.D	2026-04-23 19:22	1.136	10.661	173764	438393	66.1	10.563	-6.1%
DRPNB-4-S-20260408	C36885	0.767	0.204	7.76	43.0	0.503	20115	0.247	0.517	0.0656	0.137		F2602756.D	2026-04-23 19:47	1.136	10.661	58946	441789	66.1	10.563	-5.3%
DRPNB-5-S-20260408	C55374	0.640	0.170	6.47	43.0	0.503	20111	0.247	0.517	0.0656	0.137		F2602757.D	2026-04-23 20:13	1.136	10.661	49633	445843	66.1	10.563	-4.5%
DRPNB-6-S-20260408	C69463	0.718	0.191	7.26	43.0	0.503	20107	0.247	0.518	0.0656	0.137		F2602758.D	2026-04-23 20:39	1.136	10.655	55788	446747	66.1	10.563	-4.3%
DRPNB-7-S-20260408	C59959	0.590	0.157	5.97	43.0	0.503	20102	0.247	0.518	0.0656	0.137		F2602759.D	2026-04-23 21:04	1.136	10.661	46249	450808	66.1	10.563	-3.4%
DRPNB-8-S-20260408	C43589	0.867	0.230	8.77	43.0	0.503	20098	0.247	0.518	0.0656	0.137		F2602760.D	2026-04-23 21:30	1.136	10.661	69318	459532	66.1	10.563	-1.5%
DRPNB-9-S-20260408	C33425	1.15	0.305	11.6	43.0	0.503	20106	0.247	0.518	0.0656	0.137		F2602762.D	2026-04-23 22:21	1.136	10.661	92589	463548	66.1	10.563	-0.7%
DRPNB-10-S-20260408	C01393	0.783	0.208	7.92	43.0	0.503	20106	0.247	0.518	0.0656	0.137		F2602763.D	2026-04-23 22:46	1.136	10.655	63278	464494	66.1	10.563	-0.5%
DRPNB-11-S-20260408	B44229	1.34	0.357	13.6	43.0	0.503	20106	0.247	0.518	0.0656	0.137		F2602764.D	2026-04-23 23:11	1.136	10.655	110228	471374	66.1	10.563	1.0%
DRPNB-12-S-20260408	C60267	0.687	0.182	6.95	43.0	0.503	20106	0.247	0.518	0.0656	0.137		F2602765.D	2026-04-23 23:37	1.136	10.655	57394	480035	66.1	10.563	2.8%
DRPNB-13-S-20260408	C38590	0.561	0.149	5.67	43.0	0.503	20106	0.247	0.518	0.0656	0.137		F2602766.D	2026-04-24 00:02	1.136	10.655	47512	487013	66.1	10.563	4.3%
DRPNB-14-S-20260408	B21009	1.36	0.360	13.7	43.0	0.503	20107	0.247	0.518	0.0656	0.137		F2602767.D	2026-04-24 00:27	1.136	10.661	115317	488705	66.1	10.563	4.7%
DRPNB-15-S-20260408	C01608	4.58	1.22	46.4	43.0	0.503	20104	0.247	0.518	0.0656	0.137		F2602768.D	2026-04-24 00:54	1.136	10.655	400641	502424	66.1	10.563	7.6%
DRPNB-15-D-20260408	C39127	4.73	1.26	47.9	43.0	0.503	20104	0.247	0.518	0.0656	0.137		F2602769.D	2026-04-24 01:19	1.136	10.655	415967	505350	66.1	10.563	8.3%

Onterris/Enthalpy

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GE202-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-15-B-20260408	C56969	0.289	0.0767	2.92	43.0	0.503	20104	0.247	0.518	0.0656	0.137	J	F2602770.D	2026-04-24 01:44	1.136	10.655	25750	512205	66.1	10.563	9.7%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-1-S-20260408	C73558	0.279	0.0643		43.0	0.445	20112	0.279	0.608	0.0643	0.140	ND	F2602752.D	2026-04-23 18:06	1.287	12.845	13474	447726	66.1	10.563	-4.1%
DRPNB-2-S-20260408	C56783	0.279	0.0643		43.0	0.445	20114	0.279	0.608	0.0643	0.140	ND	F2602753.D	2026-04-23 18:31	1.287	12.845	12957	441590	66.1	10.563	-5.4%
DRPNB-2-D-20260408	C33009	0.279	0.0643		43.0	0.445	20114	0.279	0.608	0.0643	0.140	ND	F2602754.D	2026-04-23 18:57	1.287	12.845	14059	447118	66.1	10.563	-4.2%
DRPNB-2-B-20260408	C01656	0.279	0.0643		43.0	0.445	20114	0.279	0.608	0.0643	0.140	ND	F2602751.D	2026-04-23 17:41	1.287	12.845	2303	449291	66.1	10.563	-3.7%
DRPNB-3-S-20260408	B48545	0.318	0.0732	2.84	43.0	0.445	20112	0.279	0.608	0.0643	0.140	J	F2602755.D	2026-04-23 19:22	1.287	12.845	24272	438393	66.1	10.563	-6.1%
DRPNB-4-S-20260408	C36885	0.279	0.0643		43.0	0.445	20115	0.279	0.608	0.0643	0.140	ND	F2602756.D	2026-04-23 19:47	1.287	12.845	10659	441789	66.1	10.563	-5.3%
DRPNB-5-S-20260408	C55374	0.279	0.0643		43.0	0.445	20111	0.279	0.608	0.0643	0.140	ND	F2602757.D	2026-04-23 20:13	1.287	12.845	9099	445843	66.1	10.563	-4.5%
DRPNB-6-S-20260408	C69463	0.279	0.0644		43.0	0.445	20107	0.279	0.608	0.0644	0.140	ND	F2602758.D	2026-04-23 20:39	1.287	12.845	8634	446747	66.1	10.563	-4.3%
DRPNB-7-S-20260408	C59959	0.279	0.0644		43.0	0.445	20102	0.279	0.608	0.0644	0.140	ND	F2602759.D	2026-04-23 21:04	1.287	12.845	7015	450808	66.1	10.563	-3.4%
DRPNB-8-S-20260408	C43589	0.279	0.0644		43.0	0.445	20098	0.279	0.608	0.0644	0.140	ND	F2602760.D	2026-04-23 21:30	1.287	12.845	10218	459532	66.1	10.563	-1.5%
DRPNB-9-S-20260408	C33425	0.279	0.0644		43.0	0.445	20106	0.279	0.608	0.0644	0.140	ND	F2602762.D	2026-04-23 22:21	1.287	12.845	16890	463548	66.1	10.563	-0.7%
DRPNB-10-S-20260408	C01393	0.279	0.0644		43.0	0.445	20106	0.279	0.608	0.0644	0.140	ND	F2602763.D	2026-04-23 22:46	1.287	12.845	11195	464494	66.1	10.563	-0.5%
DRPNB-11-S-20260408	B44229	0.279	0.0644		43.0	0.445	20106	0.279	0.608	0.0644	0.140	ND	F2602764.D	2026-04-23 23:11	1.287	12.845	17368	471374	66.1	10.563	1.0%
DRPNB-12-S-20260408	C60267	0.279	0.0644		43.0	0.445	20106	0.279	0.608	0.0644	0.140	ND	F2602765.D	2026-04-23 23:37	1.287	12.845	6474	480035	66.1	10.563	2.8%
DRPNB-13-S-20260408	C38590	0.279	0.0644		43.0	0.445	20106	0.279	0.608	0.0644	0.140	ND	F2602766.D	2026-04-24 00:02	1.287	12.845	6217	487013	66.1	10.563	4.3%
DRPNB-14-S-20260408	B21009	0.279	0.0644		43.0	0.445	20107	0.279	0.608	0.0644	0.140	ND	F2602767.D	2026-04-24 00:27	1.287	12.839	13637	488705	66.1	10.563	4.7%
DRPNB-15-S-20260408	C01608	0.400	0.0922	3.58	43.0	0.445	20104	0.279	0.608	0.0644	0.140	J	F2602768.D	2026-04-24 00:54	1.287	12.845	35023	502424	66.1	10.563	7.6%
DRPNB-15-D-20260408	C39127	0.429	0.0988	3.84	43.0	0.445	20104	0.279	0.608	0.0644	0.140	J	F2602769.D	2026-04-24 01:19	1.287	12.845	37772	505350	66.1	10.563	8.3%
DRPNB-15-B-20260408	C56969	0.279	0.0644		43.0	0.445	20104	0.279	0.608	0.0644	0.140	ND	F2602770.D	2026-04-24 01:44	1.287	12.845	1724	512205	66.1	10.563	9.7%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-1-S-20260408	C73558	0.505	0.116	4.53	43.0	0.445	20112	0.279	0.681	0.0643	0.157	J,Pc	F2602752.D	2026-04-23 18:06	1.074	13.022	32956	447726	66.1	10.563	-4.1%
DRPNB-2-S-20260408	C56783	0.462	0.106	4.14	43.0	0.445	20114	0.279	0.681	0.0643	0.157	J,Pc	F2602753.D	2026-04-23 18:31	1.074	13.022	29713	441590	66.1	10.563	-5.4%
DRPNB-2-D-20260408	C33009	0.330	0.0761	2.96	43.0	0.445	20114	0.279	0.681	0.0643	0.157	J,Pc	F2602754.D	2026-04-23 18:57	1.074	13.022	21493	447118	66.1	10.563	-4.2%
DRPNB-2-B-20260408	C01656	0.279	0.0643		43.0	0.445	20114	0.279	0.681	0.0643	0.157	ND,Pc	F2602751.D	2026-04-23 17:41	1.074	13.034	2159	449291	66.1	10.563	-3.7%
DRPNB-3-S-20260408	B48545	0.649	0.150	5.81	43.0	0.445	20112	0.279	0.681	0.0643	0.157	J,Pc	F2602755.D	2026-04-23 19:22	1.074	13.022	41451	438393	66.1	10.563	-6.1%
DRPNB-4-S-20260408	C36885	0.279	0.0643		43.0	0.445	20115	0.279	0.681	0.0643	0.157	ND,Pc	F2602756.D	2026-04-23 19:47	1.074	13.022	15941	441789	66.1	10.563	-5.3%
DRPNB-5-S-20260408	C55374	0.290	0.0668	2.60	43.0	0.445	20111	0.279	0.681	0.0643	0.157	J,Pc	F2602757.D	2026-04-23 20:13	1.074	13.022	18825	445843	66.1	10.563	-4.5%
DRPNB-6-S-20260408	C69463	0.284	0.0654	2.54	43.0	0.445	20107	0.279	0.681	0.0644	0.157	J,Pc	F2602758.D	2026-04-23 20:39	1.074	13.022	18458	446747	66.1	10.563	-4.3%
DRPNB-7-S-20260408	C59959	0.279	0.0644		43.0	0.445	20102	0.279	0.682	0.0644	0.157	ND,Pc	F2602759.D	2026-04-23 21:04	1.074	13.022	15171	450808	66.1	10.563	-3.4%
DRPNB-8-S-20260408	C43589	0.289	0.0667	2.59	43.0	0.445	20098	0.279	0.682	0.0644	0.157	J,Pc	F2602760.D	2026-04-23 21:30	1.074	13.022	19343	459532	66.1	10.563	-1.5%
DRPNB-9-S-20260408	C33425	0.435	0.100	3.90	43.0	0.445	20106	0.279	0.681	0.0644	0.157	J,Pc	F2602762.D	2026-04-23 22:21	1.074	13.022	29386	463548	66.1	10.563	-0.7%
DRPNB-10-S-20260408	C01393	0.279	0.0644		43.0	0.445	20106	0.279	0.681	0.0644	0.157	ND,Pc	F2602763.D	2026-04-23 22:46	1.074	13.022	14935	464494	66.1	10.563	-0.5%

Onterris/Enthalpy

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GE202-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-11-S-20260408	B44229	0.471	0.109	4.22	43.0	0.445	20106	0.279	0.681	0.0644	0.157	J,Pc	F2602764.D	2026-04-23 23:11	1.074	13.022	32340	471374	66.1	10.563	1.0%
DRPNB-12-S-20260408	C60267	0.279	0.0644		43.0	0.445	20106	0.279	0.681	0.0644	0.157	ND,Pc	F2602765.D	2026-04-23 23:37	1.074	13.022	13323	480035	66.1	10.563	2.8%
DRPNB-13-S-20260408	C38590	0.279	0.0644		43.0	0.445	20106	0.279	0.681	0.0644	0.157	ND,Pc	F2602766.D	2026-04-24 00:02	1.074	13.022	9150	487013	66.1	10.563	4.3%
DRPNB-14-S-20260408	B21009	0.329	0.0758	2.94	43.0	0.445	20107	0.279	0.681	0.0644	0.157	J,Pc	F2602767.D	2026-04-24 00:27	1.074	13.016	23397	488705	66.1	10.563	4.7%
DRPNB-15-S-20260408	C01608	1.02	0.234	9.10	43.0	0.445	20104	0.279	0.682	0.0644	0.157	Pc	F2602768.D	2026-04-24 00:54	1.074	13.016	74393	502424	66.1	10.563	7.6%
DRPNB-15-D-20260408	C39127	1.07	0.248	9.62	43.0	0.445	20104	0.279	0.682	0.0644	0.157	Pc	F2602769.D	2026-04-24 01:19	1.074	13.022	79037	505350	66.1	10.563	8.3%
DRPNB-15-B-20260408	C56969	0.279	0.0644		43.0	0.445	20104	0.279	0.682	0.0644	0.157	ND,Pc	F2602770.D	2026-04-24 01:44	1.074	13.016	936	512205	66.1	10.563	9.7%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-1-S-20260408	C73558	0.279	0.0643		43.0	0.445	20112	0.279	0.634	0.0643	0.146	ND	F2602752.D	2026-04-23 18:06	1.110	13.524	12188	447726	66.1	10.563	-4.1%
DRPNB-2-S-20260408	C56783	0.279	0.0643		43.0	0.445	20114	0.279	0.634	0.0643	0.146	ND	F2602753.D	2026-04-23 18:31	1.110	13.524	9707	441590	66.1	10.563	-5.4%
DRPNB-2-D-20260408	C33009	0.279	0.0643		43.0	0.445	20114	0.279	0.634	0.0643	0.146	ND	F2602754.D	2026-04-23 18:57	1.110	13.524	6962	447118	66.1	10.563	-4.2%
DRPNB-2-B-20260408	C01656	0.279	0.0643		43.0	0.445	20114	0.279	0.634	0.0643	0.146	ND	F2602751.D	2026-04-23 17:41	1.110	13.524	1344	449291	66.1	10.563	-3.7%
DRPNB-3-S-20260408	B48545	0.279	0.0643		43.0	0.445	20112	0.279	0.634	0.0643	0.146	ND	F2602755.D	2026-04-23 19:22	1.110	13.524	15572	438393	66.1	10.563	-6.1%
DRPNB-4-S-20260408	C36885	0.279	0.0643		43.0	0.445	20115	0.279	0.633	0.0643	0.146	ND	F2602756.D	2026-04-23 19:47	1.110	13.524	5907	441789	66.1	10.563	-5.3%
DRPNB-5-S-20260408	C55374	0.279	0.0643		43.0	0.445	20111	0.279	0.634	0.0643	0.146	ND	F2602757.D	2026-04-23 20:13	1.110	13.524	7681	445843	66.1	10.563	-4.5%
DRPNB-6-S-20260408	C69463	0.279	0.0644		43.0	0.445	20107	0.279	0.634	0.0644	0.146	ND	F2602758.D	2026-04-23 20:39	1.110	13.524	7745	446747	66.1	10.563	-4.3%
DRPNB-7-S-20260408	C59959	0.279	0.0644		43.0	0.445	20102	0.279	0.634	0.0644	0.146	ND	F2602759.D	2026-04-23 21:04	1.110	13.524	6161	450808	66.1	10.563	-3.4%
DRPNB-8-S-20260408	C43589	0.279	0.0644		43.0	0.445	20098	0.279	0.634	0.0644	0.146	ND	F2602760.D	2026-04-23 21:30	1.110	13.524	7481	459532	66.1	10.563	-1.5%
DRPNB-9-S-20260408	C33425	0.279	0.0644		43.0	0.445	20106	0.279	0.634	0.0644	0.146	ND	F2602762.D	2026-04-23 22:21	1.110	13.524	12072	463548	66.1	10.563	-0.7%
DRPNB-10-S-20260408	C01393	0.279	0.0644		43.0	0.445	20106	0.279	0.634	0.0644	0.146	ND	F2602763.D	2026-04-23 22:46	1.110	13.524	6809	464494	66.1	10.563	-0.5%
DRPNB-11-S-20260408	B44229	0.279	0.0644		43.0	0.445	20106	0.279	0.634	0.0644	0.146	ND	F2602764.D	2026-04-23 23:11	1.110	13.524	13518	471374	66.1	10.563	1.0%
DRPNB-12-S-20260408	C60267	0.279	0.0644		43.0	0.445	20106	0.279	0.634	0.0644	0.146	ND	F2602765.D	2026-04-23 23:37	1.110	13.524	5149	480035	66.1	10.563	2.8%
DRPNB-13-S-20260408	C38590	0.279	0.0644		43.0	0.445	20106	0.279	0.634	0.0644	0.146	ND	F2602766.D	2026-04-24 00:02	1.110	13.524	3402	487013	66.1	10.563	4.3%
DRPNB-14-S-20260408	B21009	0.279	0.0644		43.0	0.445	20107	0.279	0.634	0.0644	0.146	ND	F2602767.D	2026-04-24 00:27	1.110	13.524	8946	488705	66.1	10.563	4.7%
DRPNB-15-S-20260408	C01608	0.362	0.0833	3.24	43.0	0.445	20104	0.279	0.634	0.0644	0.146	J	F2602768.D	2026-04-24 00:54	1.110	13.524	27310	502424	66.1	10.563	7.6%
DRPNB-15-D-20260408	C39127	0.375	0.0864	3.36	43.0	0.445	20104	0.279	0.634	0.0644	0.146	J	F2602769.D	2026-04-24 01:19	1.110	13.524	28487	505350	66.1	10.563	8.3%
DRPNB-15-B-20260408	C56969	0.279	0.0644		43.0	0.445	20104	0.279	0.634	0.0644	0.146	ND	F2602770.D	2026-04-24 01:44	1.110	13.524	339	512205	66.1	10.563	9.7%

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit
Pc: Field duplicate(s) exceed 30%RPD. Concentrations of both samples in duplicate are near the reporting limit

QC Data

Onterris/Enthalpy

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GE202-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	DRPNB-2-B-20260408	ND	Pass	0.336	Pass	ND	Pass	ND	Pass	ND	Pass
	DRPNB-15-B-20260408	ND	Pass	0.289	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	DRPNB-2-D-20260408	2.3%	Pass	15%	Pass	ND	Pass	33%	Fail	ND	Pass
	DRPNB-15-D-20260408	2.9%	Pass	3.2%	Pass	7.0%	Pass	5.5%	Pass	3.6%	Pass

Onterris/Enthalpy

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GE202-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2602749.D	C61590	Cal	0.944	0.904	0.944	4.5%	-17%		Pass	
2026GE202 Method Blank 1	F2602750.D	C70808	Blank		0.904	0.944			-1.7%	Pass	ND
M325B CCV 5	F2602761.D	B14264	Check	0.952	0.904	0.944	5.3%		-0.14%	Pass	
M325B CCV 5	F2602771.D	B50819	Check	0.933	0.904	0.944	3.3%		9.4%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2602749.D	C61590	Cal	1.136	1.091	1.136	4.1%	-25%		Pass	
2026GE202 Method Blank 1	F2602750.D	C70808	Blank		1.091	1.136			-2.1%	Pass	ND
M325B CCV 5	F2602761.D	B14264	Check	1.160	1.091	1.136	6.3%		-0.55%	Pass	
M325B CCV 5	F2602771.D	B50819	Check	1.146	1.091	1.136	5.0%		8.8%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2602749.D	C61590	Cal	1.287	1.150	1.287	12%	-25%		Pass	
2026GE202 Method Blank 1	F2602750.D	C70808	Blank		1.150	1.287			-2.1%	Pass	ND
M325B CCV 5	F2602761.D	B14264	Check	1.313	1.150	1.287	14%		-0.55%	Pass	
M325B CCV 5	F2602771.D	B50819	Check	1.291	1.150	1.287	12%		8.8%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2602749.D	C61590	Cal	1.074	0.940	1.074	14%	-25%		Pass	
2026GE202 Method Blank 1	F2602750.D	C70808	Blank		0.940	1.074			-2.1%	Pass	ND
M325B CCV 5	F2602761.D	B14264	Check	1.082	0.940	1.074	15%		-0.55%	Pass	
M325B CCV 5	F2602771.D	B50819	Check	1.066	0.940	1.074	13%		8.8%	Pass	


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2602749.D	C61590	Cal	1.110	0.944	1.110	18%	-25%		Pass	
2026GE202 Method Blank 1	F2602750.D	C70808	Blank		0.944	1.110			-2.1%	Pass	ND
M325B CCV 5	F2602761.D	B14264	Check	1.112	0.944	1.110	18%		-0.55%	Pass	
M325B CCV 5	F2602771.D	B50819	Check	1.105	0.944	1.110	17%		8.8%	Pass	

Chromatograms


Name	2026GE202 Method Blank 1
Comment	C70808
Data File	F2602750.D
Acq. Date-Time	4/23/2026 5:15:40 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	438,532	
Benzene	benzene-d6 (IS)	7.932	7.945	3,443	
Toluene-d8 (IS)		10.563	10.569	456,934	
Toluene	Toluene-d8 (IS)	10.655	10.667	9,184	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	634	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	742	
o-Xylene	Toluene-d8 (IS)	13.530	13.530	495	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602750.D
Counts
x10^2
13.530 min.
Acquisition Time (min)


+ Scan (13.491-13.548 min, 9 scans) F2602750.D
Lib Match Score=42.6
Counts
x10^3
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-2-B-20260408
Comment	C01656
Data File	F2602751.D
Acq. Date-Time	4/23/2026 5:41:01 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	432,051	
Benzene	benzene-d6 (IS)	7.932	7.945	6,896	
Toluene-d8 (IS)		10.563	10.569	449,291	
Toluene	Toluene-d8 (IS)	10.655	10.667	26,279	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	2,303	
m-/p-Xylenes	Toluene-d8 (IS)	13.034	13.028	2,159	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	1,344	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602751.D
Counts
x10^3
13.524 min.
1
0.8
0.6
0.4
0.2
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.506-13.565 min, 10 scans) F2602751.D
Counts
x10^3
Lib Match Score=43.8
91.1
41.1
55.0
73.0
96.2
106.1
117.0
98.0
106.0
39.0
51.0
65.0
77.0
91.0
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-1-S-20260408
Comment	C73558
Data File	F2602752.D
Acq. Date-Time	4/23/2026 6:06:22 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	428,168	m
Benzene	benzene-d6 (IS)	7.932	7.945	112,815	
Toluene-d8 (IS)		10.563	10.569	447,726	
Toluene	Toluene-d8 (IS)	10.655	10.667	174,806	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	13,474	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	32,956	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	12,188	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602752.D
Counts
x10^4
0.8
0.6
0.4
0.2
0
13.524 min.
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.488-13.561 min, 12 scans) F2602752.D
Counts
x10^3
Lib Match Score=64.5
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
111.1
39.1
55.1
67.1
77.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-2-S-20260408
Comment	C56783
Data File	F2602753.D
Acq. Date-Time	4/23/2026 6:31:47 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	426,604	
Benzene	benzene-d6 (IS)	7.932	7.945	64,886	
Toluene-d8 (IS)		10.563	10.569	441,590	
Toluene	Toluene-d8 (IS)	10.661	10.667	104,301	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	12,957	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	29,713	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	9,707	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602753.D
Counts
x10^3
13.524 min.
Acquisition Time (min)


+ Scan (13.488-13.565 min, 12 scans) F2602753.D
Lib Match Score=59.7
Counts
x10^3
91.1
106.1
39.0
55.1
73.0
111.2
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-2-D-20260408
Comment	C33009
Data File	F2602754.D
Acq. Date-Time	4/23/2026 6:57:10 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	428,887	
Benzene	benzene-d6 (IS)	7.932	7.945	66,726	
Toluene-d8 (IS)		10.563	10.569	447,118	
Toluene	Toluene-d8 (IS)	10.661	10.667	90,501	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	14,059	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	21,493	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	6,962	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602754.D
Counts
x10^3
6
5
4
3
2
1
0
13.524 min.
13.1
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
Acquisition Time (min)


+ Scan (13.495-13.565 min, 11 scans) F2602754.D
Lib Match Score=57.4
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
111.1
39.1
55.1
73.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	DRPNB-3-S-20260408
Comment	B48545
Data File	F2602755.D
Acq. Date-Time	4/23/2026 7:22:32 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	425,561	m
Benzene	benzene-d6 (IS)	7.932	7.945	92,050	
Toluene-d8 (IS)		10.563	10.569	438,393	
Toluene	Toluene-d8 (IS)	10.661	10.667	173,764	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	24,272	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	41,451	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	15,572	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602755.D
Counts
x10^4
13.524 min.
Acquisition Time (min)


+ Scan (13.488-13.597 min, 17 scans) F2602755.D
Counts
x10^3
Lib Match Score=61.2
91.1
106.1
41.1
55.1
67.1
77.0
97.2
111.1
126.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-4-S-20260408
Comment	C36885
Data File	F2602756.D
Acq. Date-Time	4/23/2026 7:47:54 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	422,609	m
Benzene	benzene-d6 (IS)	7.932	7.945	39,243	
Toluene-d8 (IS)		10.563	10.569	441,789	
Toluene	Toluene-d8 (IS)	10.661	10.667	58,946	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	10,659	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	15,941	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	5,907	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602756.D
Counts
x10^3
13.524 min.
Acquisition Time (min)


+ Scan (13.500-13.567 min, 11 scans) F2602756.D
Lib Match Score=53.7
Counts
x10^3
91.1
39.0
55.0
73.1
81.1
106.1
111.2
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-5-S-20260408
Comment	C55374
Data File	F2602757.D
Acq. Date-Time	4/23/2026 8:13:21 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	428,545	
Benzene	benzene-d6 (IS)	7.932	7.945	34,603	
Toluene-d8 (IS)		10.563	10.569	445,843	
Toluene	Toluene-d8 (IS)	10.661	10.667	49,633	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	9,099	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	18,825	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	7,681	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602757.D
Counts
x10^3
13.524 min.
4
3
2
1
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.493-13.554 min, 10 scans) F2602757.D
Counts
x10^3
Lib Match Score=57.8
1
0.5
0
-0.5
-1
-1.5
91.1
39.0
55.1
67.1
78.1
106.1
115.1
126.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-6-S-20260408
Comment	C69463
Data File	F2602758.D
Acq. Date-Time	4/23/2026 8:39:34 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.871	7.889	433,403	
Benzene	benzene-d6 (IS)	7.932	7.945	38,552	
Toluene-d8 (IS)		10.563	10.569	446,747	
Toluene	Toluene-d8 (IS)	10.655	10.667	55,788	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	8,634	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	18,458	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	7,745	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602758.D
Counts
x10^3
13.524 min.
Acquisition Time (min)


+ Scan (13.493-13.571 min, 13 scans) F2602758.D
Counts
x10^3
Lib Match Score=56.6
91.1
41.1
55.1
73.0
106.1
111.1
119.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-7-S-20260408
Comment	C59959
Data File	F2602759.D
Acq. Date-Time	4/23/2026 9:04:55 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	434,557	
Benzene	benzene-d6 (IS)	7.932	7.945	33,382	
Toluene-d8 (IS)		10.563	10.569	450,808	
Toluene	Toluene-d8 (IS)	10.661	10.667	46,249	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	7,015	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	15,171	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	6,161	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602759.D
Counts
x10^3
13.524 min.
4
3.5
3
2.5
2
1.5
1
0.5
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.494-13.567 min, 12 scans) F2602759.D
Counts
x10^3
Lib Match Score=53.2
91.1
41.1
55.1
73.0
106.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-8-S-20260408
Comment	C43589
Data File	F2602760.D
Acq. Date-Time	4/23/2026 9:30:20 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	451,030	m
Benzene	benzene-d6 (IS)	7.932	7.945	41,243	
Toluene-d8 (IS)		10.563	10.569	459,532	
Toluene	Toluene-d8 (IS)	10.661	10.667	69,318	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	10,218	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	19,343	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	7,481	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602760.D
Counts
x10^3
5
4
3
2
1
0
13.524 min.
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.481-13.559 min, 13 scans) F2602760.D
Lib Match Score=56.3
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
39.1
55.1
73.0
79.1
106.1
111.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-9-S-20260408
Comment	C33425
Data File	F2602762.D
Acq. Date-Time	4/23/2026 10:21:06 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	450,363	
Benzene	benzene-d6 (IS)	7.932	7.945	60,299	
Toluene-d8 (IS)		10.563	10.569	463,548	
Toluene	Toluene-d8 (IS)	10.661	10.667	92,589	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	16,890	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	29,386	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	12,072	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602762.D
Counts
x10^3
13.524 min.
Acquisition Time (min)


+ Scan (13.491-13.573 min, 14 scans) F2602762.D
Counts
x10^3
Lib Match Score=61.1
91.1
106.1
41.1
55.1
67.1
77.1
111.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-10-S-20260408
Comment	C01393
Data File	F2602763.D
Acq. Date-Time	4/23/2026 10:46:31 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	452,407	
Benzene	benzene-d6 (IS)	7.932	7.945	51,654	
Toluene-d8 (IS)		10.563	10.569	464,494	
Toluene	Toluene-d8 (IS)	10.655	10.667	63,278	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	11,195	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	14,935	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	6,809	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602763.D
Counts
x10^3
13.524 min.
4
3
2
1
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.484-13.572 min, 14 scans) F2602763.D
Lib Match Score=53.7
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
111.1
39.0
55.1
67.1
77.0
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-11-S-20260408
Comment	B44229
Data File	F2602764.D
Acq. Date-Time	4/23/2026 11:11:55 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	455,143	
Benzene	benzene-d6 (IS)	7.932	7.945	60,434	
Toluene-d8 (IS)		10.563	10.569	471,374	
Toluene	Toluene-d8 (IS)	10.655	10.667	110,228	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	17,368	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	32,340	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	13,518	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602764.D
Counts
x10^4
13.524 min.
0.8
0.6
0.4
0.2
0
13.1
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
Acquisition Time (min)


+ Scan (13.488-13.561 min, 12 scans) F2602764.D
Counts
x10^3
Lib Match Score=62.9
91.1
106.1
41.1
55.1
67.1
79.1
111.1
126.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	DRPNB-12-S-20260408
Comment	C60267
Data File	F2602765.D
Acq. Date-Time	4/23/2026 11:37:10 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	461,392	
Benzene	benzene-d6 (IS)	7.932	7.945	39,323	
Toluene-d8 (IS)		10.563	10.569	480,035	
Toluene	Toluene-d8 (IS)	10.655	10.667	57,394	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	6,474	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	13,323	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	5,149	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602765.D
Counts
x10^3
13.524 min.
Acquisition Time (min)


+ Scan (13.490-13.559 min, 11 scans) F2602765.D
Lib Match Score=53.4
Counts
x10^3
91.1
39.0
55.1
73.1
106.1
111.2
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-13-S-20260408
Comment	C38590
Data File	F2602766.D
Acq. Date-Time	4/24/2026 12:02:34 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	471,112	
Benzene	benzene-d6 (IS)	7.938	7.945	37,145	
Toluene-d8 (IS)		10.563	10.569	487,013	
Toluene	Toluene-d8 (IS)	10.655	10.667	47,512	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	6,217	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	9,150	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	3,402	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602766.D
Counts
x10^3
2.5
2
1.5
1
0.5
0
13.524 min.
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.493-13.558 min, 11 scans) F2602766.D
Counts
x10^3
Lib Match Score=47.5
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
79.0
91.1
106.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-14-S-20260408
Comment	B21009
Data File	F2602767.D
Acq. Date-Time	4/24/2026 12:27:52 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	473,495	
Benzene	benzene-d6 (IS)	7.932	7.945	63,076	
Toluene-d8 (IS)		10.563	10.569	488,705	
Toluene	Toluene-d8 (IS)	10.661	10.667	115,317	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.851	13,637	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	23,397	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	8,946	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602767.D
Counts
x10^3
13.524 min.
5
4
3
2
1
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.494-13.560 min, 10 scans) F2602767.D
Counts
x10^3
Lib Match Score=60.9
91.1
106.1
111.1
119.1
41.1
55.0
67.0
79.0
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-15-S-20260408
Comment	C01608
Data File	F2602768.D
Acq. Date-Time	4/24/2026 12:54:04 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	480,475	
Benzene	benzene-d6 (IS)	7.938	7.945	214,036	
Toluene-d8 (IS)		10.563	10.569	502,424	
Toluene	Toluene-d8 (IS)	10.655	10.667	400,641	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	35,023	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	74,393	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	27,310	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602768.D
Counts
x10^4
13.524 min.
1.5
1.25
1
0.75
0.5
0.25
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.488-13.573 min, 14 scans) F2602768.D
Counts
x10^3
Lib Match Score=71.9
91.1
106.1
111.1
39.1
55.1
67.1
77.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-15-D-20260408
Comment	C39127
Data File	F2602769.D
Acq. Date-Time	4/24/2026 1:19:28 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	480,346	m
Benzene	benzene-d6 (IS)	7.938	7.945	220,217	
Toluene-d8 (IS)		10.563	10.569	505,350	
Toluene	Toluene-d8 (IS)	10.655	10.667	415,967	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	37,772	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	79,037	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	28,487	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2602769.D
Counts
x10^4
13.524 min.
1.75
1.5
1.25
1
0.75
0.5
0.25
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.483-13.584 min, 16 scans) F2602769.D
Counts
x10^3
Lib Match Score=69.8
91.1
106.1
41.1
55.1
67.0
77.1
111.0
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-15-B-20260408
Comment	C56969
Data File	F2602770.D
Acq. Date-Time	4/24/2026 1:44:49 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	490,928	
Benzene	benzene-d6 (IS)	7.932	7.945	5,446	
Toluene-d8 (IS)		10.563	10.569	512,205	
Toluene	Toluene-d8 (IS)	10.655	10.667	25,750	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	1,724	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	936	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	339	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes





o-Xylene


+ EIC (91.1) Scan F2602770.D
Counts
x10^2
13.524 min.
Acquisition Time (min)


+ Scan (13.501-13.542 min, 7 scans) F2602770.D
Counts
x10^3
Lib Match Score=39.0
41.1
55.1
73.1
79.1
91.1
106.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)

Initial Calibration

Onterris/Enthalpy

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GE202-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
F121725A_CC185154	Benzene	1	F2508171.D	5.96	52606	56.3	529201	0.939	0.039
F121725A_CC185154	Benzene	2	F2508172.D	11.93	90306	56.3	525740	0.811	-0.1
F121725A_CC185154	Benzene	3	F2508173.D	23.85	205594	56.3	535697	0.906	0.0032
F121725A_CC185154	Benzene	4	F2508174.D	47.70	403557	56.3	539152	0.884	-0.022
F121725A_CC185154	Benzene	5	F2508175.D	119.26	1061108	56.3	547207	0.916	0.014
F121725A_CC185154	Benzene	6	F2508176.D	238.51	2220768	56.3	544872	0.963	0.065
F121725A_CC185154	Benzene	7	F2508177.D	715.53	6456657	56.3	561348	0.906	0.0022
						Avg:	540460	0.904	
						%RSD:	2.2%	5.3%	
F121725A_CC185154	Toluene	1	F2508171.D	5.24	53241	66.1	606147	1.108	0.016
F121725A_CC185154	Toluene	2	F2508172.D	10.47	110436	66.1	616680	1.130	0.035
F121725A_CC185154	Toluene	3	F2508173.D	20.95	215705	66.1	622459	1.093	0.0017
F121725A_CC185154	Toluene	4	F2508174.D	41.90	427518	66.1	627442	1.074	-0.015
F121725A_CC185154	Toluene	5	F2508175.D	104.74	1078346	66.1	633720	1.073	-0.016
F121725A_CC185154	Toluene	6	F2508176.D	209.48	2208644	66.1	634907	1.097	0.0055
F121725A_CC185154	Toluene	7	F2508177.D	628.45	6371104	66.1	630656	1.062	-0.027
						Avg:	624573	1.091	
						%RSD:	1.7%	2.1%	
F121725A_CC185154	Ethylbenzene	1	F2508171.D	5.44	52701	66.1	606147	1.055	-0.083
F121725A_CC185154	Ethylbenzene	2	F2508172.D	10.89	103364	66.1	616680	1.017	-0.12
F121725A_CC185154	Ethylbenzene	3	F2508173.D	21.77	249010	66.1	622459	1.214	0.055
F121725A_CC185154	Ethylbenzene	4	F2508174.D	43.54	510214	66.1	627442	1.234	0.073
F121725A_CC185154	Ethylbenzene	5	F2508175.D	108.86	1213007	66.1	633720	1.162	0.0099
F121725A_CC185154	Ethylbenzene	6	F2508176.D	217.72	2518155	66.1	634907	1.204	0.046
F121725A_CC185154	Ethylbenzene	7	F2508177.D	653.16	7272682	66.1	630656	1.166	0.014
						Avg:	624573	1.150	
						%RSD:	1.7%	7.2%	
F121725A_CC185154	m-/p-Xylenes	1	F2508171.D	6.10	45227	66.1	606147	0.808	-0.14
F121725A_CC185154	m-/p-Xylenes	2	F2508172.D	12.20	93766	66.1	616680	0.823	-0.12
F121725A_CC185154	m-/p-Xylenes	3	F2508173.D	24.40	229774	66.1	622459	0.999	0.064
F121725A_CC185154	m-/p-Xylenes	4	F2508174.D	48.80	467094	66.1	627442	1.008	0.072
F121725A_CC185154	m-/p-Xylenes	5	F2508175.D	122.00	1082720	66.1	633720	0.925	-0.015
F121725A_CC185154	m-/p-Xylenes	6	F2508176.D	244.00	2328036	66.1	634907	0.993	0.056
F121725A_CC185154	m-/p-Xylenes	7	F2508177.D	732.01	7137741	66.1	630656	1.021	0.087
						Avg:	624573	0.940	
						%RSD:	1.7%	9.6%	
F121725A_CC185154	o-Xylene	1	F2508171.D	5.67	42268	66.1	606147	0.812	-0.14
F121725A_CC185154	o-Xylene	2	F2508172.D	11.35	85951	66.1	616680	0.812	-0.14
F121725A_CC185154	o-Xylene	3	F2508173.D	22.69	217910	66.1	622459	1.019	0.08

Onterris/Enthalpy

Company: Montrose Air Quality Services, LLC - New Jersey
Job No.: 2026GE202-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
F121725A_CC185154	o-Xylene	4	F2508174.D	45.38	446025	66.1	627442	1.035	0.097
F121725A_CC185154	o-Xylene	5	F2508175.D	113.46	1032192	66.1	633720	0.948	0.0051
F121725A_CC185154	o-Xylene	6	F2508176.D	226.92	2179717	66.1	634907	1.000	0.059
F121725A_CC185154	o-Xylene	7	F2508177.D	680.75	6366952	66.1	630656	0.980	0.038
						Avg:	624573	0.944	
						%RSD:	1.7%	10.0%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
F121725A_CC185154	Benzene	ICV	F2508178.D	443.46	3919944	56.3	563465	0.884	-2.2%
F121725A_CC185154	Toluene	ICV	F2508178.D	454.10	4554523	66.1	629158	1.053	-3.5%
F121725A_CC185154	Ethylbenzene	ICV	F2508178.D	448.99	4890504	66.1	629158	1.144	-0.6%
F121725A_CC185154	m-/p-Xylenes	ICV	F2508178.D	455.97	3870637	66.1	629158	0.891	-5.1%
F121725A_CC185154	o-Xylene	ICV	F2508178.D	456.85	3921714	66.1	629158	0.901	-4.5%

M325B PDF Report ver.20260421

Sample Custody

2026GE202

EPA Method 325 A/B Field Test Data Sheet and Chain of Custody Record

Page # 1 of # 1

☐ Standard Turn Around Time (10 business days)
☐ Rush Turn Around Time
• All TATs Subject to Approval by Enthalpy Analytical, Inc.
• Unless otherwise specified, sample tubes will be conditioned for re-use 3 business days after submission of results

Site Name:	Webber Penobscot Terminal	**Client Name:**	Montrose Air Quality Services, LLC	**PO#:**	
Site Address:	93 River Road	**Project Number:**	PROJ-031826	**Sample Event #**	2026GE202
City:	Bucksport	**Project Manager:**	Sabarish Selvarajan	**Sorbent:**	Carbopak-X
State	Maine	**Email Address:**	sabarishselvarajan@montrose-env.com		
Zip:	04401	**Telephone #:**	973-722-7895		

Location	Sample ID (Tube ID)	Sample, Blank or Duplicate	Start Date	Start Time	Stop Date	Stop Time	Deployed/ Collected by	Ave. Pressure (inHg)	Avg. Ambient Temp. (°F)
1	C73558	S	4/8/26	10:37 AM	4/22/26	9:49 AM	BC/KV		
2	C56783	S	4/8/26	10:40 AM	4/22/26	9:54 AM	BC/KV		
2	C33009	D	4/8/26	10:40 AM	4/22/26	9:54 AM	BC/KV		
2	C01656	B	4/8/26	10:40 AM	4/22/26	9:54 AM	BC/KV		
3	B48545	S	4/8/26	10:44 AM	4/22/26	9:56 AM	BC/KV		
4	C36885	S	4/8/26	10:50 AM	4/22/26	10:05 AM	BC/KV		
5	C55374	S	4/8/26	10:53 AM	4/22/26	10:04 AM	BC/KV		
6	C69463	S	4/8/26	10:56 AM	4/22/26	10:03 AM	BC/KV		
7	C59959	S	4/8/26	11:00 AM	4/22/26	10:02 AM	BC/KV		
8	C43589	S	4/8/26	11:02 AM	4/22/26	10:00 AM	BC/KV		
9	C33425	S	4/8/26	11:04 AM	4/22/26	10:10 AM	BC/KV		
10	C01393	S	4/8/26	11:07 AM	4/22/26	10:13 AM	BC/KV		
11	B44229	S	4/8/26	11:09 AM	4/22/26	10:15 AM	BC/KV		
12	C60267	S	4/8/26	11:11 AM	4/22/26	10:17 AM	BC/KV		
13	C38590	S	4/8/26	11:13 AM	4/22/26	10:19 AM	BC/KV		
14	B21009	S	4/8/26	11:15 AM	4/22/26	10:22 AM	BC/KV		
15	C01608	S	4/8/26	11:21 AM	4/22/26	10:25 AM	BC/KV		
15	C39127	D	4/8/26	11:21 AM	4/22/26	10:25 AM	BC/KV		
15	C56969	B	4/8/26	11:21 AM	4/22/26	10:25 AM	BC/KV		

Relinquished By (printed):	Relinquished By (signature):	Relinquished Date:	Relinquished Time:
Kosta Voukidis	KV	4/22/2026	17:00
Recieved By (printed):	**Recieved By (signature):**	**Receipt Date:**	**Receipt Time:**
Ev Mauger		4/23/26	9:40 AM

Sample Condition Upon Receipt:			Compound List:	Custody Seal intact? Y/N:	Delivery tracking #
good			**Benzene** **Toluene** **Ethylbenzene** **O-xylenes, m-/p-xylenes**	Y	
Ice Temp:	**Blank Temp:** 20.1	Fluke 4		Add Custody Seal # below: 23J02060	

Comments:

This Is The Last Page Of This Report.

Penobscot Bay Terminal - Bucksport

93 River Road
Bucksport, ME 04416

Sampling Event 45 Penobscot Bay Terminals - Bucksport

Client Project# PROJ-031826
Samples Received: 5/11/2026

Analytical Report
2026GE203

EPA Method 325B Analysis

Report Issue Date: 5/18/2026

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:



Matt Cavanaugh
Matthew.Cavanaugh@onterris.com / www.onterris.com
O: (919) 850-4392
Onterris/Enthalpy
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative . . . 3
Results . . . 6
    Summary of Results . . . 7
    Detailed Results . . . 8
QC Data . . . 11
Chromatograms . . . 14
Initial Calibration . . . 75
Sample Custody . . . 78
    Chain of Custody . . . 79

Narrative Summary

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GE203-1
Client ID.	PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

1. Custody

The samples were received at Onterris/Enthalpy on May 11, 2026 at 23.3 °C, which is above the method recommended 23.0 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Onterris/Enthalpy.

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
DRPNB-1-S-20260422	C55434	Sample
DRPNB-2-S-20260422	C59973	Sample
DRPNB-2-D-20260422	C34280	Duplicate
DRPNB-2-B-20260422	C53645	Blank
DRPNB-3-S-20260422	C57155	Sample
DRPNB-4-S-20260422	C16094	Sample
DRPNB-5-S-20260422	C56797	Sample
DRPNB-6-S-20260422	C61786	Sample
DRPNB-7-S-20260422	C71737	Sample
DRPNB-8-S-20260422	C70198	Sample
DRPNB-9-S-20260422	C65270	Sample
DRPNB-10-S-20260422	B48568	Sample
DRPNB-11-S-20260422	C01761	Sample
DRPNB-12-S-20260422	C40151	Sample
DRPNB-13-S-20260422	C57101	Sample
DRPNB-14-S-20260422	C38970	Sample
DRPNB-15-S-20260422	C69539	Sample
DRPNB-15-D-20260422	C60219	Duplicate
DRPNB-15-B-20260422	C55578	Blank

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-MTD is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GE203-1
Client ID.	PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (D040726A_CC185154) met all 30% RSD criteria. The initial calibration verification met ±30% recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

4. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

5. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in ug/m³ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Onterris/Enthalpy, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GE203-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
DRPNB-1-S-20260422	C55434	0.655		1.30		0.278	ND	0.304	J	0.278	ND
DRPNB-2-S-20260422	C59973	0.609		1.14		0.278	ND	0.332	J	0.278	ND
DRPNB-2-D-20260422	C34280	0.593		1.17		0.278	ND	0.337	J	0.278	ND
DRPNB-2-B-20260422	C53645	0.191	ND	0.246	ND	0.278	ND	0.278	ND	0.278	ND
DRPNB-3-S-20260422	C57155	0.757		1.89		0.277	ND	0.781		0.277	ND
DRPNB-4-S-20260422	C16094	0.447	J	0.607		0.277	ND	0.277	ND	0.277	ND
DRPNB-5-S-20260422	C56797	0.447	J	0.740		0.277	ND	0.277	ND	0.277	ND
DRPNB-6-S-20260422	C61786	0.385	J	0.670		0.277	ND	0.277	ND	0.277	ND
DRPNB-7-S-20260422	C71737	0.446	J	0.509	J	0.277	ND	0.277	ND	0.277	ND
DRPNB-8-S-20260422	C70198	0.459		0.754		0.277	ND	0.366	J	0.277	ND
DRPNB-9-S-20260422	C65270	0.668		1.26		0.277	ND	0.532	J	0.277	ND
DRPNB-10-S-20260422	B48568	0.720		0.852		0.277	ND	0.277	ND	0.277	ND
DRPNB-11-S-20260422	C01761	0.587		1.57		0.317	J	0.614	J	0.277	ND
DRPNB-12-S-20260422	C40151	0.336	J	0.524		0.277	ND	0.277	ND	0.277	ND
DRPNB-13-S-20260422	C57101	0.330	J	0.535		0.277	ND	0.277	ND	0.277	ND
DRPNB-14-S-20260422	C38970	0.516		1.14		0.277	ND	0.361	J	0.277	ND
DRPNB-15-S-20260422	C69539	1.70		3.86		0.332	J	0.974		0.339	J
DRPNB-15-D-20260422	C60219	1.56		3.73		0.310	J	0.981		0.353	J
DRPNB-15-B-20260422	C55578	0.190	ND	0.245	ND	0.277	ND	0.277	ND	0.277	ND

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GE203-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-1-S-20260422	C55434	0.655	0.205	8.59	45.0	0.650	20191	0.191	0.456	0.0597	0.143		D2602785.d	2026-05-11 17:42	1.586	8.167	105476	435898	56.3	8.103	-0.4%
DRPNB-2-S-20260422	C59973	0.609	0.191	7.99	45.0	0.650	20195	0.191	0.456	0.0597	0.143		D2602786.d	2026-05-11 18:07	1.586	8.160	98106	435917	56.3	8.103	-0.4%
DRPNB-2-D-20260422	C34280	0.593	0.186	7.78	45.0	0.650	20195	0.191	0.456	0.0597	0.143		D2602787.d	2026-05-11 18:33	1.586	8.160	96896	442598	56.3	8.102	1.2%
DRPNB-2-B-20260422	C53645	0.191	0.0597		45.0	0.650	20195	0.191	0.456	0.0597	0.143	ND	D2602783.d	2026-05-11 16:50	1.586	8.160	12450	437915	56.3	8.102	0.1%
DRPNB-3-S-20260422	C57155	0.757	0.237	9.93	45.0	0.650	20197	0.191	0.456	0.0597	0.143		D2602788.d	2026-05-11 18:59	1.586	8.160	121741	435413	56.3	8.102	-0.5%
DRPNB-4-S-20260422	C16094	0.447	0.140	5.87	45.0	0.650	20208	0.190	0.455	0.0596	0.143	J	D2602789.d	2026-05-11 19:24	1.586	8.160	75045	453965	56.3	8.102	3.7%
DRPNB-5-S-20260422	C56797	0.447	0.140	5.86	45.0	0.650	20206	0.190	0.455	0.0596	0.143	J	D2602790.d	2026-05-11 19:51	1.586	8.167	74040	448396	56.3	8.102	2.5%
DRPNB-6-S-20260422	C61786	0.385	0.121	5.05	45.0	0.650	20204	0.190	0.455	0.0597	0.143	J	D2602791.d	2026-05-11 20:17	1.586	8.160	62969	442692	56.3	8.103	1.2%
DRPNB-7-S-20260422	C71737	0.446	0.140	5.86	45.0	0.650	20200	0.190	0.456	0.0597	0.143	J	D2602792.d	2026-05-11 20:43	1.586	8.160	75324	456692	56.3	8.102	4.4%
DRPNB-8-S-20260422	C70198	0.459	0.144	6.03	45.0	0.650	20198	0.191	0.456	0.0597	0.143		D2602794.d	2026-05-11 21:34	1.586	8.160	76144	448700	56.3	8.103	2.5%
DRPNB-9-S-20260422	C65270	0.668	0.209	8.77	45.0	0.650	20210	0.190	0.455	0.0596	0.143		D2602795.d	2026-05-11 22:00	1.586	8.160	111129	449971	56.3	8.102	2.8%
DRPNB-10-S-20260422	B48568	0.720	0.225	9.45	45.0	0.650	20211	0.190	0.455	0.0596	0.143		D2602796.d	2026-05-11 22:26	1.586	8.160	120422	452513	56.3	8.103	3.4%
DRPNB-11-S-20260422	C01761	0.587	0.184	7.71	45.0	0.650	20212	0.190	0.455	0.0596	0.143		D2602797.d	2026-05-11 22:51	1.586	8.160	97587	449322	56.3	8.103	2.7%
DRPNB-12-S-20260422	C40151	0.336	0.105	4.42	45.0	0.650	20213	0.190	0.455	0.0596	0.143	J	D2602798.d	2026-05-11 23:17	1.586	8.160	56703	455913	56.3	8.103	4.2%
DRPNB-13-S-20260422	C57101	0.330	0.103	4.33	45.0	0.650	20214	0.190	0.455	0.0596	0.143	J	D2602799.d	2026-05-11 23:43	1.586	8.160	55312	453170	56.3	8.102	3.6%
DRPNB-14-S-20260422	C38970	0.516	0.162	6.77	45.0	0.650	20215	0.190	0.455	0.0596	0.143		D2602800.d	2026-05-12 00:10	1.586	8.160	87010	456124	56.3	8.102	4.2%
DRPNB-15-S-20260422	C69539	1.70	0.533	22.4	45.0	0.650	20219	0.190	0.455	0.0596	0.143		D2602801.d	2026-05-12 00:35	1.586	8.167	287899	457132	56.3	8.102	4.5%
DRPNB-15-D-20260422	C60219	1.56	0.487	20.4	45.0	0.650	20219	0.190	0.455	0.0596	0.143		D2602802.d	2026-05-12 01:01	1.586	8.167	264223	459249	56.3	8.102	5.0%
DRPNB-15-B-20260422	C55578	0.190	0.0596		45.0	0.650	20219	0.190	0.455	0.0596	0.143	ND	D2602784.d	2026-05-11 17:16	1.586	8.160	8997	435650	56.3	8.102	-0.4%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-1-S-20260422	C55434	1.30	0.345	13.2	45.0	0.504	20191	0.246	0.516	0.0652	0.137		D2602785.d	2026-05-11 17:42	1.922	10.889	173538	450474	66.1	10.796	0.2%
DRPNB-2-S-20260422	C59973	1.14	0.304	11.7	45.0	0.504	20195	0.246	0.516	0.0652	0.137		D2602786.d	2026-05-11 18:07	1.922	10.889	154683	456311	66.1	10.796	1.5%
DRPNB-2-D-20260422	C34280	1.17	0.311	11.9	45.0	0.504	20195	0.246	0.516	0.0652	0.137		D2602787.d	2026-05-11 18:33	1.922	10.889	157872	455414	66.1	10.796	1.3%
DRPNB-2-B-20260422	C53645	0.246	0.0652		45.0	0.504	20195	0.246	0.516	0.0652	0.137	ND	D2602783.d	2026-05-11 16:50	1.922	10.889	15961	448685	66.1	10.796	-0.2%
DRPNB-3-S-20260422	C57155	1.89	0.501	19.2	45.0	0.504	20197	0.245	0.516	0.0652	0.137		D2602788.d	2026-05-11 18:59	1.922	10.889	251115	449572	66.1	10.796	0.0%
DRPNB-4-S-20260422	C16094	0.607	0.161	6.18	45.0	0.504	20208	0.245	0.515	0.0651	0.137		D2602789.d	2026-05-11 19:24	1.922	10.889	81229	451697	66.1	10.796	0.4%
DRPNB-5-S-20260422	C56797	0.740	0.196	7.54	45.0	0.504	20206	0.245	0.515	0.0652	0.137		D2602790.d	2026-05-11 19:51	1.922	10.889	97810	446039	66.1	10.796	-0.8%
DRPNB-6-S-20260422	C61786	0.670	0.178	6.83	45.0	0.504	20204	0.245	0.515	0.0652	0.137		D2602791.d	2026-05-11 20:17	1.922	10.889	89663	451453	66.1	10.796	0.4%
DRPNB-7-S-20260422	C71737	0.509	0.135	5.19	45.0	0.504	20200	0.245	0.516	0.0652	0.137	J	D2602792.d	2026-05-11 20:43	1.922	10.889	69270	459066	66.1	10.796	2.1%
DRPNB-8-S-20260422	C70198	0.754	0.200	7.68	45.0	0.504	20198	0.245	0.516	0.0652	0.137		D2602794.d	2026-05-11 21:34	1.922	10.889	102722	459907	66.1	10.796	2.3%
DRPNB-9-S-20260422	C65270	1.26	0.335	12.8	45.0	0.504	20210	0.245	0.515	0.0651	0.137		D2602795.d	2026-05-11 22:00	1.922	10.889	172550	461931	66.1	10.796	2.7%
DRPNB-10-S-20260422	B48568	0.852	0.226	8.68	45.0	0.504	20211	0.245	0.515	0.0651	0.137		D2602796.d	2026-05-11 22:26	1.922	10.889	114617	453918	66.1	10.796	0.9%
DRPNB-11-S-20260422	C01761	1.57	0.418	16.0	45.0	0.504	20212	0.245	0.515	0.0651	0.137		D2602797.d	2026-05-11 22:51	1.922	10.889	218697	468555	66.1	10.789	4.2%
DRPNB-12-S-20260422	C40151	0.524	0.139	5.34	45.0	0.504	20213	0.245	0.515	0.0651	0.137		D2602798.d	2026-05-11 23:17	1.922	10.889	71373	459296	66.1	10.796	2.1%
DRPNB-13-S-20260422	C57101	0.535	0.142	5.45	45.0	0.504	20214	0.245	0.515	0.0651	0.137		D2602799.d	2026-05-11 23:43	1.922	10.889	73052	460976	66.1	10.796	2.5%
DRPNB-14-S-20260422	C38970	1.14	0.304	11.7	45.0	0.504	20215	0.245	0.515	0.0651	0.137		D2602800.d	2026-05-12 00:10	1.922	10.889	157750	464818	66.1	10.789	3.4%
DRPNB-15-S-20260422	C69539	3.86	1.03	39.4	45.0	0.504	20219	0.245	0.515	0.0651	0.137		D2602801.d	2026-05-12 00:35	1.922	10.889	536682	468647	66.1	10.789	4.2%
DRPNB-15-D-20260422	C60219	3.73	0.989	38.0	45.0	0.504	20219	0.245	0.515	0.0651	0.137		D2602802.d	2026-05-12 01:01	1.922	10.889	512137	463508	66.1	10.796	3.1%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GE203-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-15-B-20260422	C55578	0.245	0.0651		45.0	0.504	20219	0.245	0.515	0.0651	0.137	ND	D2602784.d	2026-05-11 17:16	1.922	10.889	12271	449333	66.1	10.796	-0.1%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-1-S-20260422	C55434	0.278	0.0640		45.0	0.446	20191	0.278	0.606	0.0640	0.140	ND	D2602785.d	2026-05-11 17:42	2.116	13.081	18559	450474	66.1	10.796	0.2%
DRPNB-2-S-20260422	C59973	0.278	0.0640		45.0	0.446	20195	0.278	0.606	0.0640	0.140	ND	D2602786.d	2026-05-11 18:07	2.116	13.081	16262	456311	66.1	10.796	1.5%
DRPNB-2-D-20260422	C34280	0.278	0.0640		45.0	0.446	20195	0.278	0.606	0.0640	0.140	ND	D2602787.d	2026-05-11 18:33	2.116	13.074	21336	455414	66.1	10.796	1.3%
DRPNB-2-B-20260422	C53645	0.278	0.0640		45.0	0.446	20195	0.278	0.606	0.0640	0.140	ND	D2602783.d	2026-05-11 16:50	2.116	13.081	5623	448685	66.1	10.796	-0.2%
DRPNB-3-S-20260422	C57155	0.277	0.0639		45.0	0.446	20197	0.277	0.606	0.0639	0.140	ND	D2602788.d	2026-05-11 18:59	2.116	13.074	35953	449572	66.1	10.796	0.0%
DRPNB-4-S-20260422	C16094	0.277	0.0639		45.0	0.446	20208	0.277	0.605	0.0639	0.140	ND	D2602789.d	2026-05-11 19:24	2.116	13.074	14867	451697	66.1	10.796	0.4%
DRPNB-5-S-20260422	C56797	0.277	0.0639		45.0	0.446	20206	0.277	0.606	0.0639	0.140	ND	D2602790.d	2026-05-11 19:51	2.116	13.074	15736	446039	66.1	10.796	-0.8%
DRPNB-6-S-20260422	C61786	0.277	0.0639		45.0	0.446	20204	0.277	0.606	0.0639	0.140	ND	D2602791.d	2026-05-11 20:17	2.116	13.081	14081	451453	66.1	10.796	0.4%
DRPNB-7-S-20260422	C71737	0.277	0.0639		45.0	0.446	20200	0.277	0.606	0.0639	0.140	ND	D2602792.d	2026-05-11 20:43	2.116	13.074	9955	459066	66.1	10.796	2.1%
DRPNB-8-S-20260422	C70198	0.277	0.0639		45.0	0.446	20198	0.277	0.606	0.0639	0.140	ND	D2602794.d	2026-05-11 21:34	2.116	13.074	19503	459907	66.1	10.796	2.3%
DRPNB-9-S-20260422	C65270	0.277	0.0639		45.0	0.446	20210	0.277	0.605	0.0639	0.140	ND	D2602795.d	2026-05-11 22:00	2.116	13.081	27151	461931	66.1	10.796	2.7%
DRPNB-10-S-20260422	B48568	0.277	0.0639		45.0	0.446	20211	0.277	0.605	0.0639	0.140	ND	D2602796.d	2026-05-11 22:26	2.116	13.074	17556	453918	66.1	10.796	0.9%
DRPNB-11-S-20260422	C01761	0.317	0.0731	2.86	45.0	0.446	20212	0.277	0.605	0.0639	0.140	J	D2602797.d	2026-05-11 22:51	2.116	13.074	42898	468555	66.1	10.789	4.2%
DRPNB-12-S-20260422	C40151	0.277	0.0639		45.0	0.446	20213	0.277	0.605	0.0639	0.139	ND	D2602798.d	2026-05-11 23:17	2.116	13.074	9682	459296	66.1	10.796	2.1%
DRPNB-13-S-20260422	C57101	0.277	0.0639		45.0	0.446	20214	0.277	0.605	0.0639	0.139	ND	D2602799.d	2026-05-11 23:43	2.116	13.081	10609	460976	66.1	10.796	2.5%
DRPNB-14-S-20260422	C38970	0.277	0.0639		45.0	0.446	20215	0.277	0.605	0.0639	0.139	ND	D2602800.d	2026-05-12 00:10	2.116	13.081	21368	464818	66.1	10.789	3.4%
DRPNB-15-S-20260422	C69539	0.332	0.0766	3.00	45.0	0.446	20219	0.277	0.605	0.0639	0.139	J	D2602801.d	2026-05-12 00:35	2.116	13.074	44984	468647	66.1	10.789	4.2%
DRPNB-15-D-20260422	C60219	0.310	0.0713	2.79	45.0	0.446	20219	0.277	0.605	0.0639	0.139	J	D2602802.d	2026-05-12 01:01	2.116	13.074	41452	463508	66.1	10.796	3.1%
DRPNB-15-B-20260422	C55578	0.277	0.0639		45.0	0.446	20219	0.277	0.605	0.0639	0.139	ND	D2602784.d	2026-05-11 17:16	2.116	13.081	1610	449333	66.1	10.796	-0.1%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-1-S-20260422	C55434	0.304	0.0702	2.74	45.0	0.446	20191	0.278	0.679	0.0640	0.157	J	D2602785.d	2026-05-11 17:42	1.714	13.253	32052	450474	66.1	10.796	0.2%
DRPNB-2-S-20260422	C59973	0.332	0.0765	2.99	45.0	0.446	20195	0.278	0.679	0.0640	0.156	J	D2602786.d	2026-05-11 18:07	1.714	13.260	35430	456311	66.1	10.796	1.5%
DRPNB-2-D-20260422	C34280	0.337	0.0777	3.04	45.0	0.446	20195	0.278	0.679	0.0640	0.156	J	D2602787.d	2026-05-11 18:33	1.714	13.253	35915	455414	66.1	10.796	1.3%
DRPNB-2-B-20260422	C53645	0.278	0.0640		45.0	0.446	20195	0.278	0.679	0.0640	0.156	ND	D2602783.d	2026-05-11 16:50	1.714	13.081	0	448685	66.1	10.796	-0.2%
DRPNB-3-S-20260422	C57155	0.781	0.180	7.04	45.0	0.446	20197	0.277	0.679	0.0639	0.156		D2602788.d	2026-05-11 18:59	1.714	13.253	82083	449572	66.1	10.796	0.0%
DRPNB-4-S-20260422	C16094	0.277	0.0639		45.0	0.446	20208	0.277	0.679	0.0639	0.156	ND	D2602789.d	2026-05-11 19:24	1.714	13.253	20272	451697	66.1	10.796	0.4%
DRPNB-5-S-20260422	C56797	0.277	0.0639		45.0	0.446	20206	0.277	0.679	0.0639	0.156	ND	D2602790.d	2026-05-11 19:51	1.714	13.253	27411	446039	66.1	10.796	-0.8%
DRPNB-6-S-20260422	C61786	0.277	0.0639		45.0	0.446	20204	0.277	0.679	0.0639	0.156	ND	D2602791.d	2026-05-11 20:17	1.714	13.253	29148	451453	66.1	10.796	0.4%
DRPNB-7-S-20260422	C71737	0.277	0.0639		45.0	0.446	20200	0.277	0.679	0.0639	0.156	ND	D2602792.d	2026-05-11 20:43	1.714	13.253	21733	459066	66.1	10.796	2.1%
DRPNB-8-S-20260422	C70198	0.366	0.0845	3.30	45.0	0.446	20198	0.277	0.679	0.0639	0.156	J	D2602794.d	2026-05-11 21:34	1.714	13.253	39405	459907	66.1	10.796	2.3%
DRPNB-9-S-20260422	C65270	0.532	0.123	4.80	45.0	0.446	20210	0.277	0.679	0.0639	0.156	J	D2602795.d	2026-05-11 22:00	1.714	13.253	57489	461931	66.1	10.796	2.7%
DRPNB-10-S-20260422	B48568	0.277	0.0639		45.0	0.446	20211	0.277	0.678	0.0639	0.156	ND	D2602796.d	2026-05-11 22:26	1.714	13.253	20634	453918	66.1	10.796	0.9%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GE203-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-11-S-20260422	C01761	0.614	0.142	5.54	45.0	0.446	20212	0.277	0.678	0.0639	0.156	J	D2602797.d	2026-05-11 22:51	1.714	13.253	67350	468555	66.1	10.789	4.2%
DRPNB-12-S-20260422	C40151	0.277	0.0639		45.0	0.446	20213	0.277	0.678	0.0639	0.156	ND	D2602798.d	2026-05-11 23:17	1.714	13.253	24545	459296	66.1	10.796	2.1%
DRPNB-13-S-20260422	C57101	0.277	0.0639		45.0	0.446	20214	0.277	0.678	0.0639	0.156	ND	D2602799.d	2026-05-11 23:43	1.714	13.252	22829	460976	66.1	10.796	2.5%
DRPNB-14-S-20260422	C38970	0.361	0.0833	3.26	45.0	0.446	20215	0.277	0.678	0.0639	0.156	J	D2602800.d	2026-05-12 00:10	1.714	13.253	39294	464818	66.1	10.789	3.4%
DRPNB-15-S-20260422	C69539	0.974	0.224	8.78	45.0	0.446	20219	0.277	0.678	0.0639	0.156		D2602801.d	2026-05-12 00:35	1.714	13.253	106776	468647	66.1	10.789	4.2%
DRPNB-15-D-20260422	C60219	0.981	0.226	8.85	45.0	0.446	20219	0.277	0.678	0.0639	0.156		D2602802.d	2026-05-12 01:01	1.714	13.253	106387	463508	66.1	10.796	3.1%
DRPNB-15-B-20260422	C55578	0.277	0.0639		45.0	0.446	20219	0.277	0.678	0.0639	0.156	ND	D2602784.d	2026-05-11 17:16	1.714	13.081	0	449333	66.1	10.796	-0.1%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-1-S-20260422	C55434	0.278	0.0640		45.0	0.446	20191	0.278	0.632	0.0640	0.146	ND	D2602785.d	2026-05-11 17:42	1.723	13.754	11077	450474	66.1	10.796	0.2%
DRPNB-2-S-20260422	C59973	0.278	0.0640		45.0	0.446	20195	0.278	0.631	0.0640	0.146	ND	D2602786.d	2026-05-11 18:07	1.723	13.754	13384	456311	66.1	10.796	1.5%
DRPNB-2-D-20260422	C34280	0.278	0.0640		45.0	0.446	20195	0.278	0.631	0.0640	0.146	ND	D2602787.d	2026-05-11 18:33	1.723	13.754	12431	455414	66.1	10.796	1.3%
DRPNB-2-B-20260422	C53645	0.278	0.0640		45.0	0.446	20195	0.278	0.631	0.0640	0.146	ND	D2602783.d	2026-05-11 16:50	1.723	14.012	0	448685	66.1	10.796	-0.2%
DRPNB-3-S-20260422	C57155	0.277	0.0639		45.0	0.446	20197	0.277	0.631	0.0639	0.146	ND	D2602788.d	2026-05-11 18:59	1.723	13.754	27907	449572	66.1	10.796	0.0%
DRPNB-4-S-20260422	C16094	0.277	0.0639		45.0	0.446	20208	0.277	0.631	0.0639	0.145	ND	D2602789.d	2026-05-11 19:24	1.723	13.754	9016	451697	66.1	10.796	0.4%
DRPNB-5-S-20260422	C56797	0.277	0.0639		45.0	0.446	20206	0.277	0.631	0.0639	0.145	ND	D2602790.d	2026-05-11 19:51	1.723	13.754	11320	446039	66.1	10.796	-0.8%
DRPNB-6-S-20260422	C61786	0.277	0.0639		45.0	0.446	20204	0.277	0.631	0.0639	0.145	ND	D2602791.d	2026-05-11 20:17	1.723	13.754	12418	451453	66.1	10.796	0.4%
DRPNB-7-S-20260422	C71737	0.277	0.0639		45.0	0.446	20200	0.277	0.631	0.0639	0.145	ND	D2602792.d	2026-05-11 20:43	1.723	13.747	8321	459066	66.1	10.796	2.1%
DRPNB-8-S-20260422	C70198	0.277	0.0639		45.0	0.446	20198	0.277	0.631	0.0639	0.146	ND	D2602794.d	2026-05-11 21:34	1.723	13.754	16885	459907	66.1	10.796	2.3%
DRPNB-9-S-20260422	C65270	0.277	0.0639		45.0	0.446	20210	0.277	0.631	0.0639	0.145	ND	D2602795.d	2026-05-11 22:00	1.723	13.754	23110	461931	66.1	10.796	2.7%
DRPNB-10-S-20260422	B48568	0.277	0.0639		45.0	0.446	20211	0.277	0.631	0.0639	0.145	ND	D2602796.d	2026-05-11 22:26	1.723	13.754	8581	453918	66.1	10.796	0.9%
DRPNB-11-S-20260422	C01761	0.277	0.0639		45.0	0.446	20212	0.277	0.631	0.0639	0.145	ND	D2602797.d	2026-05-11 22:51	1.723	13.754	26289	468555	66.1	10.789	4.2%
DRPNB-12-S-20260422	C40151	0.277	0.0639		45.0	0.446	20213	0.277	0.631	0.0639	0.145	ND	D2602798.d	2026-05-11 23:17	1.723	13.754	8282	459296	66.1	10.796	2.1%
DRPNB-13-S-20260422	C57101	0.277	0.0639		45.0	0.446	20214	0.277	0.631	0.0639	0.145	ND	D2602799.d	2026-05-11 23:43	1.723	13.754	9291	460976	66.1	10.796	2.5%
DRPNB-14-S-20260422	C38970	0.277	0.0639		45.0	0.446	20215	0.277	0.631	0.0639	0.145	ND	D2602800.d	2026-05-12 00:10	1.723	13.754	14743	464818	66.1	10.789	3.4%
DRPNB-15-S-20260422	C69539	0.339	0.0780	3.05	45.0	0.446	20219	0.277	0.631	0.0639	0.145	J	D2602801.d	2026-05-12 00:35	1.723	13.754	37316	468647	66.1	10.789	4.2%
DRPNB-15-D-20260422	C60219	0.353	0.0812	3.18	45.0	0.446	20219	0.277	0.631	0.0639	0.145	J	D2602802.d	2026-05-12 01:01	1.723	13.754	38424	463508	66.1	10.796	3.1%
DRPNB-15-B-20260422	C55578	0.277	0.0639		45.0	0.446	20219	0.277	0.631	0.0639	0.145	ND	D2602784.d	2026-05-11 17:16	1.723	13.976	0	449333	66.1	10.796	-0.1%

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit

QC Data

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GE203-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	DRPNB-2-B-20260422	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
	DRPNB-15-B-20260422	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	DRPNB-2-D-20260422	2.8%	Pass	2.2%	Pass	ND	Pass	1.6%	Pass	ND	Pass
	DRPNB-15-D-20260422	9.0%	Pass	3.6%	Pass	7.1%	Pass	0.74%	Pass	4.0%	Pass

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GE203-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	D2602781.d	C68635	Cal	1.586	1.657	1.586	-4.3%	-8.2%		Pass	
2026GE203 Method Blank-1	D2602782.d	B48557	Blank		1.657	1.586			1.3%	Pass	ND
M325B CCV 5	D2602793.d	C00706	Check	1.621	1.657	1.586	-2.2%		3.7%	Pass	
M325B CCV 5 REC	D2602803.d	C68635	Check	1.620	1.657	1.586	-2.2%		-0.20%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	D2602781.d	C68635	Cal	1.922	2.138	1.922	-10%	-8.0%		Pass	
2026GE203 Method Blank-1	D2602782.d	B48557	Blank		2.138	1.922			1.8%	Pass	ND
M325B CCV 5	D2602793.d	C00706	Check	1.971	2.138	1.922	-7.8%		1.2%	Pass	
M325B CCV 5 REC	D2602803.d	C68635	Check	1.895	2.138	1.922	-11%		1.9%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	D2602781.d	C68635	Cal	2.116	2.315	2.116	-8.6%	-8.0%		Pass	
2026GE203 Method Blank-1	D2602782.d	B48557	Blank		2.315	2.116			1.8%	Pass	ND
M325B CCV 5	D2602793.d	C00706	Check	2.206	2.315	2.116	-4.7%		1.2%	Pass	
M325B CCV 5 REC	D2602803.d	C68635	Check	2.093	2.315	2.116	-9.6%		1.9%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	D2602781.d	C68635	Cal	1.714	1.850	1.714	-7.3%	-8.0%		Pass	
2026GE203 Method Blank-1	D2602782.d	B48557	Blank		1.850	1.714			1.8%	Pass	ND
M325B CCV 5	D2602793.d	C00706	Check	1.700	1.850	1.714	-8.1%		1.2%	Pass	
M325B CCV 5 REC	D2602803.d	C68635	Check	1.679	1.850	1.714	-9.3%		1.9%	Pass	


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	D2602781.d	C68635	Cal	1.723	1.883	1.723	-8.5%	-8.0%		Pass	
2026GE203 Method Blank-1	D2602782.d	B48557	Blank		1.883	1.723			1.8%	Pass	ND
M325B CCV 5	D2602793.d	C00706	Check	1.718	1.883	1.723	-8.8%		1.2%	Pass	
M325B CCV 5 REC	D2602803.d	C68635	Check	1.694	1.883	1.723	-10%		1.9%	Pass	

Chromatograms


Name	2026GE203 Method Blank-1
Comment	B48557
Data File	D2602782.d
Acq. Date-Time	5/11/2026 4:24:56 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.102	443,255	
Benzene	benzene-d6 (IS)	8.160	8.160	9,182	
Toluene-d8 (IS)		10.796	10.796	457,979	
Toluene	Toluene-d8 (IS)	10.889	10.889	15,707	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	1,094	
m-/p-Xylenes	Toluene-d8 (IS)	13.231	13.252	1,091	
o-Xylene	Toluene-d8 (IS)	14.191	13.754	ND	m


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602782.d
Counts
x10^3
3.5
3.25
3
2.75
2.5
2.25
2
1.75
1.5
* 14.191 min
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (14.191-14.191 min, 1 scans) D2602782.d
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
95.1
75.0
41.1
50.1
61.1
68.1
81.1
87.9
107.0
116.9
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	DRPNB-2-B-20260422
Comment	C53645
Data File	D2602783.d
Acq. Date-Time	5/11/2026 4:50:41 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	437,915	
Benzene	benzene-d6 (IS)	8.160	8.160	12,450	
Toluene-d8 (IS)		10.796	10.796	448,685	
Toluene	Toluene-d8 (IS)	10.889	10.889	15,961	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	5,623	
m-/p-Xylenes	Toluene-d8 (IS)	13.081	13.252	ND	m
o-Xylene	Toluene-d8 (IS)	14.012	13.754	ND	m


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602783.d
Counts
x10^3
* 14.012 min.
Acquisition Time (min)


+ Scan (14.012-14.012 min, 1 scans) D2602783.d
Counts
x10^3
41.1
55.1
67.1
79.2
91.1
106.0
120.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-15-B-20260422
Comment	C55578
Data File	D2602784.d
Acq. Date-Time	5/11/2026 5:16:20 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	435,650	
Benzene	benzene-d6 (IS)	8.160	8.160	8,997	
Toluene-d8 (IS)		10.796	10.796	449,333	
Toluene	Toluene-d8 (IS)	10.889	10.889	12,271	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	1,610	
m-/p-Xylenes	Toluene-d8 (IS)	13.081	13.252	ND	m
o-Xylene	Toluene-d8 (IS)	13.976	13.754	ND	m


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602784.d
Counts
x10^3
* 13.976 min.
3
2.5
2
1.5
1
0.5
0
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.976-13.976 min, 1 scans) D2602784.d
Counts
x10^3
41.1
55.1
67.1
79.1
91.1
108.0
117.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	DRPNB-1-S-20260422
Comment	C55434
Data File	D2602785.d
Acq. Date-Time	5/11/2026 5:42:04 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.102	435,898	
Benzene	benzene-d6 (IS)	8.167	8.160	105,476	
Toluene-d8 (IS)		10.796	10.796	450,474	
Toluene	Toluene-d8 (IS)	10.889	10.889	173,538	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	18,559	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	32,052	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	11,077	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602785.d
Counts
x10^4
1.4
1.2
1
0.8
0.6
0.4
0.2
13.754 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.725-13.787 min, 9 scans) D2602785.d
Lib Match Score=49.1
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
79.1
91.1
106.1
120.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	DRPNB-2-S-20260422
Comment	C59973
Data File	D2602786.d
Acq. Date-Time	5/11/2026 6:07:47 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.102	435,917	
Benzene	benzene-d6 (IS)	8.160	8.160	98,106	
Toluene-d8 (IS)		10.796	10.796	456,311	
Toluene	Toluene-d8 (IS)	10.889	10.889	154,683	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	16,262	
m-/p-Xylenes	Toluene-d8 (IS)	13.260	13.252	35,430	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	13,384	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602786.d
Counts
x10^4
1.6
1.4
1.2
1
0.8
0.6
0.4
0.2
0
13.754 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.727-13.801 min, 10 scans) D2602786.d
Lib Match Score=46.5
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
79.1
91.1
106.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-2-D-20260422
Comment	C34280
Data File	D2602787.d
Acq. Date-Time	5/11/2026 6:33:33 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	442,598	
Benzene	benzene-d6 (IS)	8.160	8.160	96,896	
Toluene-d8 (IS)		10.796	10.796	455,414	
Toluene	Toluene-d8 (IS)	10.889	10.889	157,872	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	21,336	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	35,915	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	12,431	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602787.d
Counts
x10^4
1.4
1.2
1
0.8
0.6
0.4
0.2
13.754 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.724-13.796 min, 10 scans) D2602787.d
Lib Match Score=48.4
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
79.1
91.1
106.2
119.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-3-S-20260422
Comment	C57155
Data File	D2602788.d
Acq. Date-Time	5/11/2026 6:59:15 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	435,413	
Benzene	benzene-d6 (IS)	8.160	8.160	121,741	
Toluene-d8 (IS)		10.796	10.796	449,572	
Toluene	Toluene-d8 (IS)	10.889	10.889	251,115	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	35,953	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	82,083	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	27,907	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602788.d
Counts
x10^4
2.5
2
1.5
1
0.5
0
13.754 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.716-13.782 min, 9 scans) D2602788.d
Counts
x10^3
Lib Match Score=54.8
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
79.1
106.1
118.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	DRPNB-4-S-20260422
Comment	C16094
Data File	D2602789.d
Acq. Date-Time	5/11/2026 7:24:56 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	453,965	
Benzene	benzene-d6 (IS)	8.160	8.160	75,045	
Toluene-d8 (IS)		10.796	10.796	451,697	
Toluene	Toluene-d8 (IS)	10.889	10.889	81,229	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	14,867	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	20,272	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	9,016	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602789.d
Counts
x10^4
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
13.754 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.720-13.796 min, 10 scans) D2602789.d
Counts
x10^3
Lib Match Score=47.7
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
79.1
91.1
106.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	DRPNB-5-S-20260422
Comment	C56797
Data File	D2602790.d
Acq. Date-Time	5/11/2026 7:51:35 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	448,396	
Benzene	benzene-d6 (IS)	8.167	8.160	74,040	
Toluene-d8 (IS)		10.796	10.796	446,039	
Toluene	Toluene-d8 (IS)	10.889	10.889	97,810	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	15,736	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	27,411	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	11,320	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602790.d
Counts
x10^4
13.754 min.
Acquisition Time (min)


+ Scan (13.720-13.788 min, 9 scans) D2602790.d
Counts
x10^3
Lib Match Score=48.4
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-6-S-20260422
Comment	C61786
Data File	D2602791.d
Acq. Date-Time	5/11/2026 8:17:21 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.102	442,692	
Benzene	benzene-d6 (IS)	8.160	8.160	62,969	
Toluene-d8 (IS)		10.796	10.796	451,453	
Toluene	Toluene-d8 (IS)	10.889	10.889	89,663	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	14,081	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	29,148	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	12,418	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602791.d
Counts
x10^4
1.2
1
0.8
0.6
0.4
0.2
13.754 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.727-13.787 min, 8 scans) D2602791.d
Counts
x10^3
Lib Match Score=48.9
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
77.1
91.1
106.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-7-S-20260422
Comment	C71737
Data File	D2602792.d
Acq. Date-Time	5/11/2026 8:43:04 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	456,692	
Benzene	benzene-d6 (IS)	8.160	8.160	75,324	
Toluene-d8 (IS)		10.796	10.796	459,066	
Toluene	Toluene-d8 (IS)	10.889	10.889	69,270	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	9,955	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	21,733	
o-Xylene	Toluene-d8 (IS)	13.747	13.754	8,321	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602792.d
Counts
x10^4
1
0.8
0.6
0.4
0.2
13.747 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.726-13.775 min, 6 scans) D2602792.d
Counts
x10^3
Lib Match Score=47.1
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
77.1
91.1
106.1
120.2
73.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-8-S-20260422
Comment	C70198
Data File	D2602794.d
Acq. Date-Time	5/11/2026 9:34:36 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.102	448,700	
Benzene	benzene-d6 (IS)	8.160	8.160	76,144	
Toluene-d8 (IS)		10.796	10.796	459,907	
Toluene	Toluene-d8 (IS)	10.889	10.889	102,722	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	19,503	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	39,405	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	16,885	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602794.d
Counts
x10^4
1.6
1.4
1.2
1
0.8
0.6
0.4
0.2
0
13.754 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.725-13.781 min, 8 scans) D2602794.d
Counts
x10^3
Lib Match Score=49.7
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
79.1
106.2
119.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	DRPNB-9-S-20260422
Comment	C65270
Data File	D2602795.d
Acq. Date-Time	5/11/2026 10:00:22 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	449,971	
Benzene	benzene-d6 (IS)	8.160	8.160	111,129	
Toluene-d8 (IS)		10.796	10.796	461,931	
Toluene	Toluene-d8 (IS)	10.889	10.889	172,550	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	27,151	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	57,489	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	23,110	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602795.d
Counts
x10^4
2
1.5
1
0.5
0
13.754 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.726-13.782 min, 7 scans) D2602795.d
Lib Match Score=55.2
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
79.1
106.1
117.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-10-S-20260422
Comment	B48568
Data File	D2602796.d
Acq. Date-Time	5/11/2026 10:26:10 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.102	452,513	
Benzene	benzene-d6 (IS)	8.160	8.160	120,422	
Toluene-d8 (IS)		10.796	10.796	453,918	
Toluene	Toluene-d8 (IS)	10.889	10.889	114,617	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	17,556	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	20,634	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	8,581	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602796.d
Counts
x10^4
1
0.8
0.6
0.4
0.2
13.754 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.727-13.776 min, 7 scans) D2602796.d
Lib Match Score=49.1
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
79.1
91.1
106.1
117.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-11-S-20260422
Comment	C01761
Data File	D2602797.d
Acq. Date-Time	5/11/2026 10:51:50 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.102	449,322	
Benzene	benzene-d6 (IS)	8.160	8.160	97,587	
Toluene-d8 (IS)		10.789	10.796	468,555	
Toluene	Toluene-d8 (IS)	10.889	10.889	218,697	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	42,898	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	67,350	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	26,289	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602797.d
Counts
x10^4
2.5
2
1.5
1
0.5
0
13.754 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.727-13.793 min, 9 scans) D2602797.d
Counts
x10^3
Lib Match Score=53.9
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
67.1
81.1
106.1
111.1119.2
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	DRPNB-12-S-20260422
Comment	C40151
Data File	D2602798.d
Acq. Date-Time	5/11/2026 11:17:37 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.103	8.102	455,913	
Benzene	benzene-d6 (IS)	8.160	8.160	56,703	
Toluene-d8 (IS)		10.796	10.796	459,296	
Toluene	Toluene-d8 (IS)	10.889	10.889	71,373	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	9,682	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	24,545	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	8,282	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602798.d
Counts
x10^4
1
0.8
0.6
0.4
0.2
13.754 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.727-13.793 min, 9 scans) D2602798.d
Lib Match Score=46.0
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
77.1
91.1
73.1
106.0
117.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-13-S-20260422
Comment	C57101
Data File	D2602799.d
Acq. Date-Time	5/11/2026 11:43:24 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	453,170	
Benzene	benzene-d6 (IS)	8.160	8.160	55,312	
Toluene-d8 (IS)		10.796	10.796	460,976	
Toluene	Toluene-d8 (IS)	10.889	10.889	73,052	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	10,609	
m-/p-Xylenes	Toluene-d8 (IS)	13.252	13.252	22,829	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	9,291	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602799.d
Counts
x10^4
1
0.8
0.6
0.4
0.2
13.754 min.
13.3 13.4 13.5 13.6 13.7 13.8 13.9 14 14.1 14.2
Acquisition Time (min)


+ Scan (13.718-13.774 min, 7 scans) D2602799.d
Counts
x10^3
Lib Match Score=47.7
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
79.1
91.1
105.1
119.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-14-S-20260422
Comment	C38970
Data File	D2602800.d
Acq. Date-Time	5/12/2026 12:10:06 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	456,124	
Benzene	benzene-d6 (IS)	8.160	8.160	87,010	
Toluene-d8 (IS)		10.789	10.796	464,818	
Toluene	Toluene-d8 (IS)	10.889	10.889	157,750	
Ethylbenzene	Toluene-d8 (IS)	13.081	13.081	21,368	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	39,294	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	14,743	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602800.d
Counts
x10^4
1.4
1.2
1
0.8
0.6
0.4
0.2
13.754 min.
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
14.1
14.2
Acquisition Time (min)


+ Scan (13.729-13.779 min, 7 scans) D2602800.d
Lib Match Score=51.5
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.1
73.1
81.1
91.1
106.1
119.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	DRPNB-15-S-20260422
Comment	C69539
Data File	D2602801.d
Acq. Date-Time	5/12/2026 12:35:55 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	457,132	
Benzene	benzene-d6 (IS)	8.167	8.160	287,899	
Toluene-d8 (IS)		10.789	10.796	468,647	
Toluene	Toluene-d8 (IS)	10.889	10.889	536,682	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	44,984	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	106,776	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	37,316	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan D2602801.d
Counts
x10^4
13.754 min.
Acquisition Time (min)


+ Scan (13.711-13.790 min, 11 scans) D2602801.d
Lib Match Score=54.9
Counts
x10^3
91.1
41.1
55.1
67.1
79.1
106.1
121.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-15-D-20260422
Comment	C60219
Data File	D2602802.d
Acq. Date-Time	5/12/2026 1:01:44 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		8.102	8.102	459,249	
Benzene	benzene-d6 (IS)	8.167	8.160	264,223	
Toluene-d8 (IS)		10.796	10.796	463,508	
Toluene	Toluene-d8 (IS)	10.889	10.889	512,137	
Ethylbenzene	Toluene-d8 (IS)	13.074	13.081	41,452	
m-/p-Xylenes	Toluene-d8 (IS)	13.253	13.252	106,387	
o-Xylene	Toluene-d8 (IS)	13.754	13.754	38,424	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes





o-Xylene


+ EIC (91.1) Scan D2602802.d
Counts
x10^4
13.754 min.
Acquisition Time (min)


+ Scan (13.722-13.790 min, 10 scans) D2602802.d
Counts
x10^3
Lib Match Score=56.4
91.1
41.1
55.1
67.1
77.1
106.1
119.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)

Initial Calibration

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GE203-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
D040726A_CC185154	Benzene	1	D2601972.d	5.98	83301	56.3	474115	1.655	-0.0011
D040726A_CC185154	Benzene	2	D2601973.d	11.96	173112	56.3	475128	1.716	0.036
D040726A_CC185154	Benzene	3	D2601974.d	23.92	360003	56.3	474359	1.788	0.079
D040726A_CC185154	Benzene	4	D2601975.d	47.83	701865	56.3	475636	1.738	0.049
D040726A_CC185154	Benzene	5	D2601982.d	120.74	1377294	56.3	482140	1.333	-0.2
D040726A_CC185154	Benzene	6	D2601977.d	239.16	3512579	56.3	480207	1.723	0.04
D040726A_CC185154	Benzene	7	D2601978.d	717.49	9955487	56.3	474355	1.648	-0.0057
						Avg:	476563	1.657	
						%RSD:	0.7%	9.1%	
D040726A_CC185154	Toluene	1	D2601972.d	5.25	98735	66.1	488961	2.540	0.19
D040726A_CC185154	Toluene	2	D2601973.d	10.50	187038	66.1	487793	2.412	0.13
D040726A_CC185154	Toluene	3	D2601974.d	21.01	364416	66.1	478365	2.396	0.12
D040726A_CC185154	Toluene	4	D2601975.d	42.01	681970	66.1	498574	2.151	0.0061
D040726A_CC185154	Toluene	5	D2601982.d	106.04	1255918	66.1	480361	1.629	-0.24
D040726A_CC185154	Toluene	6	D2601977.d	210.06	3098245	66.1	501234	1.944	-0.091
D040726A_CC185154	Toluene	7	D2601978.d	630.17	8810137	66.1	487817	1.893	-0.11
						Avg:	489015	2.138	
						%RSD:	1.7%	15.5%	
D040726A_CC185154	Ethylbenzene	1	D2601972.d	5.46	98587	66.1	488961	2.441	0.054
D040726A_CC185154	Ethylbenzene	2	D2601973.d	10.92	191396	66.1	487793	2.375	0.026
D040726A_CC185154	Ethylbenzene	3	D2601974.d	21.83	424072	66.1	478365	2.683	0.16
D040726A_CC185154	Ethylbenzene	4	D2601975.d	43.66	853901	66.1	498574	2.591	0.12
D040726A_CC185154	Ethylbenzene	5	D2601982.d	110.21	1462291	66.1	480361	1.825	-0.21
D040726A_CC185154	Ethylbenzene	6	D2601977.d	218.31	3588565	66.1	501234	2.167	-0.064
D040726A_CC185154	Ethylbenzene	7	D2601978.d	654.94	10257434	66.1	487817	2.121	-0.084
						Avg:	489015	2.315	
						%RSD:	1.7%	12.9%	
D040726A_CC185154	m-/p-Xylenes	1	D2601972.d	6.12	93635	66.1	488961	2.068	0.12
D040726A_CC185154	m-/p-Xylenes	2	D2601973.d	12.23	164118	66.1	487793	1.817	-0.018
D040726A_CC185154	m-/p-Xylenes	3	D2601974.d	24.47	383883	66.1	478365	2.167	0.17
D040726A_CC185154	m-/p-Xylenes	4	D2601975.d	48.93	750706	66.1	498574	2.033	0.099
D040726A_CC185154	m-/p-Xylenes	5	D2601982.d	123.52	1338750	66.1	480361	1.491	-0.19
D040726A_CC185154	m-/p-Xylenes	6	D2601977.d	244.67	3122200	66.1	501234	1.682	-0.091
D040726A_CC185154	m-/p-Xylenes	7	D2601978.d	734.01	9179744	66.1	487817	1.694	-0.085
						Avg:	489015	1.850	
						%RSD:	1.7%	13.3%	
D040726A_CC185154	o-Xylene	1	D2601972.d	5.69	89361	66.1	488961	2.122	0.13
D040726A_CC185154	o-Xylene	2	D2601973.d	11.38	162805	66.1	487793	1.938	0.029
D040726A_CC185154	o-Xylene	3	D2601974.d	22.75	357275	66.1	478365	2.169	0.15

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GE203-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
D040726A_CC185154	o-Xylene	4	D2601975.d	45.51	710513	66.1	498574	2.069	0.099
D040726A_CC185154	o-Xylene	5	D2601982.d	114.87	1268454	66.1	480361	1.519	-0.19
D040726A_CC185154	o-Xylene	6	D2601977.d	227.54	2930762	66.1	501234	1.698	-0.098
D040726A_CC185154	o-Xylene	7	D2601978.d	682.62	8389331	66.1	487817	1.664	-0.12
						Avg:	489015	1.883	
						%RSD:	1.7%	13.6%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
D040726A_CC185154	Benzene	ICV	D2601979.d	178.34	2264657	56.3	480353	1.489	-10.0%
D040726A_CC185154	Toluene	ICV	D2601979.d	182.62	2373487	66.1	488019	1.759	-18.0%
D040726A_CC185154	Ethylbenzene	ICV	D2601979.d	180.57	2663581	66.1	488019	1.997	-14.0%
D040726A_CC185154	m-/p-Xylenes	ICV	D2601979.d	183.38	2085662	66.1	488019	1.540	-17.0%
D040726A_CC185154	o-Xylene	ICV	D2601979.d	183.73	2121448	66.1	488019	1.563	-17.0%

M325B PDF Report ver.20260421

Sample Custody

EPA Method 325 A/B Field Test Data Sheet and Chain of Custody Record

Onterris

Page # 1 of # 1

☐ Standard Turn Around Time (10 business days)
☐ Rush Turn Around Time
• All TATs Subject to Approval by Enthalpy Analytical, Inc.
• Unless otherwise specified, sample tubes will be conditioned for re-use 3 business days after submission of results

Site Name:	Webber Penobscot Terminal	Client Name:	Onterris Air Quality Services	PO#:	
Site Address:	93 River Road	Project Number:	PROJ-031826	Sample Event #	2026GE203
City:	Bucksport	Project Manager:	Sabarish Selvarajan	Sorbent:	Carbopak-X
State	Maine	Email Address:	sabarishselvarajan@onterris.com		
Zip:	04401	Telephone #:	973-722-7895		

Location	Sample ID (Tube ID)	Sample, Blank or Duplicate	Start Date	Start Time	Stop Date	Stop Time	Deployed/ Collected by	Ave. Pressure (inHg)	Avg. Ambient Temp. (°F)
1	C55434	S	4/22/26	9:49 AM	5/6/26	10:20 AM	KV/LF		
2	C59973	S	4/22/26	9:54 AM	5/6/26	10:29 AM	KV/LF		
2	C34280	D	4/22/26	9:54 AM	5/6/26	10:29 AM	KV/LF		
2	C53645	B	4/22/26	9:54 AM	5/6/26	10:29 AM	KV/LF		
3	C57155	S	4/22/26	9:56 AM	5/6/26	10:33 AM	KV/LF		
4	C16094	S	4/22/26	10:05 AM	5/6/26	10:53 AM	KV/LF		
5	C56797	S	4/22/26	10:04 AM	5/6/26	10:50 AM	KV/LF		
6	C61786	S	4/22/26	10:03 AM	5/6/26	10:47 AM	KV/LF		
7	C71737	S	4/22/26	10:02 AM	5/6/26	10:42 AM	KV/LF		
8	C70198	S	4/22/26	10:00 AM	5/6/26	10:38 AM	KV/LF		
9	C65270	S	4/22/26	10:10 AM	5/6/26	11:00 AM	KV/LF		
10	B48568	S	4/22/26	10:13 AM	5/6/26	11:04 AM	KV/LF		
11	C01761	S	4/22/26	10:15 AM	5/6/26	11:07 AM	KV/LF		
12	C40151	S	4/22/26	10:17 AM	5/6/26	11:10 AM	KV/LF		
13	C57101	S	4/22/26	10:19 AM	5/6/26	11:13 AM	KV/LF		
14	C38970	S	4/22/26	10:22 AM	5/6/26	11:17 AM	KV/LF		
15	C69539	S	4/22/26	10:25 AM	5/6/26	11:24 AM	KV/LF		
15	C60219	D	4/22/26	10:25 AM	5/6/26	11:24 AM	KV/LF		
15	C55578	B	4/22/26	10:25 AM	5/6/26	11:24 AM	KV/LF		

Relinquished By (printed):	Relinquished By (signature):	Relinquished Date:	Relinquished Time:
Lottie Franck	LF	5/6/2026	17:00
Recieved By (printed):	**Recieved By (signature):**	**Receipt Date:**	**Receipt Time:**
Rita Paolantonio		5/11/26	12:00 PM
Sample Condition Upon Receipt:	**Compound List:**	**Custody Seal intact? Y/N:**	**Delivery tracking #**
Good	Benzene Toluene Ethylbenzene O-xylenes, m-/p-xylenes	Yes	
Ice Temp: / **Blank Temp:** 23.3°C FLUKE 4		Add Custody Seal # below: 2SE08937	

Comments:

800-1 Capitola Drive • Durham, NC 27713 • (919) 850-4392 • FAX (919) 850-9012 • www.onterris.com

This Is The Last Page Of This Report.

Penobscot Bay Terminal - Bucksport

93 River Road
Bucksport, ME 04416

Sampling Event 46 Penobscot Bay Terminals - Bucksport

Client Project# PROJ-031826
Samples Received: 5/21/2026

Analytical Report
2026GE204

EPA Method 325B Analysis

Report Issue Date: 6/2/2026

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:



Matt Cavanaugh
Matthew.Cavanaugh@onterris.com / www.onterris.com
O: (919) 850-4392
Onterris/Enthalpy
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative . . . 3
Results . . . 6
    Summary of Results . . . 7
    Detailed Results . . . 8
QC Data . . . 11
Chromatograms . . . 14
Initial Calibration . . . 75
Sample Custody . . . 78
    Chain of Custody . . . 79

Narrative Summary

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GE204-1
Client ID.	PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

1. Custody

The samples were received at Onterris/Enthalpy on May 21, 2026 at 20.2 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Onterris/Enthalpy.

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
DRPNB-1-S-20260506	C71517	Sample
DRPNB-2-S-20260506	C00597	Sample
DRPNB-2-D-20260506	C34135	Duplicate
DRPNB-2-B-20260506	C32887	Blank
DRPNB-3-S-20260506	C70580	Sample
DRPNB-4-S-20260506	C70537	Sample
DRPNB-5-S-20260506	C43377	Sample
DRPNB-6-S-20260506	C69680	Sample
DRPNB-7-S-20260506	C00728	Sample
DRPNB-8-S-20260506	C20490	Sample
DRPNB-9-S-20260506	C43645	Sample
DRPNB-10-S-20260506	C01413	Sample
DRPNB-11-S-20260506	C69551	Sample
DRPNB-12-S-20260506	B44208	Sample
DRPNB-13-S-20260506	C68642	Sample
DRPNB-14-S-20260506	C71612	Sample
DRPNB-15-S-20260506	C67313	Sample
DRPNB-15-D-20260506	C57706	Duplicate
DRPNB-15-B-20260506	C67273	Blank

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-MTD is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (F121725A_CC185154) met all 30% RSD criteria. The initial calibration verification met ±30% recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GE204-1
Client ID.	PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

4. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

5. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in ug/m³ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Onterris/Enthalpy, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GE204-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
DRPNB-1-S-20260506	C71517	1.57		3.06		0.276	ND	0.796		0.277	J
DRPNB-2-S-20260506	C00597	0.938		2.05		0.276	ND	0.626	J	0.276	ND
DRPNB-2-D-20260506	C34135	0.942		2.00		0.276	ND	0.636	J	0.276	ND
DRPNB-2-B-20260506	C32887	0.189	ND	0.244	ND	0.276	ND	0.276	ND	0.276	ND
DRPNB-3-S-20260506	C70580	1.07		2.36		0.322	J	1.01		0.355	J
DRPNB-4-S-20260506	C70537	0.596		1.23		0.276	ND	0.614	J	0.276	ND
DRPNB-5-S-20260506	C43377	0.462		1.10		0.276	ND	0.615	J	0.276	ND
DRPNB-6-S-20260506	C69680	0.560		1.09		0.276	ND	0.603	J	0.276	ND
DRPNB-7-S-20260506	C00728	0.418	J	0.875		0.276	ND	0.366	J	0.276	ND
DRPNB-8-S-20260506	C20490	0.473		1.05		0.276	ND	0.420	J	0.276	ND
DRPNB-9-S-20260506	C43645	0.554		1.33		0.276	ND	0.610	J	0.276	ND
DRPNB-10-S-20260506	C01413	0.443	J	0.836		0.276	ND	0.276	ND	0.276	ND
DRPNB-11-S-20260506	C69551	0.439	J	1.29		0.276	ND	0.787		0.280	J
DRPNB-12-S-20260506	B44208	0.443	J	0.558		0.276	ND	0.276	ND	0.276	ND
DRPNB-13-S-20260506	C68642	0.346	J	0.629		0.276	ND	0.276	ND	0.276	ND
DRPNB-14-S-20260506	C71612	0.795		1.44		0.276	ND	0.509	J	0.276	ND
DRPNB-15-S-20260506	C67313	4.15		8.94		0.749		2.28		0.736	
DRPNB-15-D-20260506	C57706	4.16		9.13		0.772		2.36		0.784	
DRPNB-15-B-20260506	C67273	0.190	ND	0.244	ND	0.276	ND	0.276	ND	0.276	ND

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GE204-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-1-S-20260506	C71517	1.57	0.492	20.7	53.7	0.655	20152	0.189	0.452	0.0593	0.141		F2603363.D	2026-05-21 15:12	0.913	7.932	153672	457402	56.3	7.877	4.8%
DRPNB-2-S-20260506	C00597	0.938	0.294	12.4	53.7	0.655	20147	0.189	0.452	0.0593	0.141		F2603364.D	2026-05-21 15:38	0.913	7.932	88405	440527	56.3	7.877	0.9%
DRPNB-2-D-20260506	C34135	0.942	0.295	12.4	53.7	0.655	20147	0.189	0.452	0.0593	0.141		F2603365.D	2026-05-21 16:03	0.913	7.932	89738	445597	56.3	7.877	2.1%
DRPNB-2-B-20260506	C32887	0.189	0.0593		53.7	0.655	20147	0.189	0.452	0.0593	0.141	ND	F2603362.D	2026-05-21 14:47	0.913	7.932	3544	441740	56.3	7.871	1.2%
DRPNB-3-S-20260506	C70580	1.07	0.336	14.2	53.7	0.655	20146	0.189	0.452	0.0593	0.141		F2603366.D	2026-05-21 16:28	0.913	7.932	96176	419396	56.3	7.877	-3.9%
DRPNB-4-S-20260506	C70537	0.596	0.187	7.86	53.7	0.655	20134	0.189	0.452	0.0593	0.142		F2603367.D	2026-05-21 16:54	0.913	7.932	53009	416094	56.3	7.877	-4.7%
DRPNB-5-S-20260506	C43377	0.462	0.145	6.10	53.7	0.655	20136	0.189	0.452	0.0593	0.142		F2603368.D	2026-05-21 17:19	0.913	7.932	41267	417589	56.3	7.877	-4.3%
DRPNB-6-S-20260506	C69680	0.560	0.175	7.39	53.7	0.655	20138	0.189	0.452	0.0593	0.142		F2603369.D	2026-05-21 17:45	0.913	7.932	50076	418486	56.3	7.877	-4.1%
DRPNB-7-S-20260506	C00728	0.418	0.131	5.51	53.7	0.655	20142	0.189	0.452	0.0593	0.141	J	F2603370.D	2026-05-21 18:11	0.913	7.932	37279	417424	56.3	7.877	-4.4%
DRPNB-8-S-20260506	C20490	0.473	0.148	6.24	53.7	0.655	20144	0.189	0.452	0.0593	0.141		F2603371.D	2026-05-21 18:36	0.913	7.932	42349	419052	56.3	7.877	-4.0%
DRPNB-9-S-20260506	C43645	0.554	0.174	7.31	53.7	0.655	20132	0.189	0.452	0.0594	0.142		F2603373.D	2026-05-21 19:27	0.913	7.932	49892	421306	56.3	7.877	-3.5%
DRPNB-10-S-20260506	C01413	0.443	0.139	5.84	53.7	0.655	20130	0.190	0.452	0.0594	0.142	J	F2603374.D	2026-05-21 19:52	0.913	7.932	40067	423705	56.3	7.877	-2.9%
DRPNB-11-S-20260506	C69551	0.439	0.138	5.80	53.7	0.655	20129	0.190	0.452	0.0594	0.142	J	F2603375.D	2026-05-21 20:18	0.913	7.932	39707	422904	56.3	7.877	-3.1%
DRPNB-12-S-20260506	B44208	0.443	0.139	5.85	53.7	0.655	20127	0.190	0.452	0.0594	0.142	J	F2603376.D	2026-05-21 20:43	0.913	7.932	39707	419317	56.3	7.877	-3.9%
DRPNB-13-S-20260506	C68642	0.346	0.108	4.56	53.7	0.655	20126	0.190	0.452	0.0594	0.142	J	F2603377.D	2026-05-21 21:08	0.913	7.932	32679	442196	56.3	7.877	1.3%
DRPNB-14-S-20260506	C71612	0.795	0.249	10.5	53.7	0.655	20126	0.190	0.452	0.0594	0.142		F2603378.D	2026-05-21 21:34	0.913	7.932	72423	426617	56.3	7.877	-2.3%
DRPNB-15-S-20260506	C67313	4.15	1.30	54.7	53.7	0.655	20121	0.190	0.452	0.0594	0.142		F2603379.D	2026-05-21 22:00	0.913	7.938	367959	414943	56.3	7.877	-4.9%
DRPNB-15-D-20260506	C57706	4.16	1.30	54.8	53.7	0.655	20121	0.190	0.452	0.0594	0.142		F2603380.D	2026-05-21 22:25	0.913	7.932	366319	412513	56.3	7.877	-5.5%
DRPNB-15-B-20260506	C67273	0.190	0.0594		53.7	0.655	20121	0.190	0.452	0.0594	0.142	ND	F2603381.D	2026-05-21 22:50	0.913	7.932	3169	416570	56.3	7.877	-4.6%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-1-S-20260506	C71517	3.06	0.812	31.3	53.7	0.509	20152	0.244	0.511	0.0648	0.136		F2603363.D	2026-05-21 15:12	1.097	10.655	260889	501181	66.1	10.557	3.2%
DRPNB-2-S-20260506	C00597	2.05	0.545	21.0	53.7	0.509	20147	0.244	0.511	0.0648	0.136		F2603364.D	2026-05-21 15:38	1.097	10.655	169263	485003	66.1	10.563	-0.2%
DRPNB-2-D-20260506	C34135	2.00	0.530	20.5	53.7	0.509	20147	0.244	0.511	0.0648	0.136		F2603365.D	2026-05-21 16:03	1.097	10.655	164976	485628	66.1	10.557	0.0%
DRPNB-2-B-20260506	C32887	0.244	0.0648		53.7	0.509	20147	0.244	0.511	0.0648	0.136	ND	F2603362.D	2026-05-21 14:47	1.097	10.655	8883	493192	66.1	10.557	1.5%
DRPNB-3-S-20260506	C70580	2.36	0.625	24.1	53.7	0.509	20146	0.244	0.511	0.0648	0.136		F2603366.D	2026-05-21 16:28	1.097	10.655	186564	465437	66.1	10.563	-4.2%
DRPNB-4-S-20260506	C70537	1.23	0.326	12.6	53.7	0.509	20134	0.244	0.511	0.0648	0.136		F2603367.D	2026-05-21 16:54	1.097	10.655	95999	459186	66.1	10.557	-5.5%
DRPNB-5-S-20260506	C43377	1.10	0.291	11.2	53.7	0.509	20136	0.244	0.511	0.0648	0.136		F2603368.D	2026-05-21 17:19	1.097	10.655	85586	458812	66.1	10.563	-5.6%
DRPNB-6-S-20260506	C69680	1.09	0.290	11.2	53.7	0.509	20138	0.244	0.511	0.0648	0.136		F2603369.D	2026-05-21 17:45	1.097	10.655	84760	456613	66.1	10.557	-6.0%
DRPNB-7-S-20260506	C00728	0.875	0.232	8.96	53.7	0.509	20142	0.244	0.511	0.0648	0.136		F2603370.D	2026-05-21 18:11	1.097	10.655	68846	462424	66.1	10.563	-4.8%
DRPNB-8-S-20260506	C20490	1.05	0.278	10.7	53.7	0.509	20144	0.244	0.511	0.0648	0.136		F2603371.D	2026-05-21 18:36	1.097	10.655	80977	454962	66.1	10.563	-6.4%
DRPNB-9-S-20260506	C43645	1.33	0.352	13.6	53.7	0.509	20132	0.244	0.511	0.0648	0.136		F2603373.D	2026-05-21 19:27	1.097	10.655	104735	464664	66.1	10.557	-4.4%
DRPNB-10-S-20260506	C01413	0.836	0.222	8.56	53.7	0.509	20130	0.244	0.512	0.0648	0.136		F2603374.D	2026-05-21 19:52	1.097	10.655	65783	462923	66.1	10.557	-4.7%
DRPNB-11-S-20260506	C69551	1.29	0.342	13.2	53.7	0.509	20129	0.244	0.512	0.0648	0.136		F2603375.D	2026-05-21 20:18	1.097	10.655	102073	465633	66.1	10.563	-4.2%
DRPNB-12-S-20260506	B44208	0.558	0.148	5.72	53.7	0.509	20127	0.244	0.512	0.0648	0.136		F2603376.D	2026-05-21 20:43	1.097	10.655	42953	452339	66.1	10.563	-6.9%
DRPNB-13-S-20260506	C68642	0.629	0.167	6.44	53.7	0.509	20126	0.244	0.512	0.0649	0.136		F2603377.D	2026-05-21 21:08	1.097	10.655	51749	483720	66.1	10.557	-0.4%
DRPNB-14-S-20260506	C71612	1.44	0.384	14.8	53.7	0.509	20126	0.244	0.512	0.0649	0.136		F2603378.D	2026-05-21 21:34	1.097	10.661	114596	466480	66.1	10.563	-4.0%
DRPNB-15-S-20260506	C67313	8.94	2.37	91.5	53.7	0.509	20121	0.244	0.512	0.0649	0.136		F2603379.D	2026-05-21 22:00	1.097	10.655	699545	460443	66.1	10.563	-5.2%
DRPNB-15-D-20260506	C57706	9.13	2.42	93.4	53.7	0.509	20121	0.244	0.512	0.0649	0.136		F2603380.D	2026-05-21 22:25	1.097	10.655	704396	454064	66.1	10.557	-6.5%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GE204-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-15-B-20260506	C67273	0.244	0.0649		53.7	0.509	20121	0.244	0.512	0.0649	0.136	ND	F2603381.D	2026-05-21 22:50	1.097	10.655	7585	458672	66.1	10.563	-5.6%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-1-S-20260506	C71517	0.276	0.0635		53.7	0.450	20152	0.276	0.600	0.0635	0.138	ND	F2603363.D	2026-05-21 15:12	1.199	12.839	22257	501181	66.1	10.557	3.2%
DRPNB-2-S-20260506	C00597	0.276	0.0636		53.7	0.450	20147	0.276	0.600	0.0636	0.138	ND	F2603364.D	2026-05-21 15:38	1.199	12.845	21775	485003	66.1	10.563	-0.2%
DRPNB-2-D-20260506	C34135	0.276	0.0636		53.7	0.450	20147	0.276	0.600	0.0636	0.138	ND	F2603365.D	2026-05-21 16:03	1.199	12.845	19284	485628	66.1	10.557	0.0%
DRPNB-2-B-20260506	C32887	0.276	0.0636		53.7	0.450	20147	0.276	0.600	0.0636	0.138	ND	F2603362.D	2026-05-21 14:47	1.199	12.851	1515	493192	66.1	10.557	1.5%
DRPNB-3-S-20260506	C70580	0.322	0.0742	2.92	53.7	0.450	20146	0.276	0.601	0.0636	0.138	J	F2603366.D	2026-05-21 16:28	1.199	12.845	24646	465437	66.1	10.563	-4.2%
DRPNB-4-S-20260506	C70537	0.276	0.0636		53.7	0.450	20134	0.276	0.601	0.0636	0.138	ND	F2603367.D	2026-05-21 16:54	1.199	12.845	17477	459186	66.1	10.557	-5.5%
DRPNB-5-S-20260506	C43377	0.276	0.0636		53.7	0.450	20136	0.276	0.601	0.0636	0.138	ND	F2603368.D	2026-05-21 17:19	1.199	12.839	17064	458812	66.1	10.563	-5.6%
DRPNB-6-S-20260506	C69680	0.276	0.0636		53.7	0.450	20138	0.276	0.601	0.0636	0.138	ND	F2603369.D	2026-05-21 17:45	1.199	12.845	16023	456613	66.1	10.557	-6.0%
DRPNB-7-S-20260506	C00728	0.276	0.0636		53.7	0.450	20142	0.276	0.601	0.0636	0.138	ND	F2603370.D	2026-05-21 18:11	1.199	12.839	13833	462424	66.1	10.563	-4.8%
DRPNB-8-S-20260506	C20490	0.276	0.0636		53.7	0.450	20144	0.276	0.601	0.0636	0.138	ND	F2603371.D	2026-05-21 18:36	1.199	12.845	14071	454962	66.1	10.563	-6.4%
DRPNB-9-S-20260506	C43645	0.276	0.0636		53.7	0.450	20132	0.276	0.601	0.0636	0.138	ND	F2603373.D	2026-05-21 19:27	1.199	12.845	20101	464664	66.1	10.557	-4.4%
DRPNB-10-S-20260506	C01413	0.276	0.0636		53.7	0.450	20130	0.276	0.601	0.0636	0.138	ND	F2603374.D	2026-05-21 19:52	1.199	12.845	11659	462923	66.1	10.557	-4.7%
DRPNB-11-S-20260506	C69551	0.276	0.0636		53.7	0.450	20129	0.276	0.601	0.0636	0.139	ND	F2603375.D	2026-05-21 20:18	1.199	12.839	20375	465633	66.1	10.563	-4.2%
DRPNB-12-S-20260506	B44208	0.276	0.0636		53.7	0.450	20127	0.276	0.601	0.0636	0.139	ND	F2603376.D	2026-05-21 20:43	1.199	12.845	6291	452339	66.1	10.563	-6.9%
DRPNB-13-S-20260506	C68642	0.276	0.0636		53.7	0.450	20126	0.276	0.601	0.0636	0.139	ND	F2603377.D	2026-05-21 21:08	1.199	12.839	6926	483720	66.1	10.557	-0.4%
DRPNB-14-S-20260506	C71612	0.276	0.0636		53.7	0.450	20126	0.276	0.601	0.0636	0.139	ND	F2603378.D	2026-05-21 21:34	1.199	12.839	17337	466480	66.1	10.563	-4.0%
DRPNB-15-S-20260506	C67313	0.749	0.173	6.78	53.7	0.450	20121	0.276	0.601	0.0636	0.139		F2603379.D	2026-05-21 22:00	1.199	12.845	56660	460443	66.1	10.563	-5.2%
DRPNB-15-D-20260506	C57706	0.772	0.178	6.99	53.7	0.450	20121	0.276	0.601	0.0636	0.139		F2603380.D	2026-05-21 22:25	1.199	12.845	57626	454064	66.1	10.557	-6.5%
DRPNB-15-B-20260506	C67273	0.276	0.0636		53.7	0.450	20121	0.276	0.601	0.0636	0.139	ND	F2603381.D	2026-05-21 22:50	1.199	12.845	244	458672	66.1	10.563	-5.6%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-1-S-20260506	C71517	0.796	0.183	7.22	53.7	0.450	20152	0.276	0.673	0.0635	0.155		F2603363.D	2026-05-21 15:12	1.002	13.016	54844	501181	66.1	10.557	3.2%
DRPNB-2-S-20260506	C00597	0.626	0.144	5.68	53.7	0.450	20147	0.276	0.673	0.0636	0.155	J	F2603364.D	2026-05-21 15:38	1.002	13.022	41743	485003	66.1	10.563	-0.2%
DRPNB-2-D-20260506	C34135	0.636	0.146	5.76	53.7	0.450	20147	0.276	0.673	0.0636	0.155	J	F2603365.D	2026-05-21 16:03	1.002	13.016	42433	485628	66.1	10.557	0.0%
DRPNB-2-B-20260506	C32887	0.276	0.0636		53.7	0.450	20147	0.276	0.673	0.0636	0.155	ND	F2603362.D	2026-05-21 14:47	1.002	13.016	725	493192	66.1	10.557	1.5%
DRPNB-3-S-20260506	C70580	1.01	0.232	9.14	53.7	0.450	20146	0.276	0.673	0.0636	0.155		F2603366.D	2026-05-21 16:28	1.002	13.016	64494	465437	66.1	10.563	-4.2%
DRPNB-4-S-20260506	C70537	0.614	0.142	5.57	53.7	0.450	20134	0.276	0.673	0.0636	0.155	J	F2603367.D	2026-05-21 16:54	1.002	13.016	38754	459186	66.1	10.557	-5.5%
DRPNB-5-S-20260506	C43377	0.615	0.142	5.57	53.7	0.450	20136	0.276	0.673	0.0636	0.155	J	F2603368.D	2026-05-21 17:19	1.002	13.016	38760	458812	66.1	10.563	-5.6%
DRPNB-6-S-20260506	C69680	0.603	0.139	5.46	53.7	0.450	20138	0.276	0.673	0.0636	0.155	J	F2603369.D	2026-05-21 17:45	1.002	13.016	37841	456613	66.1	10.557	-6.0%
DRPNB-7-S-20260506	C00728	0.366	0.0843	3.32	53.7	0.450	20142	0.276	0.673	0.0636	0.155	J	F2603370.D	2026-05-21 18:11	1.002	13.016	23250	462424	66.1	10.563	-4.8%
DRPNB-8-S-20260506	C20490	0.420	0.0968	3.81	53.7	0.450	20144	0.276	0.673	0.0636	0.155	J	F2603371.D	2026-05-21 18:36	1.002	13.016	26269	454962	66.1	10.563	-6.4%
DRPNB-9-S-20260506	C43645	0.610	0.141	5.53	53.7	0.450	20132	0.276	0.673	0.0636	0.155	J	F2603373.D	2026-05-21 19:27	1.002	13.016	38935	464664	66.1	10.557	-4.4%
DRPNB-10-S-20260506	C01413	0.276	0.0636		53.7	0.450	20130	0.276	0.674	0.0636	0.155	ND	F2603374.D	2026-05-21 19:52	1.002	13.022	16530	462923	66.1	10.557	-4.7%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GE204-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-11-S-20260506	C69551	0.787	0.181	7.12	53.7	0.450	20129	0.276	0.674	0.0636	0.155		F2603375.D	2026-05-21 20:18	1.002	13.016	50303	465633	66.1	10.563	-4.2%
DRPNB-12-S-20260506	B44208	0.276	0.0636		53.7	0.450	20127	0.276	0.674	0.0636	0.155	ND	F2603376.D	2026-05-21 20:43	1.002	13.016	8638	452339	66.1	10.563	-6.9%
DRPNB-13-S-20260506	C68642	0.276	0.0636		53.7	0.450	20126	0.276	0.674	0.0636	0.155	ND	F2603377.D	2026-05-21 21:08	1.002	13.022	14979	483720	66.1	10.557	-0.4%
DRPNB-14-S-20260506	C71612	0.509	0.117	4.61	53.7	0.450	20126	0.276	0.674	0.0636	0.155	J	F2603378.D	2026-05-21 21:34	1.002	13.016	32578	466480	66.1	10.563	-4.0%
DRPNB-15-S-20260506	C67313	2.28	0.524	20.6	53.7	0.450	20121	0.276	0.674	0.0636	0.155		F2603379.D	2026-05-21 22:00	1.002	13.022	143852	460443	66.1	10.563	-5.2%
DRPNB-15-D-20260506	C57706	2.36	0.543	21.3	53.7	0.450	20121	0.276	0.674	0.0636	0.155		F2603380.D	2026-05-21 22:25	1.002	13.016	146979	454064	66.1	10.557	-6.5%
DRPNB-15-B-20260506	C67273	0.276	0.0636		53.7	0.450	20121	0.276	0.674	0.0636	0.155	ND	F2603381.D	2026-05-21 22:50	1.002	13.041	277	458672	66.1	10.563	-5.6%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-1-S-20260506	C71517	0.277	0.0637	2.51	53.7	0.450	20152	0.276	0.626	0.0635	0.144	J	F2603363.D	2026-05-21 15:12	1.055	13.524	20061	501181	66.1	10.557	3.2%
DRPNB-2-S-20260506	C00597	0.276	0.0636		53.7	0.450	20147	0.276	0.626	0.0636	0.144	ND	F2603364.D	2026-05-21 15:38	1.055	13.524	14692	485003	66.1	10.563	-0.2%
DRPNB-2-D-20260506	C34135	0.276	0.0636		53.7	0.450	20147	0.276	0.626	0.0636	0.144	ND	F2603365.D	2026-05-21 16:03	1.055	13.524	14477	485628	66.1	10.557	0.0%
DRPNB-2-B-20260506	C32887	0.276	0.0636		53.7	0.450	20147	0.276	0.626	0.0636	0.144	ND	F2603362.D	2026-05-21 14:47	1.055	13.524	520	493192	66.1	10.557	1.5%
DRPNB-3-S-20260506	C70580	0.355	0.0818	3.22	53.7	0.450	20146	0.276	0.626	0.0636	0.144	J	F2603366.D	2026-05-21 16:28	1.055	13.524	23901	465437	66.1	10.563	-4.2%
DRPNB-4-S-20260506	C70537	0.276	0.0636		53.7	0.450	20134	0.276	0.626	0.0636	0.144	ND	F2603367.D	2026-05-21 16:54	1.055	13.524	15674	459186	66.1	10.557	-5.5%
DRPNB-5-S-20260506	C43377	0.276	0.0636		53.7	0.450	20136	0.276	0.626	0.0636	0.144	ND	F2603368.D	2026-05-21 17:19	1.055	13.524	15820	458812	66.1	10.563	-5.6%
DRPNB-6-S-20260506	C69680	0.276	0.0636		53.7	0.450	20138	0.276	0.626	0.0636	0.144	ND	F2603369.D	2026-05-21 17:45	1.055	13.524	15697	456613	66.1	10.557	-6.0%
DRPNB-7-S-20260506	C00728	0.276	0.0636		53.7	0.450	20142	0.276	0.626	0.0636	0.144	ND	F2603370.D	2026-05-21 18:11	1.055	13.524	9750	462424	66.1	10.563	-4.8%
DRPNB-8-S-20260506	C20490	0.276	0.0636		53.7	0.450	20144	0.276	0.626	0.0636	0.144	ND	F2603371.D	2026-05-21 18:36	1.055	13.524	11802	454962	66.1	10.563	-6.4%
DRPNB-9-S-20260506	C43645	0.276	0.0636		53.7	0.450	20132	0.276	0.626	0.0636	0.144	ND	F2603373.D	2026-05-21 19:27	1.055	13.524	16871	464664	66.1	10.557	-4.4%
DRPNB-10-S-20260506	C01413	0.276	0.0636		53.7	0.450	20130	0.276	0.626	0.0636	0.144	ND	F2603374.D	2026-05-21 19:52	1.055	13.524	7088	462923	66.1	10.557	-4.7%
DRPNB-11-S-20260506	C69551	0.280	0.0645	2.54	53.7	0.450	20129	0.276	0.626	0.0636	0.144	J	F2603375.D	2026-05-21 20:18	1.055	13.524	18848	465633	66.1	10.563	-4.2%
DRPNB-12-S-20260506	B44208	0.276	0.0636		53.7	0.450	20127	0.276	0.626	0.0636	0.144	ND	F2603376.D	2026-05-21 20:43	1.055	13.524	3403	452339	66.1	10.563	-6.9%
DRPNB-13-S-20260506	C68642	0.276	0.0636		53.7	0.450	20126	0.276	0.627	0.0636	0.144	ND	F2603377.D	2026-05-21 21:08	1.055	13.524	5692	483720	66.1	10.557	-0.4%
DRPNB-14-S-20260506	C71612	0.276	0.0636		53.7	0.450	20126	0.276	0.626	0.0636	0.144	ND	F2603378.D	2026-05-21 21:34	1.055	13.518	13030	466480	66.1	10.563	-4.0%
DRPNB-15-S-20260506	C67313	0.736	0.170	6.67	53.7	0.450	20121	0.276	0.627	0.0636	0.144		F2603379.D	2026-05-21 22:00	1.055	13.524	49009	460443	66.1	10.563	-5.2%
DRPNB-15-D-20260506	C57706	0.784	0.181	7.10	53.7	0.450	20121	0.276	0.627	0.0636	0.144		F2603380.D	2026-05-21 22:25	1.055	13.524	51446	454064	66.1	10.557	-6.5%
DRPNB-15-B-20260506	C67273	0.276	0.0636		53.7	0.450	20121	0.276	0.627	0.0636	0.144	ND	F2603381.D	2026-05-21 22:50	1.055	13.989	0	458672	66.1	10.563	-5.6%

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit

QC Data

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GE204-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	DRPNB-2-B-20260506	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
	DRPNB-15-B-20260506	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	DRPNB-2-D-20260506	0.35%	Pass	2.7%	Pass	ND	Pass	1.5%	Pass	ND	Pass
	DRPNB-15-D-20260506	0.14%	Pass	2.1%	Pass	3.1%	Pass	3.5%	Pass	6.2%	Pass

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GE204-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2603360.D	C70045	Cal	0.913	0.904	0.913	1.0%	-19%		Pass	
2026GE204 Method Blank 1	F2603361.D	B37450	Blank		0.904	0.913			1.8%	Pass	ND
M325B CCV 5	F2603372.D	C16138	Check	0.924	0.904	0.913	2.3%		-3.5%	Pass	
M325B CCV 5	F2603382.D	C71804	Check	0.918	0.904	0.913	1.5%		-3.0%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2603360.D	C70045	Cal	1.097	1.091	1.097	0.57%	-22%		Pass	
2026GE204 Method Blank 1	F2603361.D	B37450	Blank		1.091	1.097			1.7%	Pass	ND
M325B CCV 5	F2603372.D	C16138	Check	1.113	1.091	1.097	2.0%		-4.3%	Pass	
M325B CCV 5	F2603382.D	C71804	Check	1.116	1.091	1.097	2.2%		-4.8%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2603360.D	C70045	Cal	1.199	1.150	1.199	4.3%	-22%		Pass	
2026GE204 Method Blank 1	F2603361.D	B37450	Blank		1.150	1.199			1.7%	Pass	ND
M325B CCV 5	F2603372.D	C16138	Check	1.219	1.150	1.199	6.0%		-4.3%	Pass	
M325B CCV 5	F2603382.D	C71804	Check	1.260	1.150	1.199	9.5%		-4.8%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2603360.D	C70045	Cal	1.002	0.940	1.002	6.6%	-22%		Pass	
2026GE204 Method Blank 1	F2603361.D	B37450	Blank		0.940	1.002			1.7%	Pass	ND
M325B CCV 5	F2603372.D	C16138	Check	1.004	0.940	1.002	6.9%		-4.3%	Pass	
M325B CCV 5	F2603382.D	C71804	Check	1.078	0.940	1.002	15%		-4.8%	Pass	


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2603360.D	C70045	Cal	1.055	0.944	1.055	12%	-22%		Pass	
2026GE204 Method Blank 1	F2603361.D	B37450	Blank		0.944	1.055			1.7%	Pass	ND
M325B CCV 5	F2603372.D	C16138	Check	1.036	0.944	1.055	9.8%		-4.3%	Pass	
M325B CCV 5	F2603382.D	C71804	Check	1.112	0.944	1.055	18%		-4.8%	Pass	

Chromatograms


Name	2026GE204 Method Blank 1
Comment	B37450
Data File	F2603361.D
Acq. Date-Time	5/21/2026 2:22:02 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.871	7.889	444,421	
Benzene	benzene-d6 (IS)	7.926	7.945	2,206	
Toluene-d8 (IS)		10.557	10.569	493,980	
Toluene	Toluene-d8 (IS)	10.649	10.667	6,866	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	1,131	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	682	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	389	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603361.D
Counts
x10^2
13.524 min.
Acquisition Time (min)


+ Scan (13.501-13.550 min, 8 scans) F2603361.D
Lib Match Score=41.3
Counts
x10^3
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-2-B-20260506
Comment	C32887
Data File	F2603362.D
Acq. Date-Time	5/21/2026 2:47:21 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.871	7.889	441,740	
Benzene	benzene-d6 (IS)	7.932	7.945	3,544	
Toluene-d8 (IS)		10.557	10.569	493,192	
Toluene	Toluene-d8 (IS)	10.655	10.667	8,883	
Ethylbenzene	Toluene-d8 (IS)	12.851	12.851	1,515	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	725	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	520	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603362.D
Counts
x10^2
13.524 min.
Acquisition Time (min)


+ Scan (13.503-13.565 min, 10 scans) F2603362.D
Counts
x10^3
Lib Match Score=35.1
41.1
55.1
73.0
81.1
91.0
106.1
121.2
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-1-S-20260506
Comment	C71517
Data File	F2603363.D
Acq. Date-Time	5/21/2026 3:12:43 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	457,402	
Benzene	benzene-d6 (IS)	7.932	7.945	153,672	
Toluene-d8 (IS)		10.557	10.569	501,181	
Toluene	Toluene-d8 (IS)	10.655	10.667	260,889	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.851	22,257	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	54,844	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	20,061	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603363.D
Counts
x10^4
13.524 min.
1.2
1
0.8
0.6
0.4
0.2
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.483-13.573 min, 15 scans) F2603363.D
Counts
x10^3
Lib Match Score=64.3
91.1
106.1
39.0
55.1
67.1
77.1
97.1
111.2
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-2-S-20260506
Comment	C00597
Data File	F2603364.D
Acq. Date-Time	5/21/2026 3:38:05 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	440,527	m
Benzene	benzene-d6 (IS)	7.932	7.945	88,405	
Toluene-d8 (IS)		10.563	10.569	485,003	
Toluene	Toluene-d8 (IS)	10.655	10.667	169,263	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	21,775	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	41,743	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	14,692	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603364.D
Counts
x10^4
13.524 min.
Acquisition Time (min)


+ Scan (13.493-13.567 min, 13 scans) F2603364.D
Lib Match Score=59.5
Counts
x10^3
91.1
40.0
106.1
51.1
67.1
77.0
111.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-2-D-20260506
Comment	C34135
Data File	F2603365.D
Acq. Date-Time	5/21/2026 4:03:25 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	445,597	
Benzene	benzene-d6 (IS)	7.932	7.945	89,738	
Toluene-d8 (IS)		10.557	10.569	485,628	
Toluene	Toluene-d8 (IS)	10.655	10.667	164,976	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	19,284	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	42,433	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	14,477	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603365.D
Counts
x10^4
13.524 min.
0.8
0.6
0.4
0.2
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.478-13.577 min, 16 scans) F2603365.D
Counts
x10^3
Lib Match Score=56.6
91.1
106.1
111.2
39.0
55.0
67.1
77.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-3-S-20260506
Comment	C70580
Data File	F2603366.D
Acq. Date-Time	5/21/2026 4:28:51 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	419,396	
Benzene	benzene-d6 (IS)	7.932	7.945	96,176	
Toluene-d8 (IS)		10.563	10.569	465,437	
Toluene	Toluene-d8 (IS)	10.655	10.667	186,564	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	24,646	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	64,494	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	23,901	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603366.D
Counts
x10^4
13.524 min.
1.4
1.2
1
0.8
0.6
0.4
0.2
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.487-13.584 min, 15 scans) F2603366.D
Counts
x10^3
Lib Match Score=63.3
91.1
106.1
39.1
55.1
69.1
77.1
97.1
111.1
126.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-4-S-20260506
Comment	C70537
Data File	F2603367.D
Acq. Date-Time	5/21/2026 4:54:13 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	416,094	
Benzene	benzene-d6 (IS)	7.932	7.945	53,009	
Toluene-d8 (IS)		10.557	10.569	459,186	
Toluene	Toluene-d8 (IS)	10.655	10.667	95,999	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	17,477	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	38,754	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	15,674	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603367.D
Counts
x10^4
13.524 min.
0.8
0.6
0.4
0.2
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.492-13.568 min, 13 scans) F2603367.D
Counts
x10^3
Lib Match Score=60.7
91.1
106.1
41.1
55.1
65.0
77.1
97.1
111.2
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-5-S-20260506
Comment	C43377
Data File	F2603368.D
Acq. Date-Time	5/21/2026 5:19:31 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	417,589	
Benzene	benzene-d6 (IS)	7.932	7.945	41,267	
Toluene-d8 (IS)		10.563	10.569	458,812	
Toluene	Toluene-d8 (IS)	10.655	10.667	85,586	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.851	17,064	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	38,760	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	15,820	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603368.D
Counts
x10^4
13.524 min.
0.8
0.6
0.4
0.2
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.485-13.567 min, 13 scans) F2603368.D
Counts
x10^3
Lib Match Score=61.6
91.1
106.1
39.1
55.0
69.1
77.0
111.1
126.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-6-S-20260506
Comment	C69680
Data File	F2603369.D
Acq. Date-Time	5/21/2026 5:45:41 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	418,486	
Benzene	benzene-d6 (IS)	7.932	7.945	50,076	
Toluene-d8 (IS)		10.557	10.569	456,613	
Toluene	Toluene-d8 (IS)	10.655	10.667	84,760	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	16,023	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	37,841	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	15,697	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603369.D
Counts
x10^4
13.524 min.
0.8
0.6
0.4
0.2
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.484-13.572 min, 14 scans) F2603369.D
Counts
x10^3
Lib Match Score=58.3
91.1
106.1
111.2
39.1
55.1
67.1
77.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-7-S-20260506
Comment	C00728
Data File	F2603370.D
Acq. Date-Time	5/21/2026 6:11:05 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	417,424	m
Benzene	benzene-d6 (IS)	7.932	7.945	37,279	
Toluene-d8 (IS)		10.563	10.569	462,424	
Toluene	Toluene-d8 (IS)	10.655	10.667	68,846	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.851	13,833	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	23,250	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	9,750	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603370.D
Counts
x10^3
13.524 min.
Acquisition Time (min)


+ Scan (13.487-13.566 min, 13 scans) F2603370.D
Counts
x10^3
Lib Match Score=53.0
91.1
106.1
111.1
39.1
55.1
67.0
73.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-8-S-20260506
Comment	C20490
Data File	F2603371.D
Acq. Date-Time	5/21/2026 6:36:28 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	419,052	
Benzene	benzene-d6 (IS)	7.932	7.945	42,349	
Toluene-d8 (IS)		10.563	10.569	454,962	
Toluene	Toluene-d8 (IS)	10.655	10.667	80,977	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	14,071	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	26,269	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	11,802	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603371.D
Counts
x10^3
13.524 min.
7
6
5
4
3
2
1
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.487-13.561 min, 13 scans) F2603371.D
Counts
x10^3
Lib Match Score=55.6
91.1
106.1
41.1
51.0
67.1
79.1
111.1
126.0
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-9-S-20260506
Comment	C43645
Data File	F2603373.D
Acq. Date-Time	5/21/2026 7:27:15 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	421,306	
Benzene	benzene-d6 (IS)	7.932	7.945	49,892	
Toluene-d8 (IS)		10.557	10.569	464,664	
Toluene	Toluene-d8 (IS)	10.655	10.667	104,735	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	20,101	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	38,935	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	16,871	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603373.D
Counts
x10^4
13.524 min.
1
0.8
0.6
0.4
0.2
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.493-13.572 min, 13 scans) F2603373.D
Counts
x10^3
Lib Match Score=60.9
91.1
106.1
41.1
51.0
65.0
77.0
97.2
111.1
126.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-10-S-20260506
Comment	C01413
Data File	F2603374.D
Acq. Date-Time	5/21/2026 7:52:40 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	423,705	
Benzene	benzene-d6 (IS)	7.932	7.945	40,067	
Toluene-d8 (IS)		10.557	10.569	462,923	
Toluene	Toluene-d8 (IS)	10.655	10.667	65,783	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	11,659	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	16,530	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	7,088	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603374.D
Counts
x10^3
13.524 min.
Acquisition Time (min)


+ Scan (13.494-13.576 min, 13 scans) F2603374.D
Counts
x10^3
Lib Match Score=51.1
91.1
106.1
111.2
119.1
41.0
55.1
67.0
73.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-11-S-20260506
Comment	C69551
Data File	F2603375.D
Acq. Date-Time	5/21/2026 8:18:04 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	422,904	
Benzene	benzene-d6 (IS)	7.932	7.945	39,707	
Toluene-d8 (IS)		10.563	10.569	465,633	
Toluene	Toluene-d8 (IS)	10.655	10.667	102,073	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.851	20,375	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	50,303	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	18,848	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603375.D
Counts
x10^4
13.524 min.
1
0.8
0.6
0.4
0.2
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.493-13.560 min, 10 scans) F2603375.D
Counts
x10^3
Lib Match Score=66.2
91.1
106.1
41.1
55.1
69.1
77.1
97.1
111.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-12-S-20260506
Comment	B44208
Data File	F2603376.D
Acq. Date-Time	5/21/2026 8:43:28 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	419,317	m
Benzene	benzene-d6 (IS)	7.932	7.945	39,707	
Toluene-d8 (IS)		10.563	10.569	452,339	
Toluene	Toluene-d8 (IS)	10.655	10.667	42,953	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	6,291	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	8,638	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	3,403	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603376.D
Counts
x10^3
13.524 min.
2
1.5
1
0.5
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.484-13.573 min, 14 scans) F2603376.D
Counts
x10^3
Lib Match Score=42.5
0.5
0.25
0
-0.25
-0.5
-0.75
-1
-1.25
-1.5
41.0
55.1
73.0
79.1
91.0
95.1
106.1
115.0
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-13-S-20260506
Comment	C68642
Data File	F2603377.D
Acq. Date-Time	5/21/2026 9:08:54 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	442,196	
Benzene	benzene-d6 (IS)	7.932	7.945	32,679	
Toluene-d8 (IS)		10.557	10.569	483,720	
Toluene	Toluene-d8 (IS)	10.655	10.667	51,749	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.851	6,926	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	14,979	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	5,692	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603377.D
Counts
x10^3
13.524 min.
3.5
3
2.5
2
1.5
1
0.5
0
13.1
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
Acquisition Time (min)


+ Scan (13.489-13.564 min, 12 scans) F2603377.D
Counts
x10^3
Lib Match Score=48.7
91.1
41.1
55.1
73.0
106.1
111.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	DRPNB-14-S-20260506
Comment	C71612
Data File	F2603378.D
Acq. Date-Time	5/21/2026 9:34:09 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	426,617	
Benzene	benzene-d6 (IS)	7.932	7.945	72,423	
Toluene-d8 (IS)		10.563	10.569	466,480	
Toluene	Toluene-d8 (IS)	10.661	10.667	114,596	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.851	17,337	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	32,578	
o-Xylene	Toluene-d8 (IS)	13.518	13.530	13,030	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603378.D
Counts
x10^3
13.518 min.
Acquisition Time (min)


+ Scan (13.481-13.588 min, 18 scans) F2603378.D
Counts
x10^3
Lib Match Score=53.1
91.1
106.1
41.0
55.1
73.0
97.1
111.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-15-S-20260506
Comment	C67313
Data File	F2603379.D
Acq. Date-Time	5/21/2026 10:00:20 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	414,943	m
Benzene	benzene-d6 (IS)	7.938	7.945	367,959	
Toluene-d8 (IS)		10.563	10.569	460,443	
Toluene	Toluene-d8 (IS)	10.655	10.667	699,545	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	56,660	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.028	143,852	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	49,009	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603379.D
Counts
x10^4
13.524 min.
3
2.5
2
1.5
1
0.5
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.482-13.596 min, 18 scans) F2603379.D
Counts
x10^3
Lib Match Score=71.1
91.1
106.1
39.1
55.1
65.1
77.1
97.1
111.1
126.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-15-D-20260506
Comment	C57706
Data File	F2603380.D
Acq. Date-Time	5/21/2026 10:25:36 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	412,513	
Benzene	benzene-d6 (IS)	7.932	7.945	366,319	
Toluene-d8 (IS)		10.557	10.569	454,064	
Toluene	Toluene-d8 (IS)	10.655	10.667	704,396	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	57,626	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.028	146,979	
o-Xylene	Toluene-d8 (IS)	13.524	13.530	51,446	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603380.D
Counts
x10^4
13.524 min.
Acquisition Time (min)


+ Scan (13.488-13.595 min, 17 scans) F2603380.D
Counts
x10^3
Lib Match Score=72.9
91.1
106.1
41.1
51.1
65.1
77.1
97.1
111.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-15-B-20260506
Comment	C67273
Data File	F2603381.D
Acq. Date-Time	5/21/2026 10:50:58 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.889	416,570	
Benzene	benzene-d6 (IS)	7.932	7.945	3,169	
Toluene-d8 (IS)		10.563	10.569	458,672	
Toluene	Toluene-d8 (IS)	10.655	10.667	7,585	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.851	244	
m-/p-Xylenes	Toluene-d8 (IS)	13.041	13.028	277	
o-Xylene	Toluene-d8 (IS)	13.989	13.530	ND	m


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes





o-Xylene


+ EIC (91.1) Scan F2603381.D
Counts
x10^2
* 13.989 min.
Acquisition Time (min)


+ Scan (13.989-13.989 min, 1 scans) F2603381.D
Counts
x10^3
95.1
75.1
50.1
62.0
69.0
81.0
88.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)

Initial Calibration

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GE204-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
F121725A_CC185154	Benzene	1	F2508171.D	5.96	52606	56.3	529201	0.939	0.039
F121725A_CC185154	Benzene	2	F2508172.D	11.93	90306	56.3	525740	0.811	-0.1
F121725A_CC185154	Benzene	3	F2508173.D	23.85	205594	56.3	535697	0.906	0.0032
F121725A_CC185154	Benzene	4	F2508174.D	47.70	403557	56.3	539152	0.884	-0.022
F121725A_CC185154	Benzene	5	F2508175.D	119.26	1061108	56.3	547207	0.916	0.014
F121725A_CC185154	Benzene	6	F2508176.D	238.51	2220768	56.3	544872	0.963	0.065
F121725A_CC185154	Benzene	7	F2508177.D	715.53	6456657	56.3	561348	0.906	0.0022
						Avg:	540460	0.904	
						%RSD:	2.2%	5.3%	
F121725A_CC185154	Toluene	1	F2508171.D	5.24	53241	66.1	606147	1.108	0.016
F121725A_CC185154	Toluene	2	F2508172.D	10.47	110436	66.1	616680	1.130	0.035
F121725A_CC185154	Toluene	3	F2508173.D	20.95	215705	66.1	622459	1.093	0.0017
F121725A_CC185154	Toluene	4	F2508174.D	41.90	427518	66.1	627442	1.074	-0.015
F121725A_CC185154	Toluene	5	F2508175.D	104.74	1078346	66.1	633720	1.073	-0.016
F121725A_CC185154	Toluene	6	F2508176.D	209.48	2208644	66.1	634907	1.097	0.0055
F121725A_CC185154	Toluene	7	F2508177.D	628.45	6371104	66.1	630656	1.062	-0.027
						Avg:	624573	1.091	
						%RSD:	1.7%	2.1%	
F121725A_CC185154	Ethylbenzene	1	F2508171.D	5.44	52701	66.1	606147	1.055	-0.083
F121725A_CC185154	Ethylbenzene	2	F2508172.D	10.89	103364	66.1	616680	1.017	-0.12
F121725A_CC185154	Ethylbenzene	3	F2508173.D	21.77	249010	66.1	622459	1.214	0.055
F121725A_CC185154	Ethylbenzene	4	F2508174.D	43.54	510214	66.1	627442	1.234	0.073
F121725A_CC185154	Ethylbenzene	5	F2508175.D	108.86	1213007	66.1	633720	1.162	0.0099
F121725A_CC185154	Ethylbenzene	6	F2508176.D	217.72	2518155	66.1	634907	1.204	0.046
F121725A_CC185154	Ethylbenzene	7	F2508177.D	653.16	7272682	66.1	630656	1.166	0.014
						Avg:	624573	1.150	
						%RSD:	1.7%	7.2%	
F121725A_CC185154	m-/p-Xylenes	1	F2508171.D	6.10	45227	66.1	606147	0.808	-0.14
F121725A_CC185154	m-/p-Xylenes	2	F2508172.D	12.20	93766	66.1	616680	0.823	-0.12
F121725A_CC185154	m-/p-Xylenes	3	F2508173.D	24.40	229774	66.1	622459	0.999	0.064
F121725A_CC185154	m-/p-Xylenes	4	F2508174.D	48.80	467094	66.1	627442	1.008	0.072
F121725A_CC185154	m-/p-Xylenes	5	F2508175.D	122.00	1082720	66.1	633720	0.925	-0.015
F121725A_CC185154	m-/p-Xylenes	6	F2508176.D	244.00	2328036	66.1	634907	0.993	0.056
F121725A_CC185154	m-/p-Xylenes	7	F2508177.D	732.01	7137741	66.1	630656	1.021	0.087
						Avg:	624573	0.940	
						%RSD:	1.7%	9.6%	
F121725A_CC185154	o-Xylene	1	F2508171.D	5.67	42268	66.1	606147	0.812	-0.14
F121725A_CC185154	o-Xylene	2	F2508172.D	11.35	85951	66.1	616680	0.812	-0.14
F121725A_CC185154	o-Xylene	3	F2508173.D	22.69	217910	66.1	622459	1.019	0.08

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GE204-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
F121725A_CC185154	o-Xylene	4	F2508174.D	45.38	446025	66.1	627442	1.035	0.097
F121725A_CC185154	o-Xylene	5	F2508175.D	113.46	1032192	66.1	633720	0.948	0.0051
F121725A_CC185154	o-Xylene	6	F2508176.D	226.92	2179717	66.1	634907	1.000	0.059
F121725A_CC185154	o-Xylene	7	F2508177.D	680.75	6366952	66.1	630656	0.980	0.038
						Avg:	624573	0.944	
						%RSD:	1.7%	10.0%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
F121725A_CC185154	Benzene	ICV	F2508178.D	443.46	3919944	56.3	563465	0.884	-2.2%
F121725A_CC185154	Toluene	ICV	F2508178.D	454.10	4554523	66.1	629158	1.053	-3.5%
F121725A_CC185154	Ethylbenzene	ICV	F2508178.D	448.99	4890504	66.1	629158	1.144	-0.6%
F121725A_CC185154	m-/p-Xylenes	ICV	F2508178.D	455.97	3870637	66.1	629158	0.891	-5.1%
F121725A_CC185154	o-Xylene	ICV	F2508178.D	456.85	3921714	66.1	629158	0.901	-4.5%

M325B PDF Report ver.20260421

Sample Custody

EPA Method 325 A/B
Field Test Data Sheet and
Chain of Custody Record

#VALUE! 2026GE204 Page # 1 of # 1

☐ Standard Turn Around Time (10 business days)
☐ Rush Turn Around Time
• All TATs Subject to Approval by Enthalpy Analytical, Inc.
• Unless otherwise specified, sample tubes will be conditioned for re-use 3 business days after submission of results

Site Name:	Webber Penobscot Terminal	Client Name:	Onterris Air Quality Services	PO#:	
Site Address:	93 River Road	Project Number:	PROJ-031826	Sample Event #	2026GE204
City:	Bucksport	Project Manager:	Sabarish Selvarajan	Sorbent:	Carbopak-X
State	Maine	Email Address:	sabarishselvarajan@onterris.com		
Zip:	04401	Telephone #:	973-722-7895		

Location	Sample ID (Tube ID)	Sample, Blank or Duplicate	Start Date	Start Time	Stop Date	Stop Time	Deployed/ Collected by	Ave. Pressure (inHg)	Avg. Ambient Temp. (°F)
1	C71517	S	5/6/26	10:20 AM	5/20/26	10:12 AM	LF/KV		
2	C00597	S	5/6/26	10:29 AM	5/20/26	10:16 AM	LF/KV		
2	C34135	D	5/6/26	10:29 AM	5/20/26	10:16 AM	LF/KV		
2	C32887	B	5/6/26	10:29 AM	5/20/26	10:16 AM	LF/KV		
3	C70580	S	5/6/26	10:33 AM	5/20/26	10:19 AM	LF/KV		
4	C70537	S	5/6/26	10:53 AM	5/20/26	10:27 AM	LF/KV		
5	C43377	S	5/6/26	10:50 AM	5/20/26	10:26 AM	LF/KV		
6	C69680	S	5/6/26	10:47 AM	5/20/26	10:25 AM	LF/KV		
7	C00728	S	5/6/26	10:42 AM	5/20/26	10:24 AM	LF/KV		
8	C20490	S	5/6/26	10:38 AM	5/20/26	10:22 AM	LF/KV		
9	C43645	S	5/6/26	11:00 AM	5/20/26	10:32 AM	LF/KV		
10	C01413	S	5/6/26	11:04 AM	5/20/26	10:34 AM	LF/KV		
11	C69551	S	5/6/26	11:07 AM	5/20/26	10:36 AM	LF/KV		
12	B44208	S	5/6/26	11:10 AM	5/20/26	10:37 AM	LF/KV		
13	C68642	S	5/6/26	11:13 AM	5/20/26	10:39 AM	LF/KV		
14	C71612	S	5/6/26	11:17 AM	5/20/26	10:43 AM	LF/KV		
15	C67313	S	5/6/26	11:24 AM	5/20/26	10:45 AM	LF/KV		
15	C57706	D	5/6/26	11:24 AM	5/20/26	10:45 AM	LF/KV		
15	C67273	B	5/6/26	11:24 AM	5/20/26	10:45 AM	LF/KV		

Relinquished By (printed):	Relinquished By (signature):	Relinquished Date:	Relinquished Time:
Kosta Voukidis	KV	5/20/2026	17:00
Recieved By (printed):	**Recieved By (signature):**	**Receipt Date:**	**Receipt Time:**
Paige Grandman	Paige Grandman	5-21-26	9:50 am
Sample Condition Upon Receipt:	**Compound List:**	**Custody Seal intact? Y/N:**	**Delivery tracking #**
Good	**Benzene, Toluene, Ethylbenzene, O-xylenes, m-/p-xylenes**	Y	
emp: Blank Temp: 20.2 Fluke4		Add Custody Seal # below: 25E09019	

Comments:

800-1 Capitola Drive • Durham, NC 27713 • (919) 850-4392 • FAX (919) 850-9012 • www.onterris.com

This Is The Last Page Of This Report.

Penobscot Bay Terminal - Bucksport

93 River Road
Bucksport, ME 04416

Sampling Event 47 Penobscot Bay Terminals - Bucksport

Client Project# PROJ-031826
Samples Received: 6/4/2026

Analytical Report
2026GE205

EPA Method 325B Analysis

Report Issue Date: 6/11/2026

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature: 

Matt Cavanaugh
Matthew.Cavanaugh@onterris.com / www.onterris.com
O: (919) 850-4392
Onterris/Enthalpy
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative . . . 3
Results . . . 6
    Summary of Results . . . 7
    Detailed Results . . . 8
QC Data . . . 11
Chromatograms . . . 14
Initial Calibration . . . 75
Sample Custody . . . 78
    Chain of Custody . . . 79

Narrative Summary

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GE205-1
Client ID.	PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

1. Custody

The samples were received at Onterris/Enthalpy on June 4, 2026 at 22.2 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Onterris/Enthalpy.

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
DRPNB-1-S-20260520	C67417	Sample
DRPNB-2-S-20260520	B48545	Sample
DRPNB-2-D-20260520	B48053	Duplicate
DRPNB-2-B-20260520	C20589	Blank
DRPNB-3-S-20260520	C40584	Sample
DRPNB-4-S-20260520	C01393	Sample
DRPNB-5-S-20260520	C71481	Sample
DRPNB-6-S-20260520	C01360	Sample
DRPNB-7-S-20260520	C37007	Sample
DRPNB-8-S-20260520	C55440	Sample
DRPNB-9-S-20260520	B44385	Sample
DRPNB-10-S-20260520	C56835	Sample
DRPNB-11-S-20260520	C57824	Sample
DRPNB-12-S-20260520	C39127	Sample
DRPNB-13-S-20260520	C39232	Sample
DRPNB-14-S-20260520	C40657	Sample
DRPNB-15-S-20260520	B17469	Sample
DRPNB-15-D-20260520	C67311	Duplicate
DRPNB-15-B-20260520	C43613	Blank

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-MTD is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (F060226A_CC185154) met all 30% RSD criteria. The initial calibration verification met ±30% recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GE205-1
Client ID.	PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

4. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

5. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in ug/m³ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Onterris/Enthalpy, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GE205-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
DRPNB-1-S-20260520	C67417	1.00		2.49		0.357	J	0.920		0.326	J
DRPNB-2-S-20260520	B48545	0.966		2.44		0.352	J	0.732		0.275	ND
DRPNB-2-D-20260520	B48053	0.922		2.24		0.295	J	0.598	J	0.275	ND
DRPNB-2-B-20260520	C20589	0.189	ND	0.243	ND	0.275	ND	0.275	ND	0.275	ND
DRPNB-3-S-20260520	C40584	0.443	J	1.30		0.275	ND	0.497	J	0.275	ND
DRPNB-4-S-20260520	C01393	0.394	J	1.03		0.275	ND	0.426	J	0.275	ND
DRPNB-5-S-20260520	C71481	0.409	J	1.05		0.275	ND	0.498	J	0.275	ND
DRPNB-6-S-20260520	C01360	0.654		1.66		0.360	J	0.776		0.313	J
DRPNB-7-S-20260520	C37007	0.343	J	0.874		0.275	ND	0.365	J	0.275	ND
DRPNB-8-S-20260520	C55440	0.315	J	0.814		0.275	ND	0.368	J	0.275	ND
DRPNB-9-S-20260520	B44385	0.584		1.14		0.275	ND	0.378	J	0.275	ND
DRPNB-10-S-20260520	C56835	0.510		1.39		0.301	J	0.681		0.279	J
DRPNB-11-S-20260520	C57824	0.599		2.46		0.594	J	1.72		0.619	J
DRPNB-12-S-20260520	C39127	0.322	J	0.912		0.275	ND	0.420	J	0.275	ND
DRPNB-13-S-20260520	C39232	0.346	J	0.932		0.275	ND	0.442	J	0.275	ND
DRPNB-14-S-20260520	C40657	0.515		1.57		0.318	J	0.777		0.275	ND
DRPNB-15-S-20260520	B17469	2.71		7.16		0.798		2.18		0.761	
DRPNB-15-D-20260520	C67311	2.68		6.85		0.691		2.01		0.688	
DRPNB-15-B-20260520	C43613	0.189	ND	0.243	ND	0.275	ND	0.275	ND	0.275	ND

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GE205-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-1-S-20260520	C67417	1.00	0.313	13.2	54.4	0.656	20182	0.189	0.452	0.0592	0.142		F2603671.D	2026-06-05 01:11	0.920	7.932	88809	400513	54.9	7.877	-6.9%
DRPNB-2-S-20260520	B48545	0.966	0.302	12.8	54.4	0.656	20183	0.189	0.452	0.0592	0.142		F2603672.D	2026-06-05 01:37	0.920	7.932	82292	384352	54.9	7.871	-10.7%
DRPNB-2-D-20260520	B48053	0.922	0.289	12.2	54.4	0.656	20183	0.189	0.452	0.0592	0.142		F2603673.D	2026-06-05 02:02	0.920	7.932	79106	386755	54.9	7.877	-10.1%
DRPNB-2-B-20260520	C20589	0.189	0.0592		54.4	0.656	20183	0.189	0.452	0.0592	0.142	ND	F2603670.D	2026-06-05 00:46	0.920	7.932	7882	410203	54.9	7.877	-4.7%
DRPNB-3-S-20260520	C40584	0.443	0.139	5.86	54.4	0.656	20182	0.189	0.452	0.0592	0.142	J	F2603674.D	2026-06-05 02:29	0.920	7.932	37931	386196	54.9	7.877	-10.3%
DRPNB-4-S-20260520	C01393	0.394	0.123	5.21	54.4	0.656	20181	0.189	0.452	0.0592	0.142	J	F2603675.D	2026-06-05 02:54	0.920	7.932	34291	392586	54.9	7.877	-8.8%
DRPNB-5-S-20260520	C71481	0.409	0.128	5.41	54.4	0.656	20181	0.189	0.452	0.0592	0.142	J	F2603676.D	2026-06-05 03:20	0.920	7.932	37624	414937	54.9	7.877	-3.6%
DRPNB-6-S-20260520	C01360	0.654	0.205	8.65	54.4	0.656	20181	0.189	0.452	0.0592	0.142		F2603677.D	2026-06-05 03:45	0.920	7.932	60703	418898	54.9	7.871	-2.7%
DRPNB-7-S-20260520	C37007	0.343	0.107	4.54	54.4	0.656	20181	0.189	0.452	0.0592	0.142	J	F2603678.D	2026-06-05 04:11	0.920	7.932	29987	394532	54.9	7.877	-8.3%
DRPNB-8-S-20260520	C55440	0.315	0.0987	4.17	54.4	0.656	20182	0.189	0.452	0.0592	0.142	J	F2603679.D	2026-06-05 04:36	0.920	7.932	27566	394485	54.9	7.877	-8.3%
DRPNB-9-S-20260520	B44385	0.584	0.183	7.73	54.4	0.656	20182	0.189	0.452	0.0592	0.142		F2603681.D	2026-06-05 05:27	0.920	7.932	53144	410536	54.9	7.877	-4.6%
DRPNB-10-S-20260520	C56835	0.510	0.160	6.75	54.4	0.656	20182	0.189	0.452	0.0592	0.142		F2603682.D	2026-06-05 05:53	0.920	7.932	46560	411499	54.9	7.877	-4.4%
DRPNB-11-S-20260520	C57824	0.599	0.188	7.92	54.4	0.656	20182	0.189	0.452	0.0592	0.142		F2603683.D	2026-06-05 06:18	0.920	7.932	55483	417898	54.9	7.877	-2.9%
DRPNB-12-S-20260520	C39127	0.322	0.101	4.26	54.4	0.656	20182	0.189	0.452	0.0592	0.142	J	F2603684.D	2026-06-05 06:45	0.920	7.932	29967	420206	54.9	7.877	-2.4%
DRPNB-13-S-20260520	C39232	0.346	0.108	4.57	54.4	0.656	20182	0.189	0.452	0.0592	0.142	J	F2603685.D	2026-06-05 07:10	0.920	7.932	33270	434084	54.9	7.877	0.9%
DRPNB-14-S-20260520	C40657	0.515	0.161	6.82	54.4	0.656	20180	0.189	0.452	0.0592	0.142		F2603686.D	2026-06-05 07:36	0.920	7.932	51236	448657	54.9	7.877	4.2%
DRPNB-15-S-20260520	B17469	2.71	0.848	35.8	54.4	0.656	20180	0.189	0.452	0.0592	0.142		F2603687.D	2026-06-05 08:01	0.920	7.932	265328	441958	54.9	7.877	2.7%
DRPNB-15-D-20260520	C67311	2.68	0.840	35.5	54.4	0.656	20180	0.189	0.452	0.0592	0.142		F2603688.D	2026-06-05 08:27	0.920	7.932	262587	441686	54.9	7.877	2.6%
DRPNB-15-B-20260520	C43613	0.189	0.0592		54.4	0.656	20180	0.189	0.452	0.0592	0.142	ND	F2603689.D	2026-06-05 08:52	0.920	7.932	5542	430275	54.9	7.871	0.0%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-1-S-20260520	C67417	2.49	0.662	25.6	54.4	0.509	20182	0.243	0.511	0.0646	0.136		F2603671.D	2026-06-05 01:11	1.127	10.655	190449	427901	64.8	10.557	-6.7%
DRPNB-2-S-20260520	B48545	2.44	0.648	25.1	54.4	0.509	20183	0.243	0.511	0.0646	0.136		F2603672.D	2026-06-05 01:37	1.127	10.655	180155	413147	64.8	10.557	-9.9%
DRPNB-2-D-20260520	B48053	2.24	0.596	23.0	54.4	0.509	20183	0.243	0.511	0.0646	0.136		F2603673.D	2026-06-05 02:02	1.127	10.655	168088	419381	64.8	10.563	-8.6%
DRPNB-2-B-20260520	C20589	0.243	0.0646		54.4	0.509	20183	0.243	0.511	0.0646	0.136	ND	F2603670.D	2026-06-05 00:46	1.127	10.655	15601	441560	64.8	10.563	-3.7%
DRPNB-3-S-20260520	C40584	1.30	0.344	13.3	54.4	0.509	20182	0.243	0.511	0.0646	0.136		F2603674.D	2026-06-05 02:29	1.127	10.655	96748	417899	64.8	10.563	-8.9%
DRPNB-4-S-20260520	C01393	1.03	0.273	10.6	54.4	0.509	20181	0.243	0.511	0.0646	0.136		F2603675.D	2026-06-05 02:54	1.127	10.655	77638	422572	64.8	10.563	-7.9%
DRPNB-5-S-20260520	C71481	1.05	0.279	10.8	54.4	0.509	20181	0.243	0.511	0.0646	0.136		F2603676.D	2026-06-05 03:20	1.127	10.655	83486	444470	64.8	10.563	-3.1%
DRPNB-6-S-20260520	C01360	1.66	0.441	17.0	54.4	0.509	20181	0.243	0.511	0.0646	0.136		F2603677.D	2026-06-05 03:45	1.127	10.655	134223	452721	64.8	10.557	-1.3%
DRPNB-7-S-20260520	C37007	0.874	0.232	8.98	54.4	0.509	20181	0.243	0.511	0.0646	0.136		F2603678.D	2026-06-05 04:11	1.127	10.655	64675	414194	64.8	10.557	-9.7%
DRPNB-8-S-20260520	C55440	0.814	0.216	8.36	54.4	0.509	20182	0.243	0.511	0.0646	0.136		F2603679.D	2026-06-05 04:36	1.127	10.655	61291	421715	64.8	10.563	-8.1%
DRPNB-9-S-20260520	B44385	1.14	0.302	11.7	54.4	0.509	20182	0.243	0.511	0.0646	0.136		F2603681.D	2026-06-05 05:27	1.127	10.655	87925	432112	64.8	10.563	-5.8%
DRPNB-10-S-20260520	C56835	1.39	0.369	14.3	54.4	0.509	20182	0.243	0.511	0.0646	0.136		F2603682.D	2026-06-05 05:53	1.127	10.655	109069	439067	64.8	10.557	-4.3%
DRPNB-11-S-20260520	C57824	2.46	0.654	25.3	54.4	0.509	20182	0.243	0.511	0.0646	0.136		F2603683.D	2026-06-05 06:18	1.127	10.661	196819	447219	64.8	10.563	-2.5%
DRPNB-12-S-20260520	C39127	0.912	0.242	9.37	54.4	0.509	20182	0.243	0.511	0.0646	0.136		F2603684.D	2026-06-05 06:45	1.127	10.655	72653	446088	64.8	10.557	-2.7%
DRPNB-13-S-20260520	C39232	0.932	0.247	9.57	54.4	0.509	20182	0.243	0.511	0.0646	0.136		F2603685.D	2026-06-05 07:10	1.127	10.655	77638	466635	64.8	10.563	1.7%
DRPNB-14-S-20260520	C40657	1.57	0.418	16.2	54.4	0.509	20180	0.243	0.511	0.0646	0.136		F2603686.D	2026-06-05 07:36	1.127	10.655	133139	473665	64.8	10.563	3.3%
DRPNB-15-S-20260520	B17469	7.16	1.90	73.5	54.4	0.509	20180	0.243	0.511	0.0646	0.136		F2603687.D	2026-06-05 08:01	1.127	10.655	607130	474998	64.8	10.557	3.6%
DRPNB-15-D-20260520	C67311	6.85	1.82	70.4	54.4	0.509	20180	0.243	0.511	0.0646	0.136		F2603688.D	2026-06-05 08:27	1.127	10.655	584101	477198	64.8	10.557	4.0%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GE205-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-15-B-20260520	C43613	0.243	0.0646		54.4	0.509	20180	0.243	0.511	0.0646	0.136	ND	F2603689.D	2026-06-05 08:52	1.127	10.655	13548	469602	64.8	10.557	2.4%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-1-S-20260520	C67417	0.357	0.0823	3.24	54.4	0.450	20182	0.275	0.601	0.0634	0.138	J	F2603671.D	2026-06-05 01:11	1.263	12.839	27035	427901	64.8	10.557	-6.7%
DRPNB-2-S-20260520	B48545	0.352	0.0810	3.19	54.4	0.450	20183	0.275	0.601	0.0634	0.138	J	F2603672.D	2026-06-05 01:37	1.263	12.845	25699	413147	64.8	10.557	-9.9%
DRPNB-2-D-20260520	B48053	0.295	0.0679	2.68	54.4	0.450	20183	0.275	0.601	0.0634	0.138	J	F2603673.D	2026-06-05 02:02	1.263	12.845	21879	419381	64.8	10.563	-8.6%
DRPNB-2-B-20260520	C20589	0.275	0.0634		54.4	0.450	20183	0.275	0.601	0.0634	0.138	ND	F2603670.D	2026-06-05 00:46	1.263	12.845	1083	441560	64.8	10.563	-3.7%
DRPNB-3-S-20260520	C40584	0.275	0.0634		54.4	0.450	20182	0.275	0.601	0.0634	0.138	ND	F2603674.D	2026-06-05 02:29	1.263	12.845	14703	417899	64.8	10.563	-8.9%
DRPNB-4-S-20260520	C01393	0.275	0.0634		54.4	0.450	20181	0.275	0.601	0.0634	0.138	ND	F2603675.D	2026-06-05 02:54	1.263	12.839	15910	422572	64.8	10.563	-7.9%
DRPNB-5-S-20260520	C71481	0.275	0.0634		54.4	0.450	20181	0.275	0.601	0.0634	0.138	ND	F2603676.D	2026-06-05 03:20	1.263	12.839	15838	444470	64.8	10.563	-3.1%
DRPNB-6-S-20260520	C01360	0.360	0.0830	3.27	54.4	0.450	20181	0.275	0.601	0.0634	0.138	J	F2603677.D	2026-06-05 03:45	1.263	12.839	28851	452721	64.8	10.557	-1.3%
DRPNB-7-S-20260520	C37007	0.275	0.0634		54.4	0.450	20181	0.275	0.601	0.0634	0.138	ND	F2603678.D	2026-06-05 04:11	1.263	12.845	12589	414194	64.8	10.557	-9.7%
DRPNB-8-S-20260520	C55440	0.275	0.0634		54.4	0.450	20182	0.275	0.601	0.0634	0.138	ND	F2603679.D	2026-06-05 04:36	1.263	12.845	11747	421715	64.8	10.563	-8.1%
DRPNB-9-S-20260520	B44385	0.275	0.0634		54.4	0.450	20182	0.275	0.601	0.0634	0.138	ND	F2603681.D	2026-06-05 05:27	1.263	12.839	17505	432112	64.8	10.563	-5.8%
DRPNB-10-S-20260520	C56835	0.301	0.0694	2.73	54.4	0.450	20182	0.275	0.601	0.0634	0.138	J	F2603682.D	2026-06-05 05:53	1.263	12.839	23381	439067	64.8	10.557	-4.3%
DRPNB-11-S-20260520	C57824	0.594	0.137	5.40	54.4	0.450	20182	0.275	0.601	0.0634	0.138	J	F2603683.D	2026-06-05 06:18	1.263	12.839	46994	447219	64.8	10.563	-2.5%
DRPNB-12-S-20260520	C39127	0.275	0.0634		54.4	0.450	20182	0.275	0.601	0.0634	0.138	ND	F2603684.D	2026-06-05 06:45	1.263	12.839	15480	446088	64.8	10.557	-2.7%
DRPNB-13-S-20260520	C39232	0.275	0.0634		54.4	0.450	20182	0.275	0.601	0.0634	0.138	ND	F2603685.D	2026-06-05 07:10	1.263	12.839	16149	466635	64.8	10.563	1.7%
DRPNB-14-S-20260520	C40657	0.318	0.0732	2.89	54.4	0.450	20180	0.275	0.601	0.0634	0.138	J	F2603686.D	2026-06-05 07:36	1.263	12.839	26619	473665	64.8	10.563	3.3%
DRPNB-15-S-20260520	B17469	0.798	0.184	7.25	54.4	0.450	20180	0.275	0.601	0.0634	0.138		F2603687.D	2026-06-05 08:01	1.263	12.839	67040	474998	64.8	10.557	3.6%
DRPNB-15-D-20260520	C67311	0.691	0.159	6.28	54.4	0.450	20180	0.275	0.601	0.0634	0.138		F2603688.D	2026-06-05 08:27	1.263	12.839	58357	477198	64.8	10.557	4.0%
DRPNB-15-B-20260520	C43613	0.275	0.0634		54.4	0.450	20180	0.275	0.601	0.0634	0.138	ND	F2603689.D	2026-06-05 08:52	1.263	12.845	1232	469602	64.8	10.557	2.4%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-1-S-20260520	C67417	0.920	0.212	8.36	54.4	0.450	20182	0.275	0.673	0.0634	0.155		F2603671.D	2026-06-05 01:11	1.026	13.016	56637	427901	64.8	10.557	-6.7%
DRPNB-2-S-20260520	B48545	0.732	0.169	6.65	54.4	0.450	20183	0.275	0.673	0.0634	0.155		F2603672.D	2026-06-05 01:37	1.026	13.016	43476	413147	64.8	10.557	-9.9%
DRPNB-2-D-20260520	B48053	0.598	0.138	5.44	54.4	0.450	20183	0.275	0.673	0.0634	0.155	J	F2603673.D	2026-06-05 02:02	1.026	13.016	36080	419381	64.8	10.563	-8.6%
DRPNB-2-B-20260520	C20589	0.275	0.0634		54.4	0.450	20183	0.275	0.673	0.0634	0.155	ND	F2603670.D	2026-06-05 00:46	1.026	13.022	892	441560	64.8	10.563	-3.7%
DRPNB-3-S-20260520	C40584	0.497	0.114	4.51	54.4	0.450	20182	0.275	0.673	0.0634	0.155	J	F2603674.D	2026-06-05 02:29	1.026	13.016	29842	417899	64.8	10.563	-8.9%
DRPNB-4-S-20260520	C01393	0.426	0.0982	3.87	54.4	0.450	20181	0.275	0.673	0.0634	0.155	J	F2603675.D	2026-06-05 02:54	1.026	13.022	25896	422572	64.8	10.563	-7.9%
DRPNB-5-S-20260520	C71481	0.498	0.115	4.52	54.4	0.450	20181	0.275	0.673	0.0634	0.155	J	F2603676.D	2026-06-05 03:20	1.026	13.016	31801	444470	64.8	10.563	-3.1%
DRPNB-6-S-20260520	C01360	0.776	0.179	7.05	54.4	0.450	20181	0.275	0.673	0.0634	0.155		F2603677.D	2026-06-05 03:45	1.026	13.016	50542	452721	64.8	10.557	-1.3%
DRPNB-7-S-20260520	C37007	0.365	0.0841	3.32	54.4	0.450	20181	0.275	0.673	0.0634	0.155	J	F2603678.D	2026-06-05 04:11	1.026	13.016	21733	414194	64.8	10.557	-9.7%
DRPNB-8-S-20260520	C55440	0.368	0.0848	3.34	54.4	0.450	20182	0.275	0.673	0.0634	0.155	J	F2603679.D	2026-06-05 04:36	1.026	13.016	22314	421715	64.8	10.563	-8.1%
DRPNB-9-S-20260520	B44385	0.378	0.0870	3.43	54.4	0.450	20182	0.275	0.673	0.0634	0.155	J	F2603681.D	2026-06-05 05:27	1.026	13.016	23459	432112	64.8	10.563	-5.8%
DRPNB-10-S-20260520	C56835	0.681	0.157	6.18	54.4	0.450	20182	0.275	0.673	0.0634	0.155		F2603682.D	2026-06-05 05:53	1.026	13.016	42974	439067	64.8	10.557	-4.3%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GE205-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-11-S-20260520	C57824	1.72	0.395	15.6	54.4	0.450	20182	0.275	0.673	0.0634	0.155		F2603683.D	2026-06-05 06:18	1.026	13.016	110331	447219	64.8	10.563	-2.5%
DRPNB-12-S-20260520	C39127	0.420	0.0967	3.81	54.4	0.450	20182	0.275	0.673	0.0634	0.155	J	F2603684.D	2026-06-05 06:45	1.026	13.016	26926	446088	64.8	10.557	-2.7%
DRPNB-13-S-20260520	C39232	0.442	0.102	4.01	54.4	0.450	20182	0.275	0.673	0.0634	0.155	J	F2603685.D	2026-06-05 07:10	1.026	13.016	29636	466635	64.8	10.563	1.7%
DRPNB-14-S-20260520	C40657	0.777	0.179	7.06	54.4	0.450	20180	0.275	0.673	0.0634	0.155		F2603686.D	2026-06-05 07:36	1.026	13.016	52939	473665	64.8	10.563	3.3%
DRPNB-15-S-20260520	B17469	2.18	0.501	19.8	54.4	0.450	20180	0.275	0.673	0.0634	0.155		F2603687.D	2026-06-05 08:01	1.026	13.016	148576	474998	64.8	10.557	3.6%
DRPNB-15-D-20260520	C67311	2.01	0.464	18.3	54.4	0.450	20180	0.275	0.673	0.0634	0.155		F2603688.D	2026-06-05 08:27	1.026	13.016	138241	477198	64.8	10.557	4.0%
DRPNB-15-B-20260520	C43613	0.275	0.0634		54.4	0.450	20180	0.275	0.673	0.0634	0.155	ND	F2603689.D	2026-06-05 08:52	1.026	13.016	375	469602	64.8	10.557	2.4%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-1-S-20260520	C67417	0.326	0.0751	2.96	54.4	0.450	20182	0.275	0.626	0.0634	0.144	J	F2603671.D	2026-06-05 01:11	1.094	13.524	21394	427901	64.8	10.557	-6.7%
DRPNB-2-S-20260520	B48545	0.275	0.0634		54.4	0.450	20183	0.275	0.626	0.0634	0.144	ND	F2603672.D	2026-06-05 01:37	1.094	13.524	15996	413147	64.8	10.557	-9.9%
DRPNB-2-D-20260520	B48053	0.275	0.0634		54.4	0.450	20183	0.275	0.626	0.0634	0.144	ND	F2603673.D	2026-06-05 02:02	1.094	13.524	12847	419381	64.8	10.563	-8.6%
DRPNB-2-B-20260520	C20589	0.275	0.0634		54.4	0.450	20183	0.275	0.626	0.0634	0.144	ND	F2603670.D	2026-06-05 00:46	1.094	13.518	283	441560	64.8	10.563	-3.7%
DRPNB-3-S-20260520	C40584	0.275	0.0634		54.4	0.450	20182	0.275	0.626	0.0634	0.144	ND	F2603674.D	2026-06-05 02:29	1.094	13.524	10766	417899	64.8	10.563	-8.9%
DRPNB-4-S-20260520	C01393	0.275	0.0634		54.4	0.450	20181	0.275	0.626	0.0634	0.144	ND	F2603675.D	2026-06-05 02:54	1.094	13.524	10508	422572	64.8	10.563	-7.9%
DRPNB-5-S-20260520	C71481	0.275	0.0634		54.4	0.450	20181	0.275	0.626	0.0634	0.144	ND	F2603676.D	2026-06-05 03:20	1.094	13.524	13683	444470	64.8	10.563	-3.1%
DRPNB-6-S-20260520	C01360	0.313	0.0721	2.84	54.4	0.450	20181	0.275	0.626	0.0634	0.144	J	F2603677.D	2026-06-05 03:45	1.094	13.524	21707	452721	64.8	10.557	-1.3%
DRPNB-7-S-20260520	C37007	0.275	0.0634		54.4	0.450	20181	0.275	0.626	0.0634	0.144	ND	F2603678.D	2026-06-05 04:11	1.094	13.524	8610	414194	64.8	10.557	-9.7%
DRPNB-8-S-20260520	C55440	0.275	0.0634		54.4	0.450	20182	0.275	0.626	0.0634	0.144	ND	F2603679.D	2026-06-05 04:36	1.094	13.524	9625	421715	64.8	10.563	-8.1%
DRPNB-9-S-20260520	B44385	0.275	0.0634		54.4	0.450	20182	0.275	0.626	0.0634	0.144	ND	F2603681.D	2026-06-05 05:27	1.094	13.524	10163	432112	64.8	10.563	-5.8%
DRPNB-10-S-20260520	C56835	0.279	0.0643	2.54	54.4	0.450	20182	0.275	0.626	0.0634	0.144	J	F2603682.D	2026-06-05 05:53	1.094	13.524	18790	439067	64.8	10.557	-4.3%
DRPNB-11-S-20260520	C57824	0.619	0.143	5.62	54.4	0.450	20182	0.275	0.626	0.0634	0.144	J	F2603683.D	2026-06-05 06:18	1.094	13.524	42428	447219	64.8	10.563	-2.5%
DRPNB-12-S-20260520	C39127	0.275	0.0634		54.4	0.450	20182	0.275	0.626	0.0634	0.144	ND	F2603684.D	2026-06-05 06:45	1.094	13.524	10795	446088	64.8	10.557	-2.7%
DRPNB-13-S-20260520	C39232	0.275	0.0634		54.4	0.450	20182	0.275	0.626	0.0634	0.144	ND	F2603685.D	2026-06-05 07:10	1.094	13.524	12968	466635	64.8	10.563	1.7%
DRPNB-14-S-20260520	C40657	0.275	0.0634		54.4	0.450	20180	0.275	0.626	0.0634	0.144	ND	F2603686.D	2026-06-05 07:36	1.094	13.524	19710	473665	64.8	10.563	3.3%
DRPNB-15-S-20260520	B17469	0.761	0.175	6.91	54.4	0.450	20180	0.275	0.626	0.0634	0.144		F2603687.D	2026-06-05 08:01	1.094	13.524	55421	474998	64.8	10.557	3.6%
DRPNB-15-D-20260520	C67311	0.688	0.159	6.25	54.4	0.450	20180	0.275	0.626	0.0634	0.144		F2603688.D	2026-06-05 08:27	1.094	13.518	50358	477198	64.8	10.557	4.0%
DRPNB-15-B-20260520	C43613	0.275	0.0634		54.4	0.450	20180	0.275	0.626	0.0634	0.144	ND	F2603689.D	2026-06-05 08:52	1.094	13.518	396	469602	64.8	10.557	2.4%

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit

QC Data

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GE205-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	DRPNB-2-B-20260520	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
	DRPNB-15-B-20260520	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	DRPNB-2-D-20260520	4.6%	Pass	8.4%	Pass	18%	Pass	20%	Pass	ND	Pass
	DRPNB-15-D-20260520	0.98%	Pass	4.3%	Pass	14%	Pass	7.7%	Pass	10%	Pass

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GE205-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2603668.D	C70042	Cal	0.920	0.864	0.920	6.5%	-8.2%		Pass	
2026GE205 Method Blank 1	F2603669.D	C40685	Blank		0.864	0.920			-1.6%	Pass	ND
M325B CCV 5	F2603680.D	C61589	Check	0.915	0.864	0.920	5.8%		-3.6%	Pass	
M325B CCV 5	F2603690.D	C71765	Check	0.911	0.864	0.920	5.4%		4.8%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2603668.D	C70042	Cal	1.127	1.050	1.127	7.4%	-9.8%		Pass	
2026GE205 Method Blank 1	F2603669.D	C40685	Blank		1.050	1.127			-0.53%	Pass	ND
M325B CCV 5	F2603680.D	C61589	Check	1.152	1.050	1.127	9.7%		-3.6%	Pass	
M325B CCV 5	F2603690.D	C71765	Check	1.127	1.050	1.127	7.3%		3.6%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2603668.D	C70042	Cal	1.263	1.233	1.263	2.4%	-9.8%		Pass	
2026GE205 Method Blank 1	F2603669.D	C40685	Blank		1.233	1.263			-0.53%	Pass	ND
M325B CCV 5	F2603680.D	C61589	Check	1.366	1.233	1.263	11%		-3.6%	Pass	
M325B CCV 5	F2603690.D	C71765	Check	1.338	1.233	1.263	8.5%		3.6%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2603668.D	C70042	Cal	1.026	1.028	1.026	-0.22%	-9.8%		Pass	
2026GE205 Method Blank 1	F2603669.D	C40685	Blank		1.028	1.026			-0.53%	Pass	ND
M325B CCV 5	F2603680.D	C61589	Check	1.099	1.028	1.026	6.9%		-3.6%	Pass	
M325B CCV 5	F2603690.D	C71765	Check	1.081	1.028	1.026	5.1%		3.6%	Pass	


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2603668.D	C70042	Cal	1.094	1.054	1.094	3.9%	-9.8%		Pass	
2026GE205 Method Blank 1	F2603669.D	C40685	Blank		1.054	1.094			-0.53%	Pass	ND
M325B CCV 5	F2603680.D	C61589	Check	1.168	1.054	1.094	11%		-3.6%	Pass	
M325B CCV 5	F2603690.D	C71765	Check	1.156	1.054	1.094	9.7%		3.6%	Pass	

Chromatograms


Name	2026GE205 Method Blank 1
Comment	C40685
Data File	F2603669.D
Acq. Date-Time	6/5/2026 12:21:01 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	423,723	
Benzene	benzene-d6 (IS)	7.932	7.932	2,510	
Toluene-d8 (IS)		10.563	10.557	456,213	
Toluene	Toluene-d8 (IS)	10.655	10.655	8,944	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.839	862	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	913	
o-Xylene	Toluene-d8 (IS)	13.518	13.524	530	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603669.D
Counts
x10^2
13.518 min.
Acquisition Time (min)


+ Scan (13.495-13.553 min, 9 scans) F2603669.D
Lib Match Score=36.9
Counts
x10^3
41.1
55.1
73.0
78.1
91.0
105.1
117.2
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-2-B-20260520
Comment	C20589
Data File	F2603670.D
Acq. Date-Time	6/5/2026 12:46:26 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	410,203	
Benzene	benzene-d6 (IS)	7.932	7.932	7,882	
Toluene-d8 (IS)		10.563	10.557	441,560	
Toluene	Toluene-d8 (IS)	10.655	10.655	15,601	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.839	1,083	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.016	892	
o-Xylene	Toluene-d8 (IS)	13.518	13.524	283	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603670.D
Counts
x10^2
6
5
4
3
2
1
13.518 min.
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.505-13.544 min, 7 scans) F2603670.D
Lib Match Score=38.2
Counts
x10^3
0.25
0
-0.25
-0.5
-0.75
-1
-1.25
41.1
55.0
67.1
79.1
91.0
106.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-1-S-20260520
Comment	C67417
Data File	F2603671.D
Acq. Date-Time	6/5/2026 1:11:55 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	400,513	
Benzene	benzene-d6 (IS)	7.932	7.932	88,809	
Toluene-d8 (IS)		10.557	10.557	427,901	
Toluene	Toluene-d8 (IS)	10.655	10.655	190,449	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.839	27,035	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	56,637	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	21,394	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603671.D
Counts
x10^4
1.5
1.25
1
0.75
0.5
0.25
0
13.524 min.
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.481-13.566 min, 14 scans) F2603671.D
Lib Match Score=63.9
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
39.1
55.1
67.0
77.1
111.1
126.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-2-S-20260520
Comment	B48545
Data File	F2603672.D
Acq. Date-Time	6/5/2026 1:37:27 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.871	7.877	384,352	
Benzene	benzene-d6 (IS)	7.932	7.932	82,292	
Toluene-d8 (IS)		10.557	10.557	413,147	
Toluene	Toluene-d8 (IS)	10.655	10.655	180,155	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.839	25,699	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	43,476	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	15,996	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603672.D
Counts
x10^4
1.2
1
0.8
0.6
0.4
0.2
0
13.524 min.
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.487-13.562 min, 13 scans) F2603672.D
Counts
x10^3
Lib Match Score=63.8
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
39.1
51.0
67.0
77.0
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-2-D-20260520
Comment	B48053
Data File	F2603673.D
Acq. Date-Time	6/5/2026 2:02:54 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	386,755	
Benzene	benzene-d6 (IS)	7.932	7.932	79,106	
Toluene-d8 (IS)		10.563	10.557	419,381	
Toluene	Toluene-d8 (IS)	10.655	10.655	168,088	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.839	21,879	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	36,080	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	12,847	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603673.D
Counts
x10^4
1
0.8
0.6
0.4
0.2
0
13.524 min.
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.491-13.565 min, 12 scans) F2603673.D
Lib Match Score=64.8
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.0
106.1
111.0
41.1
51.0
63.0
77.0
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-3-S-20260520
Comment	C40584
Data File	F2603674.D
Acq. Date-Time	6/5/2026 2:29:14 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	386,196	
Benzene	benzene-d6 (IS)	7.932	7.932	37,931	
Toluene-d8 (IS)		10.563	10.557	417,899	
Toluene	Toluene-d8 (IS)	10.655	10.655	96,748	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.839	14,703	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	29,842	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	10,766	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603674.D
Counts
x10^4
0.8
0.6
0.4
0.2
0
13.524 min.
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.489-13.576 min, 14 scans) F2603674.D
Counts
x10^3
Lib Match Score=56.2
1
0.5
0
-0.5
-1
-1.5
91.1
39.1
51.0
65.1
73.1
106.1
111.1
126.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-4-S-20260520
Comment	C01393
Data File	F2603675.D
Acq. Date-Time	6/5/2026 2:54:43 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	392,586	
Benzene	benzene-d6 (IS)	7.932	7.932	34,291	
Toluene-d8 (IS)		10.563	10.557	422,572	
Toluene	Toluene-d8 (IS)	10.655	10.655	77,638	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.839	15,910	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.016	25,896	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	10,508	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603675.D
Counts
x10^3
13.524 min.
Acquisition Time (min)


+ Scan (13.491-13.597 min, 17 scans) F2603675.D
Counts
x10^3
Lib Match Score=53.0
91.1
41.1
55.1
73.0
106.1
111.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-5-S-20260520
Comment	C71481
Data File	F2603676.D
Acq. Date-Time	6/5/2026 3:20:18 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	414,937	
Benzene	benzene-d6 (IS)	7.932	7.932	37,624	
Toluene-d8 (IS)		10.563	10.557	444,470	
Toluene	Toluene-d8 (IS)	10.655	10.655	83,486	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.839	15,838	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	31,801	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	13,683	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603676.D
Counts
x10^4
13.524 min.
0.8
0.6
0.4
0.2
0
13.1
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
Acquisition Time (min)


+ Scan (13.485-13.597 min, 19 scans) F2603676.D
Counts
x10^3
Lib Match Score=53.1
91.0
41.1
55.1
73.1
106.0
51.0
83.0
97.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	DRPNB-6-S-20260520
Comment	C01360
Data File	F2603677.D
Acq. Date-Time	6/5/2026 3:45:51 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.871	7.877	418,898	
Benzene	benzene-d6 (IS)	7.932	7.932	60,703	
Toluene-d8 (IS)		10.557	10.557	452,721	
Toluene	Toluene-d8 (IS)	10.655	10.655	134,223	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.839	28,851	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	50,542	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	21,707	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603677.D
Counts
x10^4
1.6
1.4
1.2
1
0.8
0.6
0.4
0.2
0
13.524 min.
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.489-13.591 min, 17 scans) F2603677.D
Counts
x10^3
Lib Match Score=60.0
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.1
69.1
77.0
83.1
97.1
111.1
126.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-7-S-20260520
Comment	C37007
Data File	F2603678.D
Acq. Date-Time	6/5/2026 4:11:21 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	394,532	
Benzene	benzene-d6 (IS)	7.932	7.932	29,987	
Toluene-d8 (IS)		10.557	10.557	414,194	
Toluene	Toluene-d8 (IS)	10.655	10.655	64,675	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.839	12,589	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	21,733	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	8,610	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603678.D
Counts
x10^3
13.524 min.
Acquisition Time (min)


+ Scan (13.494-13.573 min, 13 scans) F2603678.D
Counts
x10^3
Lib Match Score=55.2
91.1
106.1
111.1
41.1
51.0
73.0
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-8-S-20260520
Comment	C55440
Data File	F2603679.D
Acq. Date-Time	6/5/2026 4:36:52 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	394,485	
Benzene	benzene-d6 (IS)	7.932	7.932	27,566	
Toluene-d8 (IS)		10.563	10.557	421,715	
Toluene	Toluene-d8 (IS)	10.655	10.655	61,291	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.839	11,747	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	22,314	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	9,625	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603679.D
Counts
x10^3
13.524 min.
Acquisition Time (min)


+ Scan (13.481-13.561 min, 13 scans) F2603679.D
Lib Match Score=54.2
Counts
x10^3
91.1
39.1
55.1
73.1
106.1
97.1
111.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-9-S-20260520
Comment	B44385
Data File	F2603681.D
Acq. Date-Time	6/5/2026 5:27:49 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	410,536	
Benzene	benzene-d6 (IS)	7.932	7.932	53,144	
Toluene-d8 (IS)		10.563	10.557	432,112	
Toluene	Toluene-d8 (IS)	10.655	10.655	87,925	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.839	17,505	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	23,459	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	10,163	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603681.D
Counts
x10^3
13.524 min.
Acquisition Time (min)


+ Scan (13.490-13.555 min, 11 scans) F2603681.D
Lib Match Score=57.3
Counts
x10^3
91.1
106.0
111.1
39.1
55.1
67.1
77.0
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-10-S-20260520
Comment	C56835
Data File	F2603682.D
Acq. Date-Time	6/5/2026 5:53:19 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	411,499	
Benzene	benzene-d6 (IS)	7.932	7.932	46,560	
Toluene-d8 (IS)		10.557	10.557	439,067	
Toluene	Toluene-d8 (IS)	10.655	10.655	109,069	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.839	23,381	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	42,974	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	18,790	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603682.D
Counts
x10^4
13.524 min.
1.2
1
0.8
0.6
0.4
0.2
0
13.1
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
Acquisition Time (min)


+ Scan (13.483-13.566 min, 13 scans) F2603682.D
Counts
x10^3
Lib Match Score=65.0
91.1
106.1
39.1
55.1
67.1
77.0
96.1
111.1
126.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	DRPNB-11-S-20260520
Comment	C57824
Data File	F2603683.D
Acq. Date-Time	6/5/2026 6:18:45 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	417,898	
Benzene	benzene-d6 (IS)	7.932	7.932	55,483	
Toluene-d8 (IS)		10.563	10.557	447,219	
Toluene	Toluene-d8 (IS)	10.661	10.655	196,819	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.839	46,994	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	110,331	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	42,428	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603683.D
Counts
x10^4
13.524 min.
Acquisition Time (min)


+ Scan (13.487-13.597 min, 18 scans) F2603683.D
Counts
x10^3
Lib Match Score=62.6
91.1
106.1
41.1
55.1
69.1
83.1
97.1
111.1
126.1
51.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-12-S-20260520
Comment	C39127
Data File	F2603684.D
Acq. Date-Time	6/5/2026 6:45:11 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	420,206	
Benzene	benzene-d6 (IS)	7.932	7.932	29,967	
Toluene-d8 (IS)		10.557	10.557	446,088	
Toluene	Toluene-d8 (IS)	10.655	10.655	72,653	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.839	15,480	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	26,926	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	10,795	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603684.D
Counts
x10^3
13.524 min.
Acquisition Time (min)


+ Scan (13.481-13.584 min, 17 scans) F2603684.D
Counts
x10^3
Lib Match Score=55.5
91.1
41.1
55.1
73.0
106.1
97.1
111.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-13-S-20260520
Comment	C39232
Data File	F2603685.D
Acq. Date-Time	6/5/2026 7:10:43 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	434,084	
Benzene	benzene-d6 (IS)	7.932	7.932	33,270	
Toluene-d8 (IS)		10.563	10.557	466,635	
Toluene	Toluene-d8 (IS)	10.655	10.655	77,638	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.839	16,149	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	29,636	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	12,968	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603685.D
Counts
x10^4
0.8
0.6
0.4
0.2
0
13.524 min.
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.479-13.590 min, 18 scans) F2603685.D
Counts
x10^3
Lib Match Score=53.4
1
0.5
0
-0.5
-1
-1.5
91.1
41.1
55.1
73.1
97.0
106.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-14-S-20260520
Comment	C40657
Data File	F2603686.D
Acq. Date-Time	6/5/2026 7:36:20 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	448,657	
Benzene	benzene-d6 (IS)	7.932	7.932	51,236	
Toluene-d8 (IS)		10.563	10.557	473,665	
Toluene	Toluene-d8 (IS)	10.655	10.655	133,139	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.839	26,619	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	52,939	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	19,710	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603686.D
Counts
x10^4
1.5
1.25
1
0.75
0.5
0.25
0
13.524 min.
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.489-13.570 min, 13 scans) F2603686.D
Counts
x10^3
Lib Match Score=67.0
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
39.1
55.1
63.0
69.1
77.0
97.1
111.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-15-S-20260520
Comment	B17469
Data File	F2603687.D
Acq. Date-Time	6/5/2026 8:01:46 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	441,958	
Benzene	benzene-d6 (IS)	7.932	7.932	265,328	
Toluene-d8 (IS)		10.557	10.557	474,998	
Toluene	Toluene-d8 (IS)	10.655	10.655	607,130	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.839	67,040	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	148,576	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	55,421	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603687.D
Counts
x10^4
4
3
2
1
0
13.524 min.
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.484-13.597 min, 18 scans) F2603687.D
Counts
x10^3
Lib Match Score=74.2
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.1
69.1
77.0
83.1
97.1
111.1
126.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-15-D-20260520
Comment	C67311
Data File	F2603688.D
Acq. Date-Time	6/5/2026 8:27:19 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	441,686	
Benzene	benzene-d6 (IS)	7.932	7.932	262,587	
Toluene-d8 (IS)		10.557	10.557	477,198	
Toluene	Toluene-d8 (IS)	10.655	10.655	584,101	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.839	58,357	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	138,241	
o-Xylene	Toluene-d8 (IS)	13.518	13.524	50,358	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603688.D
Counts
x10^4
13.518 min.
Acquisition Time (min)


+ Scan (13.483-13.591 min, 17 scans) F2603688.D
Counts
x10^3
Lib Match Score=74.5
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-15-B-20260520
Comment	C43613
Data File	F2603689.D
Acq. Date-Time	6/5/2026 8:52:49 AM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.871	7.877	430,275	
Benzene	benzene-d6 (IS)	7.932	7.932	5,542	
Toluene-d8 (IS)		10.557	10.557	469,602	
Toluene	Toluene-d8 (IS)	10.655	10.655	13,548	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.839	1,232	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	375	
o-Xylene	Toluene-d8 (IS)	13.518	13.524	396	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes





o-Xylene


+ EIC (91.1) Scan F2603689.D
Counts
x10^2
13.518 min.
Acquisition Time (min)


+ Scan (13.495-13.556 min, 10 scans) F2603689.D
Counts
x10^3
Lib Match Score=37.2
41.0
55.0
67.0
73.1
81.0
91.0
106.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)

Initial Calibration

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GE205-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
F060226A_CC185154	Benzene	1	F2603592.D	5.98	47851	54.9	467282	0.940	0.088
F060226A_CC185154	Benzene	2	F2603593.D	11.96	92809	54.9	459393	0.928	0.073
F060226A_CC185154	Benzene	3	F2603594.D	23.92	139496	54.9	463442	0.691	-0.2
F060226A_CC185154	Benzene	4	F2603602.D	47.82	363876	54.9	499057	0.837	-0.031
F060226A_CC185154	Benzene	5	F2603596.D	119.61	740151	54.9	471030	0.721	-0.17
F060226A_CC185154	Benzene	6	F2603597.D	239.22	1970749	54.9	459601	0.984	0.14
F060226A_CC185154	Benzene	7	F2603598.D	717.65	5725146	54.9	462228	0.948	0.097
						Avg:	468862	0.864	
						%RSD:	3.0%	13.6%	
F060226A_CC185154	Toluene	1	F2603592.D	5.25	47709	64.8	509406	1.156	0.1
F060226A_CC185154	Toluene	2	F2603593.D	10.51	92003	64.8	502138	1.131	0.077
F060226A_CC185154	Toluene	3	F2603594.D	21.01	156312	64.8	499066	0.967	-0.079
F060226A_CC185154	Toluene	4	F2603602.D	42.00	353414	64.8	531720	1.026	-0.023
F060226A_CC185154	Toluene	5	F2603596.D	105.05	694344	64.8	502134	0.853	-0.19
F060226A_CC185154	Toluene	6	F2603597.D	210.10	1867261	64.8	505954	1.139	0.085
F060226A_CC185154	Toluene	7	F2603598.D	630.31	5346493	64.8	510534	1.077	0.026
						Avg:	508707	1.050	
						%RSD:	2.2%	10.5%	
F060226A_CC185154	Ethylbenzene	1	F2603592.D	5.46	49130	64.8	509406	1.145	-0.071
F060226A_CC185154	Ethylbenzene	2	F2603593.D	10.92	112308	64.8	502138	1.328	0.077
F060226A_CC185154	Ethylbenzene	3	F2603594.D	21.84	196227	64.8	499066	1.167	-0.053
F060226A_CC185154	Ethylbenzene	4	F2603602.D	43.65	481296	64.8	531720	1.344	0.09
F060226A_CC185154	Ethylbenzene	5	F2603596.D	109.18	873540	64.8	502134	1.033	-0.16
F060226A_CC185154	Ethylbenzene	6	F2603597.D	218.36	2338398	64.8	505954	1.372	0.11
F060226A_CC185154	Ethylbenzene	7	F2603598.D	655.09	6402073	64.8	510534	1.241	0.0065
						Avg:	508707	1.233	
						%RSD:	2.2%	10.1%	
F060226A_CC185154	m-/p-Xylenes	1	F2603592.D	6.12	43991	64.8	509406	0.915	-0.11
F060226A_CC185154	m-/p-Xylenes	2	F2603593.D	12.24	105150	64.8	502138	1.110	0.079
F060226A_CC185154	m-/p-Xylenes	3	F2603594.D	24.47	187576	64.8	499066	0.996	-0.032
F060226A_CC185154	m-/p-Xylenes	4	F2603602.D	48.92	455036	64.8	531720	1.134	0.1
F060226A_CC185154	m-/p-Xylenes	5	F2603596.D	122.36	833795	64.8	502134	0.880	-0.14
F060226A_CC185154	m-/p-Xylenes	6	F2603597.D	244.72	2071778	64.8	505954	1.085	0.055
F060226A_CC185154	m-/p-Xylenes	7	F2603598.D	734.17	6239181	64.8	510534	1.079	0.049
						Avg:	508707	1.028	
						%RSD:	2.2%	9.7%	
F060226A_CC185154	o-Xylene	1	F2603592.D	5.69	41840	64.8	509406	0.936	-0.11
F060226A_CC185154	o-Xylene	2	F2603593.D	11.38	103923	64.8	502138	1.179	0.12
F060226A_CC185154	o-Xylene	3	F2603594.D	22.76	180336	64.8	499066	1.029	-0.023

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GE205-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
F060226A_CC185154	o-Xylene	4	F2603602.D	45.50	428822	64.8	531720	1.149	0.091
F060226A_CC185154	o-Xylene	5	F2603596.D	113.79	799795	64.8	502134	0.908	-0.14
F060226A_CC185154	o-Xylene	6	F2603597.D	227.59	2008036	64.8	505954	1.131	0.073
F060226A_CC185154	o-Xylene	7	F2603598.D	682.77	5608102	64.8	510534	1.043	-0.0099
						Avg:	508707	1.054	
						%RSD:	2.2%	10.0%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
F060226A_CC185154	Benzene	ICV	F2603599.D	178.34	1050667	54.9	463481	0.698	-19.0%
F060226A_CC185154	Toluene	ICV	F2603599.D	182.62	1193938	64.8	509401	0.832	-21.0%
F060226A_CC185154	Ethylbenzene	ICV	F2603599.D	180.56	1443094	64.8	509401	1.017	-18.0%
F060226A_CC185154	m-/p-Xylenes	ICV	F2603599.D	183.37	1117425	64.8	509401	0.776	-25.0%
F060226A_CC185154	o-Xylene	ICV	F2603599.D	183.72	1161032	64.8	509401	0.804	-24.0%

M325B PDF Report ver.20260421

Sample Custody

Onterris

2026GE205

EPA Method 325 A/B Field Test Data Sheet and Chain of Custody Record

Page # 1 of # 1

☐ Standard Turn Around Time
☐ Rush Turn Around Time
• All TATs Subject to Approval by Onterris Laboratories, LLC

Site Name:	Webber Penobscot Terminal	**Client Name:**	Onterris Air Quality Services	**PO#:**	
Site Address:	93 River Road	**Project #:**	PROJ-031826	**Sample Event #:**	2026GE205
City:	Bucksport	**Project Manager:**	Sabarish Selvarajan	**Sorbent Type:**	Carbopak-X
State:	Maine	**Email Address:**	sabarishselvarajan@onterris.com	**Quote #:**	
Zip:	04416	**Telephone #:**	973-722-7895		

Location	Sample ID (Tube ID)	Sample (S), Blank (B), Duplicate (D)	Start Date	Start Time	Stop Date	Stop Time	Deployed by/ Collected by	Avg. Pressure (inHg)	Avg. Ambient Temp. (°F)
1	C67417	S	5/20/26	10:12 AM	6/3/26	10:34 AM	KV/KV		
2	B48545	S	5/20/26	10:16 AM	6/3/26	10:39 AM	KV/KV		
2	B48053	D	5/20/26	10:16 AM	6/3/26	10:39 AM	KV/KV		
2	C20589	B	5/20/26	10:16 AM	6/3/26	10:39 AM	KV/KV		
3	C40584	S	5/20/26	10:19 AM	6/3/26	10:41 AM	KV/KV		
4	C01393	S	5/20/26	10:27 AM	6/3/26	10:48 AM	KV/KV		
5	C71481	S	5/20/26	10:26 AM	6/3/26	10:47 AM	KV/KV		
6	C01360	S	5/20/26	10:25 AM	6/3/26	10:46 AM	KV/KV		
7	C37007	S	5/20/26	10:24 AM	6/3/26	10:45 AM	KV/KV		
8	C55440	S	5/20/26	10:22 AM	6/3/26	10:44 AM	KV/KV		
9	B44385	S	5/20/26	10:32 AM	6/3/26	10:54 AM	KV/KV		
10	C56835	S	5/20/26	10:34 AM	6/3/26	10:56 AM	KV/KV		
11	C57824	S	5/20/26	10:36 AM	6/3/26	10:58 AM	KV/KV		
12	C39127	S	5/20/26	10:37 AM	6/3/26	10:59 AM	KV/KV		
13	C39232	S	5/20/26	10:39 AM	6/3/26	11:01 AM	KV/KV		
14	C40657	S	5/20/26	10:43 AM	6/3/26	11:03 AM	KV/KV		
15	B17469	S	5/20/26	10:45 AM	6/3/26	11:05 AM	KV/KV		
15	C67311	D	5/20/26	10:45 AM	6/3/26	11:05 AM	KV/KV		
15	C43613	B	5/20/26	10:45 AM	6/3/26	11:05 AM	KV/KV		

Relinquished By (printed):	Relinquished By (signature):	Relinquished Date:	Relinquished Time:
Kosta Voukidis	KV	6/3/2026	17:00
Received By (printed):	**Recieved By (signature):**	**Receipt Date:**	**Receipt Time:**
Matthew Flacksenburg	Matthew Flacksenburg	6/4/2026	9:50
Sample Condition Upon Receipt:	**Compound List:**	**Custody Seal Intact? Y/N:**	
Good	Benzene Toluene Ethylbenzene O-xylenes, m-/p-xylenes	Y	
Blank Temp: 22.2 Fluke4		**Custody Seal #:** 25E09262	

...ments:

800-1 Capitola Drive • Durham, NC 27713 • (919) 850-4392 • FAX (919) 850-9012 • www.onterris.com

Unless otherwise agreed in writing, these services are provided pursuant to the terms and conditions as set forth at onterris.com/terms-and-conditions. Onterris acceptance of this order is **expressly limited** to these terms and conditions

This Is The Last Page Of This Report.

Penobscot Bay Terminal - Bucksport

93 River Road
Bucksport, ME 04416

Sampling Event 48 Penobscot Bay Terminals - Bucksport

Client Project# PROJ-031826
Samples Received: 6/18/2026

Analytical Report
2026GE206

EPA Method 325B Analysis

Report Issue Date: 6/26/2026

I certify that to the best of my knowledge all analytical data presented in this report have been checked for completeness, accuracy, errors and legibility in addition to having been conducted in accordance with approved protocol, and that all deviations and analytical problems are summarized in the appropriate narrative(s). This report shall not be reproduced except in full without approval of the laboratory. This will provide assurance that parts of the report are not taken out of context.

Amendment(s):

Signature:



Matt Cavanaugh
Matthew.Cavanaugh@onterris.com / www.onterris.com
O: (919) 850-4392
Onterris/Enthalpy
800 Capitola Drive Suite 1 Durham, NC 27713

Table of Contents

Case Narrative . . . 3
Results . . . 6
    Summary of Results . . . 7
    Detailed Results . . . 8
QC Data . . . 11
Chromatograms . . . 14
Initial Calibration . . . 75
Sample Custody . . . 78
    Chain of Custody . . . 79

Narrative Summary

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GE206-1
Client ID.	PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

1. Custody

The samples were received at Onterris/Enthalpy on June 18, 2026 at 22.9 °C. The samples were received in good condition. Prior to, during, and after analysis, the samples were kept under lock with access only to authorized personnel by Onterris/Enthalpy.

Table 1 - Sample Inventory

Sample ID	Tube ID	Sample Type
DRPNB-1-S-20260603	C01605	Sample
DRPNB-2-S-20260603	C37009	Sample
DRPNB-2-D-20260603	C16101	Duplicate
DRPNB-2-B-20260603	C00787	Blank
DRPNB-3-S-20260603	C57461	Sample
DRPNB-4-S-20260603	C00713	Sample
DRPNB-5-S-20260603	C20548	Sample
DRPNB-6-S-20260603	C70833	Sample
DRPNB-7-S-20260603	C20547	Sample
DRPNB-8-S-20260603	B44260	Sample
DRPNB-9-S-20260603	C37429	Sample
DRPNB-10-S-20260603	C70770	Sample
DRPNB-11-S-20260603	C57489	Sample
DRPNB-12-S-20260603	C16073	Sample
DRPNB-13-S-20260603	B48031	Sample
DRPNB-14-S-20260603	C32853	Sample
DRPNB-15-S-20260603	C65296	Sample
DRPNB-15-D-20260603	C38996	Duplicate
DRPNB-15-B-20260603	C40192	Blank

2. Analysis

The samples were analyzed for Benzene, Toluene, Ethylbenzene, m-/p-Xylenes, and o-Xylene using EPA Method 325B – Volatile Organic Compounds from Fugitive and Area Sources by Thermal Desorption and GC/MS. A copy of the acquisition method M325B-MTD is not included in this report but may be available upon request.

The sample tube media used for this sampling period was CarbopackX. All calibration standards and laboratory QC were prepared using the same media.

3. Calibration

All BFB tune criteria have been met for this analysis.

The initial calibration (F060226A_CC185154) met all 30% RSD criteria. The initial calibration verification met ±30% recovery criteria. The continuing calibration verifications met 30% difference criteria. The initial and continuing calibration raw data are not included in this report but are available upon request.

Onterris/Enthalpy Narrative Summary

Company	Onterris Air Quality Services - New Jersey
Job No.	2026GE206-1
Client ID.	PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

4. QC Notes

All quality control criteria required by the method and/or the laboratory SOP have been met unless noted otherwise below.

5. Reporting Notes

All tubes used for this sampling period met the method criteria for number of uses; no tube exceeded 50 field uses.

As specified in EPA Method 325B, the response factor of the daily continuing calibration standard was used to quantitate all field samples and blanks.

All samples were reported as amount in ng catch, and concentration in ug/m³ and ppbv.

The results presented in this report are representative of the samples as provided to the laboratory. These analyses met the requirements of the TNI Standard. Any deviations from the requirements of the reference method or TNI Standard have been stated above.

Onterris/Enthalpy, located at 800 Capitola Drive, Suite 1, Durham NC, 27713 is accredited by the Louisiana Department of Environmental Quality (LDEQ) for EPA Method 325B for all analytes included in this report under **Certificate Number 04010**.

Results

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GE206-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

Summary

Sample Code	Tube ID	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
		(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag	(ug/m³)	Flag
DRPNB-1-S-20260603	C01605	0.656		1.59		0.311	J	0.664	J	0.274	ND
DRPNB-2-S-20260603	C37009	0.504		1.40		0.356	J	0.816		0.295	J
DRPNB-2-D-20260603	C16101	0.509		1.34		0.302	J	0.737		0.277	J
DRPNB-2-B-20260603	C00787	0.188	ND	0.319	J	0.274	ND	0.274	ND	0.274	ND
DRPNB-3-S-20260603	C57461	0.745		2.29		0.496	J	1.55		0.556	J
DRPNB-4-S-20260603	C00713	0.614		2.00		0.571	J	1.41		0.612	J
DRPNB-5-S-20260603	C20548	0.715		2.22		0.632		1.51		0.679	
DRPNB-6-S-20260603	C70833	0.614		2.86		1.02		3.14		1.46	
DRPNB-7-S-20260603	C20547	0.523		1.46		0.426	J	0.852		0.382	J
DRPNB-8-S-20260603	B44260	0.665		1.57		0.366	J	0.850		0.348	J
DRPNB-9-S-20260603	C37429	0.800		2.19		0.492	J	1.21		0.490	J
DRPNB-10-S-20260603	C70770	0.598		1.49		0.346	J	1.07		0.421	J
DRPNB-11-S-20260603	C57489	0.420	J	1.45		0.340	J	1.06		0.408	J
DRPNB-12-S-20260603	C16073	0.350	J	0.763		0.274	ND	0.384	J	0.274	ND
DRPNB-13-S-20260603	B48031	0.583		0.850		0.274	ND	0.337	J	0.274	ND
DRPNB-14-S-20260603	C32853	0.421	J	1.61		0.390	J	0.898		0.327	J
DRPNB-15-S-20260603	C65296	1.11		3.00		0.452	J	1.44		0.533	J
DRPNB-15-D-20260603	C38996	1.12		2.90		0.439	J	1.22		0.442	J
DRPNB-15-B-20260603	C40192	0.188	ND	0.242	ND	0.274	ND	0.274	ND	0.274	ND

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GE206-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

Benzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-1-S-20260603	C01605	0.656	0.206	8.72	62.1	0.661	20112	0.188	0.450	0.0589	0.141		F2603975.D	2026-06-19 15:27	0.883	7.932	39176	279275	54.9	7.877	-21.3%
DRPNB-2-S-20260603	C37009	0.504	0.158	6.70	62.1	0.661	20110	0.188	0.450	0.0589	0.141		F2603976.D	2026-06-19 15:51	0.883	7.932	29859	277144	54.9	7.877	-21.9%
DRPNB-2-D-20260603	C16101	0.509	0.159	6.76	62.1	0.661	20110	0.188	0.450	0.0589	0.141		F2603977.D	2026-06-19 16:15	0.883	7.932	37495	344991	54.9	7.877	-2.8%
DRPNB-2-B-20260603	C00787	0.188	0.0589		62.1	0.661	20110	0.188	0.450	0.0589	0.141	ND	F2603974.D	2026-06-19 15:02	0.883	7.932	6233	271689	54.9	7.871	-23.5%
DRPNB-3-S-20260603	C57461	0.745	0.233	9.90	62.1	0.661	20111	0.188	0.450	0.0589	0.141		F2603978.D	2026-06-19 16:40	0.883	7.932	55735	350165	54.9	7.877	-1.4%
DRPNB-4-S-20260603	C00713	0.614	0.192	8.16	62.1	0.661	20111	0.188	0.450	0.0589	0.141		F2603979.D	2026-06-19 17:06	0.883	7.932	47198	359499	54.9	7.877	1.3%
DRPNB-5-S-20260603	C20548	0.715	0.224	9.50	62.1	0.661	20111	0.188	0.450	0.0589	0.141		F2603980.D	2026-06-19 17:31	0.883	7.932	55481	362981	54.9	7.871	2.2%
DRPNB-6-S-20260603	C70833	0.614	0.192	8.16	62.1	0.661	20111	0.188	0.450	0.0589	0.141		F2603981.D	2026-06-19 17:57	0.883	7.932	46384	353585	54.9	7.877	-0.4%
DRPNB-7-S-20260603	C20547	0.523	0.164	6.95	62.1	0.661	20111	0.188	0.450	0.0589	0.141		F2603982.D	2026-06-19 18:23	0.883	7.932	39808	355954	54.9	7.871	0.3%
DRPNB-8-S-20260603	B44260	0.665	0.208	8.84	62.1	0.661	20111	0.188	0.450	0.0589	0.141		F2603983.D	2026-06-19 18:48	0.883	7.932	51266	360744	54.9	7.871	1.6%
DRPNB-9-S-20260603	C37429	0.800	0.251	10.6	62.1	0.661	20110	0.188	0.450	0.0589	0.141		F2603985.D	2026-06-19 19:39	0.883	7.932	63891	373554	54.9	7.877	5.2%
DRPNB-10-S-20260603	C70770	0.598	0.187	7.95	62.1	0.661	20111	0.188	0.450	0.0589	0.141		F2603986.D	2026-06-19 20:05	0.883	7.932	46602	364574	54.9	7.877	2.7%
DRPNB-11-S-20260603	C57489	0.420	0.132	5.58	62.1	0.661	20111	0.188	0.450	0.0589	0.141	J	F2603987.D	2026-06-19 20:30	0.883	7.932	33106	368921	54.9	7.877	3.9%
DRPNB-12-S-20260603	C16073	0.350	0.110	4.65	62.1	0.661	20111	0.188	0.450	0.0589	0.141	J	F2603988.D	2026-06-19 20:56	0.883	7.932	27324	365503	54.9	7.871	3.0%
DRPNB-13-S-20260603	B48031	0.583	0.183	7.75	62.2	0.661	20112	0.188	0.450	0.0589	0.141		F2603989.D	2026-06-19 21:21	0.883	7.932	45564	365713	54.9	7.871	3.0%
DRPNB-14-S-20260603	C32853	0.421	0.132	5.60	62.2	0.661	20111	0.188	0.450	0.0589	0.141	J	F2603990.D	2026-06-19 21:46	0.883	7.932	32892	365484	54.9	7.871	3.0%
DRPNB-15-S-20260603	C65296	1.11	0.349	14.8	62.2	0.661	20111	0.188	0.450	0.0589	0.141		F2603991.D	2026-06-19 22:13	0.883	7.932	89090	374627	54.9	7.877	5.5%
DRPNB-15-D-20260603	C38996	1.12	0.350	14.9	62.2	0.661	20111	0.188	0.450	0.0589	0.141		F2603992.D	2026-06-19 22:38	0.883	7.932	91463	382804	54.9	7.877	7.8%
DRPNB-15-B-20260603	C40192	0.188	0.0589		62.2	0.661	20111	0.188	0.450	0.0589	0.141	ND	F2603993.D	2026-06-19 23:04	0.883	7.938	2735	405839	54.9	7.877	14.3%

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-1-S-20260603	C01605	1.59	0.421	16.3	62.1	0.513	20112	0.242	0.509	0.0644	0.135		F2603975.D	2026-06-19 15:27	1.089	10.661	85711	312051	64.8	10.563	-21.2%
DRPNB-2-S-20260603	C37009	1.40	0.371	14.4	62.1	0.513	20110	0.242	0.509	0.0644	0.135		F2603976.D	2026-06-19 15:51	1.089	10.661	71902	297130	64.8	10.569	-25.0%
DRPNB-2-D-20260603	C16101	1.34	0.357	13.9	62.1	0.513	20110	0.242	0.509	0.0644	0.135		F2603977.D	2026-06-19 16:15	1.089	10.655	88421	379948	64.8	10.557	-4.1%
DRPNB-2-B-20260603	C00787	0.319	0.0848	3.29	62.1	0.513	20110	0.242	0.509	0.0644	0.135	J	F2603974.D	2026-06-19 15:02	1.089	10.661	16512	298373	64.8	10.563	-24.7%
DRPNB-3-S-20260603	C57461	2.29	0.608	23.6	62.1	0.513	20111	0.242	0.509	0.0644	0.135		F2603978.D	2026-06-19 16:40	1.089	10.655	152832	385161	64.8	10.557	-2.8%
DRPNB-4-S-20260603	C00713	2.00	0.531	20.6	62.1	0.513	20111	0.242	0.509	0.0644	0.135		F2603979.D	2026-06-19 17:06	1.089	10.655	131453	379720	64.8	10.563	-4.2%
DRPNB-5-S-20260603	C20548	2.22	0.589	22.9	62.1	0.513	20111	0.242	0.509	0.0644	0.135		F2603980.D	2026-06-19 17:31	1.089	10.661	161518	420441	64.8	10.563	6.1%
DRPNB-6-S-20260603	C70833	2.86	0.759	29.5	62.1	0.513	20111	0.242	0.509	0.0644	0.135		F2603981.D	2026-06-19 17:57	1.089	10.655	196751	397287	64.8	10.557	0.3%
DRPNB-7-S-20260603	C20547	1.46	0.388	15.1	62.1	0.513	20111	0.242	0.509	0.0644	0.135		F2603982.D	2026-06-19 18:23	1.089	10.655	101786	402129	64.8	10.563	1.5%
DRPNB-8-S-20260603	B44260	1.57	0.418	16.2	62.1	0.513	20111	0.242	0.509	0.0644	0.135		F2603983.D	2026-06-19 18:48	1.089	10.655	110543	405138	64.8	10.557	2.2%
DRPNB-9-S-20260603	C37429	2.19	0.581	22.6	62.1	0.513	20110	0.242	0.509	0.0644	0.135		F2603985.D	2026-06-19 19:39	1.089	10.655	160902	424110	64.8	10.557	7.0%
DRPNB-10-S-20260603	C70770	1.49	0.396	15.4	62.1	0.513	20111	0.242	0.509	0.0644	0.135		F2603986.D	2026-06-19 20:05	1.089	10.655	108901	421102	64.8	10.557	6.3%
DRPNB-11-S-20260603	C57489	1.45	0.385	15.0	62.1	0.513	20111	0.242	0.509	0.0644	0.135		F2603987.D	2026-06-19 20:30	1.089	10.655	106269	422958	64.8	10.563	6.7%
DRPNB-12-S-20260603	C16073	0.763	0.202	7.86	62.1	0.513	20111	0.242	0.509	0.0644	0.135		F2603988.D	2026-06-19 20:56	1.089	10.655	55262	418251	64.8	10.563	5.6%
DRPNB-13-S-20260603	B48031	0.850	0.226	8.76	62.2	0.513	20112	0.242	0.509	0.0644	0.135		F2603989.D	2026-06-19 21:21	1.089	10.655	61242	415931	64.8	10.563	5.0%
DRPNB-14-S-20260603	C32853	1.61	0.426	16.6	62.2	0.513	20111	0.242	0.509	0.0644	0.135		F2603990.D	2026-06-19 21:46	1.089	10.655	117578	422748	64.8	10.563	6.7%
DRPNB-15-S-20260603	C65296	3.00	0.797	31.0	62.2	0.513	20111	0.242	0.509	0.0644	0.135		F2603991.D	2026-06-19 22:13	1.089	10.654	225783	434081	64.8	10.556	9.6%
DRPNB-15-D-20260603	C38996	2.90	0.770	29.9	62.2	0.513	20111	0.242	0.509	0.0644	0.135		F2603992.D	2026-06-19 22:38	1.089	10.655	221407	440884	64.8	10.557	11.3%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GE206-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

Toluene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-15-B-20260603	C40192	0.242	0.0644		62.2	0.513	20111	0.242	0.509	0.0644	0.135	ND	F2603993.D	2026-06-19 23:04	1.089	10.655	9064	471715	64.8	10.563	19.1%

Ethylbenzene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-1-S-20260603	C01605	0.311	0.0717	2.84	62.1	0.454	20112	0.274	0.598	0.0632	0.138	J	F2603975.D	2026-06-19 15:27	1.288	12.845	17591	312051	64.8	10.563	-21.2%
DRPNB-2-S-20260603	C37009	0.356	0.0819	3.24	62.1	0.454	20110	0.274	0.598	0.0632	0.138	J	F2603976.D	2026-06-19 15:51	1.288	12.845	19140	297130	64.8	10.569	-25.0%
DRPNB-2-D-20260603	C16101	0.302	0.0697	2.76	62.1	0.454	20110	0.274	0.598	0.0632	0.138	J	F2603977.D	2026-06-19 16:15	1.288	12.845	20813	379948	64.8	10.557	-4.1%
DRPNB-2-B-20260603	C00787	0.274	0.0632		62.1	0.454	20110	0.274	0.598	0.0632	0.138	ND	F2603974.D	2026-06-19 15:02	1.288	12.845	2373	298373	64.8	10.563	-24.7%
DRPNB-3-S-20260603	C57461	0.496	0.114	4.53	62.1	0.454	20111	0.274	0.598	0.0632	0.138	J	F2603978.D	2026-06-19 16:40	1.288	12.839	34643	385161	64.8	10.557	-2.8%
DRPNB-4-S-20260603	C00713	0.571	0.132	5.21	62.1	0.454	20111	0.274	0.598	0.0632	0.138	J	F2603979.D	2026-06-19 17:06	1.288	12.845	39270	379720	64.8	10.563	-4.2%
DRPNB-5-S-20260603	C20548	0.632	0.146	5.76	62.1	0.454	20111	0.274	0.598	0.0632	0.138		F2603980.D	2026-06-19 17:31	1.288	12.839	48132	420441	64.8	10.563	6.1%
DRPNB-6-S-20260603	C70833	1.02	0.236	9.35	62.1	0.454	20111	0.274	0.598	0.0632	0.138		F2603981.D	2026-06-19 17:57	1.288	12.839	73748	397287	64.8	10.557	0.3%
DRPNB-7-S-20260603	C20547	0.426	0.0982	3.89	62.1	0.454	20111	0.274	0.598	0.0632	0.138	J	F2603982.D	2026-06-19 18:23	1.288	12.845	31060	402129	64.8	10.563	1.5%
DRPNB-8-S-20260603	B44260	0.366	0.0843	3.34	62.1	0.454	20111	0.274	0.598	0.0632	0.138	J	F2603983.D	2026-06-19 18:48	1.288	12.839	26845	405138	64.8	10.557	2.2%
DRPNB-9-S-20260603	C37429	0.492	0.113	4.49	62.1	0.454	20110	0.274	0.598	0.0632	0.138	J	F2603985.D	2026-06-19 19:39	1.288	12.845	37817	424110	64.8	10.557	7.0%
DRPNB-10-S-20260603	C70770	0.346	0.0796	3.15	62.1	0.454	20111	0.274	0.598	0.0632	0.138	J	F2603986.D	2026-06-19 20:05	1.288	12.839	26368	421102	64.8	10.557	6.3%
DRPNB-11-S-20260603	C57489	0.340	0.0783	3.10	62.1	0.454	20111	0.274	0.598	0.0632	0.138	J	F2603987.D	2026-06-19 20:30	1.288	12.839	26056	422958	64.8	10.563	6.7%
DRPNB-12-S-20260603	C16073	0.274	0.0632		62.1	0.454	20111	0.274	0.598	0.0632	0.138	ND	F2603988.D	2026-06-19 20:56	1.288	12.839	12345	418251	64.8	10.563	5.6%
DRPNB-13-S-20260603	B48031	0.274	0.0632		62.2	0.454	20112	0.274	0.598	0.0632	0.138	ND	F2603989.D	2026-06-19 21:21	1.288	12.845	13895	415931	64.8	10.563	5.0%
DRPNB-14-S-20260603	C32853	0.390	0.0899	3.56	62.2	0.454	20111	0.274	0.598	0.0632	0.138	J	F2603990.D	2026-06-19 21:46	1.288	12.839	29890	422748	64.8	10.563	6.7%
DRPNB-15-S-20260603	C65296	0.452	0.104	4.12	62.2	0.454	20111	0.274	0.598	0.0632	0.138	J	F2603991.D	2026-06-19 22:13	1.288	12.838	35534	434081	64.8	10.556	9.6%
DRPNB-15-D-20260603	C38996	0.439	0.101	4.00	62.2	0.454	20111	0.274	0.598	0.0632	0.138	J	F2603992.D	2026-06-19 22:38	1.288	12.839	35033	440884	64.8	10.557	11.3%
DRPNB-15-B-20260603	C40192	0.274	0.0632		62.2	0.454	20111	0.274	0.598	0.0632	0.138	ND	F2603993.D	2026-06-19 23:04	1.288	12.851	604	471715	64.8	10.563	19.1%

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-1-S-20260603	C01605	0.664	0.153	6.06	62.1	0.454	20112	0.274	0.671	0.0632	0.155	J	F2603975.D	2026-06-19 15:27	1.010	13.016	29450	312051	64.8	10.563	-21.2%
DRPNB-2-S-20260603	C37009	0.816	0.188	7.45	62.1	0.454	20110	0.274	0.671	0.0632	0.155		F2603976.D	2026-06-19 15:51	1.010	13.022	34464	297130	64.8	10.569	-25.0%
DRPNB-2-D-20260603	C16101	0.737	0.170	6.72	62.1	0.454	20110	0.274	0.671	0.0632	0.155		F2603977.D	2026-06-19 16:15	1.010	13.016	39774	379948	64.8	10.557	-4.1%
DRPNB-2-B-20260603	C00787	0.274	0.0632		62.1	0.454	20110	0.274	0.671	0.0632	0.155	ND	F2603974.D	2026-06-19 15:02	1.010	13.022	1324	298373	64.8	10.563	-24.7%
DRPNB-3-S-20260603	C57461	1.55	0.358	14.2	62.1	0.454	20111	0.274	0.671	0.0632	0.155		F2603978.D	2026-06-19 16:40	1.010	13.016	84909	385161	64.8	10.557	-2.8%
DRPNB-4-S-20260603	C00713	1.41	0.324	12.8	62.1	0.454	20111	0.274	0.671	0.0632	0.155		F2603979.D	2026-06-19 17:06	1.010	13.022	75899	379720	64.8	10.563	-4.2%
DRPNB-5-S-20260603	C20548	1.51	0.349	13.8	62.1	0.454	20111	0.274	0.671	0.0632	0.155		F2603980.D	2026-06-19 17:31	1.010	13.016	90353	420441	64.8	10.563	6.1%
DRPNB-6-S-20260603	C70833	3.14	0.723	28.6	62.1	0.454	20111	0.274	0.671	0.0632	0.155		F2603981.D	2026-06-19 17:57	1.010	13.016	177128	397287	64.8	10.557	0.3%
DRPNB-7-S-20260603	C20547	0.852	0.196	7.77	62.1	0.454	20111	0.274	0.671	0.0632	0.155		F2603982.D	2026-06-19 18:23	1.010	13.022	48680	402129	64.8	10.563	1.5%
DRPNB-8-S-20260603	B44260	0.850	0.196	7.76	62.1	0.454	20111	0.274	0.671	0.0632	0.155		F2603983.D	2026-06-19 18:48	1.010	13.016	48950	405138	64.8	10.557	2.2%
DRPNB-9-S-20260603	C37429	1.21	0.279	11.0	62.1	0.454	20110	0.274	0.671	0.0632	0.155		F2603985.D	2026-06-19 19:39	1.010	13.016	72941	424110	64.8	10.557	7.0%
DRPNB-10-S-20260603	C70770	1.07	0.246	9.73	62.1	0.454	20111	0.274	0.671	0.0632	0.155		F2603986.D	2026-06-19 20:05	1.010	13.016	63787	421102	64.8	10.557	6.3%

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GE206-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

m-/p-Xylenes

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-11-S-20260603	C57489	1.06	0.245	9.68	62.1	0.454	20111	0.274	0.671	0.0632	0.155		F2603987.D	2026-06-19 20:30	1.010	13.016	63788	422958	64.8	10.563	6.7%
DRPNB-12-S-20260603	C16073	0.384	0.0884	3.50	62.1	0.454	20111	0.274	0.671	0.0632	0.155	J	F2603988.D	2026-06-19 20:56	1.010	13.022	22798	418251	64.8	10.563	5.6%
DRPNB-13-S-20260603	B48031	0.337	0.0777	3.08	62.2	0.454	20112	0.274	0.671	0.0632	0.155	J	F2603989.D	2026-06-19 21:21	1.010	13.016	19926	415931	64.8	10.563	5.0%
DRPNB-14-S-20260603	C32853	0.898	0.207	8.19	62.2	0.454	20111	0.274	0.671	0.0632	0.155		F2603990.D	2026-06-19 21:46	1.010	13.016	53921	422748	64.8	10.563	6.7%
DRPNB-15-S-20260603	C65296	1.44	0.331	13.1	62.2	0.454	20111	0.274	0.671	0.0632	0.155		F2603991.D	2026-06-19 22:13	1.010	13.016	88520	434081	64.8	10.556	9.6%
DRPNB-15-D-20260603	C38996	1.22	0.282	11.2	62.2	0.454	20111	0.274	0.671	0.0632	0.155		F2603992.D	2026-06-19 22:38	1.010	13.016	76610	440884	64.8	10.557	11.3%
DRPNB-15-B-20260603	C40192	0.274	0.0632		62.2	0.454	20111	0.274	0.671	0.0632	0.155	ND	F2603993.D	2026-06-19 23:04	1.010	12.851	0	471715	64.8	10.563	19.1%

o-Xylene

Sample Code	Tube ID	Conc (ug/m³)	Conc (ppbv)	Calc Amt (ng)	Temp (°F)	Uptake Rate (mL/min	Sample Time (min)	LOD (ug/m³)	LOQ (ug/m³)	LOD (ppbv)	LOQ (ppbv)	Flags	Data File	Inj DateTime	CCV RRF	Ret Time (min)	Target Area	ISTD Area	ISTD Amt	ISTD RT	ISTD Change
DRPNB-1-S-20260603	C01605	0.274	0.0632		62.1	0.454	20112	0.274	0.624	0.0632	0.144	ND	F2603975.D	2026-06-19 15:27	1.101	13.524	12821	312051	64.8	10.563	-21.2%
DRPNB-2-S-20260603	C37009	0.295	0.0679	2.69	62.1	0.454	20110	0.274	0.624	0.0632	0.144	J	F2603976.D	2026-06-19 15:51	1.101	13.524	13558	297130	64.8	10.569	-25.0%
DRPNB-2-D-20260603	C16101	0.277	0.0638	2.52	62.1	0.454	20110	0.274	0.624	0.0632	0.144	J	F2603977.D	2026-06-19 16:15	1.101	13.524	16289	379948	64.8	10.557	-4.1%
DRPNB-2-B-20260603	C00787	0.274	0.0632		62.1	0.454	20110	0.274	0.624	0.0632	0.144	ND	F2603974.D	2026-06-19 15:02	1.101	13.524	666	298373	64.8	10.563	-24.7%
DRPNB-3-S-20260603	C57461	0.556	0.128	5.07	62.1	0.454	20111	0.274	0.624	0.0632	0.144	J	F2603978.D	2026-06-19 16:40	1.101	13.524	33181	385161	64.8	10.557	-2.8%
DRPNB-4-S-20260603	C00713	0.612	0.141	5.58	62.1	0.454	20111	0.274	0.624	0.0632	0.144	J	F2603979.D	2026-06-19 17:06	1.101	13.524	35980	379720	64.8	10.563	-4.2%
DRPNB-5-S-20260603	C20548	0.679	0.157	6.20	62.1	0.454	20111	0.274	0.624	0.0632	0.144		F2603980.D	2026-06-19 17:31	1.101	13.524	44245	420441	64.8	10.563	6.1%
DRPNB-6-S-20260603	C70833	1.46	0.335	13.3	62.1	0.454	20111	0.274	0.624	0.0632	0.144		F2603981.D	2026-06-19 17:57	1.101	13.524	89575	397287	64.8	10.557	0.3%
DRPNB-7-S-20260603	C20547	0.382	0.0880	3.48	62.1	0.454	20111	0.274	0.624	0.0632	0.144	J	F2603982.D	2026-06-19 18:23	1.101	13.524	23782	402129	64.8	10.563	1.5%
DRPNB-8-S-20260603	B44260	0.348	0.0801	3.17	62.1	0.454	20111	0.274	0.624	0.0632	0.144	J	F2603983.D	2026-06-19 18:48	1.101	13.524	21814	405138	64.8	10.557	2.2%
DRPNB-9-S-20260603	C37429	0.490	0.113	4.47	62.1	0.454	20110	0.274	0.624	0.0632	0.144	J	F2603985.D	2026-06-19 19:39	1.101	13.524	32163	424110	64.8	10.557	7.0%
DRPNB-10-S-20260603	C70770	0.421	0.0970	3.84	62.1	0.454	20111	0.274	0.624	0.0632	0.144	J	F2603986.D	2026-06-19 20:05	1.101	13.524	27442	421102	64.8	10.557	6.3%
DRPNB-11-S-20260603	C57489	0.408	0.0940	3.72	62.1	0.454	20111	0.274	0.624	0.0632	0.144	J	F2603987.D	2026-06-19 20:30	1.101	13.524	26710	422958	64.8	10.563	6.7%
DRPNB-12-S-20260603	C16073	0.274	0.0632		62.1	0.454	20111	0.274	0.624	0.0632	0.144	ND	F2603988.D	2026-06-19 20:56	1.101	13.524	9829	418251	64.8	10.563	5.6%
DRPNB-13-S-20260603	B48031	0.274	0.0632		62.2	0.454	20112	0.274	0.624	0.0632	0.144	ND	F2603989.D	2026-06-19 21:21	1.101	13.524	9568	415931	64.8	10.563	5.0%
DRPNB-14-S-20260603	C32853	0.327	0.0754	2.99	62.2	0.454	20111	0.274	0.624	0.0632	0.144	J	F2603990.D	2026-06-19 21:46	1.101	13.524	21432	422748	64.8	10.563	6.7%
DRPNB-15-S-20260603	C65296	0.533	0.123	4.86	62.2	0.454	20111	0.274	0.624	0.0632	0.144	J	F2603991.D	2026-06-19 22:13	1.101	13.524	35848	434081	64.8	10.556	9.6%
DRPNB-15-D-20260603	C38996	0.442	0.102	4.03	62.2	0.454	20111	0.274	0.624	0.0632	0.144	J	F2603992.D	2026-06-19 22:38	1.101	13.524	30199	440884	64.8	10.557	11.3%
DRPNB-15-B-20260603	C40192	0.274	0.0632		62.2	0.454	20111	0.274	0.624	0.0632	0.144	ND	F2603993.D	2026-06-19 23:04	1.101	13.940	0	471715	64.8	10.563	19.1%

J: Estimated Value - The analyte was detected between the Method Detection Limit and Reporting Limit
ND: The analyte was not present above the Method Detection Limit

QC Data

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GE206-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

QC Samples

Field Sample Type	Sample Code	Benzene		Toluene		Ethylbenzene		m-/p-Xylenes		o-Xylene	
Blanks (ug/m³)	DRPNB-2-B-20260603	ND	Pass	0.319	Pass	ND	Pass	ND	Pass	ND	Pass
	DRPNB-15-B-20260603	ND	Pass	ND	Pass	ND	Pass	ND	Pass	ND	Pass
Duplicates (difference)	DRPNB-2-D-20260603	0.87%	Pass	3.9%	Pass	16%	Pass	10%	Pass	6.2%	Pass
	DRPNB-15-D-20260603	0.47%	Pass	3.5%	Pass	3.0%	Pass	16%	Pass	19%	Pass

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GE206-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

Benzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2603972.D	B32845	Cal	0.883	0.864	0.883	2.2%	-24%		Pass	
2026GE206 Method Blank 1	F2603973.D	B19165	Blank		0.864	0.883			-21%	Pass	ND
M325B CCV 5	F2603984.D	C36932	Check	0.898	0.864	0.883	3.9%		3.8%	Pass	
M325B CCV 5	F2603994.D	B28959	Check	0.923	0.864	0.883	6.8%		16%	Pass	

Toluene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2603972.D	B32845	Cal	1.089	1.050	1.089	3.8%	-22%		Pass	
2026GE206 Method Blank 1	F2603973.D	B19165	Blank		1.050	1.089			-23%	Pass	ND
M325B CCV 5	F2603984.D	C36932	Check	1.104	1.050	1.089	5.2%		5.9%	Pass	
M325B CCV 5	F2603994.D	B28959	Check	1.144	1.050	1.089	8.9%		20%	Pass	

Ethylbenzene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2603972.D	B32845	Cal	1.288	1.233	1.288	4.4%	-22%		Pass	
2026GE206 Method Blank 1	F2603973.D	B19165	Blank		1.233	1.288			-23%	Pass	ND
M325B CCV 5	F2603984.D	C36932	Check	1.368	1.233	1.288	11%		5.9%	Pass	
M325B CCV 5	F2603994.D	B28959	Check	1.313	1.233	1.288	6.5%		20%	Pass	

m-/p-Xylenes Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2603972.D	B32845	Cal	1.010	1.028	1.010	-1.8%	-22%		Pass	
2026GE206 Method Blank 1	F2603973.D	B19165	Blank		1.028	1.010			-23%	Pass	ND
M325B CCV 5	F2603984.D	C36932	Check	1.040	1.028	1.010	1.1%		5.9%	Pass	
M325B CCV 5	F2603994.D	B28959	Check	1.051	1.028	1.010	2.2%		20%	Pass	


o-Xylene Calibration and Blanks

Sample Code	Data File	Tube ID	Type	RRF	ICAL RRF	Last CCV RRF	RRF Change	ISTD Change vs ICal	ISTD Change vs Concal	Pass/ Fail	Flags
M325B CCV 5	F2603972.D	B32845	Cal	1.101	1.054	1.101	4.5%	-22%		Pass	
2026GE206 Method Blank 1	F2603973.D	B19165	Blank		1.054	1.101			-23%	Pass	ND
M325B CCV 5	F2603984.D	C36932	Check	1.114	1.054	1.101	5.7%		5.9%	Pass	
M325B CCV 5	F2603994.D	B28959	Check	1.141	1.054	1.101	8.3%		20%	Pass	

Chromatograms


Name	2026GE206 Method Blank 1
Comment	B19165; Recollect
Data File	F2603973.D
Acq. Date-Time	6/19/2026 2:38:50 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.871	7.877	282,209	
Benzene	benzene-d6 (IS)	7.932	7.932	7,282	
Toluene-d8 (IS)		10.563	10.557	305,896	
Toluene	Toluene-d8 (IS)	10.661	10.655	11,892	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.839	2,203	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.016	1,731	
o-Xylene	Toluene-d8 (IS)	13.518	13.524	1,128	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603973.D
Counts
x10^3
13.518 min.
0.9
0.8
0.7
0.6
0.5
0.4
0.3
0.2
0.1
13.1
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
Acquisition Time (min)


+ Scan (13.500-13.562 min, 10 scans) F2603973.D
Counts
x10^3
Lib Match Score=43.3
41.0
91.0
55.0
73.0
106.0
115.2
98.0
39.0
51.0
65.0
77.0
106.0
91.0
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	DRPNB-2-B-20260603
Comment	C00787; Recollect
Data File	F2603974.D
Acq. Date-Time	6/19/2026 3:02:53 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.871	7.877	271,689	
Benzene	benzene-d6 (IS)	7.932	7.932	6,233	
Toluene-d8 (IS)		10.563	10.557	298,373	
Toluene	Toluene-d8 (IS)	10.661	10.655	16,512	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.839	2,373	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.016	1,324	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	666	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603974.D
Counts
x10^2
13.524 min.
6
5
4
3
2
1
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.502-13.546 min, 7 scans) F2603974.D
Counts
x10^3
Lib Match Score=39.8
0.5
0.25
0
-0.25
-0.5
-0.75
-1
-1.25
-1.5
41.0
55.0
67.0
73.1
91.1
106.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-1-S-20260603
Comment	C01605; Recollect
Data File	F2603975.D
Acq. Date-Time	6/19/2026 3:27:04 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	279,275	
Benzene	benzene-d6 (IS)	7.932	7.932	39,176	
Toluene-d8 (IS)		10.563	10.557	312,051	
Toluene	Toluene-d8 (IS)	10.661	10.655	85,711	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.839	17,591	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	29,450	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	12,821	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603975.D
Counts
x10^4
13.524 min.
0.8
0.6
0.4
0.2
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.488-13.584 min, 15 scans) F2603975.D
Lib Match Score=56.0
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.0
106.1
39.0
55.1
67.0
77.0
111.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-2-S-20260603
Comment	C37009; Recollect
Data File	F2603976.D
Acq. Date-Time	6/19/2026 3:51:12 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	277,144	
Benzene	benzene-d6 (IS)	7.932	7.932	29,859	
Toluene-d8 (IS)		10.569	10.557	297,130	
Toluene	Toluene-d8 (IS)	10.661	10.655	71,902	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.839	19,140	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.016	34,464	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	13,558	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603976.D
Counts
x10^4
1.2
1
0.8
0.6
0.4
0.2
0
13.524 min.
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.490-13.565 min, 12 scans) F2603976.D
Lib Match Score=58.9
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
40.0
91.1
106.1
111.0
119.0
55.1
73.0
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-2-D-20260603
Comment	C16101
Data File	F2603977.D
Acq. Date-Time	6/19/2026 4:15:22 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	344,991	
Benzene	benzene-d6 (IS)	7.932	7.932	37,495	
Toluene-d8 (IS)		10.557	10.557	379,948	
Toluene	Toluene-d8 (IS)	10.655	10.655	88,421	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.839	20,813	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	39,774	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	16,289	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603977.D
Counts
x10^4
1.2
1
0.8
0.6
0.4
0.2
0
13.524 min.
13.1
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
Acquisition Time (min)


+ Scan (13.493-13.591 min, 16 scans) F2603977.D
Lib Match Score=60.2
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.0
106.1
41.1
55.1
69.1
77.0
97.0
111.1
126.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	DRPNB-3-S-20260603
Comment	C57461
Data File	F2603978.D
Acq. Date-Time	6/19/2026 4:40:51 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	350,165	
Benzene	benzene-d6 (IS)	7.932	7.932	55,735	
Toluene-d8 (IS)		10.557	10.557	385,161	
Toluene	Toluene-d8 (IS)	10.655	10.655	152,832	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.839	34,643	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	84,909	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	33,181	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603978.D
Counts
x10^4
2.5
2
1.5
1
0.5
0
13.524 min.
13.1
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
Acquisition Time (min)


+ Scan (13.488-13.561 min, 12 scans) F2603978.D
Lib Match Score=73.6
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
39.0
51.0
65.0
77.0
97.0
111.1
126.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	DRPNB-4-S-20260603
Comment	C00713
Data File	F2603979.D
Acq. Date-Time	6/19/2026 5:06:09 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	359,499	
Benzene	benzene-d6 (IS)	7.932	7.932	47,198	
Toluene-d8 (IS)		10.563	10.557	379,720	
Toluene	Toluene-d8 (IS)	10.655	10.655	131,453	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.839	39,270	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.016	75,899	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	35,980	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603979.D
Counts
x10^4
13.524 min.
2
1.5
1
0.5
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.488-13.572 min, 13 scans) F2603979.D
Counts
x10^3
Lib Match Score=73.3
91.1
106.1
41.1 51.1 63.0 77.0 84.1 97.1 111.1 126.0
39.0 51.0 65.0 77.0 98.0 106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-5-S-20260603
Comment	C20548
Data File	F2603980.D
Acq. Date-Time	6/19/2026 5:31:38 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.871	7.877	362,981	
Benzene	benzene-d6 (IS)	7.932	7.932	55,481	
Toluene-d8 (IS)		10.563	10.557	420,441	
Toluene	Toluene-d8 (IS)	10.661	10.655	161,518	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.839	48,132	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	90,353	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	44,245	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603980.D
Counts
x10^4
13.524 min.
2.5
2
1.5
1
0.5
0
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.487-13.597 min, 19 scans) F2603980.D
Counts
x10^3
Lib Match Score=67.3
91.1
106.1
41.1
55.1
69.1
77.1
97.1
111.1
126.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-6-S-20260603
Comment	C70833
Data File	F2603981.D
Acq. Date-Time	6/19/2026 5:57:52 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	353,585	
Benzene	benzene-d6 (IS)	7.932	7.932	46,384	
Toluene-d8 (IS)		10.557	10.557	397,287	
Toluene	Toluene-d8 (IS)	10.655	10.655	196,751	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.839	73,748	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	177,128	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	89,575	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603981.D
Counts
x10^4
13.524 min.
5
4
3
2
1
0
13.1
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
Acquisition Time (min)


+ Scan (13.481-13.604 min, 20 scans) F2603981.D
Counts
x10^3
Lib Match Score=67.8
91.1
106.1
55.1
39.1
69.1
51.1
77.0
83.1
97.1
111.1
126.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	DRPNB-7-S-20260603
Comment	C20547
Data File	F2603982.D
Acq. Date-Time	6/19/2026 6:23:17 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.871	7.877	355,954	
Benzene	benzene-d6 (IS)	7.932	7.932	39,808	
Toluene-d8 (IS)		10.563	10.557	402,129	
Toluene	Toluene-d8 (IS)	10.655	10.655	101,786	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.839	31,060	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.016	48,680	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	23,782	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603982.D
Counts
x10^4
13.524 min.
1.4
1.2
1
0.8
0.6
0.4
0.2
0
13.1
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
Acquisition Time (min)


+ Scan (13.486-13.578 min, 15 scans) F2603982.D
Counts
x10^3
Lib Match Score=67.7
91.1
106.1
39.1
55.1
69.1
77.0
97.0
111.1
126.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
1
0.5
0
-0.5
-1
-1.5
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)


Name	DRPNB-8-S-20260603
Comment	B44260
Data File	F2603983.D
Acq. Date-Time	6/19/2026 6:48:46 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.871	7.877	360,744	
Benzene	benzene-d6 (IS)	7.932	7.932	51,266	
Toluene-d8 (IS)		10.557	10.557	405,138	
Toluene	Toluene-d8 (IS)	10.655	10.655	110,543	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.839	26,845	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	48,950	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	21,814	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603983.D
Counts
x10^4
13.524 min.
Acquisition Time (min)


+ Scan (13.482-13.573 min, 15 scans) F2603983.D
Counts
x10^3
Lib Match Score=63.1
91.1
106.1
41.1
55.1
65.0
77.0
96.0
111.1
126.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-9-S-20260603
Comment	C37429
Data File	F2603985.D
Acq. Date-Time	6/19/2026 7:39:43 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	373,554	
Benzene	benzene-d6 (IS)	7.932	7.932	63,891	
Toluene-d8 (IS)		10.557	10.557	424,110	
Toluene	Toluene-d8 (IS)	10.655	10.655	160,902	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.839	37,817	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	72,941	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	32,163	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603985.D
Counts
x10^4
2
1.5
1
0.5
0
13.524 min.
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.487-13.578 min, 14 scans) F2603985.D
Lib Match Score=68.3
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
41.1
55.0
69.1
79.0
97.1
111.1
126.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-10-S-20260603
Comment	C70770
Data File	F2603986.D
Acq. Date-Time	6/19/2026 8:05:07 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	364,574	
Benzene	benzene-d6 (IS)	7.932	7.932	46,602	
Toluene-d8 (IS)		10.557	10.557	421,102	
Toluene	Toluene-d8 (IS)	10.655	10.655	108,901	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.839	26,368	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	63,787	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	27,442	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603986.D
Counts
x10^4
13.524 min.
Acquisition Time (min)


+ Scan (13.488-13.571 min, 13 scans) F2603986.D
Counts
x10^3
Lib Match Score=67.9
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-11-S-20260603
Comment	C57489
Data File	F2603987.D
Acq. Date-Time	6/19/2026 8:30:37 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	368,921	
Benzene	benzene-d6 (IS)	7.932	7.932	33,106	
Toluene-d8 (IS)		10.563	10.557	422,958	
Toluene	Toluene-d8 (IS)	10.655	10.655	106,269	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.839	26,056	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	63,788	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	26,710	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603987.D
Counts
x10^4
2
1.75
1.5
1.25
1
0.75
0.5
0.25
0
13.524 min.
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.486-13.565 min, 13 scans) F2603987.D
Counts
x10^3
Lib Match Score=67.0
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
39.1
55.1
63.0
69.1
78.0
97.0
111.1
126.0
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-12-S-20260603
Comment	C16073
Data File	F2603988.D
Acq. Date-Time	6/19/2026 8:56:04 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.871	7.877	365,503	
Benzene	benzene-d6 (IS)	7.932	7.932	27,324	
Toluene-d8 (IS)		10.563	10.557	418,251	
Toluene	Toluene-d8 (IS)	10.655	10.655	55,262	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.839	12,345	
m-/p-Xylenes	Toluene-d8 (IS)	13.022	13.016	22,798	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	9,829	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603988.D
Counts
x10^3
13.524 min.
Acquisition Time (min)


+ Scan (13.493-13.572 min, 13 scans) F2603988.D
Lib Match Score=56.4
Counts
x10^3
91.0
106.1
111.1
39.1
55.0
67.0
77.0
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-13-S-20260603
Comment	B48031
Data File	F2603989.D
Acq. Date-Time	6/19/2026 9:21:32 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.871	7.877	365,713	
Benzene	benzene-d6 (IS)	7.932	7.932	45,564	
Toluene-d8 (IS)		10.563	10.557	415,931	
Toluene	Toluene-d8 (IS)	10.655	10.655	61,242	
Ethylbenzene	Toluene-d8 (IS)	12.845	12.839	13,895	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	19,926	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	9,568	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603989.D
Counts
x10^3
13.524 min.
Acquisition Time (min)


+ Scan (13.493-13.571 min, 13 scans) F2603989.D
Counts
x10^3
Lib Match Score=56.3
91.1
106.1
41.0
51.0
73.0
111.1
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-14-S-20260603
Comment	C32853
Data File	F2603990.D
Acq. Date-Time	6/19/2026 9:46:55 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.871	7.877	365,484	
Benzene	benzene-d6 (IS)	7.932	7.932	32,892	
Toluene-d8 (IS)		10.563	10.557	422,748	
Toluene	Toluene-d8 (IS)	10.655	10.655	117,578	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.839	29,890	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	53,921	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	21,432	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603990.D
Counts
x10^4
13.524 min.
Acquisition Time (min)


+ Scan (13.490-13.578 min, 14 scans) F2603990.D
Counts
x10^3
Lib Match Score=63.4
91.1
106.1
111.0
41.0
55.1
63.0
69.1
77.0
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-15-S-20260603
Comment	C65296
Data File	F2603991.D
Acq. Date-Time	6/19/2026 10:13:13 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	374,627	
Benzene	benzene-d6 (IS)	7.932	7.932	89,090	
Toluene-d8 (IS)		10.556	10.557	434,081	
Toluene	Toluene-d8 (IS)	10.654	10.655	225,783	
Ethylbenzene	Toluene-d8 (IS)	12.838	12.839	35,534	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	88,520	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	35,848	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603991.D
Counts
x10^4
13.524 min.
Acquisition Time (min)


+ Scan (13.487-13.576 min, 14 scans) F2603991.D
Counts
x10^3
Lib Match Score=68.7
91.1
106.1
111.2
126.1
39.1
51.0
65.0
77.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
Mass-to-Charge (m/z)


Name	DRPNB-15-D-20260603
Comment	C38996
Data File	F2603992.D
Acq. Date-Time	6/19/2026 10:38:37 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	382,804	
Benzene	benzene-d6 (IS)	7.932	7.932	91,463	
Toluene-d8 (IS)		10.557	10.557	440,884	
Toluene	Toluene-d8 (IS)	10.655	10.655	221,407	
Ethylbenzene	Toluene-d8 (IS)	12.839	12.839	35,033	
m-/p-Xylenes	Toluene-d8 (IS)	13.016	13.016	76,610	
o-Xylene	Toluene-d8 (IS)	13.524	13.524	30,199	


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes






o-Xylene


+ EIC (91.1) Scan F2603992.D
Counts
x10^4
2
1.5
1
0.5
0
13.524 min.
13.1 13.2 13.3 13.4 13.5 13.6 13.7 13.8 13.9 14
Acquisition Time (min)


+ Scan (13.489-13.571 min, 13 scans) F2603992.D
Lib Match Score=70.0
Counts
x10^3
1
0.5
0
-0.5
-1
-1.5
91.1
106.1
39.0
51.0
69.0
77.0
97.1
111.1
98.0
39.0
51.0
65.0
77.0
106.0
91.0
Nist98.l
40 50 60 70 80 90 100 110 120
Mass-to-Charge (m/z)


Name	DRPNB-15-B-20260603
Comment	C40192
Data File	F2603993.D
Acq. Date-Time	6/19/2026 11:04:03 PM
Acq. Method File	M325B-MTD
Tube Sorbent	Carbopack X
Analyze Quant Version	12.1
Report Quant Version	12.1


Sample Chromatogram




Name	ISTD	RT	ICAL RT	Resp.	Int. Flag
benzene-d6 (IS)		7.877	7.877	405,839	
Benzene	benzene-d6 (IS)	7.938	7.932	2,735	
Toluene-d8 (IS)		10.563	10.557	471,715	
Toluene	Toluene-d8 (IS)	10.655	10.655	9,064	
Ethylbenzene	Toluene-d8 (IS)	12.851	12.839	604	
m-/p-Xylenes	Toluene-d8 (IS)	12.851	13.016	ND	m
o-Xylene	Toluene-d8 (IS)	13.940	13.524	ND	m


benzene-d6 (IS)







Benzene







Toluene-d8 (IS)







Toluene







Ethylbenzene







m-/p-Xylenes





o-Xylene


+ EIC (91.1) Scan F2603993.D
Counts
x10^3
1
0.8
0.6
0.4
0.2
* 13.940 min.
13.1
13.2
13.3
13.4
13.5
13.6
13.7
13.8
13.9
14
Acquisition Time (min)


+ Scan (13.940-13.940 min, 1 scans) F2603993.D
Counts
x10^3
0.5
0
-0.5
-1
-1.5
41.1
55.1
67.0
73.0
78.2
91.1
105.0
119.2
39.0
51.0
65.0
77.0
98.0
106.0
91.0
Nist98.l
40
50
60
70
80
90
100
110
120
Mass-to-Charge (m/z)

Initial Calibration

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GE206-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
F060226A_CC185154	Benzene	1	F2603592.D	5.98	47851	54.9	467282	0.940	0.088
F060226A_CC185154	Benzene	2	F2603593.D	11.96	92809	54.9	459393	0.928	0.073
F060226A_CC185154	Benzene	3	F2603594.D	23.92	139496	54.9	463442	0.691	-0.2
F060226A_CC185154	Benzene	4	F2603602.D	47.82	363876	54.9	499057	0.837	-0.031
F060226A_CC185154	Benzene	5	F2603596.D	119.61	740151	54.9	471030	0.721	-0.17
F060226A_CC185154	Benzene	6	F2603597.D	239.22	1970749	54.9	459601	0.984	0.14
F060226A_CC185154	Benzene	7	F2603598.D	717.65	5725146	54.9	462228	0.948	0.097
						Avg:	468862	0.864	
						%RSD:	3.0%	13.6%	
F060226A_CC185154	Toluene	1	F2603592.D	5.25	47709	64.8	509406	1.156	0.1
F060226A_CC185154	Toluene	2	F2603593.D	10.51	92003	64.8	502138	1.131	0.077
F060226A_CC185154	Toluene	3	F2603594.D	21.01	156312	64.8	499066	0.967	-0.079
F060226A_CC185154	Toluene	4	F2603602.D	42.00	353414	64.8	531720	1.026	-0.023
F060226A_CC185154	Toluene	5	F2603596.D	105.05	694344	64.8	502134	0.853	-0.19
F060226A_CC185154	Toluene	6	F2603597.D	210.10	1867261	64.8	505954	1.139	0.085
F060226A_CC185154	Toluene	7	F2603598.D	630.31	5346493	64.8	510534	1.077	0.026
						Avg:	508707	1.050	
						%RSD:	2.2%	10.5%	
F060226A_CC185154	Ethylbenzene	1	F2603592.D	5.46	49130	64.8	509406	1.145	-0.071
F060226A_CC185154	Ethylbenzene	2	F2603593.D	10.92	112308	64.8	502138	1.328	0.077
F060226A_CC185154	Ethylbenzene	3	F2603594.D	21.84	196227	64.8	499066	1.167	-0.053
F060226A_CC185154	Ethylbenzene	4	F2603602.D	43.65	481296	64.8	531720	1.344	0.09
F060226A_CC185154	Ethylbenzene	5	F2603596.D	109.18	873540	64.8	502134	1.033	-0.16
F060226A_CC185154	Ethylbenzene	6	F2603597.D	218.36	2338398	64.8	505954	1.372	0.11
F060226A_CC185154	Ethylbenzene	7	F2603598.D	655.09	6402073	64.8	510534	1.241	0.0065
						Avg:	508707	1.233	
						%RSD:	2.2%	10.1%	
F060226A_CC185154	m-/p-Xylenes	1	F2603592.D	6.12	43991	64.8	509406	0.915	-0.11
F060226A_CC185154	m-/p-Xylenes	2	F2603593.D	12.24	105150	64.8	502138	1.110	0.079
F060226A_CC185154	m-/p-Xylenes	3	F2603594.D	24.47	187576	64.8	499066	0.996	-0.032
F060226A_CC185154	m-/p-Xylenes	4	F2603602.D	48.92	455036	64.8	531720	1.134	0.1
F060226A_CC185154	m-/p-Xylenes	5	F2603596.D	122.36	833795	64.8	502134	0.880	-0.14
F060226A_CC185154	m-/p-Xylenes	6	F2603597.D	244.72	2071778	64.8	505954	1.085	0.055
F060226A_CC185154	m-/p-Xylenes	7	F2603598.D	734.17	6239181	64.8	510534	1.079	0.049
						Avg:	508707	1.028	
						%RSD:	2.2%	9.7%	
F060226A_CC185154	o-Xylene	1	F2603592.D	5.69	41840	64.8	509406	0.936	-0.11
F060226A_CC185154	o-Xylene	2	F2603593.D	11.38	103923	64.8	502138	1.179	0.12
F060226A_CC185154	o-Xylene	3	F2603594.D	22.76	180336	64.8	499066	1.029	-0.023

Onterris/Enthalpy

Company: Onterris Air Quality Services - New Jersey
Job No.: 2026GE206-1 EPA Method 325B Analysis
Client No.: PROJ-031826 Site: Penobscot Bay Terminals - Bucksport

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
F060226A_CC185154	o-Xylene	4	F2603602.D	45.50	428822	64.8	531720	1.149	0.091
F060226A_CC185154	o-Xylene	5	F2603596.D	113.79	799795	64.8	502134	0.908	-0.14
F060226A_CC185154	o-Xylene	6	F2603597.D	227.59	2008036	64.8	505954	1.131	0.073
F060226A_CC185154	o-Xylene	7	F2603598.D	682.77	5608102	64.8	510534	1.043	-0.0099
						Avg:	508707	1.054	
						%RSD:	2.2%	10.0%	

Calibration Curves

Method	Compound	Level	Cal File	Amount (ng)	Area	ISTD Amt (ng)	ISTD Area	RRF	Dev
F060226A_CC185154	Benzene	ICV	F2603599.D	178.34	1050667	54.9	463481	0.698	-19.0%
F060226A_CC185154	Toluene	ICV	F2603599.D	182.62	1193938	64.8	509401	0.832	-21.0%
F060226A_CC185154	Ethylbenzene	ICV	F2603599.D	180.56	1443094	64.8	509401	1.017	-18.0%
F060226A_CC185154	m-/p-Xylenes	ICV	F2603599.D	183.37	1117425	64.8	509401	0.776	-25.0%
F060226A_CC185154	o-Xylene	ICV	F2603599.D	183.72	1161032	64.8	509401	0.804	-24.0%

M325B PDF Report ver.20260421

Sample Custody

Onterris

EPA Method 325 A/B Field Test Data Sheet and Chain of Custody Record

2026GE206 **Page # 1 of # 1**

☐ Standard Turn Around Time
☐ Rush Turn Around Time
• All TATs Subject to Approval by Onterris Laboratories, LLC

Site Name:	Webber Penobscot Terminal	**Client Name:**	Onterris Air Quality Services	**PO#:**	
Site Address:	93 River Road	**Project #:**	PROJ-031826	**Sample Event #:**	2026GE206
City:	Bucksport	**Project Manager:**	Sabarish Selvarajan	**Sorbent Type:**	Carbopak-X
State:	Maine	**Email Address:**	sabarishselvarajan@onterris.com	**Quote #:**	
Zip:	04416	**Telephone #:**	973-722-7895		

Location	Sample ID (Tube ID)	Sample (S), Blank (B), Duplicate (D)	Start Date	Start Time	Stop Date	Stop Time	Deployed by/ Collected by	Avg. Pressure (inHg)	Avg. Ambient Temp. (°F)
1	C01605	S	6/3/26	10:34 AM	6/17/26	9:46 AM	KV/KV		
2	C37009	S	6/3/26	10:39 AM	6/17/26	9:49 AM	KV/KV		
2	C16101	D	6/3/26	10:39 AM	6/17/26	9:49 AM	KV/KV		
2	C00787	B	6/3/26	10:39 AM	6/17/26	9:49 AM	KV/KV		
3	C57461	S	6/3/26	10:41 AM	6/17/26	9:52 AM	KV/KV		
4	C00713	S	6/3/26	10:48 AM	6/17/26	9:59 AM	KV/KV		
5	C20548	S	6/3/26	10:47 AM	6/17/26	9:58 AM	KV/KV		
6	C70833	S	6/3/26	10:46 AM	6/17/26	9:57 AM	KV/KV		
7	C20547	S	6/3/26	10:45 AM	6/17/26	9:56 AM	KV/KV		
8	B44260	S	6/3/26	10:44 AM	6/17/26	9:55 AM	KV/KV		
9	C37429	S	6/3/26	10:54 AM	6/17/26	10:04 AM	KV/KV		
10	C70770	S	6/3/26	10:56 AM	6/17/26	10:07 AM	KV/KV		
11	C57489	S	6/3/26	10:58 AM	6/17/26	10:09 AM	KV/KV		
12	C16073	S	6/3/26	10:59 AM	6/17/26	10:10 AM	KV/KV		
13	B48031	S	6/3/26	11:01 AM	6/17/26	10:13 AM	KV/KV		
14	C32853	S	6/3/26	11:03 AM	6/17/26	10:14 AM	KV/KV		
15	C65296	S	6/3/26	11:05 AM	6/17/26	10:16 AM	KV/KV		
15	C38996	D	6/3/26	11:05 AM	6/17/26	10:16 AM	KV/KV		
15	C40192	B	6/3/26	11:05 AM	6/17/26	10:16 AM	KV/KV		

Relinquished By (printed):	Relinquished By (signature):	Relinquished Date:	Relinquished Time:
Kosta Voukidis	KV	6/17/2026	17:00
Received By (printed):	**Recieved By (signature):**	**Receipt Date:**	**Receipt Time:**
Ev Manager		6/18/26	10:00 AM
Sample Condition Upon Receipt:	**Compound List:**	**Custody Seal Intact? Y/N:**	
good	**Benzene, Toluene, Ethylbenzene, O-xylenes, m-/p-xylenes**	Y	
Blank Temp: 22.9 Fluke 4		**Custody Seal #:** 25D01018	

Comments:

Unless otherwise agreed in writing, these services are provided pursuant to the terms and conditions as set forth at onterris.com/terms-and-conditions. Onterris acceptance of this order is **expressly limited** to these terms and conditions

This Is The Last Page Of This Report.

Appendix C - Corrective Action Plan

ONTERRIS AIR QUALITY SERVICES			
MAINE CH. 171 FENCELINE MONITORING CORRECTIVE ACTION PLAN			
PURPOSE	To minimize field sampling errors possible during Maine DEP Ch. 171 petroleum storage terminal fenceline sampling for BTEX using EPA Method 325A sample process.		
REASON	Field sampling errors can occur including: a lost individual or multiple samples; a sample for a duration other than provided for in the sampling method; documentation errors; and low duplicate precision.		
ACTION PLAN SPONSOR	Kevin Ruggiero, Operations Manager	DATE	January 26, 2026
STRATEGIC ACTION	**ONTERRIS PERSONNEL RESPONSIBLE**	**DATE DUE**	**COMMENTS**
Engage new field personnel	Operations Manager	Completed 3/31/26	New field personnel that are existing, local full-time Onterris staff will be fully trained and integrated into the monitoring program.
Provide formal video and written training	Project Manager	Completed 3/31/26	Onterris has a formal training program on EPA Method 325A field sampling techniques that all personnel involved in the project will be required to take.
Provide in the field training	Project Manager	Completed 3/31/26	A Onterris project manager experienced in EPA Method 325A field sampling will provide training in the field for new field personnel. The training will include a comprehensive overview of the sampling methodology as well as monitoring site-specific training needed. The trainer confirms mastery of associated tasks.
Check-ins between the field personnel and project manager to confirm completion of tasks	Field Technician, Project Manager	Ongoing since 2/3/26	Field personnel will be required to check-in with the project manager each sample day to review that all scheduled activities were conducted and identify any non-conformance or corrective actions needed.
Review of sample kit before released for shipping	Field Technician	Ongoing since 2/3/26	Field personnel required to perform a secondary review of samples prior to leaving the site to identify any non-conformance prior to samples being released.
Tracking of outbound sample shipments to laboratory	Project Manager	Ongoing since 2/3/26	Review of automated FedEx courier tracking notifications of sample shipments from the field to the analytical laboratory for confirmation of sample shipment and receipt.
Review of sample documentation	Project Manager	Ongoing since 2/3/26	Review of sample documentation within 3 business days of receipt.
Review of fleet tracking data	Project Manager	Ongoing since 2/3/26	Review of vehicle monitoring device on a weekly basis to confirm field personnel movements.
Periodic on site field assessments	Project Manager	Completed Week of 6/22/26	Periodic in-person observation of field personnel by project manager.
Provide remedial training	Project Manager	As needed.	Review of field sampling activities to identify any additional training needed to remediate any non-conformance events.
Regular meetings with client to discuss recent sampling results	Operations Manager, Project Manager, Data Manager	Ongoing since 2/3/26	Scheduled cadence of status update meetings between Onterris project personnel and client project personnel
Communication of any irregularities with client	Operations Manager, Project Manager, Data Manager	As needed.	Promptly notify client of any irregularities in sampling within 3 business days of discovery.